bott vario3

Technical Handbook
without prices



Basic interior | Individual parts | Modules | Accessories

1 bott vario3

Basic interior



Floor | Interior side linings | Roof liners | Window grilles

bott vario3 Basic interior



Robust bodywork protection | versatile attachments for load restraint | easy-to-clean load space

The basic interior from bott protects the load space of your commercial vehicle against wear and tear in everyday use. It comprises a floor, side linings and, if desired, also a roof liner. The robust and heavy-duty material maintains the value of your vehicle over the long term. Anti-slip surfaces and the edge protection near door openings ensure additional safety.

Lashing rails installed in the floor offer you numerous possibilities for securing your load in your service vehicle. We leave the lashing eyes provided by the vehicle manufacturer so that you can access them. If needed, we will integrate additional lashing rails, lights and load space ventilation elements according to your individual requirements.



Floor

- Sturdy materials
- Anti-slip surfaces
- Edge protection near door openings
- Built-in lashing rails
- Access to factory-installed lashing eyes
- Optionally available with cut-outs for ventilation



Interior side linings and roof liners

- Vehicle-specific complete sets of custom-fit lining panels
- For protecting the vehicle bodywork from damage
- Made of robust plastic or impact-resistant aluminium
- Easy-to-clean surfaces and attractive appearance
- Roof liners made of robust plastic, ideal for combination with LED lights



Window grilles


- For sliding and rear doors, the tailgate and for the vehicle bulkhead
- Made of stable sheet steel
- Protects against theft from vehicle




bott vario3 floor

- Lightweight and moisture-repellent 12 mm birch plywood floor
- Top side: robust and anti-slip synthetic resin film coating with bott decor
- Underside: synthetic resin film coating with smooth finish
- Edges: profiled, moisture-resistant grey finish with aluminium edge protection near door openings
- If the floors have lashing rails, the edge protection is usually integrated
- Pollutant class E1 as per EN 717-2 / anti-slip R10, Coefficient of sliding friction 0,62, taber value > 500
- Fixings included
- Simplified installation is possible with hold-down cup









bott vario3 floor variants

- Floor with transverse lashing rails
- Floor with longitudinal lashing rails
- Floor with aluminium chequer plate (1.5/2.5 mm)



bott vario3 floor with transverse lashing rails

- With aluminium edge protection near door openings
- The lashing rails are directly underneath the roof rib
- Plastic covers ensures straightforward access to the lashing eyes in the vehicle and make easy cleaning of the load space possible



bott vario3 floor with longitudinal lashing rails

- With aluminium edge protection near door openings
- The standard distance between the lashing rails is 880 mm, other distances are possible on request
- Plastic covers ensures straightforward access to the lashing eyes in the vehicle and make easy cleaning of the load space possible




bott vario3 protect interior side lining

- Pre-profiled side lining made from recyclable polypropylene
- Twin-wall panels, 4 mm thick, with structured surface on one side
- Colour: light grey (RAL 7035)
- UV-stable, low weight, will not corrode or decay, chemical-resistant
- Extremely light and easy to clean
- Fixings included



bott vario3 protect plus interior side lining

- Pre-profiled side lining made of 1mm thick aluminium
- Light and extremely resilient
- With perfo perforated panel for attaching perfo hooks and holders
- included







Interior side linings with modular wall connection system (rail / prorail)

- bott vario3 protect and vario protect plus interior side linings with integrated lashing rails with Airline profile
- For fixing bott vario3 in-vehicle equipment or for load restraint with the aid of lashing straps and fittings
- Load is uniformly distributed through the vehicle bodyshell as the rails are bonded in place
- Lashing rails can remain in the vehicle on removal of racking and represent added value
- Fixings included



bott vario3 protect roof liner

- Pre-profiled roof-lining panels made from recyclable polypropylene (vario protect)
- Twin-wall panels, 4 mm thick, with structured surface on one side
- Colour: light grey (RAL 7035)
- UV-stable, low weight, will not corrode or decay, chemical resistant
- Easy to clean
- Fixings included



Window grilles for the vehicle bulkhead

- For protecting driver and passenger
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- Mesh spacing 25 mm



Window grille for sliding and rear doors and tailgates

- Protects against theft from vehicle
- Protects vehicle from possible damage from loaded goods
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- Grille spacing 25 mm
- Rear door version includes both left and right sides

1


Interior side linings vario protect and protect plus



	**bott vario3 protect** for vehicles with right-hand sliding door	**1**
	**bott vario3 protect advanced** for vehicles with right-hand sliding door and rear doors	**1 + 2 + 3**
	**bott vario3 protect advanced** for vehicles with right-hand sliding door and tailgate	**1 + 2 + 4**
	**bott vario3 protect plus** for vehicles with right-hand sliding door	**1**
	**bott vario3 protect plus advanced** for vehicles with right-hand sliding door and rear doors	**1 + 2 + 3**
	**bott vario3 protect plus advanced** for vehicles with right-hand sliding door and tailgate	**1 + 2 + 4**

Info Order references for vehicles with 2 sliding doors on request

vario protect interior side linings with lashing rails



	bott vario3 protect rail for vehicles with right-hand sliding door with central lashing rail	**1 + 5**
	bott vario3 protect prorail for vehicles with right-hand sliding door with central & upper lashing rail	**1 + 5 + 6**
	bott vario3 protect rail advanced for vehicles with right-hand sliding door and rear doors with central lashing rail	**1 + 2 + 3 + 5**
	bott vario3 protect prorail advanced for vehicles with right-hand sliding door and rear doors with central & upper lashing rail	**1 + 2 + 3 + 5 + 6**
	bott vario3 protect rail advanced for vehicles with right-hand sliding door and tailgate with central lashing rail	**1 + 2 + 4 + 5**
	bott vario3 protect prorail advanced for vehicles with right-hand sliding door and tailgate with central & upper lashing rail	**1 + 2 + 4 + 5 + 6**

Info Order references for vehicles with 2 sliding doors on request

1 Y-code overview

Vehicle-Type	Drive	Vehicle length	Vehicle height	Sliding door / door	rear area / door
Y52 = Hyundai H350 Y53 = Iveco Daily Y54 = VW T6 Y55 = VW Caddy ……	0 = not relevant 1 = Drive (Front) 2 = Drive Single wheel (Rear + 4WD) 3 = Drive Super Single wheel (Rear + 4WD) 4 = Drive Dual tyres	0 = not relevant 1 = Length 1 2 = Length 2 3 = Length 3 4 = Length 4 5 = Length 5	0 = not relevant 1 = Height 1 2 = Height 2 3 = Height 3 4 = Height 4	0 = not relevant 1 = Sliding door/ door (right) 2 = Sliding door/ door (left) 3 = no Sliding door 4 = Sliding door with double cabin	0 = not relevant 1 = rear door 2 = Tailgate

Examples:

Beschreibung des Y-Codes (Beispiel Fußbodenplatten)

Y54.1.2.0.12.0 (Y54 . 1 . 2 . 0 . 12 . 0)

① Y54	=	Fahrzeugtyp	(Y54 = VW T6)
② 1	=	Fahrzeugausführung Antrieb	(Frontantrieb = 1)
③ 2	=	Fahrzeuglänge	(Länge = 2)
④ 0	=	Fahrzeughöhe	(nicht relevant = 0)
⑤ 12	=	Fahrzeugausführung Schiebetür/Tür	(Schiebetür rechts + links = 12)
⑥ 0	=	Fahrzeugausführung Hecktür/Heckklappe	(nicht relevant = 0)

Beschreibung des Y-Codes (Beispiel Innenwandverkleidung)

Y53.0.2.34.1.0 (Y53 . 0 . 2 . 34 . 1 . 0)

Kunststoff		(protect)
Aluminium		(protect plus)

① Y53	=	Fahrzeugtyp	(Y53 = Iveco Daily)
② 0	=	Fahrzeugausführung Antrieb	(nicht relevant = 0)
③ 2	=	Fahrzeuglänge	(Länge = 2)
④ 34	=	Fahrzeughöhe	(Höhe = 3 + 4)
⑤ 1	=	Fahrzeugausführung Schiebetür/Tür	(Schiebetür rechts = 1)
⑥ 0	=	Fahrzeugausführung Hecktür/Heckklappe	(nicht relevant = 0)

Beschreibung des Y-Codes (Beispiel Dachhimmel)

Y54.0.1.1.1.0 (Y54 . 0 . 1 . 1 . 1 . 0)

① Y54	=	Fahrzeugtyp	(Y54 = VW T6)
② 0	=	Fahrzeugausführung Antrieb	(nicht relevant = 0)
③ 1	=	Fahrzeuglänge	(Länge = 1)
④ 1	=	Fahrzeughöhe	(Höhe = 1)
⑤ 1	=	Fahrzeugausführung Schiebetür/Tür	(Schiebetür rechts = 1)
⑥ 0	=	Fahrzeugausführung Hecktür/Heckklappe	(nicht relevant = 0)

Beschreibung des Y-Codes (Beispiel Unterflurmodul)

Y55.0.1.0.1 (Y55 . 0 . 1 . 0 . 1)

① Y55	=	Fahrzeugtyp	(Y55 = VW Caddy)
② 0	=	Fahrzeugausführung Antrieb	(nicht relevant = 0)
③ 1	=	Fahrzeuglänge	(Länge = 1)
④ 0	=	Fahrzeughöhe	(nicht relevant = 0)
⑤ 1	=	Fahrzeugausführung Schiebetür/Tür	(Schiebetür rechts = 1)

Beschreibung des Y-Codes (Beispiel Fenstergitter)

Y55.0.0.0.0.1 (Y55 . 0 . 0 . 0 . 0 . 1)

① Y55	=	Fahrzeugtyp	(Y55 = VW Caddy)
② 0	=	Fahrzeugausführung Antrieb	(nicht relevant = 0)
③ 0	=	Fahrzeuglänge	(nicht relevant = 0)
④ 0	=	Fahrzeughöhe	(nicht relevant = 0)
⑤ 0	=	Fahrzeugausführung Schiebetür/Tür	(nicht relevant = 0)
⑥ 1	=	Fahrzeugausführung Hecktür/Heckklappe	(Hecktür = 1)

Beschreibung des Y-Codes (Beispiel Fenstergitter für Fahrzeugtrennwand)

Y55 (Y55)

① Y55	=	Fahrzeugtyp	(Y55 = VW Caddy)

Vehicle Types:

Vehicle Types			
Y 01	Renault Kangoo (2008/2010)	Y 51	MB Vito Baureihe 447 (2014)
Y 02	Opel Combo (2001)	Y 52	Hyundai H350 (2014)
Y 03	Ford Transit Connect (2001/2003)	Y 53	Iveco Daily (2014)
Y 04	Volkswagen Caddy (2003/2007)	Y 54	Volkswagen T6 (2015)
Y 05	Fiat Doblo / Opel Combo (2010/2011)	Y 55	Volkswagen Caddy (2015)
Y 06	Peugeot Partner / Citroen Berlingo (2008)	Y 56	Ford Tourneo Connect (2014)
Y 07	Peugeot Bipper / Citroen Nemo / Fiat Fiorino (2008)	Y 57	Citroen Jumpy / Peugeot Expert / Toyota ProAce (2016) / Opel Vivaro (2019) / Fiat Scudo (2022)
Y 08	Dacia Logan Express (2009)		
Y 09	Dacia Dokker Express (2012)	Y 58	VW Crafter (2016) / MAN TGE (2017)
Y 10	Citroen Jumpy / Peugeot Expert / Fiat Scudo (2007) / Toyota ProAce	Y 59	Streetscooter Work (2017)
		Y 60	Peugeot Partner / Citroen Berlingo / Opel Combo (2018) / Fiat Doblo / Toyota Proace City (2020)
Y 11	Citroen Jumper / Peugeot Boxer / Fiat Ducato (2006) / Opel Movano (2021) / Toyota ProAce Max (2024)	Y 61	Ford Ranger (2016)
Y 12	Mercedes Citan (2012) / Renault Kangoo (2013) / NV250 (2019)	Y 62	Mitsubishi L200 / Fiat Fullback (2015)
		Y 63	Nissan Navara (2016) / Mercedes Benz X-Klasse (2017) / Renault Alaskan (2017)
Y 13	Ford Transit (2000/2001)		
Y 14	Iveco Daily (1999)	Y 64	Toyota Hilux (2015)
Y 15	Ford Transit Custom (2012)	Y 65	Isuzu D-Max (2017)
Y 16	Hyundai H1	Y 66	Mercedes Sprinter (2018)
Y 17	Mercedes Vito (2003)	Y 67	Toyota Hiace (2019)
Y 18	Mercedes Sprinter / VW Crafter (2006)	Y 68	Mitsubishi L200 / Fiat Fullback (2019)
Y 19	VW Amarok (2010)	Y 69	Renault Kangoo Rapid / Mercedes Benz Citan (2021) / Nissan Townstar (2022)
Y 20	Nissan Interstar / Opel Movano / Renault Master (1998)		
Y 21	Nissan Primastar / Opel Vivaro / Renault Trafic (2001)	Y 70	Volkswagen Caddy (2020) / Ford Connect (2022)
Y 22	Nissan NV 200 (2009)	Y 71	Maxus eDeliver 3 (2020)
Y 23	Nissan NV 400/ Interstar / Opel Movano / Renault Master (2011/2010)	Y 72	LEVC VN5 (2020)
Y 24	Toyota Hiace (2003)	Y 73	GMC Savana / Chevrolet Express
Y 25	Volkswagen T5 (2003)	Y 74	Renault Express / Dacia Dokker Express (2021)
Y 26	VW Passat (2010)	Y 75	Toyota Hiace (2020)
Y 27	VW Touran (2010)	Y 76	Maxus eDeliver 9 / Maxus Deliver 9 (2021)
Y 28	VW Caddy life (2004)	Y 77	Volkswagen ID. BUZZ (2022)
Y 29	VW Sharan (2010)	Y 78	Hyundai Staria (2022)
Y 30	VW Golf Variant (2009)	Y 79	VW Caddy Life (2021)
Y 31	BWM 3er Touring (2005)	Y 80	VW ID.4 (2021) / Skoda Enyaq (2021)
Y 32	Opel Insignia (2009)	Y 81	GAZelle Next (2016)
Y 33	Ford S-Max (2006)	Y 82	Peugeot eRifter / Citroen eBerlingo / Opel eCombo Life / Toyota ProAce City Verso (PKW Varianten)
Y 34	Opel Astra (2010)	Y 83	Ford Transit Custom (2023)
Y 35	Opel Zafira Tourer (2012)	Y 84	VW Amarok (2022) / Ford Ranger (2022)
Y 36	Ford Focus (2011)	Y 85	VW T7 Multivan
Y 37	Audi A4 Avant (2008)	Y 86	VW ID.3 (2019 -)
Y 38	Renault Megane Grandtour (2009)	Y 87	Ford Transit Courier (2023)
Y 39	Mercedes Benz E-Klasse T-Modell (2009)	Y 88	Renault Master XDD (2023)
Y 40	VW Tiguan (2011)	Y 89	Maxus eDeliver 7 / Maxus Deliver 7 (2023)
Y 41	Mercedes Benz C-Klasse (2011)	Y 90	KIA PV 5 (2025)
Y 42	Seat Alhambra (2010)	Y 91	VW new Transporter (2024)
Y 43	Seat Exeo ST Kombi (2009)	Y 92	BYD ETP 3
Y 44	Renault Twizy (2012) -Elektroantrieb-	Y 93	BrightDrop Zevo (2022)
Y 45	Renault Clio (2012)	Y 94	Rivian EDV 500 (2021)
Y 46	Ford Transit Connect (2014 -)	Y 95	Maxus T90 EV (2023)
Y 47	Ford Transit (2014 -)	Y 96	
Y 48	BMW 3er Touring (Sep. 2012)	Y 97	
Y 49	Ford Transit Courier (2014)	Y 98	
Y 50	Opel Vivaro (2014) / Renault Trafic (2014) / Fiat Talento (2016) / Nissan NV 300(2016) / Primastar (2022)	Y 99	

Y-code description

Y47 .2 .2 .1 .1 .2

- **Vehicle type**
- Drive
  - 0 = Not relevant
  - 1 = Front wheel drive
  - 2 = Rear / all-wheel drive (normal single tyres)
  - 3 = Rear / all-wheel drive (super single tyres)
  - 4 = Rear / all-wheel drive (dual rear wheels)
- Vehicle length
  - 0 = Not relevant
  - 1 = L1
  - 2 = L2
  - 3 = L3
  - 4 = L4
  - 5 = L5
- Vehicle height
  - 0 = Not relevant
  - 1 = H1
  - 2 = H2
  - 3 = H3
  - 4 = H4
- Sliding door/door
  - 0 = Not relevant
  - 1 = right
  - 2 = left
  - 3 = No sliding door
  - 4 = Sliding door with double cabin
- Rear area
  - 0 = Not relevant
  - 1 = Rear door
  - 2 = Tailgate

Current vehicles	Y-Code
BYD	
ETP 3	Y92
BrightDrop	
Zevo	Y93
Citroen	
Berlingo (2018)	Y60
Jumper (2006)	Y11
Jumpy (2016)	Y57
eBerlingo (2022) PKW	Y82
Dacia	
Dokker Express (2012)	Y09
Dokker Express (2021)	Y74
Fiat	
Doblo (2010)	Y05
Doblo (2022)	
Ducato (2006)	Y11
Fiorino (2008)	Y07
Talento (2016)	Y50
Fullback (2019)	Y68
Scudo (2022)	Y57
Ford	
Transit (2014)	Y47
Transit Connect (2014)	Y46
Transit Connect (2022)	Y70
Transit Courier (2014)	Y49
Transit Custom (2012)	Y15
Ranger (2016)	Y61
Ranger (2022)	Y84
Transit Custom (2023)	Y83
Transit Courier (2023)	Y87
GAZ	
GAZelle Next (2016)	Y81
Hyundai	
Staria (2022)	Y78
Isuzu	
D-Max (2017)	Y65
KIA	
PV 5 (2025)	Y90
PV 7	
Iveco	
Daily (2014)	Y53
LEVC	
VN5 (2020)	Y72
MAN	
TGE (2017)	Y58
Maxus	
eDeliver 3 (2020)	Y71
eDeliver 7 (2023)	Y89
eDeliver 9 (2021)	Y76
T90 EV (2022)	Y95
Mercedes Benz	
Citan (2021)	Y69
Sprinter (2018)	Y66
Vito (2014)	Y51
X-Klasse (2017)	Y63
Mitsubishi	
L200 (2019)	Y68
Nissan	
NV250 (2019)	Y12
NV300 / Primastar (2016)	Y50
NV400 / Interstar (2011)	Y23
Navara (2016)	Y63
Opel	
Combo (2018)	Y60
Movano (2011)	Y23
Movano (2021)	Y11
Vivaro (2019)	Y57
eCombo Life (2022)	Y82
Peugeot	
Boxer (2006)	Y11
Expert (2016)	Y57
Partner (2018)	Y60
eRifter (2022)	Y82
Renault	
Express (2021)	Y74
Kangoo Rapid (2021)	Y69
Master (2011)	Y23
Trafic (2014)	Y50
Alaskan (2017)	Y63
Master XDD (2023)	Y88
Rivian	
EDV 500	Y94
Skoda	
Enyak (2021)	Y80
Toyota	
Proace City (2020)	Y60
Proace (2016)	Y57
Hilux (2015)	Y64
Hiace (2020)	Y75
Proace City Verso (2022)	Y82
ProAce Max (2024)	Y11
VW	
VW Caddy (2020)	Y70
VW Caddy Life (2021)	Y79
VW Crafter (2016)	Y58
VW T6 (2015)	Y54
VW Amarok (2010)	Y19
VW Amarok (2022)	Y84
VW ID BUZZ	Y77
VW ID.4 (2021)	Y80
VW T7 Multivan (2022)	Y85
VW new Transporter (2024)	Y91


bott
bott

WLTP Information

“Worldwide Harmonized Light Vehicles Test Procedure”
WLTP is applicable for new emission types of vehicles of the Class I (≤ 3.5t) from 01.09.19 for all newly registered vehicles

Influencing factors for WLTP

- Weight, drag and rolling resistance



Quelle Daimler ABH Portal

Exceptions

- Not necessary if the vehicle has already been registered
- In-vehicle equipment is not affected, since this counts as carg (see page X)

WLTP countries







In Europa sind **28+6** Märkte von **WLTP** betroffen.

Quelle Daimler ABH Portal

Modification of the end face

If the end face has been modified, the surface area must be determined by the body builder. This can be done by entering the increase in surface area in a calculator at the vehicle manufacturer's

Restriction

- Not all vehicle manufacturers have a WLTP calculator on their website or portal, or this is not for all vehicles



Quelle Daimler ABH Portal

bott components affected

- e.g. roof vents, rotating beacons, flashing lights, tarpaulin and frame bodies etc.

Change in mass

- The change in mass can be determined either by calculation or by weighing the vehicle or by adding up the installed components


bott components

- In-vehicle equipment is not affected (see Directive 2007/46/EC), with the exception of the maintenance trolley due to entry of in-vehicle equipment as new empty weight

3.4. Where the cargo area of a complete or completed vehicle of category N or O is modified by another manufacturer for the addition of removal fittings to store and secure the cargo (for example load space lining, storage racks and roof racks), such items can be treated as part of the pay-mass and an approval is not needed, of both of the following conditions are met:

a) the modifications do not affect the vehicle's type approval in any way, other than an increase of the actual mass of the vehicle;

b) the added fittings can be removed without using special tools.



Quelle Daimler ABH Portal

Change in rolling resistance

- When tyres are changed the efficiency classes must be taken intc consideration



Quelle Daimler ABH Portal

Components affected

- Summer / winter and all-year tyres (initial vehicle delivery)

WLTP calculator

The changes must then be entered in a calculator at the vehicle manufacturer's (body builder portal), thus generating new COC papers for registration from the vehicle manufacturer




Quelle Daimler ABH Portal

Fixing kit for interior side linings









- Colour of plastic: light grey (RAL 7035)
- Suitable for vario protect-light, protect-cargo und protect-plus

Pack of **50-65**

Image	A	A	B	C
Installation kit	Expanding rivet suitable for all brands except Ford	Expanding rivet suitable for Ford	Fixing sleeve with drilling screw 19 mm	Holder with drilling screw 13 mm
Pack of	65	65	65	50
Order ref. packed	90099540.16	90099878.16	90099541.16	90099542.16

Image	D	E		
Installation kit	Fixing plate	Drilling screw 4.2 x 13	Drilling screw 4.2 x 13	Drilling screw 4.2 x 19
Pack of	250	100	2000	2000
Order ref. packed	63510147.16	90099682	63510015.51V	90099425

Adhesive cleaner SABA 9910



- transparent adhesion promoter, free of CMR substances (1-component
- Permanent connection to various non-porous surfaces such as metals, plastics, coatings or varnishes
- free of Isocyanaten or CMR substances
- easy processing
- complies with EN 14188-4
- Application temperature +5°C - +35°C;

Version	250 ml	1 l
Order Ref.	73510338	73510340

Mounting adhesive Sabatack 780



- An elastic, stable and all-round construction adhesive and sealant
- Solvent-free, UV-stable, permanently elastic and (air-) moisture-curing based on MS polymer (1-component)
- Free from danger symbols, silicones and isocyanates
- Processing temperature (min./max.) +5°C - +35°C
- Color: Grey (≈RAL 7004)
- Application temperature -40°C - +120°C

Pack of	1
Order Ref.	73510336

Mounting set Primer/ adhesive



- Includes 1x 250ml can of primer / 2x 290ml cartridge

Order Ref.	73510342

Fixing kit for lashing rail with protective strip



A



B



C

Image	A	B	C
Installation kit	V-grip blind rivet zinc-plated	Plus-Nut M6	Countersunk screw M6x25 DIN7991 MK (micro-encapsulated)
Pack of	1000	500	500
Order ref. packed	90099300	63510033.51V	63510018.51V


End caps for lashing rail with protective strip



A B

Image	A	A	B
Version	high	high	flat
Pack of	2	100	100
Order ref. packed	850011238.19V	85001136.19V	85001139.19V

bott connector







C D

Image	A	A+B	B
Version	Sliding block	Sliding block and cover plate	Cover plate for sliding block
Pack of	200	2	200
Order ref. packed	63510149	63510132.51	63510148

Image	C	D	
Version	Hex bolt M8x16 10.9	Washer DIN9021-B 8.4 zinc-plated	
Pack of	200	500	
Order ref. packed	63510146.51	90099307	

Mounting set for Wall mounting rail



- Mounting set for Wall mounting rail
- contains all mounting materials for fastening wall rails
- sufficient for one vehicle
- with the fastening set, all rails can be fastened in a panel van

Order ref.	90099710

Wall mounting rail



- for fixing bott vario in-vehicle equipment or for load restraint with the aid of lashing straps and fittings
- without Fixings

Length mm	200	250	275	450
Order ref. packed	07903281.17V	07903247.17V	07903246.17V	07903268.17V
AW value	1,5	1,5	1,5	1,5

Length mm	475	575	600	625
Order ref. packed	07903269.17V	07903278.17V	07903279.17V	07903313.17V
AW value	1,5	1,5	1,5	1,5

Length mm	725	925	1000	1025
Order ref. packed	07903292.17V	07903250.17V	07903251.17V	07903280.17V
AW value	1,5	1,5	1,5	1,5

Length mm	1125	1200	1300	1425
Order ref. packed	07903241.17V	07903249.17V	07903242.17V	07903243.17V
AW value	1,5	1,5	1,5	1,5

Length mm	1525	1600	1675	1725
Order ref. packed	07903359.17V	07903244.17V	07903270.17V	07903252.17V
AW value	2,5	2,5	2,5	2,5

Length mm	1800	1850	1875	1975
Order ref. packed	07903253.17V	07903293.17V	07903248.17V	07903245.17V
AW value	2,5	2,5	2,5	2,5

Length mm	2125	2375		
Order ref. packed	07903254.17V	07903271.17V		
AW value	2,5	2,5		

1

Wall mounting rail for In-vehicle equipment

- Wall mounting set for attaching the van racking in the vehicle
- Mounting-Set rail wall, 1x Connection to side part and rail system, contains wall bracket M
- Mounting-Set rail wall XL , 1x connection to the side part and rail system or alternatively with plus groove to the vehicle body, contains wall bracket L.
- Connection to side part and vehicle body, contains wall bracket M
- galvanized







Version	Mounting Set	Mounting-Set rail wall	Mounting-Set rail wall xl
Order ref. packed	73510252.51V	73510253.51V	73510254.51V
AW value			

Substructure profile for wall rail



A



B



C

- Substructure profiles for wall rail with protective profile
- fit the respective vehicle contours
- cover the holes in the body and enable a plus groove
- Use of the wall rail also in areas where the bows have openings


Image	A	A	B
Version	Iveco Daily	Iveco Daily	Ford Transit
Position	top	middle	Rear left
Pack of	2	2	1
Order ref. packed	08019600.51V	08019601.51V	08019498.51V
AW value	0,5	0,5	0,5

Image	C	C	
Version	Nissan NV400 / Opel Movano / Renault Master	Nissan NV400 / Opel Movano / Renault Master	
Position	top	top	
Pack of	1	1	
Order ref. packed	08019645.51V	08019646.51V	
AW value	0,5	0,5	

Vehicle-specific wall connection brackets



A



B



C



D

Image	A	A	A
Version	Fixing bracket VW T6	Fixing bracket VW T6	Fixing bracket Ford Transit Custom 2012
Position	Rear left L1 Pos. 0+1, L2 Pos. 1	Rear rigth L1 Pos. 0+1, L2 Pos. 1	Rear left Pos. 0+1
Pack of	1	1	1
Order ref. packed	73502045.16V	73502046.16V	73502047.16V
AW value	2,0	2,0	2,0

Image	B	B	B
Version	Fixing bracket Ford Transit Custom 2012	Fixing bracket Mercedes-Benz Vito	Fixing bracket Mercedes-Benz Vito
Position	Rear rigth Pos. 0+1	Rear left Pos. 1+2	Rear rigth Pos. 1+2
Pack of	1	1	1
Order ref. packed	73502048.16V	73502049.16V	73502050.16V
AW value	2,0	2,0	2,0

Image			
Version	Befestigungswinkel Ford Transit Courier 2023	Befestigungswinkel Ford Transit Courier 2023	Befestigungswinkel Ford Transit Custom 2023
Position	Rear rigth Pos. 0+1	Rear left Pos. 1+2	Rear rigth Pos. 0+1
Pack of	1	1	1
Order ref. packed	73502108.16V	73502109.16V	73502106.16V
AW value	2,0	2,0	2,0

Image			
Version	Fixing bracket Ford Transit Custom 2023	Fixing bracket Renault Master XDD/Nissan Interstar 2024	Fixing bracket Renault Master XDD/Nissan Interstar 2024
Position	Rear left Pos. 1+2	Rear rigth Pos. 0+1	Rear left Pos. 1+2
Pack of	1	1	1
Order ref. packed	73502107.16V	73502110.16V	73502111.16V
AW value	2,0	2,0	2,0

Image	C	C	D
Version	Fixing bracket Renault Trafic, Fiat Talento, Nissan NV300	Fixing bracket Renault Trafic, Fiat Talento, Nissan NV300	Fixing bracket Citroen Jumpy, Opel Vivaro, Peugeot Expert, Toyota Proace
Position	Rear left pos. 1	Rear right pos. 1	Rear left pos. 0
Pack of	1	1	1
Order ref. packed	73502051.16V	73502052.16V	73502053.16V
AW value	2,0	2,0	2,0

Image	D		
Version	Fixing bracket Citroen Jumpy, Opel Vivaro, Peugeot Expert, Toyota Proace	Fixing bracket VW Caddy 2020	Fixing bracket VW Caddy 2020
Position	L2/L3 Rear rigth Pos. 0+1	Rear left Pos. 0 + 1 SLF plus/without R	Rear rigth Pos. 0 + 1 SLF with R
Pack of	1	1	1
Order ref. packed	73502054.16V	73502083.16V	73502086.16V
AW value	2,0	2,0	2,0

Image			
Version	Fixing bracket VW Caddy 2020	Fixing bracket Renault Kangoo/ Mercedes-Benz Citan/ Nissan NV250 2021	Fixing bracket Renault Kangoo/ Mercedes-Benz Citan/ Nissan NV250 2021
Position	Rear rigth Pos. 0 + 1 SLF plus R	Rear rigth Pos. 0 + 1	Rear left Pos. 0 + 1
Pack of	1	1	1
Order ref. packed	73502086.16V	73502084.16V	73502085.16V
AW value	2,0	2,0	2,0

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h


Universal wall connection bracket and fixing kit


A


B


C


D


E


F

Image	A	A	A
Version	Wall bracket 1	Wall bracket 2	Wall bracket 3
Dimensions W x D x H mm	180 x 35 x 3	250 x 35 x 3	450 x 35 x 3
Pack of	250	250	50
Order ref. packed	63510009.51V	63510010.51V	63510008.51V

Image	B	B	B
Version	bott vario Wall bracket S	bott vario Wall bracket M	bott vario Wall bracket L
Dimensions W x D x H mm	145 x 60 x 3	274 x 60 x 3	446 x 60 x 3
Pack of	100	50	50
Order ref. packed	73510234.51V	73510235.51V	73510236.51V

Image	C	C	
Version	bott Wall bracket 0	Wall fixing 0	
Dimensions W x D x H mm	135 x 15 x 100	135 x 15 x 100	
Pack of	25	1	
Order ref. packed	73510237.16V	73502080.16V	

Image	D	E	
Version	Locking nut Plusnut M8 with tooth lock screw M8x25	Washer DIN9021-B 8.4	
Dimensions W x D x H mm			
Pack of	250	500	
Order ref. packed	90099420	90099307	

Image	F	F	
Version	bott Wall bracket 10	Wall fixing 10	Wall fixing flooring Y83/Y91
Dimensions W x D x H mm	133 x 20 x 100		
Pack of	25	1	1
Order ref. packed	73510288.16V	73502094.16V	73502103

Aluminium edge protection angle for floor

Length mm	260	360	550	750
Pack of	5	5	5	5
Order ref. packed	63510084.97	63510085.97	63510086.97	63510087.97

Length mm	1150	1330	2000	
Pack of	5	5	1	
Order ref. packed	63510088.97	63510089.97	07901043.97V	

Floor accessories



A



B



C



D



E



F

Image	A	B		D
Installation kit	Tee nut M8x32 zinc-plated	Self-adhesive pad for tee nut		Floor connector
Pack of	250	250		600
Order ref. packed	90099301	90099311		63510137.19

Image	C	C		
Installation kit	Cover plug Ø 7,5 for Tee nut M8	Cover plug Ø 10,5 for Cylinder bore		
Pack of	500	500		
Order ref. packed	73510289.19V	73510290.19V		

Image	E	F	F	F
Installation kit	Spax 3x 12	Packing strip 150 mm	Packing strip 700 mm	Packing strip 1200 mm
Pack of	1000	100	100	100
Order ref. packed	63510137.51	63502057	63502073	63502074

Image				
Installation kit	Drilling screw with countersunk head 4.2 x 32	Washer DIN1440-10/ ISO8738-10 washer for compensating the hold-down cup height	Washer DIN 9021-B 10.5 mm - washer for levelling the hold-down cup	
Pack of	1000	500	500	
Order ref. packed	90039007.51V	63510139.51	63510138.51	

bott vario3 floor replacement part set

Version	10 of each: round cover, round fixing sleeve, round retaining ring	Surface repair set	Refill set for surface repair set (3x hard wax bar 8 cm "slate", 1x paint stick)	Fixing plate pack of 10 for vario protect and protect plus
Order ref. packed	63502047.19V	85001028.99V	85001143.99	900996916.16V

Hold-down cup

A



B



C



D



E




F




Image	A	B	C	D
Installation kit	Oval hold-down cup	Oval cover	Oval retaining ring	Round hold-down cup
Pack of	100	100	100	100
Order ref. packed	63502065.19V	63502067.19V	63502066.19V	63502070.19V

Image	E	F	F	
Installation kit	Round cover	Round retaining ring	Round retaining ring	Floor replacement part set 10x hold-down cup, 10x cover, 10x round retaining ring
Pack of	100	100	50	10
Order ref. packed	63502072.19V	63502071.19V	63502049.19V	63502047.19V

Sticker with lashing instructions





Version	Sticker with lashing instructions
Pack of	25
Order Ref.	73510250

bott vario3 set of samples

- Set of samples, comprising:
  vario protect, vario protect-plus, floor with lashing rail, floor with aluminium chequer plate and bott universal rail with end caps

Weight kg	1.0
Order Ref.	12226997

Set of samples for side lining



- Set of samples, comprising:
  vario protect, vario protect-plus, fixing plate, bott universal rails with protective strip and LED lighting with USB port, universal fixing bracket

Weight kg	2.4
Order Ref.	12226998

Drilling templates

	Description	Dimensions W x D x H mm	Weight kg	Pack of	Order Ref.	
	Drilling template Venting element		0.1	1	85001030	

bott vario3 floor panels




- Moisture-resistant multiplex floor with low weight
- Material thickness 12 mm
- Class pollutant E1 in accordance with EN 120
- Top side:
  robust, anti-slip synthetic resin film coating with a bott exclusive anthracite marbled pattern
- Underside:
  synthetic resin film coating with smooth finish
- Edges:
  profiled, moisture-resistant grey finish with a waterproof coating near door openings
- pack of 2 comes with groove and spring

Dimensions W x D x H mm	Pack of	Order Ref.		AW value
1830 x 1525 x 12	2	11308044		5

Designation	Pack of	Order Ref.		AW Value
Variable rectangular trimming max. 1830 x 1525 mm	1	61201031		5
Variable rectangular trimming max. 750 x 1830 mm		61201052		5

1

Wheel arch cover



- To be mounted above wheel arches in vehicles
- Wheel arch cover with lid for opening
- All-round aluminium profile at floor-level, for installation on the vehicle floor
- Fixings included
- Wheel arch cover is delivered flat-packed and should be mounted by the partner, the covering elements are pluggable and can be fully fixed with the aid of screws
- Material: plywood panels with film surface rough and resistant to wear and rolling, humidity, common chemicals as well as diluted acids and alkaline solutions
- Optionally 1 piece left/right

Dimensions W x D x H mm	For wheel arch up to height mm	For wheel arch up to depth mm	Weight kg	Order Ref.		AW Value
1000 x 260 x 420	310	228	7.8	11303001		5
1000 x 280 x 510	400	248	9.6	11303008		5



vario protect light interior side lining



- Side lining made from recyclable polypropylene
- Twin-wall panels, 4 mm thick, with structured surface on one side
- Colour: light grey (RAL 7035)
- UV-stable, low weight, will not corrode or decay, chemical-resistant
- Extremely light and easy to clean

Designation	Order Ref.		AW Value
Variable rectangular trimming max. 2600 x 2000 mm	12229121.95V		3
Variable rectangular trimming max. 1300 x 2000 mm	12229123.95V		3

Anodised aluminium 1.2 mm



- For individual shaping of linings
- Anodised aluminium


Designation	Order Ref.		AW Value
Variable trimming max. 2000 x 1000 mm	12229122.97V		3

1

Edge protection strip



- Edge protection strip with steel clamp strap
- Clamping range 1-2 mm
- On rolls of 50 m
- Silver



Dimensions W x D x H mm	Weight kg	Order ref. packed		
6.5 x 9.5 x 50000	2.5	62410061		


Reinforcement profile protect plus



- pre-scored reinforcement profile for attaching additional loads to protect plus side linings.
- pre-punched holes in the reinforcement profile allow all perfo holes to be used
- individual adaptation to the protect plus side lining is necessary
- not suitable for inverters or other heavy components
- Aluminium nature

Designation	Dimensions W x D x H mm	Order ref.		
Reinforcement profile protect plus	1990 x 36 x 15	73510251.98		


Aluminium perforated panels



- For individual shaping of linings
- Natural aluminium
- Visible side with protective foil
- With perfo perforated panel 38.1 mm for attachment of perfo holders
- Fixing kit, see chapter "Multi-packs"

Designation	Dimensions W x D x H mm	Weight kg	Order ref. packed		AW Value
Aluminium perforated panel, basic panel	2000 x 1000 x 1.0	5.1	08035998		4
Aluminium perforated panel, basic panel	2000 x 1000 x 1.5	7.7	08035999		4
Aluminium perforated panel, variable rectangular trimming (max. 2000 x 1000 mm)	2000 x 1000 x 1.0	5.1	08035997		3

Cable duct cover Y66




- Cover for cable duct
- Suitable for Y66 (MB Sprinter / VW Crafter up to Model year 2016) for H1/H2
- VE 2
- Including 840 mm edge protection strip
- Anodised aluminium
- Delivery condition: packed

Info 3x 2000 mm are required for vehicles starting from L3!

Dimensions W x D x H mm	Order Ref.		AW Value
2000 x 69 x 50	63502050.97V		4

Profile for roof liner



- For installation on the vehicle roof
- For mounting a roof liner panel
- VE 2
- Natural aluminium
- Incl. connector for connecting two profiles
- Delivery condition: packed

Dimensions W x D x H mm	Order Ref.		
125 x 2000 x 10	12223001.98V		

bott vario3 Basic interior



Robust bodywork protection | versatile attachments for load restraint | easy-to-clean load space

BYD

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails	
ETP 3 L1	2024	2725	11320680		11310680		11312680	3			

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
ETP 3 L1	2024	2725	11323680		6

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
ETP 3 L1	2024	2725	12225502.95	249,00	4				

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
ETP 3 L1	2024	2725	12226502.95	225,00	4				

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails	
Berlingo L1	2018	2785	11320475		11310475		11312475	3			
Berlingo L2	2018	2975	11320476		11310476		11312476	3			
Jumpy L1	2016	2925	11320182		11310182		11312182	3		11321182	
Jumpy L2	2016	3275	11320183		11310183		11312183	3		11321183	
Jumpy L3	2016	3275*	11320184		11310184		11312184	3		11321184	
Jumper L1	2006	3000	11320120		11310120		11312120	3		11321120	
J umper L2	2006	3450	11320121		11310121		11312121	3		11321121	
Jumper L3	2006	4035	11320122		11310122		11312122	4		11321122	
Jumper L4	2006	4035*	11320123		11310123		11312123	5		11321123	

*with overhang

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lasing rails		AW Value
Jumpy L2	2016	2975	11323570	2*		6
Jumpy L3	2016	3275	11323447	2*		7

*max. Number possible - must be planned individually

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Jumper L1	2006	3000			6
Jumper L2	2006	3450			7

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Berlingo L1	2018	2785	11323475		6
Berlingo L2	2018	2975	11323476		6
Jumpy L1	2016	2925	11323182		6
Jumpy L2	2016	3275	11323183		7
Jumpy L3	2016	3275*	11323184		7
Jumper L1H1	2006	3000	11323120		5
Jumper L2H1	2006	3450	11323121		7
Jumper L3H2	2006	4035	11323122		7
Jumper L4H2	2006	4035*	11323123		7

*With overhang

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Berlingo L1	2018	2785	12225306.95		4	12225307.95	12225308.95		6
Berlingo L2	2018	2975	12225311.95		4	12225312.95	12225313.95		6
Jumpy L1	2016	2925	12225279.95		5	12225280.95	12225281.95		8
Jumpy L2	2016	3275	12225284.95		6	12225285.95	12225286.95		9
Jumpy L3	2016	3275*	12225289.95		7	12225290.95	12225291.95		10
Jumper L1-H1	2006	3000	12225104.95		6	12225105.95			8
Jumper L1-H2**	2006	3000	12225144.95		6	12225145.95			8
Jumper L2-H1	2006	3450	12225106.95		8	12225107.95			10
Jumper L2-H2**	2006	3450	12225108.95		8	12225109.95			10
Jumper L3-H2**	2006	4035	12225110.95		10	12225111.95			12
Jumper L3-H3**	2006	4035	12225112.95		10	12225113.95			12
Jumper L4-H2**	2006	4035*	12225114.95		10	12225115.95			12
Jumper L4-H3**	2006	4035*	12225116.95		10	12225117.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Berlingo L1	2018	2785	12226306.95		4	12226307.95	12226308.95		6
Berlingo L2	2018	2975	12226311.95		4	12226312.95	12226313.95		6
Jumpy L1	2016	2925	12226279.95		5	12226280.95	12226281.95		8
Jumpy L2	2016	3275	12226284.95		6	12226285.95	12226286.95		9
Jumpy L3	2016	3275*	12226289.95		7	12226290.95	12226291.95		10
Jumper L1-H1	2006	3000	12226104.95		6	12226105.95			8
Jumper L1-H2**	2006	3000	12226144.95		6	12226145.95			8
Jumper L2-H1	2006	3450	12226106.95		8	12226107.95			10
Jumper L2-H2**	2006	3450	12226108.95		8	12226109.95			10
Jumper L3-H2**	2006	4035	12226110.95		10	12226111.95			12
Jumper L3-H3**	2006	4035	12226112.95		10	12226113.95			12
Jumper L4-H2**	2006	4035*	12226114.95		10	12226115.95			12
Jumper L4-H3**	2006	4035*	12226116.95		10	12226117.95			12

* With overhang ** High roof version with side lining over the full height

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Berlingo L1	2018	2785	12225309.95		12225310.95		6
Berlingo L2	2018	2975	12225314.95		12225315.95		6
Jumpy L1	2016	2925	12225282.95		12225283.95		8
Jumpy L2	2016	3275	12225287.95		12225288.95		9
Jumpy L3	2016	3275*	12225292.95		12225293.95		10
Jumper L1-H1	2006	3000	12225180.95				8
Jumper L2-H1	2006	3000	12225176.95				8
Jumper L2-H2 T*	2006	3450	12225177.95				10
Jumper L3-H2 T*	2006	3450	12225178.95				12
Jumper L4-H2 T*	2006	4035*	12225179.95				12

* With overhang T* High roof version with full height side lining

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Berlingo L1	2018	2785	12226309.95		12226310.95		6
Berlingo L2	2018	2975	12226314.95		12226315.95		6
Jumpy L1	2016	2925	12226282.95		12226283.95		8
Jumpy L2	2016	3275	12226287.95		12226288.95		9
Jumpy L3	2016	3275*	12226292.95		12226293.95		10
Jumper L1-H1	2006	3000	12226180.95				10
Jumper L2-H1	2006	3000	12226176.95				10
Jumper L2-H2 T*	2006	3450	12226177.95				10
Jumper L3-H2 T*	2006	3450	12226178.95				12
Jumper L4-H2 T*	2006	4035*	12226179.95				12

* With overhang T* High roof version with full height side lining

bott vario3 protect rail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Jumper L1-H1	2006	3000	12220104.95		7	12220105.95		10
Jumper L1-H2**	2006	3000	12220144.95		7	12220145.95		10
Jumper L2-H1	2006	3450	12220106.95		12	12220107.95		15
Jumper L2-H2**	2006	3450	12220108.95		12	12220109.95		15
Jumper L3-H2**	2006	4035	12220110.95		13	12220111.95		16
Jumper L3-H3**	2006	4035	12220112.95		13	12220113.95		16
Jumper L4-H2**	2006	4035*	12220114.95		14	12220115.95		17
Jumper L4-H3**	2006	4035*	12220116.95		14	12220117.95		17

* With overhang ** High roof version with side lining over the full height

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Jumper L1-H1	2006	3000	12221104.95		10	12221105.95		13
Jumper L1-H2**	2006	3000	12221144.95		10	12221145.95		13
Jumper L2-H1	2006	3450	12221106.95		15	12221107.95		18
Jumper L2-H2**	2006	3450	12221108.95		15	12221109.95		18
Jumper L3-H2**	2006	4035	12221110.95		16	12221111.95		19
Jumper L3-H3**	2006	4035	12221112.95		16	12221113.95		19
Jumper L4-H2**	2006	4035*	12221114.95		17	12221115.95		20
Jumper L4-H3**	2006	4035*	12221116.95		17	12221117.95		20

* With overhang ** High roof version with side lining over the full height

vario protect rail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Jumper L1-H1	2006	3000	12220180.95				8
Jumper L2-H1	2006	3000	12220176.95				8
Jumper L2-H2 T*	2006	3450	12220177.95				8
Jumper L3-H2 T*	2006	3450	12220178.95				10
Jumper L4-H2 T*	2006	4035*	12220179.95				12

* With overhang T* High roof version with full height side lining

vario protect prorail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Jumper L1-H1	2006	3000	12221180.95				8
Jumper L2-H1	2006	3000	12221176.95				8
Jumper L2-H2 T*	2006	3450	12221177.95				8
Jumper L3-H2 T*	2006	3450	12221178.95				10
Jumper L4-H2 T*	2006	4035*	12221179.95				12

* With overhang T* High roof version with full height side lining

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Berlingo L1	2018	2785	12225309.98		12225310.98		10
Berlingo L2	2018	2975	12225314.98		12225315.98		10
Jumpy L1	2016	2925	12225282.98		12225283.98		11
Jumpy L2	2016	3275	12225287.98		12225288.98		12
Jumpy L3	2016	3275*	12225292.98		12225293.98		16
Jumper L1-H1	2006	3000	12225180.98				12
Jumper L2-H1	2006	3000	12225176.98				17
Jumper L2-H2 T*	2006	3450	12225177.98				20
Jumper L3-H2 T*	2006	3450	12225178.98				21
Jumper L4-H2 T*	2006	4035*	12225179.98				22

* With overhang T* High roof version with full height side lining

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus ad-vanced (tailgate)		AW Value
Berlingo L1	2018	2785	12225306.98		7	12225307.98	12225308.98		10
Berlingo L2	2018	2975	12225311.98		7	12225312.98	12225313.98		10
Jumpy L1	2016	2925	12225279.98		8	12225280.98	12225281.98		11
Jumpy L2	2016	3275	12225284.98		9	12225285.98	12225286.98		12
Jumpy L3	2016	3275*	12225289.98		10	12225290.98	12225291.98		16
Jumper L1-H1	2006	3000	12225104.98		9	12225105.98			12
Jumper L1-H2**	2006	3000	12225144.98		10	12225145.98			13
Jumper L2-H1	2006	3450	12225106.98		11	12225107.98			17
Jumper L2-H2**	2006	3450	12225108.98		14	12225109.98			20
Jumper L3-H2**	2006	4035	12225110.98		15	12225111.98			21
Jumper L3-H3**	2006	4035	12225112.98		15	12225113.98			21
Jumper L4-H2**	2006	4035*	12225114.98		16	12225115.98			22
Jumper L4-H3**	2006	4035*	12225116.98		16	12225117.98			22

* With overhang ** High roof version with side lining over the full height

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Berlingo L1	2018	2785		Left/rear/top	08022305		1
				Left/front/top	08022313		2
				Right/rear/top	08022304		1
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Berlingo L2	2018	2975		Left/rear/top	08022307		2
				Left/front/top	08022313		2
				Right/rear/top	08022306		2
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumpy L1	2016	2925		Left/rear/complete	08022220		1
				Left/front/complete	08022221		2
				Right/front/complete	08022222		2
				Right/rear/complete	08022219		1
				Sliding door/right/top	08022225		1
				Sliding door/right/bottom	08022217		1
				Rear door/left/top	08022205		1
				Rear door/left/bottom	08022200		1
				Rear door/right/top	08022204		1
				Rear door/right/bottom	08022199		1
				Sliding door/left/bottom	08022218		1
				Sliding door/left/top	08022226		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumpy L2	2016	3275	2.4	Right/rear/complete	08022213		2
			2.2	Left/rear/complete	08022214		2
			3.5	Left/front/complete	08022223		2
			1.3	Sliding door/right/top	08022209		2
			1.5	Sliding door/right/bottom	08022197		2
			0.6	Rear door/left/top	08022205		1
			0.6	Rear door/left/bottom	08022200		1
			0.6	Rear door/right/top	08022204		1
			0.6	Rear door/right/bottom	08022199		1
			1.5	Sliding door/left/bottom	08022198		2
			1.3	Sliding door/left/top	08022210		2
			3.5	Right/front/complete	08022224		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumpy L3	2016	3275 L		Right/rear/complete	08022215		2
				Left/rear/complete	08022216		2
			3.5	Left/front/complete	08022223		2
			1.3	Sliding door/right/top	08022209		2
			1.5	Sliding door/right/bottom	08022197		2
			0.6	Rear door/left/top	08022205		1
			0.6	Rear door/left/bottom	08022200		1
			0.6	Rear door/right/top	08022204		1
			0.6	Rear door/right/bottom	08022199		1
			1.5	Sliding door/left/bottom	08022198		2
			1.3	Sliding door/left/top	08022210		2
				Right/front/complete	08022224		2

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L1H1	2006	3000	2.3	Left/rear/top	08037106		2
			1.4	Left/rear/bottom	08037104		2
			2.3	Left/front/top	08037093		2
			2.2	Left/front/bottom	08037091		2
			2.3	Right/rear/top	08037105		2
			1.4	Right/rear/bottom	08037103		2
			2.3	Right/front/top	08037094		2
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		1
			1.7	Sliding door/right/bottom	08012507		2
			1.9	Sliding door/left/top	08022275		2
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L1H2	2006	3000	2.3	Left/rear/top	08037158		2
			1.4	Left/rear/bottom	08037104		2
			0.9	Left/rear/top	08037160		1
			0.9	Left/front/top	08037155		1
			2.2	Left/front/top	08037153		2
			2.2	Left/front/bottom	08037091		2
			2.1	Right/rear/top	08037157		2
			1.4	Right/rear/bottom	08037103		2
			0.9	Right/rear/top	08037159		1
			0.9	Right/front/top	08037156		1
			2.3	Right/front/top	08037154		2
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		2
			1.7	Sliding door/right/bottom	08012507		2
			1.9	Sliding door/left/top	08022275		1
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L2H1	2006	3450	2.8	Left/rear/top	08037118		2
			1.8	Left/rear/bottom	08037112		2
			2.6	Left/front/top	08037109		2
			2.5	Left/front/bottom	08037107		2
			2.8	Right/rear/top	08037117		2
			1.9	Right/rear/bottom	08037111		2
			2.6	Right/front/top	08037110		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L2H2	2006	3450	2.7	Left/rear/top	08037126		2
			1.8	Left/rear/bottom	08037112		2
			1.1	Left/rear/top	08037128		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			2.7	Right/rear/top	08037125		2
			1.8	Right/rear/bottom	08037111		2
			1.1	Right/rear/top	08037127		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			1.0	Right/front/upper	08037122		1
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L3H2	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			1.5	Left/rear/top	08037134		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			1.5	Right/rear/top	08037133		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L3H3	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			2.6	Left/rear/top	08037138		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			2.6	Right/rear/top	08037137		1
			1.8	Right/front/top	08037124		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L4H2	2006	4035* * With overhang	4.5	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			1.8	Left/rear/top	08037144		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			1.8	Right/rear/top	08037143		1
			1.2	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Jumper L4H3	2006	4035* * With overhang	4.4	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			3.1	Left/rear/top	08037152		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			3.1	Right/rear/top	08037151		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Jumper L2-L3	rigth door	2006	08022548.98		
Jumper L2-L3	left door	2006	08022547.98		

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Berlingo L1	2018	2785	12231047.95		13
Berlingo L2	2018	2975	12231048.95		13
Jumpy L1	2016	2925	12231033.95		6
Jumpy L2	2016	3275	12231034.95		6
Jumpy L3	2016	3275*	12231035.95		6
Jumper L2	2006	3450	12231054.95		
Jumper L3	2006	4035	12231055.95		
Jumper L4	2006	4035	12231056.95		
* With overhang **incl. profile					

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Berlingo L1-L2	2018	12230100.19V		3
Jumper L1-L2-L3-L4	2006	12230057.19V		3

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Berlingo L1-L2	2018	Rear doors	12230094.19V		3
Berlingo L1	2018	Sliding door, left	12230095.19V		2
Berlingo L1	2018	Sliding door, right	12230096.19V		2
Berlingo L2	2018	Sliding door, left	12230097.19V		2
Berlingo L2	2018	Sliding door, right	12230098.19V		2
Berlingo L1-L2	2018	Tailgate	12230099.19V		2
Jumpy L1	2016	Sliding door, right	12230080.19V		2
Jumpy L2-L3	2016	Sliding door, left	12230082.19V		2
Jumpy L2-L3	2016	Sliding door, right	12230083.19V		2
Jumper L1-L2-L3-L4	2006	Rear doors	12230026.19V		3
Jumper L1	2006	Sliding door, right	12230027.19V		2
Jumper L2-L4	2006	Sliding door, right	12230028.19V		2
Jumper L1	2006	Sliding door, left	12230088.19V		
Jumper L2-L4	2006	Sliding door, left	12230089.19V		

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Dokker Express	2012	2810	All roof forms	0.4	Rear door/left/bottom	08012889		2
			All roof forms	0.2	Rear door/right/bottom	08012890		2
			All roof forms	0.8	Rear door/left/top	08012891		1
			All roof forms	0.5	Rear door/right/top	08012892		1
			All roof forms	1.2	Right/rear/complete	08012893		2
			All roof forms	1.4	Left/rear/complete	08012894		2
			All roof forms	0.9	Left/front/bottom	08012895		2
			All roof forms	1.3	Left/front/top	08012896		2
			All roof forms	0.8	Sliding door/left/top	08012897		1
			All roof forms	0.8	Sliding door/right/top	08012898		1
			All roof forms	0.8	Sliding door/left/bottom	08012895		2
			All roof forms	0.8	Sliding door/right/bottom	08012895		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Dokker Express	2020	2810	All roof forms	0.4	Rear door/left/bottom	08012889		2
			All roof forms	0.2	Rear door/right/bottom	08012890		2
			All roof forms	0.8	Rear door/left/top	08012891		1
			All roof forms	0.5	Rear door/right/top	08012892		1
			All roof forms	1.2	Right/rear/complete	08012893		2
			All roof forms	1.4	Left/rear/complete	08012894		2
			All roof forms	0.9	Left/front/bottom	08022440		2
			All roof forms	1.3	Left/front/top	08012896		2
			All roof forms	0.8	Sliding door/left/top	08012897		1
			All roof forms	0.8	Sliding door/right/top	08012898		1
			All roof forms	0.8	Sliding door/left/bottom	08022439		2
			All roof forms	0.8	Sliding door/right/bottom	08022438		2

bott vario3 floor in various versions

Model	Model year from	Wheel-base	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails	
Dokker Express	2012	2810	11320146		11310146		11312146	3	
Dokker Express	2020	2810	11320146		11310146		11312146	3	

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.	Lashing rails		AW Value
Dokker Express	2012	2810	11323146	3		3
Dokker Express	2020	2810	11323146	3		3

vario protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] Basic kit Interior side lining		AW Value	[1+2+3] complete set rear doors + Sliding door	[1+2+4] complete set tailgate + Sliding door		AW Value
Dokker Express	2012	2810	12225167.95		4	12225168.95			6
Dokker Express	2020	2810	12225167.95		4	12225415.95			6

vario protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] Basic kit Interior side lining		AW Value	[1+2+3] complete set rear doors + Sliding door	[1+2+4] complete set tailgate + Sliding door		AW Value
Dokker Express	2012	2810	12226167.95		4	12226168.95			6
Dokker Express	2020	2810	12226167.95		4	12226415.95			6

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Dokker Express	2012	2810	12225297.95		7
Dokker Express	2020	2810	12225416.95		7

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Dokker Express	2012	2810	12226297.95		7
Dokker Express	2020	2810	12226416.95		7

vario protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] Basic kit Interior side lining		AW Value	[1+2+3] complete set rear doors + Sliding door	[1+2+4] complete set tailgate + Sliding door		AW Value
Dokker Express	2012	2810	12225167.98		7	12225168.98			10
Dokker Express	2020	2810	12225167.98		7	12225415.98			10

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Dokker Express	2012	2810	12225297.98		10
Dokker Express	2012	2810	12225416.98		10

Fenstergitter für Schiebe-, Hecktüren und Heckklappen

Model	Model year from	Wheelbase mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Dokker Express	2020	Hecktüren	12230146.19V		3
Dokker Express	2020	Schiebetüre rechts	12230144.19V		2
Dokker Express	2020	Schiebetüre links	12230145.19V		2

1

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Fiorino	2008	2513	11320128[2]		11310128[2]		11312128[2]	3		
Doblò L1	2010	2755	11320134		11310134		11312134[1]	3		
Doblò L2	2010	3105	11320135		11310135		11312135[1]	3		
Doblo L1	2022	2785	11320475		11310475		11312475			
Doblo L2	2022	2975	11320476		11310476		11312476			
Talento L1-H1	2016	3098	11320154[2]		11310154[2]		11312154[2]	3		11321154[2]
Talento L1-H2	2016	3098	113201484[2]		11310484[2]		11312484[2]	3		11321484[2]
Talento L2-H1	2016	3498	11320155[2]		11310155[2]		11312155[2]	4		11321155[2]
Talento L2-H2	2016	3498	11320446		11310446		11312446	4		11321446
Scudo L1	2022	2925	11320182		11310182		11312182	3		11321182
Scudo L2	2022	3275	11320183		11310183		11312183	3		11321183
Scudo L3	2022	3275*	11320184		11310184		11312184	3		11321184
Ducato L1	2006	3000	11320120		11310120		11312120	3		11321120
Ducato L2	2006	3450	11320121		11310121		11312121	3		11321121
Ducato L4	2006	4035	11320122		11310122		11312122	4		11321122
Ducato L5	2006	4035*	11320123		11310123		11312123	5		11321123
Fullback**	2015	3000			11310464					

[1]H1 only [2]Installation without hold-down cup **Double cab only in conjunction with hard top

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Fullback double cab	2015	3000	11310464.10		7

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Ducato L1	2006	3000			5
Ducato L2	2006	3450			7

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lasing rails		AW Value
Talento L2-H1	2016	3498	11323532	2*		7
Talento L2-H2	2016	3498	11323563	2*		7
Scudo L2	2022	2975	11323570	2*		6
Scudo L3	2022	3275	11323447	2*		7

*max. Number possible - must be planned individually

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Fiorino	2008	2513	11323128		5
Doblò L1	2007	2755	11323134		6
Doblò L2	2007	3105	11323135		6
Doblo L1	2022	2785	11323475		6
Doblo L2	2022	2975	11323476		6
Talento L1H1	2016	3098	11323154		7
Talento L1H2	2016	3098	11323484		7
Talento L2H1	2016	3498	11323155		7
Talento L2H1	2016	3498	11323446		7
Scudo L1	2016	2925	11323182		6
Scudo L2	2016	3275	11323183		7
Scudo L3	2016	3275*	11323184		7
Ducato L1H1	2006	3000	11323120		7
Ducato L2H1	2006	3450	11323121		8
Ducato L4H2	2006	4035	11323122		9
Ducato L5H3	2006	4035*	11323123		9

*With overhang

1

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Fiorino	2008	2513				12225093.95			6
Doblò L1-H1	2010	2755				12225095.95			6
Doblò L2-H1	2010	3105				12225097.95			6
Doblò L1-H2	2010	2755				12225169.95			6
Doblò L2-H2	2010	3105				12225171.95			6
Doblo L1	2022	2785	12225306.95		4	12225307.95	12225308.95		6
Doblo L2	2022	2975	12225311.95		4	12225312.95	12225313.95		6
Talento L1-H1	2016	3098	12225206.95		6	12225207.95	12225208.95		8
Talento L2-H1	2016	3498	12225209.95		6	12225210.95	12225211.95		8
Talento L1-H2	2016	3098	12225206.95		6	12225299.95			9
Talento L2-H2	2016	3498	12225209.95		6	12225300.95			10
Scudo L1	2022	2925	12225279.95		5	12225280.95	12225281.95		8
Scudo L2	2022	3275	12225284.95		6	12225285.95	12225286.95		9
Scudo L3	2022	3275*	12225289.95		7	12225290.95	12225291.95		10
Ducato L1-H1	2006	3000	12225104.95		6	12225105.95			8
Ducato L1-H2**	2006	3000	12225144.95		6	12225145.95			8
Ducato L2-H1	2006	3450	12225106.95		8	12225107.95			10
Ducato L2-H2**	2006	3450	12225108.95		8	12225109.95			10
Ducato L4-H2**	2006	4035	12225110.95		10	12225111.95			12
Ducato L4-H3**	2006	4035	12225112.95		10	12225113.95			12
Ducato L5-H2**	2006	4035*	12225114.95		10	12225115.95			12
Ducato L5-H3**	2006	4035*	12225116.95		10	12225117.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Fiorino	2008	2513				12226093.95			6
Doblò L1-H1	2010	2755				12226095.95			6
Doblò L2-H1	2010	3105				12226097.95			6
Doblò L1-H2	2010	2755				12226169.95			6
Doblò L2-H2	2010	3105				12226171.95			6
Doblo L1	2022	2785	12226306.95		4	12226307.95	12226308.95		6
Doblo L2	2022	2975	12226311.95		4	12226312.95	12226313.95		6
Talento L1-H1	2016	3098	12226206.95		6	12226207.95	12226208.95		8
Talento L2-H1	2016	3498	12226209.95		6	12226210.95	12226211.95		8
Talento L1-H2	2016	3098	12226206.95		6	12226299.95			9
Talento L2-H2	2016	3498	12226209.95		6	12226300.95			10
Scudo L1	2022	2925	12226279.95		5	12226280.95	12226281.95		8
Scudo L2	2022	3275	12226284.95		6	12226285.95	12226286.95		9
Scudo L3	202	3275*	12226289.95		7	12226290.95	12226291.95		10
Ducato L1-H1	2006	3000	12226104.95		6	12226105.95			8
Ducato L1-H2**	2006	3000	12226144.95		6	12226145.95			8
Ducato L2-H1	2006	3450	12226106.95		6	12226107.95			10
Ducato L2-H2**	2006	3450	12226108.95		8	12226109.95			10
Ducato L4-H2**	2006	4035	12226110.95		10	12226111.95			12
Ducato L4-H3**	2006	4035	12226112.95		10	12226113.95			12
Ducato L5-H2**	2006	4035*	12226114.95		10	12226115.95			12
Ducato L5-H3**	2006	4035*	12226116.95		10	12226117.95			12

* With overhang ** High roof version with side lining over the full height

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Talento L1	2016	3098	12225255.95		12225257.95		8
Talento L2	2016	3498	12225261.95		12225262.95		8
Scudo L1	2022	2925	12225282.95		12225283.95		8
Scudo L2	2022	3275	12225287.95		12225288.95		9
Scudo L3	2022	3275*	12225292.95		12225293.95		10
Ducato L1-H1	2006	3000	12225180.95				8
Ducato L2-H1	2006	3000	12225176.95				8
Ducato L2-H2 T*	2006	3450	12225177.95				8
Ducato L4-H2 T*	2006	3450	12225178.95				10
Ducato L5-H2 T*	2006	4035*	12225179.95				12

* With overhang T* High roof version with full height side lining

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Talento L1	2016	3098	12226255.95		12226257.95		8
Talento L2	2016	3498	12226261.95		12226262.95		8
Scudo L1	2022	2925	12226282.95	324,00	12226283.95	324,00	8
Scudo L2	2022	3275	12226287.95	353,00	12226288.95	353,00	9
Scudo L3	2022	3275*	12226292.95	391,00	12226293.95	391,00	10
Ducato L1-H1	2006	3000	12226180.95				8
Ducato L2-H1	2006	3000	12226176.95				8
Ducato L2-H2 T*	2006	3450	12226177.95				8
Ducato L4-H2 T*	2006	3450	12226178.95				10
Ducato L5-H2 T*	2006	4035*	12226179.95				12

* With overhang T* High roof version with full height side lining

bott vario3 protect rail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Ducato L1-H1	2006	3000	12220104.95		7	12220105.95		10
Ducato L1-H2**	2006	3000	12220144.95		12	12220145.95		10
Ducato L2-H1	2006	3450	12220106.95		12	12220107.95		15
Ducato L2-H2**	2006	3450	12220108.95		12	12220109.95		15
Ducato L4-H2**	2006	4035	12220110.95		13	12220111.95		16
Ducato L4-H3**	2006	4035	12220112.95		13	12220113.95		16
Ducato L5-H2**	2006	4035*	12220114.95		14	12220115.95		17
Ducato L5-H3**	2006	4035*	12220116.95		14	12220117.95		17

* With overhang ** High roof version with side lining over the full height

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Ducato L1-H1	2006	3000	12221104.95		7	12221105.95		10
Ducato L1-H2**	2006	3000	12221144.95		7	12221145.95		10
Ducato L2-H1	2006	3450	12221106.95		12	12221107.95		15
Ducato L2-H2**	2006	3450	12221108.95		12	12221109.95		15
Ducato L4-H2**	2006	4035	12221110.95		13	12221111.95		16
Ducato L4-H3**	2006	4035	12221112.95		13	12221113.95		16
Ducato L5-H2**	2006	4035*	12221114.95		14	12221115.95		17
Ducato L5-H3**	2006	4035*	12221116.95		14	12221117.95		17

* With overhang ** High roof version with side lining over the full height

vario protect rail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Ducato L1-H1	2006	3000	12220180.95				8
Ducato L2-H1	2006	3000	12220176.95				8
Ducato L2-H2 T*	2006	3450	12220177.95				8
Ducato L3-H2 T*	2006	3450	12220178.95				10
Ducato L4-H2 T*	2006	4035*	12220179.95				12

* With overhang T* High roof version with full height side lining

vario protect prorail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Ducato L1-H1	2006	3000	12221180.95				8
Ducato L2-H1	2006	3000	12221176.95				8
Ducato L2-H2 T*	2006	3450	12221177.95				8
Ducato L3-H2 T*	2006	3450	12221178.95				10
Ducato L4-H2 T*	2006	4035*	12221179.95				12

* With overhang T* High roof version with full height side lining

1

vario protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] Basic kit Interior side lining		AW Value	[1+2+3] complete set rear doors + Sliding door	[1+2+4] complete set tailgate + Sliding door		AW Value
Doblò L1-H1	2010	2755				12225095.98			10
Doblò L2-H1	2010	3105				12225097.98			11
Doblò L1-H2	2010	2755				12225169.98			10
Doblò L2-H2	2010	3105				12225171.98			11
Doblo L1	2022	2785	12225306.98		7	12225307.98	12225308.98		10
Doblo L2	2022	2975	12225311.98		7	12225312.98	12225313.98		10
Talento L1-H1	2016	3098	12225206.98		9	12225207.98	12225208.98		12
Talento L2-H1	2016	3498	12225209.98		10	12225210.98	12225211.98		16
Talento L1-H2	2016	3098				12225299.98			12
Talento L2-H2	2016	3498				12225300.98			19
Scudo L1	2022	2925	12225279.98		8	12225280.98	12225281.98		11
Scudo L2	2022	3275	12225284.98		9	12225285.98	12225286.98		12
Scudo L3	2022	3275*	12225289.98		10	12225290.98	12225291.98		16
Ducato L1-H1	2006	3000	12225104.98		9	12225105.98			12
Ducato L1-H2 T*	2006	3000	12225144.98		10	12225145.98			13
Ducato L2-H1	2006	3450	12225106.98		11	12225107.98			17
Ducato L2-H2 T*	2006	3450	12225108.98		14	12225109.98			20
Ducato L4-H2 T*	2006	4035	12225110.98		15	12225111.98			21
Ducato L4-H3 T*	2006	4035	12225112.98		15	12225113.98			21
Ducato L5-H2 T*	2006	4035*	12225114.98		16	12225115.98			22
Ducato L5-H3 T*	2006	4035*	12225116.98		16	12225117.98			22

* With overhang T* High roof version with full height side lining

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Doblo L1	2022	2785	12225309.98		12225310.98		10
Doblo L2	2022	2975	12225314.98		12225315.98		10
Talento L1	2016	3098	12225255.98		12225257.98		12
Talento L2	2016	3498	12225261.98		12225262.98		16
Scudo L1	2022	2925	12225282.98	468,00	12225283.98	468,00	11
Scudo L2	2022	3275	12225287.98	670,00	12225288.98	670,00	12
Scudo L3	2022	3275*	12225292.98	787,00	12225293.98	787,00	16
Ducato L1-H1	2006	3000	12225180.98				12
Ducato L2-H1	2006	3000	12225176.98				17
Ducato L2-H2 T*	2006	3450	12225177.98				20
Ducato L4-H2 T*	2006	3450	12225178.98				21
Ducato L5-H2 T*	2006	4035*	12225179.98				22

* With overhang T* High roof version with full height side lining

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Fiorino	2012	2513	Normal roof	0.5	Left/rear/top	08012621		2
			Normal roof	0.8	Left/front/top	08012623		2
			Normal roof	0.7	Left/front/bottom	08012627		2
			Normal roof	0.5	Right/rear/top	08012622		2
			Normal roof	0.8	Right/front/top	08012624		2
			Normal roof	0.7	Right/front/bottom	08012628		2
			Normal roof	0.7	Sliding door/right/top	08012640		1
			Normal roof	0.7	Sliding door/left/top	08012639		1
			Normal roof	0.5	Rear door/left/bottom	08012629		2
			Normal roof	0.3	Rear door/right/bottom	08012630		2
			Normal roof	0.8	Rear door/left/top	08012625		1
			Normal roof	0.4	Rear door/right/top	08012626		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Doblò L1	2010	2755	All roof forms	0.8	Left/rear/top	08012742		2
			All roof forms	0.6	Left/front/top	08012740		2
			All roof forms	0.6	Right/rear/top	08012735		2
			All roof forms	0.8	Sliding door/right/top	08012737		1
			All roof forms	0.9	Rear door/left/top	08012736		1
			All roof forms	1.2	Rear door/right/top	08012739		1
			High roof		Rear door/left/top	08022254		2
			High roof		Rear door/right/top	08022255		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Doblò L2	2010	3105	All roof forms	0.9	Rear door/left/top	08012736		1
			All roof forms	0.8	Sliding door/right/top	08012737		1
			All roof forms	1.2	Right/rear/top	08012738		2
			All roof forms	1.2	Rear door/right/top	08012739		1
			All roof forms	0.6	Left/front/top	08012740		2
			All roof forms	0.8	Left/rear/top	08012741		2
			High roof		Rear door/left/top	08022254		1
			High roof		Rear door/right/top	08022255		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Doblo L1	2022	2785		Left/rear/top	08022305		1
				Left/front/top	08022313		2
				Right/rear/top	08022304		1
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Doblo L2	2022	2975		Left/rear/top	08022307		2
				Left/front/top	08022313		2
				Right/rear/top	08022306		2
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Talento L1	2016	3098	All roof forms	1.4	Left/rear/complete	08022031		2
			All roof forms	2.0	Left/front/complete	08022033		2
			All roof forms	1.4	Right/rear/complete	08022032		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms		Tailgate/top/complete	08022250		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Talento L2	2016	3498	Normal roof	2.1	Left/rear/complete	08022069		2
			Normal roof	2.0	Left/front/complete	08022033		2
			Normal roof	2.1	Right/rear/complete	08022068		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms		Tailgate/top/complete	08022250		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Scudo L2H1	2022	3450	2.8	Left/rear/top	08037118		2
			1.8	Left/rear/bottom	08037112		2
			2.6	Left/front/top	08037109		2
			2.5	Left/front/bottom	08037107		2
			2.8	Right/rear/top	08037117		2
			1.9	Right/rear/bottom	08037111		2
			2.6	Right/front/top	08037110		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Scudo L2H2	2022	3450	2.7	Left/rear/top	08037126		2
			1.8	Left/rear/bottom	08037112		2
			1.1	Left/rear/top	08037128		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			2.7	Right/rear/top	08037125		2
			1.8	Right/rear/bottom	08037111		2
			1.1	Right/rear/top	08037127		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			1.0	Right/front/top	08037122		1
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L1H1	2006	3000	2.3	Left/rear/top	08037106		2
			1.4	Left/rear/bottom	08037104		2
			2.3	Left/front/top	08037093		2
			2.2	Left/front/bottom	08037091		2
			2.3	Right/rear/top	08037105		2
			1.4	Right/rear/bottom	08037103		2
			2.3	Right/front/top	08037094		2
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		1
			1.7	Sliding door/right/bottom	08012507		2
			1.9	Sliding door/left/top	08022275		1
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L1H2	2006	3000	2.3	Left/rear/top	08037158		2
			1.4	Left/rear/bottom	08037104		2
			0.9	Left/rear/top	08037160		1
			0.9	Left/front/top	08037155		1
			2.2	Left/front/top	08037153		2
			2.2	Left/front/bottom	08037091		2
			2.1	Right/rear/top	08037157		2
			1.4	Right/rear/bottom	08037103		2
			0.9	Right/rear/top	08037159		1
			0.9	Right/front/top	08037156		1
			2.3	Right/front/top	08037154		1
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		1
			1.7	Sliding door/right/bottom	08012507		2
			1.9	Sliding door/left/top	08022275		1
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L2H1	2006	3450	2.8	Left/rear/top	08037118		2
			1.8	Left/rear/bottom	08037112		2
			2.6	Left/front/top	08037109		2
			2.5	Left/front/bottom	08037107		2
			2.8	Right/rear/top	08037117		2
			1.9	Right/rear/bottom	08037111		2
			2.6	Right/front/top	08037110		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L2H2	2006	3450	2.7	Left/rear/top	08037126		2
			1.8	Left/rear/bottom	08037112		2
			1.1	Left/rear/top	08037128		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			2.7	Right/rear/top	08037125		2
			1.8	Right/rear/bottom	08037111		2
			1.1	Right/rear/top	08037127		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			1.0	Right/front/top	08037122		1
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		1
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L4H2	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			1.5	Left/rear/top	08037134		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			1.5	Right/rear/top	08037133		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L4H3	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			2.6	Left/rear/top	08037138		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			2.6	Right/rear/top	08037137		1
			1.8	Right/front/top	08037124		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L5H2	2006	4035* * With overhang	4.5	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			1.8	Left/rear/top	08037144		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			1.8	Right/rear/top	08037143		1
			1.2	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Ducato L5H3	2006	4035* * With overhang	4.4	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			3.1	Left/rear/top	08037152		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			3.1	Right/rear/top	08037151		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Ducato L2-L3	rigth door	2006	08022548.98		
Ducato L2-L3	left door	2006	08022547.98		

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Doblò*	2010	3105	12231012.95		9
Doblo L1	2022	2785	12231047.95		13
Doblo L2	2022	2975	12231048.95		13
Talento L1*	2016	3098	12231020.95		13
Talento L2*	2016	3498	12231021.95		13
Scudo L1	2016	2925	12231033.95		6
Scudo L2	2016	3275	12231034.95		6
Scudo L3	2016	3275*	12231035.95		6
Ducato L2	2006	3450	12231054.95		
Ducato L3	2006	4035	12231055.95		
Ducato L4	2006	4035	12231056.95		

*incl. profile

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Doblò L1-L2	2010	12230017.19V		3
Talento L1-L2	2016	12230006.19V		3
Ducato L1-L2-L4-L5	2006	12230057.19V		3

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Doblò L1-L2	2010	Rear doors	12230049.19V		3
Doblo L1-L2	2022	Rear doors	12230094.19V		3
Doblo L1	2022	Sliding door, left	12230095.19V		2
Doblo L1	2022	Sliding door, right	12230096.19V		2
Doblo L2	2022	Sliding door, left	12230097.19V		2
Doblo L2	2022	Sliding door, right	12230098.19V		2
Doblo L1-L2	2022	Tailgate	12230099.19V		2
Talento L1-L2	2016	Rear doors	12230021.19V		3
Talento L1-L2	2016	Tailgate	12230036.19V		3
Talento L1-L2	2016	Sliding door, right	12230059.19V		2
Talento L1-L2	2016	Sliding door, left	12230060.19V		2
Jumpy L1	2016	Sliding door, right	12230080.19V		2
Jumpy L2-L3	2016	Sliding door, left	12230082.19V		2
Jumpy L2-L3	2016	Sliding door, right	12230083.19V		2
Ducato L1-L2-L4-L5	2006	Rear doors	12230026.19V		3
Ducato L1	2006	Sliding doors, right	12230027.19V		2
Ducato L1	2006	Sliding doors, left	12230088.19V		2
Ducato L2-L4-L5	2006	Sliding doors, right	12230028.19V		2
Ducato L2-L4-L5	2006	Sliding doors, left	12230098.19V		2

1

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Transit Courier	2014	2489	11320159[2]		11310159[2]		11312159[2]	2		
Transit Courier	2024	2490	11320660		11310660		11312660	3		
Transit Connect L1	2014	2662	11320147		11310147		11312147	2		
Transit Connect L2	2014	3062	11320148		11310148		11312148	3		
Transit Connect L1	2024	2755	11320579[2]		11310579[2]		11312579[2]	3		
Transit Connect L2	2024	2970	11320580[2]		11310580[2]		11312580[2]	4		
Transit Custom L1-H1	2012	2933	11320144[2]		11310144[2]		11312144[2]	3		11321144[2]
Transit Custom L1-H2	2012	2933	11320382[2]		11310382[2]		11312382[2]	3		11321382[2]
Transit Custom L2-H1	2012	3300	11320145[2]		11310145[2]		11312145[2]	4		11321145[2]
Transit Custom L2-H2	2012	3300	11320383[2]		11310383[2]		11312383[2]	4		11321383[2]
Transit Custom L2-H1/2[1]	2012	3300			11310445[2]					
Transit Custom L1	2023	3100	11320625		11310625		11312625	3		
Transit Custom L2	2023	3500	11320626		11310626		11312626	3		
Transit Custom L1	2023	3100	11320627		11310627		11312627	3		
Transit Custom L2	2023	3500	11320628		11310628		11312628	3		
Transit L2-FA	2014	3300	11320149[2]		11310149[2]		11312149[2]	3		11321149[2]
Transit L2-HA	2014	3300	11320150[2]		11310150[2]		11312150[2]	3		11321150[2]
Transit L3-FA	2014	3750	11320151[2]		11310151[2]		11312151[2]	4		11321151[2]
Transit L3-HA	2014	3750	11320152[2]		11310152[2]		11312152[2]	4		11321152[2]
Transit L4-HA	2014	3750*	11320153[2]		11310153[2]		11312153[2]	5		11321153[2]
Transit L4-RWD-Dual tyr.	2014	3750*	11320173[2]		11310173[2]		11312173[2]	5		11321173[2]
Ranger Doublecab**	2016	3220			11310467					
Ranger Doublecab***	2022	3270			11310632					
Ranger Doublecab****	2022	3270			11310639					
Ranger Raptor Doublecab	2022	3270			11310647					

[1]Double cab [2]Installation without hold-down cup *With overhang FWD = Front wheel drive RWD = Rear wheel drive **Double cab only in conjunction with hard top ***without plastic tub ****with plastic tub

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.		AW Value
Transit Custom L1-H1	2012	2933	11323552[2]		
Transit Custom L1-H2	2012	2933	11323561[2]		
Transit Custom L2-H1	2012	3300	11323445[2]		
Transit Custom L2-H2	2012	3300	11323562[2]		

[2] Installation without hold-down cup

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Ranger Doublecab*	2022	3220	11310432.10		7
Ranger Doublecab**	2022	3220	11310639.10		7
Ranger Raptor Doublecab**	2022	3220	11310647.10		7

***without plastic tub ****with plastic tub

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Transit Courier	2014	2489	11324159		3
Transit Custom L1	2012	2933	11324144		5
Transit L2-FA	2014	3300	11324149		5
Transit L2-HA	2014	3300	11324150		5
Transit L3-FA	2014	3750	11324151		7
Transit L3-HA	2014	3750	11324152		7
Transit L4-RWD*	2014	3750	11324153		8

* with overhang FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 floor with customised adjustments Ford

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Transit Courier	2024	2490	11323660		3
Transit Courier	2014	2489	11323159		3
Transit Connect L1	2014	2662	11323147		6
Transit Connect L2	2014	3062	11323148		6
Transit Connect L1	2024	2755	11323579		6
Transit Connect L2	2024	2970	11323580		6
Transit Custom L1	2012	2933	11323144		7
Transit Custom L1H2	2012	2933	11323382		7
Transit Custom L2	2012	3300	11323145		7
Transit Custom L2H2	2012	3300	11323383		7
Transit Custom L1	2023	3100	11323625		7
Transt Custom L1H2	2023	3500	11323627		7
Transit Custom L2	2023	3100	11323626		7
Transit Custom L2H2	2023	3500	11323628		7
Transit FWD L2	2014	3300	11323149		7
Transit RWD L2	2014	3300	11323150		7
Transit FWD L3	2014	3750	11323151		8
Transit RWD L3	2014	3750	11323152		8
Transit RWD L4	2014	3750*	11323153		8
Transit RWD L4 dual tyres	2014	3750*	11323173		8

*With overhang

1

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Transit Courier	2014	2489	12225221.95		4	12225222.95			6
Transit Courier	2024	2490	12225455.95		4	12225456.95	12225457.95		6
Transit Connect L1	2014	2662	12225205.95		4	12225173.95			6
Transit Connect L2	2014	3062	12225188.95		6	12225172.95			6
Transit Connect L1	2024	2755	12225379.95		4	12225380.95	12225381.95		6
Transit Connect L2	2024	2970	12225384.95		4	12225385.95	12225386.95		6
Transit Custom L1	2012	2933	12225155.95		6	12225156.95	12225157.95		8
Transit Custom L2	2014	3300	12225158.95		6	12225159.95	12225160.95		8
Transit Custom L1-H1	2023	3100	12225437.95		6	12225438.95	12225439.95		8
Transit Custom L1-H2	2023	3100	12225442.95		6		12225443.95		8
Transit Custom L2-H1	2023	3500	12225446.95		6	12225447.95	12225448.95		8
Transit Custom L2-H2	2023	3500	12225446.95		6	12225451.95	12225452.95		8
Transit L2-H2-FA-HA	2014	3300	12225189.95		8	12225190.95			10
Transit L2-H3-FWD-RWD**	2014	3300	12225191.95		8	12225192.95			10
Transit L3-H2-FA-HA	2014	3750	12225193.95		10	12225194.95			12
Transit L3-H3-FWD-RWD**	2014	3750	12225195.95		10	12225196.95			12
Transit L4-H3-RWD**	2014	3750*	12225197.95		10	12225198.95			12

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Transit Courier	2014	2489	12226221.95		4	12226222.95			6
Transit Courier	2024	2490	12226455.95		4	12226456.95	12226457.95		6
Transit Connect L1	2014	2662	12226205.95		4	12226173.95			6
Transit Connect L2	2014	3062	12226188.95		6	12226172.95			8
Transit Connect L1	2024	2755	12226379.95		4	12226380.95	12226381.95		6
Transit Connect L2	2024	2970	12226384.95		4	12226385.95	12226386.95		6
Transit Custom L1	2012	2933	12226155.95		6	12226156.95	12226157.95		8
Transit Custom L2	2014	3300	12226158.95		6	12226159.95	12226160.95		8
Transit Custom L1-H1	2023	3100	12226437.95		6	12226438.95	12226439.95		8
Transit Custom L1-H2	2023	3100	12226442.95		8		12226443.95		8
Transit Custom L2-H1	2023	3500	12226446.95		6	12226447.95	12226448.95		8
Transit Custom L2-H2	2023	3500	12226446.95		8	12226452.95	12226451.95		8
Transit L2-H2-FA-HA	2014	3300	12226189.95		8	12226190.95			10
Transit L2-H3-FWD-RWD**	2014	3300	12226191.95		8	12226192.95			10
Transit L3-H2-FA-HA	2014	3750	12226193.95		10	12226194.95			12
Transit L3-H3-FWD-RWD**	2014	3750	12226195.95		10	12226196.95			12
Transit L4-H3-RWD**	2014	3750*	12226197.95		10	12226198.95			12

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+3] complete set tailgate + sliding doors		AW Value
Transit Courier	2014	2489	12225223.95				6
Transit Courier	2024	2490	12225458.95		12225459.95		6
Transit Connect L1	2014	2662	12225204.95				6
Transit Connect L2	2014	3062	12225203.95				6
Transit Connect L1	2024	2970	12225382.95		12225383.95		6
Transt Connect L2	2024	3000	12225387.95		12225388.95		6
Transit Custom L1	2012	2933	12225263.95		12225264.95		8
Transit Custom L2	2014	3300	12225265.95		12225266.95		8
Transit Custom L1-H1	2023	3100	12225440.95		12225441.95		
Transit Custom L1-H2	2023	3100	12225444.95		12225445.95		
Transit Custom L2-H1	2023	3500	12225449.95		12225450.95		
Transit Custom L2-H2	2023	3500	12225453.95		12225454.95		
Transit FWD / RWD L2-H2	2014	3300	12225199.95				10
Transit FWD / RWD L2-H3 T*	2014	3300	12225200.95				10
Transit FWD / RWD L3-H2	2014	3750	12225201.95				12
Transit FWD / RWD L3-H3 T*	2014	3750	12225202.95				12
Transit FWD / RWD L4-H3 T*	2014	3750*	12225305.95				12

* With overhang T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+3] complete set tailgate + sliding doors		AW Value
Transit Courier	2014	2489	12226223.95				6
Transit Courier	2024	2490	12226458.95		12226459.95		6
Transit Connect L1	2014	2662	12226204.95				6
Transit Connect L2	2014	3062	12226203.95				6
Transit Connect L1	2024	2755	12226382.95		12226383.95		6
Transi Connect L2	2024	2970	12226387.95		12226388.95		6
Transit Custom L1	2012	2933	12226263.95		12226264.95		8
Transit Custom L2	2014	3300	12226265.95		12226266.95		8
Transit Custom L1-H1	2023	3100	12226440.95		12226441.95		
Transit Custom L1-H2	2023	3100	12226444.95		12226445.95		
Transit Custom L2-H1	2023	3500	12226449.95		12226450.95		
Transit Custom L2-H2	2023	3500	12226459.95		12226454.95		
Transit FWD / RWD L2-H2	2014	3300	12226199.95				10
Transit FWD / RWD L2-H3 T*	2014	3300	12226200.95				10
Transit FWD / RWD L3-H2	2014	3750	12226201.95				12
Transit FWD / RWD L3-H3 T*	2014	3750	12226202.95				12
Transit FWD / RWD L4-H3 T*	2014	3750*	12226305.95				12

* With overhang T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Transit Courier	2014	2489	12225221.98		7	12225222.98			10
Transit Courier	2024	2490	12225455.98		7	12225456.98	12225457.98		10
Transit Connect L1	2014	2662	12225205.98		7	12225173.98			10
Transit Connect L2	2014	3062	12225188.98		9	12225172.98			11
Transit Connect L1	2024	2755	12225379.98		7	12225380.98	12225381.98		10
Transit Connect L2	2024	2970	12225384.98		8	12225385.98	12225385.98		11
Transit Custom L1	2012	2933	12225155.98		9	12225156.98	12225157.98		12
Transit Custom L2	2014	3300	12225158.98		10	12225159.98	12225160.98		16
Transit Custom L1-H1	2023	3100	12225437.98		9	12225438.98	12225439.98		12
Transit Custom L1-H2	2023	3100	12225437.98		9	12225442.98	12225443.98		12
Transit Custom L2-H1	2023	3500	12225446.98		9	12225447.98	12225448.98		16
Transit Custom L2-H2	2023	3500	12225446.98			12225451.98	12225452.98		16
Transit L2-H2-FA-HA	2014	3300	12225189.98		12	12225190.98			17
Transit L2-H3-FWD-RWD**	2014	3300	12225191.98		16	12225192.98			21
Transit L3-H2-FA-HA	2014	3750	12225193.98		12	12225194.98			17
Transit L3-H3-FWD-RWD**	2014	3750	12225195.98		16	12225196.98			21
Transit L4-H3-RWD**	2014	3750*	12225197.98		16	12225198.98			21

* With overhang ** High roof version with side lining over the full height

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+3] complete set tailgate + sliding doors		AW Value
Transit Courier	2014	2489	12225223.98				10
Transit Courier	2024	2490	12225458.98		12225459.98		10
Transit Connect L1	2014	2662	12225204.98				11
Transit Connect L2	2014	3062	12225203.98				10
Transit Connect L1	2024	2755	12225382.98		12225383.98		10
Transit Connect L2	2024	2970	12225387.98		12225388.98		11
Transit Custom L1	2012	2933	12225263.98		12225264.98		12
Transit Custom L2	2014	3300	12225265.98		12225266.98		16
Transit Custom L1-H1	2023	3100	12225440.98		12225441.98		12
Transit Custom L1-H2	2023	3100	12225444.98		12225445.98		12
Transit Custom L2-H1	2023	3500	12225449.98		12225450.98		16
Transit Custom L2-H2	2023	3500	12225453.98		12225454.98		16
Transit FWD / RWD L2-H2	2014	3300	12225199.98				16
Transit FWD / RWD L2-H3 T*	2014	3300	12225200.98				20
Transit FWD / RWD L3-H2	2014	3750	12225201.98				16
Transit FWD / RWD L3-H3 T*	2014	3750	12225202.98				20
Transit FWD / RWD L4-H3 T*	2014	3750*	12225305.98				21

* With overhang T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Transit L2-H2-FA-HA	2014	3300	12220189.95		11	12220190.95		14
Transit L2-H3-FWD-RWD**	2014	3300	12220191.95		12	12220192.95		15
Transit L3-H2-FA-HA	2014	3750	12220193.95		13	12220194.95		16
Transit L3-H3-FWD-RWD**	2014	3750	12220195.95		13	12220196.95		16
Transit L4-H3-RWD**	2014	3750*	12220197.95		14	12220198.95		17

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Transit L2-H2-FA-HA	2014	3300	12221189.95		14	12221190.95		17
Transit L2-H3-FWD-RWD**	2014	3300	12221191.95		15	12221192.95		18
Transit L3-H2-FA-HA	2014	3750	12221193.95		16	12221194.95		19
Transit L3-H3-FWD-RWD**	2014	3750	12221195.95		16	12221196.95		19
Transit L4-H3-RWD**	2014	3750*	12221197.95		17	12221198.95		20

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Transit L2-H2-FA-HA	2014	3300	12220199.95		14
Transit L2-H3-FWD-RWD**	2014	3300	12220200.95		15
Transit L3-H2-FA-HA	2014	3750	12220201.95		16
Transit L3-H3-FWD-RWD**	2014	3750	12220202.95		16
Transit L4-H3-RWD**	2014	3750*	12220305.95		17

* With overhang T* High roof version with full height side lining

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Transit L2-H2-FA-HA	2014	3300	12221199.95		14
Transit L2-H3-FWD-RWD**	2014	3300	12221200.95		15
Transit L3-H2-FA-HA	2014	3750	12221201.95		16
Transit L3-H3-FWD-RWD**	2014	3750	12221202.95		16
Transit L4-H3-RWD**	2014	3750*	12221305.95		17

* With overhang T* High roof version with full height side lining

1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Courier	2014	2489	All roof forms	0.8	Rear door/left/top	08022036		2
			All roof forms	0.4	Rear door/left/bottom	08022037		2
			All roof forms	0.2	Rear door/right/top	08022038		2
			All roof forms	0.4	Rear door/right/bottom	08022039		2
			All roof forms	0.4	Right/rear/top	08022040		2
			All roof forms	0.4	Left/rear/top	08022041		2
			All roof forms	0.7	Sliding door/right/top	08022042		2
			All roof forms	0.7	Sliding door/left/top	08022043		2
			All roof forms	0.7	Sliding door/right/bottom	08022046		2
			All roof forms	0.7	Sliding door/left/bottom	08022047		2
			All roof forms	0.8	Left/front/top	08022044		2
			All roof forms	0.8	Right/front/top	08022045		2
			All roof forms	0.5	Left/rear/bottom	08022048		2
			All roof forms	0.6	Right/rear/bottom	08022049		2
			All roof forms	0.7	Left/front/bottom	08022047		2
			All roof forms	0.7	Right/front/bottom	08022046		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Courier	2024	2490	alle Dachformen	0,8	Hecktür/links/oben	08022515		2
			alle Dachformen	0,4	Hecktür/links/unten	08022513		2
			alle Dachformen	0,2	Hecktür/rechts/oben	08022514		2
			alle Dachformen	0,4	Hecktür/rechts/unten	08022512		2
			alle Dachformen	0,4	rechts/hinten/oben	08022506		2
			alle Dachformen	0,4	links/hinten/oben	08022507		2
			alle Dachformen	0,7	Schiebetür/rechts/oben	08022518		2
			alle Dachformen	0,7	Schiebetür/links/oben	08022519		2
			alle Dachformen	0,7	Schiebetür/rechts/unten	08022516		2
			alle Dachformen	0,7	Schiebetür/links/unten	08022517		2
			alle Dachformen	0,8	links/vorne/oben	08022508		2
			alle Dachformen	0,8	rechts/vorne/oben	08022509		2
			alle Dachformen	0,7	links/vorne/unten	08022510		2
			alle Dachformen	0,7	rechts/vorne/unten	08022511		2

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Connect L1	2014	2662	All roof forms	0.4	Rear door/right/bottom	08012950		2
			All roof forms	0.4	Rear door/left/bottom	08012951		2
			All roof forms	0.6	Rear door/right/top	08012952		1
			All roof forms	0.7	Rear door/left/top	08012953		1
			All roof forms	0.7	Left/front/top	08012954		2
			All roof forms	0.9	Left/front/bottom	08012956		2
			All roof forms	0.9	Right/front/bottom	08012957		2
			All roof forms	0.5	Left/rear/top	08012958		2
			All roof forms	0.5	Right/rear/top	08012959		2
			All roof forms	0.7	Right/front/top	08012967		2
			All roof forms	0.7	Sliding door/left/top	08012968		1
			All roof forms	0.9	Sliding door/left/bottom	08012956		2
			All roof forms	0.9	Sliding door/right/bottom	08012957		2
			All roof forms	0.7	Sliding door/right/top	08012955		1
			All roof forms		Left/rear/bottom	08022229		2
			All roof forms		Right/rear/bottom	08022230		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Connect L2	2014	3062	All roof forms	0.4	Rear door/right/bottom	08012950		2
			All roof forms	0.4	Rear door/left/bottom	08012951		2
			All roof forms	0.6	Rear door/right/top	08012952		1
			All roof forms	0.7	Rear door/left/top	08012953		1
			All roof forms	1.0	Left/front/top	08012960		2
			All roof forms	1.3	Left/front/bottom	08012962		2
			All roof forms	1.3	Right/front/bottom	08012963		2
			All roof forms	0.7	Left/rear/top	08012964		2
			All roof forms	0.7	Right/rear/top	08012965		2
			All roof forms	1.0	Right/front/top**	08012969		2
			All roof forms	1.0	Sliding door/left/top	08012970		1
			All roof forms	1.3	Sliding door/left/bottom	08012962		2
			All roof forms	1.3	Sliding door/right/bottom	08012963		2
			All roof forms	1.0	Sliding door/right/top	08012961		1
			All roof forms		Left/rear/bottom	08022231		2
			All roof forms		Right/rear/bottom	08022232		2

** For vehicles without right-hand sliding door

1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Connect L1	2023	3100	Normal roof	1,2	Left/rear/top	08022478		2
			Normal roof	1,3	Left/rear/bottom	08022476		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022479		2
			Normal roof	1,3	Right/rear/bottom	08022477		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022489		1
			Normal roof	0,8	Rear door/left/bottom	08022488		1
			Normal roof	0,8	Rear door/right/top	08022491		1
			Normal roof	0,7	Rear door/right/bottom	08022490		1
			Normal roof	1,9	Tailgate/top/complete	08022493		2
			Normal roof	2,1	Tailgate/bottom/complete	08022492		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Connect L2	2023	3500	Normal roof	1,2	Left/rear/top	08022496		2
			Normal roof	1,3	Left/rear/bottom	08022494		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022497		2
			Normal roof	1,3	Right/rear/bottom	08022495		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022501		1
			Normal roof	0,8	Rear door/left/bottom	08022488		1
			Normal roof	0,8	Rear door/right/top	08022501		1
			Normal roof	0,7	Rear door/right/bottom	08022490		1
			Normal roof	0,8	Rear door/left/top	08022498		1
			Normal roof	0,8	Rear door/right/top	08022499		1
			Normal roof	1,9	Tailgate/top/complete	08022493		2
			Normal roof	2,1	Tailgate/bottom/complete	08022492		2

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Custom L1	2012	2933	Normal roof	1.2	Left/rear/top	08012913		2
			Normal roof	1.3	Left/rear/bottom	08012901		2
			Normal roof	1.4	Left/front/top	08012910		2
			Normal roof	1.6	Left/front/bottom	08012906		2
			Normal roof	1.2	Right/rear/top	08012911		2
			Normal roof	1.3	Right/rear/bottom	08012900		2
			Normal roof	1.2	Sliding door/left/top	08012912		1
			Normal roof	1.6	Sliding door/left/bottom	08012903		1
			Normal roof	1.2	Sliding door/right/top	08012909		1
			Normal roof	1.6	Sliding door/right/bottom	08012902		1
			Normal roof	0.8	Rear door/left/top	08012907		1
			Normal roof	0.8	Rear door/left/bottom	08012904		1
			Normal roof	0.8	Rear door/right/top	08012908		1
			Normal roof	0.7	Rear door/right/bottom	08012905		1
			Normal roof	1.9	Tailgate/top/complete	08012919		2
			Normal roof	2.1	Tailgate/bottom/complete	08012918		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Custom L2	2014	3300	Normal roof	1.6	Left/rear/top	08012915		2
			Normal roof	2.3	Left/rear/bottom	08012917		2
			Normal roof	1.4	Left/front/top	08012910		2
			Normal roof	1.6	Left/front/bottom	08012906		2
			Normal roof	1.6	Right/rear/top	08012914		2
			Normal roof	2.3	Right/rear/bottom	08012916		2
			Normal roof	1.2	Sliding door/left/top	08012912		1
			Normal roof	1.6	Sliding door/left/bottom	08012903		2
			Normal roof	1.2	Sliding door/right/top	08012909		1
			Normal roof	1.6	Sliding door/right/bottom	08012902		2
			Normal roof	0.8	Rear door/left/top	08012907		1
			Normal roof	0.8	Rear door/left/bottom	08012904		2
			Normal roof	0.8	Rear door/right/top	08012908		1
			Normal roof	0.7	Rear door/right/bottom	08012905		2
			Normal roof	1.9	Tailgate/top/complete	08012919		2
			Normal roof	2.1	Tailgate/bottom/complete	08012918		2

1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Custom L1	2023	3100	Normal roof	1,2	Left/rear/top	08022478		2
			Normal roof	1,3	Left/rear/bottom	08022476		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022479		2
			Normal roof	1,3	Right/rear/bottom	08022477		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022489		1
			Normal roof	0,8	Rear door/left/bottom	08022488		1
			Normal roof	0,8	Rear door/right/top	08022491		1
			Normal roof	0,7	Rear door/right/bottom	08022490		1
			Normal roof	1,9	Tailgate/top/complete	08022493		2
			Normal roof	2,1	Tailgate/bottom/complete	08022492		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Transit Custom L2	2023	3500	Normal roof	1,2	Left/rear/top	08022496		2
			Normal roof	1,3	Left/rear/bottom	08022494		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022497		2
			Normal roof	1,3	Right/rear/bottom	08022495		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022501		1
			Normal roof	0,8	Rear door/left/bottom	08022488		1
			Normal roof	0,8	Rear door/right/top	08022501		1
			Normal roof	0,7	Rear door/right/bottom	08022490		1
			Normal roof	0,8	Rear door/left/top	08022498		1
			Normal roof	0,8	Rear door/right/top	08022499		1
			Normal roof	1,9	Tailgate/top/complete	08022493		2
			Normal roof	2,1	Tailgate/bottom/complete	08022492		2

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Transit L3H2 Front / rear wheel drive	2014	3750	4.6	Left/rear/top	08037169		2
			2.0	Left/rear/bottom	08037167		2
			3.8	Left/front/top	08037163		2
			1.9	Left/front/bottom	08037161		2
			5.0	Right/rear/top	08037186		2
			2.0	Right/rear/bottom	08037168		2
			3.8	Right/front/top	08037164		2
			1.9	Right/front/bottom	08037162		2
			2.2	Sliding door/left/top	08022010		1
			2.2	Sliding door/left/bottom	08022012		2
			2.2	Sliding door/right/top	08022009		1
			2.2	Sliding door/right/bottom	08022011		2
			1.4	Rear door/left/top	08022014		1
			1.2	Rear door/right/top	08022013		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Transit L3H3 Front / rear wheel drive	2014	3750	4.6	Left/rear/top	08037169		2
			2.0	Left/rear/bottom	08037167		2
			1.5	Left/rear/top	08037171		2
			3.8	Left/front/top	08037163		2
			1.9	Left/front/bottom	08037161		2
			1.0	Left/front/top	08037165		1
			4.6	Right/rear/top	08037170		2
			2.0	Right/rear/bottom	08037168		2
			1.5	Right/rear/top	08037172		1
			3.8	Right/front/top	08037164		2
			1.9	Right/front/bottom	08037162		2
			1.0	Right/front/top	08037166		1
			2.2	Sliding door/left/top	08022010		1
			2.2	Sliding door/left/bottom	08022012		2
			2.2	Sliding door/right/top	08022009		1
			2.2	Sliding door/right/bottom	08022011		2
			1.4	Rear door/left/top	08022014		1
			1.2	Rear door/right/top	08022013		1

1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Transit L2H2 Front / rear wheel drive	2014	3300	3.5	Left/rear/top	08037147		2
			1.4	Left/rear/bottom	08037145		2
			3.8	Left/front/top	08037163		2
			1.9	Left/front/bottom	08037161		2
			3.8	Right/rear/top	08037185		2
			1.4	Right/rear/bottom	08037146		2
			3.8	Right/front/top	08037164		2
			1.9	Right/front/bottom	08037162		2
			2.2	Sliding door/left/top	08022010		1
			2.2	Sliding door/left/bottom	08022012		2
			2.2	Sliding door/right/top	08022009		1
			2.2	Sliding door/right/bottom	08022011		2
			1.4	Rear door/left/top	08022014		1
			1.2	Rear door/right/top	08022013		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Transit L2H3 Front / rear wheel drive	2014	3300	3.5	Left/rear/top	08037147		2
			1.4	Left/rear/bottom	08037145		2
			1.1	Left/rear/top	08037149		1
			3.8	Left/front/top	08037163		2
			1.9	Left/front/bottom	08037161		2
			1.0	Left/front/top	08037165		1
			3.5	Right/rear/top	08037148		2
			1.4	Right/rear/bottom	08037146		2
			1.1	Right/rear/top	08037150		1
			3.8	Right/front/top	08037164		2
			1.9	Right/front/bottom	08037162		2
			1.0	Right/front/top	08037166		1
			2.2	Sliding door/left/top	08022010		1
			2.2	Sliding door/left/bottom	08022012		2
			2.2	Sliding door/right/top	08022009		1
			2.2	Sliding door/right/bottom	08022011		2
			1.4	Rear door/left/top	08022014		1
			1.2	Rear door/right/top	08022013		1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Transit L4H3 Front / rear wheel drive	2014	3750* * With overhang	6.6	Left/rear/top	08037181		2
			3.0	Left/rear/bottom	08037179		2
			2.1	Left/rear/top	08037183		1
			3.8	Left/front/top	08037163		2
			1.9	Left/front/bottom	08037161		2
			1.0	Left/front/top	08037165		2
			6.6	Right/rear/top	08037182		2
			3.0	Right/rear/bottom	08037180		2
			2.1	Right/rear/top	08037184		1
			3.8	Right/front/top	08037164		2
			1.9	Right/front/bottom	08037162		2
			1.0	Right/front/top	08037166		1
			2.2	Sliding door/left/top	08022010		1
			2.2	Sliding door/left/bottom	08022012		2
			2.2	Sliding door/right/top	08022009		1
			2.2	Sliding door/right/bottom	08022011		2
			1.4	Rear door/left/top	08022014		1
			1.2	Rear door/right/top	08022013		1

1

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Transit Connect L1	2024	2755	12231049.95		13
Transit Connect L2	2024	2970	12231050.95		13
Transit Custom L1-H1	2012	2933	12231018.95		13
Transit Custom L2-H1	2012	3300	12231019.95		13
Transit Custom L1-H1	2023	3100	12231057.95		13
Transit Custom L2-H1	2023	3500	12231058.95		13
Transit L2-H2*	2014	3300	12231025.95		17
Transit L2-H3*	2014	3300	12231028.95		17
Transit L3-H2*	2014	3750	12231026.95		17
Transit L3-H3*	2014	3750	12231029.95		17
Transit L4-H3*	2014	3750**	12231036.95		17

*incl. profile **With overhang

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Transit Courier L1	2014	Rear doors	12230050.19V		3
Transit Courier L1	2014	Sliding door, right	12230051.19V		2
Transit Courier L1	2014	Sliding door, left	12230052.19V		2
Transit Courier L1	2014	Left side window	12230058.19V		2
Transit Custom L1-L2	2012	Rear doors	12230038.19V		3
Transit Custom L1-L2	2012	Tailgate	12230037.19V		3
Transit Custom L1-L2	2012	Sliding door, right	12230039.19V		2
Transit Custom L1-L2	2012	Sliding door, left	12230048.19V		2
Transit Connect L1-L2	2014	Rear doors	12230043.19V		3
Transit Connect L1	2014	Sliding door, right	12230044.19V		2
Transit Connect L1	2014	Sliding door, left	12230045.19V		2
Transit Connect L2	2014	Sliding door, right	12230046.19V		2
Transit Connect L2	2014	Sliding door, left	12230047.19V		2
Transit L2-L3-L4	2014	Rear doors	12230040.19V		3
Transit L2-L3-L4	2014	Sliding door, right	12230041.19V		2
Transit L2-L3-L4	2014	Sliding door, left	12230042.19V		2

Protective grille for ABS vehicle bulkhead from “Motexion”

Model	Model year from	Order Ref.		AW Value
Ford Transit Custom	2024	12230061.19V		4

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

GAZelle Next

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Next	2016		11323609		

bott vario3 protect interior side lining with fixing kit

Vehicle	Model year from	Wheelbase	[1+2+3] bott vario3 protect advanced (rear doors)		AW Value
Next	2016		12225419.95		

bott vario3 protect interior side lining without fixing kit

Vehicle	Model year from	Wheelbase	[1+2+3] bott vario3 protect advanced (rear doors)		AW Value
Staria L1-H1	2021		12226419.95		

Hyundai

bott vario3 floor in various versions

Model	Model year from	Wheel-base	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Staria L1-H1	2021	3270	11320624		11310624		11312624	3		

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Staria L1-H1	2021	3270	11323624		

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Staria L1-H1	2021	3270	12225430.95				12525431.95		

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Staria L1-H1	2021	3270	12226430.95				12526431.95		

1

bott vario3 floor in various versions

Model	Model year from	Wheel-base	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Daily L1	2014	3000	11320161		11310161		11312161	2		11321161
Daily L1 dual tyr.	2014	3000	11320176		11310176		11312176	2		11321176
Daily L2-H1	2014	3520	11320388		11310388		11312388	3		11321388
Daily L2H1 dual tyr.	2014	3520	11320177		11310177		11312177	3		11321177
Daily L2-H2	2014	3520	11320162		11310162		11312162	4		11321162
Daily L2H2 dual tyr.	2014	3520	11320178		11310178		11312178	4		11321178
Daily L3	2014	3520*	11320163		11310163		11312163	4		11321163
Daily L3 dual tyr.	2014	3520*	11320179		11310179		11312179	4		11321179
Daily L4	2014	4100	11320164		11310164		11312164	5		11321164
Daily L4 dual tyr.	2014	4100	11320180		11310180		11312180	5		11321180
Daily L5	2014	4100*	11320165		11310165		11312165	6		11321165
Daily L5 dual tyr.	2014	4100*	11320181		11310181		11312181	6		11321181

* With overhang

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Daily L1	2014	3000	11323161		7
Daily L1 dual tyr.	2014	3000	11323176		7
Daily L2-H1	2014	3520	11323388		8
Daily L2-H1 dual tyr.	2014	3520	11323177		8
Daily L2-H2	2014	3520	11323162		8
Daily L2-H2 dual tyr.	2014	3520	11323178		8
Daily L3	2014	3520L*	11323163		9
Daily L3 dual tyr.	2014	3520L*	11323179		9
Daily L4	2014	4100	11323164		10
Daily L4 dual tyr.	2014	4100	11323180		10
Daily L5	2014	4100L*	11323165		10
Daily L5 dual tyr.	2014	4100L*	11323181		10

*With overhang ³With step-edge protection

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Daily L1-H1	2014	3000	12225230.95		6	12225231.95			8
Daily L2-H1	2014	3520	12225232.95		8	12225233.95			10
Daily L2-H2	2014	3520	12225234.95		8	12225235.95			10
Daily L3-H2-H3*	2014	3520	12225236.95		10	12225237.95			12
Daily L4-H2-H3	2014	4100	12225226.95		10	12225227.95			12
Daily L5-H2-H3*	2014	4100	12225228.95		10	12225229.95			12

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Daily L1-H1	2014	3000	12226230.95		6	12226231.95			8
Daily L2-H1	2014	3520	12226232.95		8	12226233.95			10
Daily L2-H2	2014	3520	12226234.95		8	12226235.95			10
Daily L3-H2-H3	2014	3520*	12226236.95		10	12226237.95			12
Daily L4-H2-H3	2014	4100	12226226.95		10	12226227.95			12
Daily L5-H2-H3	2014	4100*	12226228.95		10	12226229.95			12

* With overhang

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Daily L1-H1	2014	3000	12225238.95		8
Daily L2-H1	2014	3520	12225239.95		10
Daily L2-H2	2014	3520	12225240.95		10
Daily L3-H2-H3	2014	3520*	12225241.95		12
Daily L4-H2-H3	2014	4100	12225242.95		12
Daily L5-H2-H3	2014	4100*	12225243.95		13

* With overhang

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Daily L1-H1	2014	3000	12226238.95		8
Daily L2-H1	2014	3520	12226239.95		10
Daily L2-H2	2014	3520	12226240.95		10
Daily L3-H2-H3	2014	3520*	12226241.95		12
Daily L4-H2-H3	2014	4100	12226242.95		12
Daily L5-H2-H3	2014	4100*	12226243.95		13

* With overhang

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Daily L1-H1	2014	3000	12225230.98		10	12225231.98			16
Daily L2-H1	2014	3520	12225232.98		11	12225233.98			17
Daily L2-H2	2014	3520	12225234.98		11	12225235.98			17
Daily L3-H2-H3	2014	3520*	12225236.98		12	12225237.98			18
Daily L4-H2-H3	2014	4100	12225226.98		14	12225227.98			20
Daily L5-H2-H3	2014	4100*	12225228.98		15	12225229.98			21

* With overhang

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Daily L1-H1	2014	3000	12225238.98		16
Daily L2-H1	2014	3520	12225239.98		17
Daily L2-H2	2014	3520	12225240.98		17
Daily L3-H2-H3	2014	3520*	12225241.98		18
Daily L4-H2-H3	2014	4100	12225242.98		20
Daily L5-H2-H3	2014	4100*	12225243.98		21

* With overhang

bott vario3 protect rail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Daily L1-H1	2014	3000	12220230.95			12220231.95		14
Daily L2-H1	2014	3520	12220232.95			12220233.95		15
Daily L2-H2	2014	3520	12220234.95			12220235.95		15
Daily L3-H2-H3	2014	3520*	12220236.95			12220237.95		16
Daily L4-H2-H3	2014	4100	12220226.95			12220227.95		21
Daily L5-H2-H3	2014	4100*	12220228.95			12220229.95		22

* With overhang

vario protect rail interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Daily L1-H1	2014	3000	12220238.95		13
Daily L2-H1	2014	3520	12220239.95		14
Daily L2-H2	2014	3520	12220240.95		14
Daily L3-H2-H3	2014	3520*	12220241.95		15
Daily L4-H2-H3	2014	4100	12220242.95		20
Daily L5-H2-H3	2014	4100*	12220243.95		21

* mit Überhang

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Daily L2-H2	2014	3520	12221234.95			12221235.95		18
Daily L3-H2-H3	2014	3520*	12221236.95			12221237.95		19
Daily L4-H2-H3	2014	4100	12221226.95			12221227.95		26
Daily L5-H2-H3	2014	4100*	12221228.95			12221229.95		27

* With overhang

vario protect prorail interior side lining for vehicles with 2 sliding doors with fixing kiten

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Daily L2-H2	2014	3520	12221240.95		16
Daily L3-H2-H3	2014	3520*	12221241.95		17
Daily L4-H2-H3	2014	4100	12221242.95		24
Daily L5-H2-H3	2014	4100*	12221243.95		25

* mit Überhang


botti

Individual panels vario protect plus without fixing kit Iveco

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L1/H1	2014	3000	Normal roof	2.3	Left/front/bottom	08037245		2
			Normal roof	2.1	Left/front/top	08037247		2
			Normal roof	1.1	Left/middle/bottom	08037242		2
			Normal roof	1.5	Left/middle/top	08037244		2
			Normal roof	0.5	Left/rear/bottom	08037223		2
			Normal roof	0.5	Left/rear/top	08037235		2
			Normal roof	2.3	Right/front/bottom	08037246		2
			Normal roof	2.1	Right/front/top	08037248		2
			Normal roof	1.1	Right/middle/bottom	08037241		2
			Normal roof	1.5	Right/middle/top	08037243		2
			Normal roof	0.5	Right/rear/bottom	08037224		2
			Normal roof	0.5	Right/rear/top	08037236		2
			Normal roof	2.2	Sliding door/left/bottom	08022123		2
			Normal roof	1.5	Sliding door/left/top	08022119		2
			Normal roof	2.2	Sliding door/right/bottom	08022122		2
			Normal roof	1.5	Sliding door/right/top	08022118		2
			Normal roof	1.1	Rear door/left/bottom	08022078		2
			Normal roof	0.8	Rear door/left/top	08022120		2
			Normal roof	0.9	Rear door/right/bottom	08022079		2
			Normal roof	0.8	Rear door/right/top	08022121		2
Daily L2/H2	2014	3520	High roof	1.30	Left/rear/complete	08022098	149.00	2
			High roof	5.20	Left/middle/complete	08022082	149.00	2
			High roof	3.70	Left/front/top	08022056	149.00	2
			High roof	2.60	Left/front/bottom	08022084	149.00	2
			High roof	1.30	Right/rear/complete	08022099	149.00	2
			High roof	5.20	Right/middle/complete	08022083	149.00	2
			High roof	3.70	Right/front/top	08022057*	149.00	2
			High roof	2.60	Right/front/bottom	08022085*	149.00	2
			High roof	2.70	Sliding door/left/top	08022103	129.00	2
			High roof	2.60	Sliding door/left/bottom	08022093	129.00	2
			High roof	2.70	Sliding door/right/top	08022102	129.00	2
			High roof	2.60	Sliding door/right/bottom	08022092	129.00	2
			High roof	1.00	Rear door/left/top	08022105	59.00	2
			High roof	1.10	Rear door/left/bottom	08022078	59.00	2
			High roof	1.00	Rear door/right/top	08022104	59.00	2
			High roof	1.10	Rear door/right/bottom	08022079	59.00	2

*No right-hand sliding door

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L2/H1	2014	3520	Normal roof	2.6	Left/front/bottom	08037199		2
			Normal roof	2.3	Left/front/top	08037239		2
			Normal roof	1.8	Left/middle/bottom	08037206		2
			Normal roof	2.1	Left/middle/top	08037238		2
			Normal roof	0.5	Left/rear/bottom	08037223		2
			Normal roof	0.5	Left/rear/top	08037235		2
			Normal roof	2.6	Right/front/bottom	08037200		2
			Normal roof	2.3	Right/front/top	08037240		2
			Normal roof	1.8	Right/middle/bottom	08037205		2
			Normal roof	2.1	Right/middle/top	08037237		2
			Normal roof	0.5	Right/rear/bottom	08037224		2
			Normal roof	0.5	Right/rear/top	08037236		2
			Normal roof	2.6	Sliding door/left/bottom	08022093		2
			Normal roof	1.7	Sliding door/left/top	08022117		2
			Normal roof	2.6	Sliding door/right/bottom	08022092		2
			Normal roof	1.7	Sliding door/right/top	08022116		2
			Normal roof	1.1	Rear door/left/bottom	08022078		2
			Normal roof	0.8	Rear door/left/top	08022120		2
			Normal roof	0.9	Rear door/right/bottom	08022079		2
			Normal roof	0.8	Rear door/right/top	08022121		2

1

Individual panels vario protect plus without fixing kit Iveco

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L2/H1	2014	3520	2.6	Left/front/bottom	08037199		2
			2.9	Left/front/top	08037201		2
			0.7	Left/front/top	08037203		2
			1.8	Left/middle/bottom	08037206		2
			2.6	Left/middle/top	08037208		2
			0.6	Left/middle/top	08037210		2
			0.5	Left/rear/bottom	08037223		2
			0.6	Left/rear/top	08037225		2
			0.1	Left/rear/top	08037227		2
			2.6	Right/front/bottom	08037200		2
			2.9	Right/front/top	08037202		2
			0.7	Right/front/top	08037204		2
			1.8	Right/middle/bottom	08037205		2
			2.6	Right/middle/top	08037207		2
			0.6	Right/middle/top	08037209		2
			0.5	Right/rear/bottom	08037224		2
			0.6	Right/rear/top	08037226		2
			0.1	Right/rear/top	08037228		2
			2.6	Sliding door/left/bottom	08022093		2
			2.7	Sliding door/left/top	08022103		2
			2.6	Sliding door/right/bottom	08022092		2
			2.7	Sliding door/right/top	08022102		2
			1.1	Rear door/left/bottom	08022078		2
			1.0	Rear door/left/top	08022105		2
			0.9	Rear door/right/bottom	08022079		2
			1.0	Rear door/right/top	08022104		2

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit Iveco

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L3/H2/H3	2014	3520 L with overhang	2.6	Left/front/bottom	08037199		2
			2.9	Left/front/top	08037201		2
			0.7	Left/front/top	08037203		2
			1.8	Left/middle/bottom	08037206		2
			2.6	Left/middle/top	08037208		2
			0.6	Left/middle/top	08037210		2
			1.3	Left/rear/bottom	08037211		2
			1.5	Left/rear/top	08037213		2
			0.3	Left/rear/top	08037215		2
			2.6	Right/front/bottom	08037200		2
			2.9	Right/front/top	08037202		2
			0.7	Right/front/top	08037204		2
			1.8	Right/middle/bottom	08037205		2
			0.6	Right/middle/top	08037207		2
			0.6	Right/middle/top	08037209		2
			1.3	Right/rear/bottom	08037212		2
			1.5	Right/rear/top	08037214		2
			0.3	Right/rear/top	08037216		2
			2.6	Sliding door/left/bottom	08022093		2
			2.7	Sliding door/left/top	08022103		2
			2.6	Sliding door/right/bottom	08022092		2
			2.7	Sliding door/right/top	08022102		2
			1.1	Rear door/left/bottom	08022078		2
			1.0	Rear door/left/top	08022105		2
			0.9	Rear door/right/bottom	08022079		2
			1.0	Rear door/right/top	08022104		2

1

Individual panels vario protect plus without fixing kit Iveco

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L4/H2/H3	2014	4100	2.6	Left/front/bottom	08037199		2
			2.9	Left/front/top	08037201		2
			0.7	Left/front/top	08037203		2
			1.6	Left/middle/front/bottom	08037194		2
			1.9	Left/middle/front/top	08037196		2
			0.4	Left/middle/front/top	08037198		2
			1.0	Left/middle/rear/bottom	08037188		2
			1.8	Left/middle/rear/top	08037190		2
			0.4	Left/middle/rear/top	08037192		2
			2.4	Left/rear/bottom	08037218		2
			2.7	Left/rear/top	08037220		2
			0.6	Left/rear/top	08037222		2
			2.6	Right/front/bottom	08037200		2
			2.9	Right/front/top	08037202		2
			0.7	Right/front/top	08037204		2
			1.6	Right/middle/front/bottom	08037193		2
			1.9	Right/middle/front/top	08037195		2
			0.4	Right/middle/front/top	08037197		2
			1.1	Right/middle/rear/bottom	08037187		2
			1.8	Right/middle/rear/top	08037189		2
			0.4	Right/middle/rear/top	08037191		2
			2.4	Right/rear/bottom	08037217		2
			2.7	Right/rear/top	08037219		2
			0.6	Right/rear/top	08037221		2
			2.6	Sliding door/left/bottom	08022093		2
			2.7	Sliding door/left/top	08022103		2
			2.6	Sliding door/right/bottom	08022092		2
			2.7	Sliding door/right/top	08022102		2
			1.1	Rear door/left/bottom	08022078		2
			1.0	Rear door/left/top	08022105		2
			0.9	Rear door/right/bottom	08022079		2
			1.0	Rear door/right/top	08022104		2

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Daily L2-L3-L4-L5-H2-H3	2014	Rear doors	12230066.19V		3
Daily L2-L3-L4-L5-H2-H3	2014	Sliding door, right	12230067.19V		2
Daily L2-L3-L4-L5-H2-H3	2014	Sliding door, left	12230068.19V		2

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit Iveco

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Daily L5/H2/H3	2014	4100 L with overhang	2.6	Left/front/bottom	08037199		2
			2.9	Left/front/top	08037201		2
			0.7	Left/front/top	08037203		2
			1.6	Left/middle/front/bottom	08037194		2
			1.9	Left/middle/front/top	08037196		2
			0.4	Left/middle/front/top	08037198		2
			1.0	Left/middle/rear/bottom	08037188		2
			1.8	Left/middle/rear/top	08037190		2
			0.4	Left/middle/rear/top	08037192		2
			3.1	Left/rear/bottom	08037174		2
			3.7	Left/rear/top	08037176		2
			0.8	Left/rear/top	08037178		2
			2.7	Right/front/bottom	08037200		2
			0.6	Right/front/top	08037202		2
			2.6	Right/front/top	08037204		2
			2.9	Right/middle/front/bottom	08037193		2
			0.7	Right/middle/front/top	08037195		2
			1.6	Right/middle/front/top	08037197		2
			1.9	Right/middle/rear/bottom	08037187		2
			0.4	Right/middle/rear/top	08037189		2
			1.1	Right/middle/rear/top	08037191		2
			1.8	Right/rear/bottom	08037173		2
			0.4	Right/rear/top	08037175		2
			0.8	Right/rear/top	08037177		2
			2.6	Sliding door/left/bottom	08022093		2
			2.7	Sliding door/left/top	08022103		2
			2.6	Sliding door/right/bottom	08022092		2
			2.7	Sliding door/right/top	08022102		2
			1.1	Rear door/left/bottom	08022078		2
			1.0	Rear door/left/top	08022105		2
			0.9	Rear door/right/bottom	08022079		2
			1.0	Rear door/right/top	08022104		2

bott vario3 floor

Model	Model year from	Wheelbase mm	Order ref. packed		AW Value
Isuzu DMAX	2017	3095	11310473		7

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order ref. packed		AW Value
Isuzu DMAX	2017	3095	11310473.10		7

1





Room divider complete

- vehicle specmc room alvlaer
- room divider complete for dividing the loading space on the C-pillar (± 500 mm for offsetting) incl. mounting bracket for fixing to the floor and to the body shell of the vehicle contour
- optionally, a viewing window at the top and a slider at the bottom can be selected for the room divider using
- the bott room divider is not a restraint device according to DIN ISO 27956 and may only be used to divide the load compartment
- any attachments (e.g. lashing rails, fire extinguishers, hose holders, etc.) and loads on the bott room divider are prohibited

Version	**Room divider complete**
suitable for	Y53.23.0.2.1.0
Dimensions W x D x H mm	1777 x 15 x 1900
Weight kg	46,80
Order ref. packed	11302007.27V
AW value	45

Base plate for room divider

- base plate for individual cutting
- CPL coated
- Pack unit 2
- color: grey RAL 7038

Version	Base plae PU 2	Base plate individual
Dimensions W x D x H mm	1840 x 1515 x 15	
Weight kg	65,50	32,80
Order ref. packed	11302024.27V	11302025.27V

Opening slide for room divider / Frame and Makrolon pane for room divider



- make cut-out in room divider for opening slide
- slide can be locked at a height of 0-400 mm
- create window sliders for room divider

Version	Opening slide for room divider	Frame and Makrolon pane for room divider
Dimensions W x D x H mm	635 x 22,5 x 810	530 x 330 x 3
Weight kg	3,70	0,90
Order ref. packed	11302019.27V	

Offset for room divider



- connection of the separate room divider elements
- incl. mounting material
- for creating an offset in the room divider

Dimensions W x D x H mm	40 x 275 x 2018
Order ref. packed	73508034.97V

1

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Floor without step-edge protection	Lashing rails		AW Value
VN5	2021	3386	11323598	2		

[2]Installation without hold-down cups

bott vario3 protect interior side lining with fixing kit

Vehicle	Model year from	Wheel-base	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
VN5	2021	3386	12225414.95			

Integration of wall mounting rails possible

bott vario3 protect interior side lining without fixing kit

Vehicle	Model year from	Wheel-base	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
VN5	2021	3386	12226414.95			

Integration of wall mounting rails possible

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h


bott
bott

1

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
TGE L3-FWD	2017	3640			11310487[1]					
TGE L4-FWD	2017	4490			11310488[1]					
TGE L5-FWD	2017	4490*			11310489[1]					
TGE L3-RWD/FWD	2017	3640	11320191		11310191		11312191	5		11321191
TGE L3-RWD	2017	3640			11310545[1]					
TGE L4-RWD/FWD	2017	4490	11320192		11310192		11312192	5		11321192
TGE L4-RWD	2017	4490			11310546[1]					
TGE L5-RWD/FWD	2017	4490*	11320193		11310193		11312193	5		11321193
TGE L5-RWD	2017	4490*			11310547[1]					
TGE L3-Dual tyr.	2017	3640	11320188		11310188		11312188	5		11321188
TGE L4-Dual tyr.	2017	4490	11320189		11310189		11312189	5		11321189
TGE L5-Dual tyr.	2017	4490*	11320190		11310190		11312190	5		11321190

*With overhang made of plastic FWD = Front wheel drive RWD = Rear wheel drive [1]Double cab - The use of shoring poles is not approved for vehicles with a super high roof

bott vario3 floor in various versions Doublecap

Model	Model year from	Wheel-base	Floor without step-edge protection	Lashing rails		AW Value
TGE L3-FWD	2016	3640	11323487[2]	3**		7
TGE L3-RWD	2016	3640	11323545[2]	3**		7
TGE L4-FWD	2016	4490	11323488[2]	5**		9
TGE L4-RWD	2016	4490	11323546[2]	5**		9
TGE L5-FWD	2016	4490*	11323489[2]	6**		9
TGE L5-RWD	2016	4490*	11323547[2]	5**		9

*With overRWDng FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic, **max. Number possible - must be planned individually

bott vario3 floor with customised adjustments

Model	Model year from	Wheel-base	Floor without step-edge protection	Lashing rails		AW Value
TGE L3 FWD	2017	3640	11323185			
TGE L4 FWD	2017	4490	11323186			
TGE L5 FWD	2017	4490*	11323187			
TGE L3 RWD/FWD	2017	3640	11323191[2]	5		8
TGE L4 RWD/FWD	2017	4490	11323192[2]	5		9
TGE L5 RWD/FWD	2017	4490*	11323193[2]	5		10
TGE L3, Dual tyr. Doublecap	2017	3640	11323636			
TGE L4, Dual tyr. Doublecap	2017	3640	11323637			
TGE L5, Dual tyr. Doublecap	2017	3640	11323638			

*With overhang [1]H1 only [2]Installation without hold-down cups [3]With step-edge protection - The use of shoring poles is not approved for vehicles with a super high roof made of plastic

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect advanced (rear door)		AW Value
TGE L3-H2	2017	3640	12225267.95		8	12225269.95		11
TGE L3-H3**	2017	3640	12225268.95		8	12225270.95		11
TGE L4-H3-H4**	2017	4490	12225273.95		10	12225274.95		13
TGE L5 H3-H4**	2017	4490*	12225276.95		11	12225277.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect advanced (rear door)		AW Value
TGE L3-H2	2017	3640	12226267.95		8	12226269.95		11
TGE L3-H3**	2017	3640	12226268.95		8	12226270.95		11
TGE L4-H3-H4**	2017	4490	12226273.95		10	12226274.95		13
TGE L5 H3-H4**	2017	4490*	12226276.95		11	12226277.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
TGE L3-H2	2016	3640	12225365.95		6	12225366.95			8
TGE L3-H3	2016	3640	12225367.95		6	12225368.95			8
TGE L4-H3-H4**	2016	4490	12225369.95		10	12225370.95			12
TGE L5-H3-H4**	2016	4490*	12225371.95		10	12225372.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining for Doublecap without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
TGE L3-H2	2016	3640	12226365.95		6	12226366.95			8
TGE L3-H3	2016	3640	12226367.95		6	12226368.95			8
TGE L4-H3-H4**	2016	4490	12226369.95		10	12226370.95			12
TGE L5-H3-H4**	2016	4490*	12226371.95		10	12226372.95			12

* With overhang ** High roof version with side lining over the full height

1

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
TGE L3-H2	2017	3640	12225271.95		11
TGE L3-H3 T*	2017	3640	12225272.95		11
TGE L4-H3-H4 T*	2017	4490	12225275.95		13
TGE L5 H3-H4 T*	2017	4490*	12225278.95		14

* With overhang T* High roof version with full height side lining

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
TGE L3-H2	2017	3640	12226271.95		11
TGE L3-H3 T*	2017	3640	12226272.95		11
TGE L4-H3-H4 T*	2017	4490	12226275.95		13
TGE L5 H3-H4 T*	2017	4490*	12226278.95		14

* With overhang T* High roof version with full height side lining

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus advanced		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus ad-vanced (tailgate)		AW Value
TGE L3-H2	2017	3640	12225267.98		11	12225269.98	12225271.98		17
TGE L3-H3**	2017	3640	12225268.98		14	12225270.98	12225272.98		20
TGE L4-H3-H4**	2017	4490	12225273.98		16	12225274.98	12225275.98		13
TGE L5 H3-H4**	2017	4490*	12225276.98		18	12225277.98	12225278.98		23

* With overhang ** High roof version with side lining over the full height

bott vario3 protect plus interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] complete set rear doors + sliding doors	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
TGE L3-H2	2016	3640	12225365.98		10	12225366.98			16
TGE L3-H3	2016	3640	12225367.98		10	12225368.98			16
TGE L4-H3-H4**	2016	4490	12225369.98		15	12225370.98			21
TGE L5-H3-H4**	2016	4490*	12225371.98		15	12225372.98			21

* mit Überhang ** Ausführung Hochdach über die komplette Höhe verkleidet

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible | 48 h

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
TGE L3-H2	2017	3640	12225271.98		17
TGE L3-H3 T*	2017	3640	12225272.98		20
TGE L4-H3-H4 T*	2017	4490	12225275.98		13
TGE L5 H3-H4 T*	2017	4490*	12225278.98		23

* With overhang T* High roof version with full height side lining

bott vario3 protect rail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
TGE L3-H2	2017	3640	12220267.95		12	12220269.95		15
TGE L3-H3**	2017	3640	12220268.95		12	12220270.95		15
TGE L4-H3-H4**	2017	4490	12220273.95		13	12220274.95		16
TGE L5 H3-H4**	2017	4490*	12220276.95		17	12220277.95		20

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
TGE L3-H2	2017	3640	12221267.95		15	12221269.95		18
TGE L3-H3**	2017	3640	12221268.95		15	12221270.95		18
TGE L4-H3-H4**	2017	4490	12221273.95		16	12221274.95		19
TGE L5 H3-H4**	2017	4490*	12221276.95		22	12221277.95		25

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining for 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
TGE L3-H2	2017	3640	12220271.95		14
TGE L3-H3**	2017	3640	12220272.95		14
TGE L4-H3-H4**	2017	4490	12220275.95		19
TGE L5 H3-H4**	2017	4490*	12220278.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect prorail interior side lining for 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
TGE L3-H2	2017	3640	12221271.95		17
TGE L3-H3**	2017	3640	12221272.95		17
TGE L4-H3-H4**	2017	4490	12221275.95		23
TGE L5 H3-H4**	2017	4490*	12221278.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
TGE L3-H2*	2016	3640	12231040.95		17
TGE L3-H3*	2016	3640	12231032.95		17
TGE L4-H3*	2016	4490	12231038.95		17
TGE L5-H3*	2016	4490**	12231039.95		17

*incl. profile **With overhang

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
TGE L3-L4-L5	2017	Rear doors	12230084.19V		3
TGE L3-L4-L5	2017	Sliding door, left	12230085.19V		2
TGE L3-L4-L5	2017	Sliding door, right	12230086.19V		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L3/H2	2016	3640	2.9	Left/rear/top	08037016		2
			2.4	Left/rear/bottom	08037004		2
			2.9	Left/front/top	08037013		2
			2.8	Left/front/bottom	08037001		2
			2.9	Right/rear/top	08037015		2
			2.4	Right/rear/bottom	08037005		2
			2.9	Right/front/top	08037014		2
			2.8	Right/front/bottom	08037010		2
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022267		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022268		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L3/H3	2016	3640	3.1	Left/rear/top	08037006		2
			2.4	Left/rear/bottom	08037004		2
			1.1	Left/rear/top	08037008		1
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		2
			3.1	Right/rear/top	08037007		2
			2.4	Right/rear/bottom	08037005		2
			1.1	Right/rear/top	08037009		1
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		1
			2.2	Sliding door/right/top	08022237		1
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L4/H3 L4/H4	2016	4490	4.8	Left/rear/top	08037019		2
			4.0	Left/rear/bottom	08037017		2
			1.7	Left/rear/top	08037021		2
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		1
			4.8	Right/rear/top	08037020		2
			4.0	Right/rear/bottom	08037018		2
			1.7	Right/rear/top	08037022		2
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		2
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L5/H3 L5/H4	2016	4490* *With overhang	1.1	Left/rear/top	08037102		2
			1.0	Left/rear/bottom	08037100		2
			0.4	Left/rear/top	08037116		1
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		1
			1.1	Right/rear/top	08037101		2
			1.0	Right/rear/bottom	08037099		2
			0.4	Right/rear/top	08037115		1
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		2
			4.8	Left/middle/top	08037098		2
			4.0	Left/middle/bottom	08037096		2
			1.7	Left/middle/top	08037114		2
			4.8	Right/middle/top	08037097		2
			4.0	Right/middle/bottom	08037095		2
			1.7	Right/middle/top	08037113		2
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L3-H2	2016	3640	2,9	left/rear/top	08037374		2
			2,4	left/rear/bottom	08037360		2
			2,9	rigth/rear/top	08037373		2
			2,4	rigth/rear/bottom	08037359		2
			0,9	Rear door/left/top	08022241		1
			1,2	Rear door/left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L3-H3	2016	3640	3,1	left/rear/top	08037362		2
			2,4	left/rear/bottom	08037360		2
			1,1	left/rear/Top	08037364		1
			3,1	rigth/rear/top	08037361		2
			2,4	rigth/rear/bottom	08037359		2
			1,1	rigth/rear/Top	08037363		1
			0,9	Rear door/left/top	08022241		1
			1,2	Rear door/left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Baujahr ab	Radstand mm	Gewicht kg	passend für	Artikel-Nr. verpackt		AW Wert
TGE L4-H3 L4-H4	2016	4490	4,8	Left/rear/top	08037378		2
			4,0	Left/rear/bottom	08037376		2
			1,7	Left/rear/Top	08037383		2
			4,8	Rigth/rear/top	08037377		2
			4,0	Rigth/rear/bottom	08037375		2
			1,7	Rigth/rear/Top	08037384		2
			0,9	Rear door/Left/top	08022241		1
			1,2	Rear door/Left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
TGE L5-H3 L5-H4	2016	4490* *mit Überhang	1,1	Left/rear/top	08037102		2
			1,0	Left/rear/bottom	08037100		2
			0,4	Left/rear/Top	08037116		2
			1,1	rigth/rear/top	08037101		2
			1,0	rigth/rear/bottom	08037099		2
			0,4	rigth/rear/Top	08037115		1
			4,8	Left/middle/top	08037380		2
			4,0	Left/middle/bottom	08037379		2
			1,7	Left/middle/Top	08037385		1
			4,8	rigth/middle/top	08037382		2
			4,0	rigth/middle/bottom	08037381		2
			1,7	rigth/middle/Top	08037386		1
			0,9	Rear door/Left/top	08022241		1
			1,2	Rear door/Left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1





Room divider complete

- vehicle specmc room alvlaer
- room divider complete for dividing the loading space on the C-pillar (± 500 mm for offsetting) incl. mounting bracket for fixing to the floor and to the body shell of the vehicle contour
- optionally, a viewing window at the top and a slider at the bottom can be selected for the room divider using
- the bott room divider is not a restraint device according to DIN ISO 27956 and may only be used to divide the load compartment
- any attachments (e.g. lashing rails, fire extinguishers, hose holders, etc.) and loads on the bott room divider are prohibited

Version	**Room divider complete**
Dimensions W x D x H mm	1773 x 15 x 1941
Weight kg	45,80
Order ref. packed	11302001.27V
AW value	45

Base plate for room divider

- base plate for individual cutting
- CPL coated
- Pack unit 2
- color: grey RAL 7038

Version	Base plae PU 2	Base plate individual
Dimensions W x D x H mm	1840 x 1515 x 15	
Weight kg	65,50	32,80
Order ref. packed	11302024.27V	11302025.27V

Opening slide for room divider / Frame and Makrolon pane for room divider



- make cut-out in room divider for opening slide
- slide can be locked at a height of 0-400 mm
- create window sliders for room divider

Version	Opening slide for room divider	Frame and Makrolon pane for room divider
Dimensions W x D x H mm	635 x 22,5 x 810	530 x 330 x 3
Weight kg	3,70	0,90
Order ref. packed	11302019.27V	

Offset for room divider



- connection of the separate room divider elements
- incl. mounting material
- for creating an offset in the room divider

Dimensions W x D x H mm	40 x 275 x 2018
Order ref. packed	73508034.97V

MAXUS

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.	Lashing rails		AW Value
eDeliver 3 L1[2]	2020	2910	11323583	3		6
eDeliver 3 L2[2]	2020	3285	11323584	4		7
eDeliver 9 L2-H2	2021	3366	11323614	8		
eDeliver 9 L3-H3	2021	3760	11323605	8		
Deliver 9 L3-H2 HA	2021	3760	11323605	8		
Deliver 9 L3-H2 FA	2021	3760	11323655	8		

[2]Montage ohne Niederhalter FA: Frontantrieb HA: Heckantrieb

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2] bott vario3 protect		AW Value
eDeliver 3 L1	2020	2910	12225399.95			6
eDeliver 3 L2	2020	3285	12225400.95			8
eDeliver 9 L2-H2	2020	3366	12225420.95			
eDeliver 9 L2-H2	2020	3366		12225409.95		
eDeliver 9 L3-H2	2021	3760	12225417.95			
eDeliver 9 L3-H2	2021	3760		12225433.95		
eDeliver 9 L3-H3	2021	3760	12225422.95			
eDeliver 9 L3-H3	2021	3760		12225435.95		
Deliver 9 L3-H2 HA	2021	3760	12225417.95			
Deliver 9 L3-H2 HA	2021	3760		12225433.95		
Deliver 9 L3-H2 FA	2021	3760	12225424.95			

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2] bott vario3 protect		AW Value
eDeliver 3 L1	2020	2910	12226399.95			6
eDeliver 3 L2	2020	3285	12226400.95			8
eDeliver 9 L2-H2	2020	3366	12226420.95			
eDeliver 9 L2-H2	2020	3366		12226409.95		
eDeliver 9 L3-H2	2021	3760	12226417.95			
eDeliver 9 L3-H2	2021	3760		12226433.95		
eDeliver 9 L3-H3	2021	3760	12226422.95			
eDeliver 9 L3-H3	2021	3760		12226435.95		
Deliver 9 L3-H2 HA	2021	3760	12226417.95			
Deliver 9 L3-H2 HA	2021	3760		12226433.95		
Deliver 9 L3-H2 FA	2021	3760	12226424.95			

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] bott vario3 protect advanced (rear doors)		[1+2] bott vario3 protect		AW Value
eDeliver 9 L2-H2	2021	3366	12225421.95				
eDeliver 9 L2-H2	2021	3366			12225432.95		
eDeliver 9 L3-H2	2021	3366			12225434.95		
eDeliver 9 L3-H2	2021	3760	12225418.95				
eDeliver 9 L3-H3	2021	3760	12225423.95				
eDeliver 9 L3-H3	2021	3760			12225436.95		
Deliver 9 L3-H2 HA	2021	3760			12225434.95		
Deliver 9 L3-H2 HA	2021	3760	12225418.95				
Deliver 9 L3-H2 FA	2021	3760	12225427.95				

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] bott vario3 protect advanced (rear doors)		[1+2] bott vario3 protect		AW Value
eDeliver 9 L2-H2	2021	3366	12226421.95				
eDeliver 9 L2-H2	2021	3366			12226432.95		
eDeliver 9 L3-H2	2021	3366			12226434.95		
eDeliver 9 L3-H2	2021	3760	12226418.95				
eDeliver 9 L3-H3	2021	3760	12226423.95				
eDeliver 9 L3-H3	2021	3760			12226436.95		
Deliver 9 L3-H2 HA	2021	3760			12226434.95		
Deliver 9 L3-H2 HA	2021	3760	12226418.95				
Deliver 9 L3-H2 FA	2021	3760	12226427.95				

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
eDeliver 7	2024	12230147.19V		

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
e/Deliver 9 L3-H2	2021	3760		Left/rear/top	08037397		2
				Left/rear/bottom	08037395		2
				Left/front/top	08037393		2
				rigth/rear/top	08037398		2
				rigth/rear/bottom	08037388		2
				rigth/front/top	08037394		2
				rigth/front/bottom	08037396		2
				Sliding door/rigth/top	08022463		2
				Sliding door/rigth/bottom	08022465		2
				Sliding door/Left/top	08022464		2
				Sliding door/Left/bottom	08022466		2
				Rear door/Left/top	08022470		1
				Rear door/Left/bottom	08022468		2
				Rear door/rigth/top	08022469		1
				Rear door/rigth/bottom	08022467		2
				Rear door/Top/rigth/top	08022471		2
				Rear door/Top/Left/top	08022472		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
e/Deliver 9 L3-H3	2021	3760		Left/rear/top	08037389		2
				Left/rear/bottom	08037387		2
				Left/front/top	08037393		2
				Left/front/bottom	08037391		2
				Left/rear/Top	08037399		2
				Left/front/Top	08037401		2
				rigth/rear/top	08037390		2
				rigth/rear/bottom	08037388		2
				rigth/front/top	08037394		2
				rigth/front/bottom	08037396		2
				rigth/rear/Top	08037400		2
				rigth/front/Top	08037402		2
				Sliding door/rigth/top	08022463		2
				Sliding door/rigth/bottom	08022465		2
				Sliding door/Left/top	08022464		2
				Sliding door/Left/bottom	08022466		2
				Rear door/Left/top	08022470		1
				Rear door/Left/bottom	08022468		2
				Rear door/rigth/top	08022469		1
				Rear door/rigth/bottom	08022467		2
				Rear door/Top/rigth/top	08022471		2
				Rear door/Top/Left/top	08022472		2

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Citan L1	2012	2313	11320130[2]		11310130[2]		11312130[2]	2**		
Citan L2	2012	2697	11320127[2]		11310127[2]		11312127[2]	3**		
Citan L3	2012	3081	11320136[2]		11310136[2]		11312136[2]	3**		
Citan L1	2021	2716	11320591[2]		11310591[2]		11312591[2]	3**		
Citan L2	2021	3100	11320592[2]		11310592[2]		11312592[2]	3**		
Vito L1	2014	3200	11320156		11310156		11312156	2**		11321156
Vito L1[4]	2014	3200	11320397		11310397		11312397	2**		11321397
Vito L2	2014	3200*	11320157		11310157		11312157	3**		11321157
Vito L2[4]	2014	3200*	11320398		11310398		11312398	3**		11321398
Vito L3	2014	3430	11320158		11310158		11312158	3**		11321158
Vito L3[4]	2014	3430	11320399		11310399		11312399	3**		11321399
Sprinter L1-FA	06/18	3259	11320196		11310196		11312196	3**		11321196
Sprinter L1-HA	06/18	3250	11320198		11310198		11312198	3**		11321198
Sprinter L2-FA	06/18	3924	11320197		11310197		11312197	5**		11321197
Sprinter L2-HA	06/18	3665	11320199		11310199		11312199	5**		11321199
Sprinter L2-Dual tyr.	06/18	3665	11320202		11310202		11312202	5**		11321202
Sprinter L3-Supersingle	06/18	4325	11320205		11310205		11312205	6**		11321205
Sprinter L3-HA	06/18	4325	11320200		11310200		11312200	6**		11321200
Sprinter L3-Dual tyr.	06/18	4325	11320203		11310203		11312203	6**		11321203
Sprinter L4-HA	06/18	4325*	11320201		11310201		11312201	7**		11321201
Sprinter L4-Dual tyr.	06/18	4325*	11320204		11310204		11312204	7**		11321204
X-Class**	2017	3150			11310469					

*With overhang [2]Installation without hold-down cups [4]Shortened floor to accommodate rear plastic trim FWD = Front wheel drive RWD:Rear wheel drive
- The use of shorting poles is not approved for vehicles with a super high roof made of plastic **Double cab only in conjunction with hard top

bott vario3 floor in various versions Doublecap

Model	Model year from	Wheel-base mm	Order Ref.	Lashing rails		AW Value
Vito L1	2014	3200	11323549	2		6
Vito L2	2014	3200*	11323550	2		7
Vito L3	2014	3430	11323551	2		7
Sprinter L1-FA	06/18	3259	11323564	2		6
Sprinter L1-HA	06/18	3250	11323565	3		7
Sprinter L2-FA	06/18	3924	11323566	2		6
Sprinter L2-HA	06/18	3665	11323567	3		7
Sprinter L3-HA	06/18	4325	11323568	5		9
Sprinter L4-HA	06/18	4325*	11323569	5		9

*With overhang - The use of shoring poles is not approved for vehicles with a super high roof made of plastic, **max. Number possible - must be planned individually

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
X-Class double cab	2017	3150	11310469.10		7

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Citan L1-L2-L3	2008	2697			3
Sprinter L2	06-17	3665			7

bott vario3 floor with customised adjustments

Model	Model year from	Wheel-base	Order Ref.		AW Value
Citan L1	2012	2313	11323130		5
Citan L2	2012	2697	11323127		6
Citan L3	2012	3081	11323136		6
Citan L1	2021	2716	11323591		6
Citan L2	2021	3100	11323592		6
Vito L1	2014	3200	11323156		7
Vito L2	2014	3430	11323157		7
Vito L3	2014	3430	11323158		8
Vito L1[1]	2014	3200	11323397		7
Vito L2[1]	2014	3430	11323398		7
Vito L3[1]	2014	3430	11323399		8
Sprinter L1-HA	06/18	3250	11323198		7
Sprinter L2-FA	06/18	3924	11323197		7
Sprinter L2-HA	06/18	3665	11323199		8
Sprinter L2-Supersingle	06/18	3665	11323205		8
Sprinter L2-Dual tyr.	06/18	3665	11323202		8
Sprinter L3-HA	06/18	4325	11323200		8
Sprinter L3-Supersingle	06/18	4325	11323206		9
Sprinter L3-Dual tyr.	06/18	4325	11323203		9
Sprinter L4-HA	06/18	4325*	11323201		9
Sprinter L4-Supersingle	06/18	4325*	11323207		10
Sprinter L4-Dual tyr.	06/18	4325*	11323204		10
*With overhang [1]Shortened floor to accommodate rear plastic trim FWD = Front wheel drive RWD:Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic					10

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Citan L1	2012	2313	12225161.95		4	12225162.95			6
Citan L2	2012	2697	12225163.95		4	12225164.95			6
Citan L3	2012	3081	12225165.95		4	12225166.95			6
Citan/e Citan L1	2021	2716	12225389.95		4	12225390.95	12225391.95		6
Citan/e Citan L2	2021	3100	12225394.95		4	12225395.95	12225396.95		6
Vito L1	2014	3200	12225212.95		6	12225213.95	12225214.95		8
Vito L2*	2014	3200	12225215.95		6	12225216.95	12225217.95		8
Vito L3	2014	3430	12225218.95		6	12225219.95	12225220.95		8
Sprinter L1-H1-FA	06/18	3259	12225328.95		6	12225329.95			8
Sprinter L1-H2-FA**	06/18	3259	12225331.95		6	12225332.95			8
Sprinter L1-H1-HA	06/18	3250	12225320.95		6	12225324.95			8
Sprinter L1-H2-HA**	06/18	3250	12225321.95		6	12225325.95			8
Sprinter L2-H1-FA	06/18	3924	12225334.95		8	12225335.95			10
Sprinter L2-H2-FA**	06/18	3924	12225337.95		8	12225338.95			10
Sprinter L2-H1-HA	06/18	3665	12225316.95		8	12225318.95			10
Sprinter L2-H2-H3-HA**	06/18	3665	12225317.95		8	12225319.95			10
Sprinter L3-H2-H3-HA**	06/18	4325	12225322.95		10	12225326.95			12
Sprinter L4-H2-H3-HA**	06/18	4325*	12225323.95		10	12225327.95			12

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

1

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Citan L1	2012	2313	12226161.95		6	12226162.95			6
Citan L2	2012	2697	12226163.95		4	12226164.95			6
Citan L3	2012	3081	12226165.95		4	12226166.95			6
Citan/e Citan L1	2021	2716	12226389.95			12226390.95	12226391.95		6
Citan/e Citan L2	2021	3100	12226389.95			12226390.95	12226391.95		6
Vito L1	2014	3200	12226212.95		6	12226213.95	12226214.95		8
Vito L2*	2014	3200	12226215.95		6	12226216.95	12226217.95		8
Vito L3	2014	3430	12226218.95		6	12226219.95	12226220.95		8
Sprinter L1-H1-FA	06/18	3259	12226328.95		6	12226329.95			8
Sprinter L1-H2-FA**	06/18	3259	12226331.95		6	12226332.95			10
Sprinter L1-H1-HA	06/18	3250	12226320.95		6	12226324.95			8
Sprinter L1-H2-HA**	06/18	3250	12226321.95		6	12226325.95			8
Sprinter L2-H1-FA	06/18	3924	12226334.95		8	12226335.95			10
Sprinter L2-H2-FA**	06/18	3924	12226337.95		8	12226338.95			10
Sprinter L2-H1-HA	06/18	3665	12226316.95		8	12226318.95			10
Sprinter L2-H2-H3-HA**	06/18	3665	12226317.95		8	12226319.95			10
Sprinter L3-H2-H3-HA**	06/18	4325	12226322.95		10	12226326.95			12
Sprinter L4-H2-H3-HA**	06/18	4325*	12226323.95		10	12226327.95			12

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] complete set rear doors + sliding doors	[1+2+4] complete set tailgate + sliding doors		AW Value
Sprinter L2-H1-FA	06/18	3924	12225353.95		6	12225354.95			8
Sprinter L2-H2-FA**	06/18	3924	12225355.95		6	12225356.95			8
Sprinter L2-H1-HA	06/18	3665	12225357.95		6	12225358.95			8
Sprinter L2-H2-H3-HA**	06/18	3665	12225359.95		6	12225360.95			8
Sprinter L3-H2-H3-HA**	06/18	4325	12225361.95		10	12225362.95			12
Sprinter L4-H2-H3-HA**	06/18	4325*	12225363.95		10	12225364.95			12

bott vario3 protect interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] complete set rear doors + sliding doors	[1+2+4] complete set tailgate + sliding doors		AW Value
Sprinter L2-H1-FA	06/18	3924	12226353.95		6	12226354.95			8
Sprinter L2-H2-FA**	06/18	3924	12226355.95		6	12226356.95			8
Sprinter L2-H1-HA	06/18	3665	12226357.95		6	12226358.95			8
Sprinter L2-H2-H3-HA**	06/18	3665	12226359.95		6	12226360.95			8
Sprinter L3-H2-H3-HA**	06/18	4326	12226361.95		10	12226362.95			12
Sprinter L4-H2-H3-HA**	06/18	4326*	12226363.95		10	12226364.95			12

1

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Citan L3	2012	3081	12225294.95				6
Citan/e Citan L1	2021	2716	12225392.95		12225393.95		8
Citan/e Citan L2	2021	3100	12225397.95		12225398.95		8
Vito L1	2014	3200	12225244.95		12225245.95		8
Vito L2	2014	3200*	12225246.95		12225247.95		8
Vito L3	2014	3430	12225248.95		12225249.95		8
Sprinter L1-H1-FA	06/18	3259	12225330.95				8
Sprinter L1-H2-FA**	06/18	3259	12225333.95				8
Sprinter L1-H1-HA	06/18	3250	12225340.95				8
Sprinter L1-H2-HA**	06/18	3250	12225341.95				8
Sprinter L2-H1-FA	06/18	3924	12225336.95				8
Sprinter L2-H2-FA**	06/18	3924	12225339.95				10
Sprinter L2-H1-HA	06/18	3665	12225342.95				10
Sprinter L2-H2-H3-HA**	06/18	3665	12225343.95				10
Sprinter L3-H2-H3-HA**	06/18	4325	12225344.95				10
Sprinter L4-H2-H3-HA**	06/18	4325*	12225345.95				12
* with overhang FWD = Front wheel drive RWD:Rear wheel drive							12

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Citan L3	2012	3081	12226294.95				6
Citan/e Citan L1	2021	2716	12226392.95		12226393.95		8
Citan/e Citan L2	2021	3100	12226397.95		12226398.95		8
Vito L1	2014	3200	12226244.95		12226245.95		8
Vito L2	2014	3200*	12226246.95		12226247.95		8
Vito L3	2014	3430	12226248.95		12226249.95		8
Sprinter L1-H1-FA	06/18	3259	12226330.95				8
Sprinter L1-H2-FA**	06/18	3259	12226333.95				8
Sprinter L2-H1-FA	06/18	3924	12226336.95				8
Sprinter L2-H2-FA**	06/18	3924	12226339.95				8
Sprinter L1-H1-HA	06/18	3250	12226340.95				10
Sprinter L1-H2-HA**	06/18	3250	12226341.95				10
Sprinter L2-H1-HA	06/18	3665	12226342.95				10
Sprinter L2-H2-H3-HA**	06/18	3665	12226343.95				10
Sprinter L3-H2-H3-HA**	06/18	4325	12226344.95				12
Sprinter L4-H2-H3-HA**	06/18	4325*	12226345.95				12

* with overhang FWD = Front wheel drive RWD:Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1] bott vario protect		AW Value	[1+2+3] complete set rear doors + sliding doors	[1+2+4] complete set tailgate + sliding doors		AW Value
Citan L1	2012	2313	12225161.98		7	12225162.98			6
Citan L2	2012	2697	12225163.98		7	12225164.98			10
Citan L3	2012	3081	12225165.98		7	12225166.98			10
Citan L1	2021	2716	12225389.98		7	12225390.98	12225391.98		10
Citan L2	2021	3100	12225394.98		7	12225395.98	12225396.98		10
Vito L1	2014	3200	12225212.98		8	12225213.98	12225214.98		11
Vito L2*	2014	3200	12225215.98		9	12225216.98	12225217.98		12
Vito L3	2014	3430	12225218.98		10	12225219.98	12225220.98		16
Sprinter L1-H1-FA	06/18	3259	12225328.98		9	12225329.98			12
Sprinter L1-H2-FA**	06/18	3259	12225331.98		10	12225332.98			16
Sprinter L1-H1-HA	06/18	3250	12225320.98		9	12225324.98			12
Sprinter L1-H2-HA**	06/18	3250	12225321.98		10	12225325.98			16
Sprinter L2-H1-FA	06/18	3924	12225334.98		11	12225335.98			17
Sprinter L2-H2-FA**	06/18	3924	12225337.98		14	12225338.98			20
Sprinter L2-H1-HA	06/18	3665	12225316.98		11	12225318.98			17
Sprinter L2-H2-H3-HA**	06/18	3665	12225317.98		14	12225319.98			20
Sprinter L3-H2-H3-HA**	06/18	4325	12225322.98		16	12225326.98			22
Sprinter L4-H2-H3-HA**	06/18	4325*	12225323.98		17	12225327.98			23

* mit Überhang ** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA:Heckantrieb

bott vario3 protect plus interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] complete set rear doors + sliding doors	[1+2+4] complete set tailgate + sliding doors		AW Value
Sprinter L2-H1-FA	06/18	3924	12225353.98		10	12225354.98			16
Sprinter L2-H2-FA**	06/18	3924	12225355.98		10	12225356.98			16
Sprinter L2-H1-HA	06/18	3665	12225357.98		10	12225358.98			16
Sprinter L2-H2-H3-HA**	06/18	3665	12225359.98		10	12225360.98			16
Sprinter L3-H2-H3-HA**	06/18	4325	12225361.98		15	12225362.98			21
Sprinter L4-H2-H3-HA**	06/18	4325*	12225363.98		16	12225364.98			22

* mit Überhang ** Ausführung Hochdach über die komplette Höhe verkleidet

1

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Citan L3	2012	3081	12225294.98				6
Citan L1	2021	2716	12225392.98		12225393.98		8
Citan L2	2021	3100	12225397.98		12225398.98		8
Vito L1	2014	3200	12225244.98		12225245.98		8
Vito L2	2014	3200*	12225246.98		12225247.98		8
Vito L3	2014	3430	12225248.98		12225249.98		8
Sprinter L1-H1-FA	06/18	3259	12225330.98				12
Sprinter L1-H2-FA**	06/18	3259	12225333.98				16
Sprinter L1-H1-HA	06/18	3250	12225340.98				12
Sprinter L1-H2-HA**	06/18	3250	12225341.98				16
Sprinter L2-H1-FA	06/18	3924	12225336.98				17
Sprinter L2-H2-FA**	06/18	3924	12225339.98				20
Sprinter L2-H1-HA	06/18	3665	12225342.98				17
Sprinter L2-H2-H3-HA**	06/18	3665	12225343.98				20
Sprinter L3-H2-H3-HA**	06/18	4325	12225344.98				22
Sprinter L4-H2-H3-HA**	06/18	4325*	12225345.98				23

* with overhang FWD = Front wheel drive RWD:Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Sprinter L1-H1-FA	06/18	3259	12220328.95		10	12220329.95		13
Sprinter L1-H2-FA**	06/18	3259	12220331.95		10	12220332.95		13
Sprinter L1-H1-HA	06/18	3250	12220320.95		10	12220324.95		13
Sprinter L1-H2-HA**	06/18	3250	12220321.95		10	12220325.95		13
Sprinter L2-H1-FA	06/18	3924	12220334.95		12	12220335.95		15
Sprinter L2-H2-FA**	06/18	3924	12220337.95		12	12220338.95		15
Sprinter L2-H1-HA	06/18	3665	12220316.95		12	12220318.95		15
Sprinter L2-H2-H3-HA**	06/18	3665	12220317.95		12	12220319.95		15
Sprinter L3-H2-H3-HA**	06/18	4325	12220322.95		17	12220326.95		20
Sprinter L4-H2-H3-HA**	06/18	4325*	12220323.95		18	12220327.95		21

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Sprinter L1-H1-FA	06/18	3259	12220330.95		13
Sprinter L1-H2-FA**	06/18	3259	12220333.95		13
Sprinter L1-H1-HA	06/18	3250	12220340.95		13
Sprinter L1-H2-HA**	06/18	3250	12220341.95		13
Sprinter L2-H1-FA	06/18	3924	12220336.95		15
Sprinter L2-H2-FA**	06/18	3924	12220339.95		15
Sprinter L2-H1-HA	06/18	3665	12220342.95		15
Sprinter L2-H2-H3-HA**	06/18	3665	12220343.95		15
Sprinter L3-H2-H3-HA**	06/18	4325	12220344.95		19
Sprinter L4-H2-H3-HA**	06/18	4325*	12220345.95		20

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

1

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Sprinter L1-H1-FA	06/18	3259	12221328.95		13	12221329.95		16
Sprinter L1-H2-FA**	06/18	3259	12221331.95		13	12221332.95		16
Sprinter L1-H1-HA	06/18	3250	12221320.95		13	12221324.95		16
Sprinter L1-H2-HA**	06/18	3250	12221321.95		13	12221325.95		16
Sprinter L2-H1-FA	06/18	3924	12221334.95		15	12221335.95		18
Sprinter L2-H2-FA**	06/18	3924	12221337.95		15	12221338.95		18
Sprinter L2-H1-HA	06/18	3665	12221316.95		15	12221318.95		18
Sprinter L2-H2-H3-HA**	06/18	3665	12221317.95		15	12221319.95		18
Sprinter L3-H2-H3-HA**	06/18	4325	12221322.95		22	12221326.95		25
Sprinter L4-H2-H3-HA**	06/18	4325*	12221323.95		23	12221327.95		26

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

bott vario3 protect prorail interior side lining with 2 sliding doors

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Sprinter L1-H1-FA	06/18	3259	12221330.95		16
Sprinter L1-H2-FA**	06/18	3259	12221333.95		16
Sprinter L1-H1-HA	06/18	3250	12221340.95		16
Sprinter L1-H2-HA**	06/18	3250	12221341.95		16
Sprinter L2-H1-FA	06/18	3924	12221336.95		18
Sprinter L2-H2-FA**	06/18	3924	12221339.95		18
Sprinter L2-H1-HA	06/18	3665	12221342.95		18
Sprinter L2-H2-H3-HA**	06/18	3665	12221343.95		18
Sprinter L3-H2-H3-HA**	06/18	4325	12221344.95		23
Sprinter L4-H2-H3-HA**	06/18	4325*	12221345.95		24

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD:Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Citan L1	2012	2313	3.5	Left/complete	08012936		2
			1.5	Right/complete	08012937		2
			1.0	Rear door/left/top	08012615		1
			0.6	Rear door/left/bottom	08012614		2
			0.4	Rear door/right/bottom	08012616		1
			0.6	Rear door/right/top	08012617		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Citan L2	2012	2697	3.5	Left/complete	08012932		2
			1.5	Right/rear/complete	08012933		2
			1.1	Sliding door/right/top	08012619		1
			0.9	Sliding door/right/bottom	08012618		2
			1.0	Rear door/left/top	08012615		1
			0.6	Rear door/left/bottom	08012614		2
			0.4	Rear door/right/bottom	08012616		1
			0.6	Rear door/right/top	08012617		1
				Sliding door/left/bottom	08022258		1
				Sliding door/left/top	08022259		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Citan L3	2012	3081	3.5	Left/complete	08012934		2
			1.5	Right/rear/complete	08012935		2
			1.1	Sliding door/right/top	08012619		1
			0.9	Sliding door/right/bottom	08012618		2
			1.0	Rear door/left/top	08012615		1
			0.6	Rear door/left/bottom	08012614		2
			0.4	Rear door/right/bottom	08012616		1
			0.6	Rear door/right/top	08012617		1
				Sliding door/left/bottom	08022258		1
				Sliding door/left/top	08022259		1
				Left/rear/complete	08022256		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Citan L1	2021	2716	0,7	Right/front/top	08022378		
			0,7	Right/front/bottom	08022380		2
			0,5	Right/rear/complett	08022375		2
			0,7	Sliding door/right/top	08022436		1
			0,9	Sliding door/right/bottom	08022373		2
			0,6	Rear door/left/top	08022368		1
			0,5	Rear door/left/bottom	08022370		2
			0,4	Tailgate/rigth/bottom	08022369		1
			0,4	Tailgate/right/top	08022367		1
			0,9	Sliding door/left/bottom	08022374		1
			0,7	Sliding door/ left/top	08022372		1
			1,0	Left/rear/complett	08022376		2
			0,7	Left/front/top	08022377		2
			0,7	Left/front/bottom	08022379		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Citan L2	2021	3100	0,7	Right/front/top	08022454		
			0,7	Right/front/bottom	08022456		2
			0,5	Right/rear/complett	08022451		2
			0,7	Sliding door/right/top	08022447		1
			0,9	Sliding door/right/bottom	08022449		2
			0,9	Sliding door/left/bottom	08022450		1
			0,7	Sliding door/ left/top	08022448		1
			1,0	Left/rear/complett	08022452		2
			0,7	Left/front/top	08022453		2
			0,7	Left/front/bottom	08022455		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Vito L1	2014	3200	2.6	Left/rear/complete	08022070		2
			3.6	Left/front/complete	08022062		2
			2.6	Right/rear/complete	08022071		2
			2.6	Right/front/complete	08022063		2
			1.3	Sliding door/left/top	08022059		2
			1.5	Sliding door/left/bottom	08022061		2
			1.3	Sliding door/right/top	08022058		2
			1.5	Sliding door/right/bottom	08022060		2
			0.9	Rear door/left/bottom	08012418		2
			0.9	Rear door/right/bottom	08012419		2
			0.7	Rear door/left/top	08012719		2
			0.7	Rear door/right/top	08012720		2
			1.2	Tailgate/bottom/complete	08022074		2
			2.2	Tailgate/top/complete	08022075		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Vito L2	2014	3200* * With overhang	3.2	Left/rear/complete	08022064		2
			3.6	Left/front/complete	08022062		2
			3.2	Right/rear/complete	08022065		2
			3.2	Right/front/complete	08022063		2
			1.3	Sliding door/left/top	08022059		2
			1.5	Sliding door/left/bottom	08022061		2
			1.3	Sliding door/right/top	08022058		2
			1.5	Sliding door/right/bottom	08022060		2
			0.9	Rear door/left/bottom	08012418		2
			0.9	Rear door/right/bottom	08012419		2
			0.7	Rear door/left/top	08012719		2
			0.7	Rear door/left/bottom	08012720		2
			1.2	Tailgate/bottom/complete	08022074		2
			2.2	Tailgate/bottom/complete	08022075		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Vito L3	2014	3430* * With overhang	4.0	Left/rear/complete	08022072		2
			3.6	Left/front/complete	08022062		2
			4.0	Right/rear/complete	08022073		2
			3.2	Right/front/complete	08022063		2
			1.3	Sliding door/left/top	08022059		2
			1.5	Sliding door/left/bottom	08022061		2
			1.3	Sliding door/right/top	08022058		2
			1.5	Sliding door/right/bottom	08022060		2
			0.9	Rear door/left/bottom	08012418		2
			0.9	Rear door/right/bottom	08012419		2
			0.7	Rear door/left/top	08012719		2
			0.7	Rear door/right/top	08012720		2
			1.2	Tailgate/bottom/complete	08022074		2
				Tailgate/bottom/complete	08022075		2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L1-H1 front wheel drive	06/18	3259	2.2	Left/front/bottom	08037305		2
			2.6	Left/front/top	08037253		2
			1.6	Left/rear/bottom	08037303		2
			2.6	Left/rear/top	08037256		2
			2.2	Right/front/bottom	08037306		2
			2.6	Right/front/top	08037254		2
			1.6	Right/rear/bottom	08037304		2
			2.6	Right/rear/top	08037255		2
			1.8	Sliding door/left/bottom	08022283		2
			1.8	Sliding door/left/top	08022284		2
			1.8	Sliding door/right/bottom	08022280		2
			1.8	Sliding door/right/top	08022281		2
			1.0	Rear door/left/bottom	08022301		1
			0.6	Rear door/left/top	08022294		1
			0.9	Rear door/right/bottom	08022302		1
			0.7	Rear door/right/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L1-H2 front wheel drive	06/18	3259	2.2	Left/front/bottom	08037305		2
			2.6	Left/front/top	08037257		2
			1.2	Left/front/top	08037279		1
			2.4	Left/rear/bottom	08037299		2
			2.6	Left/rear/top	08037259		2
			1.2	Left/rear/top	08037282		1
			2.2	Right/front/bottom	08037306		2
			2.6	Right/front/top	08037258		2
			1.2	Right/front/top	08037280		1
			1.6	Right/rear/bottom	08037304		2
			2.6	Right/rear/top	08037260		2
			1.2	Right/rear/top	08037281		1
			1.8	Sliding door/left/bottom	08022283		2
			1.8	Sliding door/left/top	08022284		2
			0.5	Sliding door/left/top	08022285		1
			1.8	Sliding door/right/bottom	08022280		2
			1.8	Sliding door/right/top	08022281		2
			0.5	Sliding door/right/top	08022282		1
			1.0	Rear door/left/bottom	08022301		1
			0.6	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022302		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H1 front wheel drive	06/18	3924	2.7	Left/front/bottom	08037301		2
			3.2	Left/front/top	08037249		2
			1.6	Left/rear/bottom	08037299		2
			3.6	Left/rear/top	08037252		2
			2.7	Right/front/bottom	08037302		2
			3.2	Right/front/top	08037250		2
			2.4	Right/rear/bottom	08037300		2
			3.6	Right/rear/top	08037251		2
			2.4	Sliding door/left/bottom	08022289		2
			2.3	Sliding door/left/top	08022290		2
			2.4	Sliding door/right/bottom	08022286		2
			2.3	Sliding door/right/top	08022287		2
			1.0	Rear door/left/bottom	08022301		1
			0.6	Rear door/left/top	08022294		1
			0.9	Rear door/right/bottom	08022302		1
			0.7	Rear door/right/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H2 front wheel drive	06/18	3924	2.7	Left/front/bottom	08037301		2
			3.1	Left/front/top	08037261		2
			1.4	Left/front/top	08037283		1
			2.4	Left/rear/bottom	08037299		2
			3.5	Left/rear/top	08037264		2
			2.0	Left/rear/top	08037286		1
			2.7	Right/front/bottom	08037302		2
			3.1	Right/front/top	08037262		2
			1.4	Right/front/top	08037284		1
			1.5	Right/rear/bottom	08037300		1
			3.5	Right/rear/top	08037263		2
			1.5	Right/rear/top	08037285		1
			2.4	Sliding door/left/bottom	08022289		2
			2.3	Sliding door/left/top	08022290		2
			0.6	Sliding door/left/top	08022291		2
			2.4	Sliding door/right/bottom	08022286		2
			2.3	Sliding door/right/top	08022287		2
			0.6	Sliding door/right/top	08022288		2
			1.0	Rear door/left/bottom	08022301		1
			0.6	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022302		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L1-H1 rear wheel drive	06/18	3250	2.2	Left/front/bottom	08037275		2
			2.7	Left/front/top	08037253		2
			1.6	Left/rear/bottom	08037278		2
			2.7	Left/rear/top	08037256		2
			2.3	Right/front/bottom	08037276		2
			2.7	Right/front/top	08037254		2
			1.6	Right/rear/bottom	08037277		2
			2.7	Right/rear/top	08037255		2
			1.8	Sliding door/left/bottom	08022283		2
			1.8	Sliding door/left/top	08022284		2
			1.8	Sliding door/right/bottom	08022280		2
			1.8	Sliding door/right/top	08022281		2
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L1-H2 rear wheel drive	06/18	3250	2.2	Left/front/bottom	08037275		2
			2.6	Left/front/top	08037257		2
			1.2	Left/front/top	08037279		1
			1.6	Left/rear/bottom	08037278		2
			2.6	Left/rear/top	08037259		2
			1.2	Left/rear/top	08037282		1
			2.2	Right/front/bottom	08037276		2
			2.6	Right/front/top	08037258		2
			1.2	Right/front/top	08037280		1
			1.6	Right/rear/bottom	08037277		2
			2.6	Right/rear/top	08037260		2
			1.2	Right/rear/top	08037281		1
			1.8	Sliding door/left/bottom	08022283		2
			1.8	Sliding door/left/top	08022284		2
			0.5	Sliding door/left/top	08022285		1
			1.8	Sliding door/right/bottom	08022280		2
			1.8	Sliding door/right/top	08022281		2
			0.5	Sliding door/right/top	08022282		1
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H1 rear wheel drive	06/18	3665	2.7	Left/front/bottom	08037271		2
			3.2	Left/front/top	08037249		2
			2.4	Left/rear/bottom	08037274		2
			3.6	Left/rear/top	08037252		2
			2.7	Right/front/bottom	08037272		2
			3.2	Right/front/top	08037250		2
			2.4	Right/rear/bottom	08037273		2
			3.6	Right/rear/top	08037251		2
			2.4	Sliding door/left/bottom	08022289		2
			2.3	Sliding door/left/top	08022290		2
			2.4	Sliding door/right/bottom	08022286		2
			2.3	Sliding door/right/top	08022287		2
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H2-H3 rear wheel drive	06/18	3665	2.7	Left/front/bottom	08037271		2
			3.1	Left/front/top	08037261		2
			1.4	Left/front/top	08037283		1
			2.4	Left/rear/bottom	08037274		2
			3.5	Left/rear/top	08037264		2
			1.6	Left/rear/top	08037286		1
			2.7	Right/front/bottom	08037272		2
			3.1	Right/front/top	08037262		2
			1.4	Right/front/top	08037284		1
			2.4	Right/rear/bottom	08037273		2
			35	Right/rear/top	08037263		2
			1.5	Right/rear/top	08037285		1
			2.4	Sliding door/left/bottom	08022289		2
			2.3	Sliding door/left/top	08022290		2
			0.6	Sliding door/left/top	08022291		1
			2.4	Sliding door/right/bottom	08022286		2
			2.3	Sliding door/right/top	08022287		2
			0.6	Sliding door/right/top	08022288		1
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L3-H2-H3 rear wheel drive	06/18	4325	2.7	Left/front/bottom	08037271		2
			3.1	Left/front/top	08037261		2
			1.4	Left/front/top	08037283		1
			2.1	Left/middle/bottom	08037287		2
			3.0	Left/middle/top	08037266		2
			1.2	Left/middle/top	08037294		1
			2.1	Left/rear/bottom	08037289		2
			2.7	Left/rear/top	08037268		2
			1.3	Left/rear/top	08037296		1
			2.7	Right/front/bottom	08037272		2
			3.1	Right/front/top	08037262		2
			1.4	Right/front/top	08037284		1
			2.2	Right/middle/bottom	08037288		2
			3.0	Right/middle/top	08037265		2
			1.3	Right/middle/top	08037293		1
			2.1	Right/rear/bottom	08037290		2
			2.7	Right/rear/top	08037267		2
			1.3	Right/rear/top	08037295		1
			1.8	Sliding door/left/bottom	08022289		2
			1.8	Sliding door/left/top	08022290		2
			0.5	Sliding door/left/top	08022291		1
			1.8	Sliding door/right/bottom	08022286		2
			1.8	Sliding door/right/top	08022287		2
			0.5	Sliding door/right/top	08022288		1
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L4-H2-H3 rear wheel drive	06/18	4325L	2.7	Left/front/bottom	08037271		2
			3.1	Left/front/top	08037261		2
			1.4	Left/front/top	08037283		1
			2.2	Left/middle/bottom	08037287		2
			3.0	Left/middle/top	08037266		2
			1.2	Left/middle/top	08037294		1
			2.8	Left/rear/bottom	08037291		2
			3.5	Left/rear/top	08037270		2
			1.7	Left/rear/top	08037298		1
			2.7	Right/front/bottom	08037272		2
			3.1	Right/front/top	08037262		2
			1.4	Right/front/top	08037284		1
			2.2	Right/middle/bottom	08037288		2
			3.0	Right/middle/top	08037265		2
			1.2	Right/middle/top	08037293		1
			2.8	Right/rear/bottom	08037292		2
			3.5	Right/rear/top	08037269		2
			1.8	Right/rear/top	08037297		1
			1.8	Sliding door/left/bottom	08022289		2
			1.8	Sliding door/left/top	08022290		2
			0.5	Sliding door/left/top	08022291		1
			1.8	Sliding door/right/bottom	08022286		2
			1.8	Sliding door/right/top	08022287		2
			0.5	Sliding door/right/top	08022288		1
			1.1	Rear door/left/bottom	08022292		1
			0.7	Rear door/left/top	08022294		1
			0.3	Rear door/left/top	08022296		1
			0.9	Rear door/right/bottom	08022293		1
			0.7	Rear door/right/top	08022295		1
			0.3	Rear door/right/top	08022297		1

1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H1 Front wheel drive	06/18	3250	1,6	left/rear/bottom	08037366		2
			3,6	left/rear/top	08037352		2
			2,4	rigth/rear/bottom	08037365		2
			3,6	rigth/rear/top	08037351		2
			1,0	Rear door/left/bottom	08022301		1
			0,6	Rear door/left/top	08022294		1
			0,9	Rear door/rigth/bottom	08022302		1
			0,7	Rear door/rigth/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H2 Front wheel drive	06/18	3924	2,4	left/rear/bottom	08037366		2
			3,5	left/rear/top	08037356		2
			2,0	left/rear/top	08037358		2
			1,5	rigth/rear/bottom	08037365		2
			3,5	rigth/rear/top	08037355		2
			1,5	rigth/rear/top	08037357		2
			1,0	Rear door/left/bottom	08022301		1
			0,6	Rear door/left/top	08022294		1
			0,3	Rear doore/left/top	08022296		1
			0,9	Rear door/rigth/bottom	08022302		1
			0,7	Rear door/rigth/top	08022295		1
			0,3	Rear door/rigth/top	08022297		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H1 Rear wheel drive	06/18	3665	2,4	left/rear/bottom	08037354		2
			3,6	left/rear/top	08037351		2
			2,4	rigth/rear/bottom	08037353		2
			3,6	rigth/rear/top	08037352		2
			1,1	Rear door/left/bottom	08022292		1
			0,7	Rear door/left/top	08022294		1
			0,9	Rear door/rigth/bottom	08022293		1
			0,7	Rear door/rigth/top	08022295		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L2-H2-H3 Rear wheel drive	06/18	3665	2,4	left/rear/bottom	08037354		2
			3,5	left/rear/top	08037356		2
			1,6	left/rear/top	08037358		2
			2,4	rigth/rear/bottom	08037353		2
			35	rigth/rear/top	08037355		2
			1,5	rigth/rear/top	08037357		2
			1,1	Rear door/left/bottom	08022292		1
			0,7	Rear door/left/top	08022294		1
			0,3	Rear door/left/top	08022296		1
			0,9	Rear door/rigth/bottom	08022293		1
			0,7	Rear door/rigth/top	08022295		1
			0,3	Rear door/rigth/top	08022297		1

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L3-H2-H3 Rear wheel drive	06/18	4325	2,1	left/middle/bottom	08037368		2
			3,0	left/middle/top	08037370		2
			1,2	left/middle/top	08037372		2
			2,1	left/rear/bottom	08037289		2
			2,7	left/rear/top	08037268		2
			1,3	left/rear/top	08037296		1
			2,2	rigth/middle/bottom	08037367		2
			3,0	rigth/middle/top	08037369		2
			1,3	rigth/middle/top	08037371		2
			2,1	rigth/rear/bottom	08037290		2
			2,7	rigth/rear/top	08037267		2
			1,3	rigth/rear/top	08037295		1
			1,1	Rear door/left/bottom	08022292		1
			0,7	Rear door/left/top	08022294		1
			0,3	Rear door/left/top	08022296		1
			0,9	Rear door/rigth/bottom	08022293		1
			0,7	Rear door/rigth/top	08022295		1
			0,3	Rear door/rigth/top	08022297		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Sprinter L4-H2-H3 Rear wheel drive	06/18	4325*	2,2	left/middle/bottom	08037368		2
			3,0	left/middle/top	08037370		2
			1,2	left/middle/top	08037372		2
			2,8	left/rear/bottom	08037291		2
			3,5	left/rear/top	08037270		2
			1,7	left/rear/top	08037298		1
			2,2	rigth/middle/bottom	08037367		2
			3,0	rigth/middle/top	08037369		2
			1,2	rigth/middle/top	08037371		2
			2,8	rigth/rear/bottom	08037292		2
			3,5	rigth/rear/top	08037269		2
			1,8	rigth/rear/top	08037297		1
			1,1	Rear door/left/bottom	08022292		1
			0,7	Rear door/left/top	08022294		1
			0,3	Rear door/left/top	08022296		1
			0,9	Rear door/rigth/bottom	08022293		1
			0,7	Rear door/rigth/top	08022295		1
			0,3	Rear door/rigth/top	08022297		1

1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Sprinter L1-L2-L3-L4	rigth door	06/18	08022503		
Sprinter L1-L2-L3-L4	left door	06/18	08022504		

bott vario3 protect roof liner

Model		Model year from	Wheelbase mm	Order Ref.		AW Value
Citan L2**		2012	2697	12231014.95		9
Vito L1**		2014	3200	12231022.95		13
Vito L2**		2014	3200*	12231023.95		13
Vito L3**		2014	3430	12231027.95		13
Sprinter L1-H1** [1]		06/18	3250	12231041.95		13
Sprinter L1-H2** [1]		06/18	3250	12231042.95		13
Sprinter L2-H1** [1]		06/18	3665	12231043.95		17
Sprinter L2-H2**		06/18	3665	12231044.95		17
Sprinter L3-H2** [1]		06/18	4325	12231045.95		17
Sprinter L4-H2** [1]		06/18	4325*	12231046.95		17

* With overhang **incl. profile [1]for vehicles with factory-fitted cable duct

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Citan L1	2020	12230116.19V		3
Vito L1-L2-L3	2014	12230055.19V		4
Sprinter L1-L2-L3-L4	06/18	12230093.19V		3

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Citan L1	2021	Rear doors	12230112.19V		3
Citan L1	2021	Tailgate	12230113.19V		
Citan L1	2021	Sliding door, right	12230114.19V		2
Citan L1	2021	Sliding door, left	12230115.19V		2
Vito L1-L2-L3	2014	Rear doors	12230031.19V		3
Vito L1-L2-L3	2014	Tailgate	12230065.19V		2
Vito L1-L2-L3	2014	Sliding door, right	12230053.19V		2
Vito L1-L2-L3	2014	Sliding door, left	12230054.19V		2
Sprinter L1-L2-L3-L4	06/18	Rear doors	12230090.19V		3
Sprinter L1	06/18	Sliding door, right	12230101.19V		2
Sprinter L1	06/18	Sliding door, left	12230091.19V		2
Sprinter L2-L3-L4	06/18	Sliding door, right	12230102.19V		2
Sprinter L2-L3-L4	06/18	Sliding door, left	12230092.19V		2



1



Room divider complete

- vehicle specmc room alvlaer
- room divider complete for dividing the loading space on the C-pillar (± 500 mm for offsetting) incl. mounting bracket for fixing to the floor and to the body shell of the vehicle contour
- optionally, a viewing window at the top and a slider at the bottom can be selected for the room divider using
- the bott room divider is not a restraint device according to DIN ISO 27956 and may only be used to divide the load compartment
- any attachments (e.g. lashing rails, fire extinguishers, hose holders, etc.) and loads on the bott room divider are prohibited



Version	**Room divider complete**	**Room divider complete**
suitable for	Y66.234.0.2.1.0	Y66.234.0.1.1.0
Abmessungen B x T x H mm	1768 x 15 x 1912	1768 x 15 x 1627
Artikel-Nr. verpackt	11302004.27V	11302008.27V
Gewicht kg	41,70	37,50
AW-Wert	45	45

Version	**Room divider complete**	**Room divider complete**
suitable for	Y66.1.0.2.1.0	Y66.234.0.2.12.0
Dimensions W x D x H mm	1768 x 15 x 2012	1768 x 15 x 1912
Order ref. packed	11302003.27V	11302006.27V
Weight kg	45,80	41,50
AW value	45	45

Base plate for room divider

- base plate for individual cutting
- CPL coated
- Pack unit 2
- color: grey RAL 7038

Version	Base plae PU 2	Base plate individual
Dimensions W x D x H mm	1840 x 1515 x 15	
Weight kg	65,50	32,80
Order ref. packed	11302024.27V	11302025.27V

Opening slide for room divider / Frame and Makrolon pane for room divider



- make cut-out in room divider for opening slide
- slide can be locked at a height of 0-400 mm
- create window sliders for room divider

Version	Opening slide for room divider	Frame and Makrolon pane for room divider
Dimensions W x D x H mm	635 x 22,5 x 810	530 x 330 x 3
Weight kg	3,70	0,90
Order ref. packed	11302019.27V	

Offset for room divider



- connection of the separate room divider elements
- incl. mounting material
- for creating an offset in the room divider

Dimensions W x D x H mm	40 x 275 x 2018
Order ref. packed	73508034.97V



bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
NV200	2009	2725	11320142[2]		11310142[2]		11312142[2]	3		
NV250 L1	2019	2697	11320127[2]		11310127[2]		11312127[2]	3		
NV250 L2	2019	3081	11320136[2]		11310127[2]		11312127[2]	3		
Townstar L1	2022	2716	11320591[2]		11310591[2]	404,00	11312591[2]	3		
Townstar L2	2022	3100	11320592[2]		11310592[2]	439,00	11312592[2]	3		
NV300 L1-H1	2016	3098	11320154[2]		11310154[2]		11312154[2]	3		11321154[2]
NV300 L1-H2	2016	3098	11320484[2]		11310484[2]		11312484[2]	2		11321484[2]
NV300 L2-H1	2016	3498	11320155[2]		11310155[2]		11312155[2]	4		11321155[2]
NV300 L2-H2	2016	3498	11320446		11310446		11312446	4		11321446
NV400 L1-FWD	2011	3182	11320137		11310137		11312137	3		11321137
NV400 L2-FWD	2010	3682	11320138		11310138		11312138	3		11321138
NV400 L3-FA	2010	4332	11320139		11310139		11312139	4		11321139
NV400 L3-RWD	2010	3682	11320140		11310140		11312140	4		11321140
NV400 L3-RWD Dual tyr.	2010	3682	11320174		11310174		11312174	4		11321174
NV400 L4-RWD	2010	4332	11320141		11310141		11312141	5		11321141
NV400 L4-RWD Dual tyr.	2010	4332	11320175		11310175		11312175	5		11321175
Interstar L2-FA XDD	2024	4332	11320663		11310663		11312663	3		
Interstar L3-FA XDD	2024	4322	11320664		11310664		11312664	3		

[2]Installation without hold-down cup, FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic **Double cab only in conjunction with hard top

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Navara Double Cab	2017	3150	11310469.10		7

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lasing rails		AW Value
NV 300 L2-H1	2016	3498	11323532	2*		7
NV 300 L2-H2	2016	3498	11323563	2*		7
NV 400 L2-FA	2010	3682	11323535	2*		7

*max. Number possible - must be planned individually

1

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
NV 200	2009	2725	11323142		5
NV250 L1	2019	2697	11323127		5
NV250 L2	2019	3081	11323136		6
Townstar L1	2021	2716	11323591		6
Townstar L2	2021	3100	11323592		6
NV 300 L1-H1	2016	3098	11323154		7
NV 300 L1-H2	2016	3098	11323484		7
NV 300 L2-H1	2016	3498	11323155		7
NV300 L2-H1	2016	3498	11323446		7
NV 400 FA-L1	2011	3182	11323137		7
NV 400 FA-L2	2010	3682	11323138		8
NV 400 FA-L3	2010	4332	11323139		9
NV 400 HA-L3	2010	3682	11323140		9
NV 400 RWD-L3 Dual tyres	2010	3682	11323174		9
NV 400 HA-L4	2010	4332	11323141		9
NV 400 RWD-L4 Dual tyres	2010	4332	11323175		9
Interstar L2-FA XDD	2024	4332	11323663		
Interstar L3-FA XDD	2024	4332	11323664		

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
NV200	2009	2725				12225142.95			8
NV250 L1	2019	2697	12225163.95		4	12225164.95			6
NV250 L2	2019	3081	12225165.95		4	12225166.95			6
Townstar L1	2021	2716	12225389.95		4	12225390.95	12225391.95		6
Townstar L2	2021	3100	12225394.95		4	12225395.95	12225396.95		6
NV300 L1-H1	2016	3098	12225206.95		6	12225207.95	12225208.95		8
NV300 L2-H1	2016	3498	12225209.95		6	12225210.95	12225211.95		8
NV300 L1-H2	2016	3098	12225206.95		6	12225299.95			9
NV300 L2-H2	2016	3498	12225209.95		6	12225300.95			10
NV400 L1-H1-FWD	2011	3182	12225128.95		6	12225130.95			8
NV400 L1-H2-RWD**	2011	3182	12225129.95		6	12225131.95			8
NV400 L2-H2-H3-FWD*	2010	3682	12225132.95		8	12225133.95			10
NV400 L3-H2-H3-FWD**	2010	4332	12225134.95		8	12225135.95			10
NV400 L3-H2-H3-RWD**	2010	3682	12225136.95		8	12225137.95			10
NV400 L4-H2-H3-RWD**	2010	4332	12225138.95		10	12225139.95			12
Interstar L2-H2-H3-FA XDD	2024	3182	12225462.95			12225463.95	12225465.95		
Interstar L3-H2-H3-FA XDD	2024	4332	12225466.95			12225467.95	12225469.95		

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible | 48 h

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
NV200	2009	2725				12226142.95			8
NV250 L1	2019	2697	12226163.95			12226164.95			6
NV250 L2	2019	3081	12226165.95			12226166.95			6
Townstar L1	2021	2716	12226389.95			12226390.95	12226391.95		6
Townstar L2	2021	3100	12226389.95			12226390.95	12226391.95		6
NV300 L1-H1	2016	3098	12226206.95		6	12226207.95	12226208.95		8
NV300 L2-H1	2016	3498	12226209.95		6	12226210.95	12226211.95		8
NV300 L1-H2	2016	3098	12226206.95		6	12226299.95			9
NV300 L2-H2	2016	3498	12226209.95		6	12226300.95			10
NV400 L1-H1-FWD	2011	3182	12226128.95			12226130.95			8
NV400 L1-H2-RWD**	2011	3182	12226129.95			12226131.95			8
NV400 L2-H2-H3-FWD*	2010	3682	12226132.95			12226133.95			10
NV400 L3-H2-H3-RWD**	2010	4332	12226134.95			12226135.95			10
NV400 L3-H2-H3-RWD**	2010	3682	12226136.95			12226137.95			10
NV400 L4-H2-H3-RWD**	2010	4332	12226138.95			12226139.95			12
Interstar L2-H2-H3-FA XDD	2024	3182	12226462.95			12226463.95	12226465.95		
Interstar L3-H2-H3-FA XDD	2024	4332	12226466.95			12226467.95	12226469.95		

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
NV200	2009	2725	12225298.95				8
NV250 L2	2019	3081	12225294.95				6
Townstar L1	2021	2716	12225392.95		12225393.95		8
Townstar L2	2021	3100	12225397.95		12225398.95		8
NV300 L1	2016	3098	12225255.95		12225257.95		8
NV300 L2	2016	3498	12225261.95		12225262.95		8
NV400 L1-H1-FWD	2011	3182	12225181.95				8
NV400 L1-H1-FWD	2011	3182	12225182.95				8
NV400 L2-H2-FWD	2010	3682	12225183.95				10
NV400 L3-H2-FWD	2010	4332	12225184.95				12
NV400 L3-H2-RWD	2010	3682	12225185.95				12
NV400 L4-H2-RWD	2010	4332	12225186.95				12

FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
NV200	2009	2725	12226298.95				8
NV250 L2	2019	3081	12226294.95				6
Townstar L1	2021	2716	12226392.95		12226393.95		8
Townstar L2	2021	3100	12226397.95		12226398.95		8
NV300 L1	2016	3098	12226255.95		12226257.95		8
NV300 L2	2016	3498	12226261.95		12226262.95		8
NV400 L1-H1-FWD	2011	3182	12226181.95				8
NV400 L1-H1-FWD	2011	3182	12226182.95				8
NV400 L2-H2-FWD	2010	3682	12226183.95				10
NV400 L3-H2-FWD	2010	4332	12226184.95				12
NV400 L3-H2-RWD	2010	3682	12226185.95				12
NV400 L4-H2-RWD	2010	4332	12226186.95				12

FWD = Front wheel drive RWD = Rear wheel drive

vario protect plus interior side lining with fixing kit

Model	Model year from	Wheel-base mm	[1] Basic kit Interior side lining		AW Value	[1+2+3] complete set rear doors + Sliding door	[1+2+4] complete set tailgate + Sliding door		AW Value
NV200	2009	2725				12225142.98			11
NV250 L1	2019	2697	12225163.98		7	12225164.98			10
NV250 L2	2019	3081	12225165.98		7	12225166.98			11
Townstar L1	2021	2716	12225389.98		7	12225390.98	12225391.98		10
Townstar L2	2021	3100	12225394.98		7	12225395.98	12225396.98		10
NV300 L1-H1	2016	3098	12225206.98		9	12225207.98	12225208.98		12
NV300 L2-H1	2016	3498	12225209.98		10	12225210.98	12225211.98		16
NV300 L1-H2	2016	3098				12225299.98			12
NV300 L2-H2	2016	3498				12225300.98			19
NV400 L1-FWD-H1	2011	3182	12225128.98		9	12225130.98			12
NV400 L1-FWD-H2 T*	2011	3182	12225129.98		10	12225131.98			16
NV400 L2-FWD-H2-H3 T*	2010	3682	12225132.98		12	12225133.98			20
NV400 L3-FWD-H2-H3 T*	2010	4332	12225134.98		15	12225135.98			21
NV400 L3-RWD-H2-H3 T*	2010	3682	12225136.98		15	12225137.98			21
NV400 L4-RWD-H2 T*	2010	4332	12225138.98		15	12225139.98			21
Interstar L2-H2-H3-FA XDD	2024	3182	12225462.98			12225463.98	12225465.98		
Interstar L3-H2-H3-FA XDD	2024	4332	12225466.98			12225467.98	12225469.98		

T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
NV200	2009	2725	12225298.98				11
NV250 L2	2019	3081	12225294.98				10
Townstar L1	2021	2716	12225392.98		12225393.98		8
Townstar L2	2021	3100	12225397.98		12225398.98		8
NV300 L1	2016	3098	12225255.98		12225257.98		12
NV300 L2	2016	3498	12225261.98		12225262.98		16
NV400 L1-FWD-H1	2011	3182	12225181.98				12
NV400 L1-FWD-H2 T*	2011	3182	12225182.98				16
NV400 L2-FWD-H2-H3 T*	2010	3682	12225183.98				20
NV400 L3-FWD-H2-H3 T*	2010	4332	12225184.98				21
NV400 L3-RWD-H2-H3 T*	2010	3682	12225185.98				21
NV400 L4-RWD-H2 T*	2010	4332	12225186.98				21

T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
NV400 L1-H1-FWD	2011	3182	12220128.95		7	12220130.95		10
NV400 L1-H2-RWD**	2011	3182	12220129.95		7	12220131.95		10
NV400 L2-H2-H3-FWD*	2010	3682	12220132.95		12	12220133.95		15
NV400 L3-H2-H3-FWD**	2010	4332	12220134.95		13	12220135.95		16
NV400 L3-H2-H3-RWD**	2010	3682	12220136.95		13	12220137.95		16
NV400 L4-H2-H3-RWD**	2010	4332	12220138.95		17	12220139.95		17

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining for vehicles with 2 sliding doors

Model	Baujahr ab	Radstand mm	[1+2+3] bott vario3 protect rail advanced (Hecktüren)		AW Wert
NV400 L1-H1-FA	2011	3182	12220181.95		10
NV400 L1-H2-FA**	2011	3182	12220182.95		15
NV400 L2-H2-H3-FA**	2010	3682	12220183.95		15
NV400 L3-H2-H3-FA**	2010	4332	12220184.95		16
NV400 L3-H2-H3-HA**	2010	3682	12220185.95		16
NV400 L4-H2-H3-HA**	2010	4332	12220186.95		17

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 prorail advanced (rear doors)		AW Value
NV400 L1-H2-RWD**	2011	3182	12221129.95		10	12221131.95		13
NV400 L2-H2-H3-FWD*	2010	3682	12221132.95		15	12221133.95		18
NV400 L3-H2-H3-RWD**	2010	4332	12221134.95		16	12221135.95		19
NV400 L3-H2-H3-RWD**	2010	3682	12221136.95		16	12221137.95		19
NV400 L4-H2-H3-RWD**	2010	4332	12221138.95		17	12221139.95		20

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors

Model	Baujahr ab	Radstand mm	[1+2+3] bott vario3 protect rail advanced (Hecktüren)		AW Wert
NV400 L1-H2-FA**	2011	3182	12221182.95		13
NV400 L2-H2-H3-FA**	2010	3682	12221183.95		18
NV400 L3-H2-H3-FA**	2010	4332	12221184.95		18
NV400 L3-H2-H3-HA**	2010	3682	12221185.95		19
NV400 L4-H2-H3-HA**	2010	4332	12221186.95		20

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect plus interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
NV200	2009	2725				12225142.98			11
NV300 L1-H1	2016	3098	12225206.98		9	12225207.98	12225208.98		12
NV300 L2-H1	2016	3498	12225209.98		10	12225210.98	12225211.98		16
NV400 L1-H1-FWD	2011	3182	12225128.98		9	12225130.98			12
NV400 L1-H2-FWD**	2011	3182	12225129.98		10	12225131.98			16
NV400 L2-H2-H3-FWD*	2010	3682	12225132.98		12	12225133.98			20
NV400 L3-H2-H3-FWD**	2010	4332	12225134.98		15	12225135.98			21
NV400 L3-H2-H3-RWD**	2010	3682	12225136.98		15	12225137.98			21
NV400 L4-H2-H3-RWD**	2010	4332	12225138.98		15	12225139.98			21

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
NV300 L1-H1*	2016	3098	12231020.95		13
NV300 L2-H1*	2016	3498	12231021.95		13
NV400 L2-H2-RWD-FWD*	2010	3682	12231010.95		17
NV400 L3-H2-RWD-FWD*	2010	3682/4332	12231011.95		17

FWD = Front wheel drive RWD = Rear wheel drive *incl. profile



Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV200	2009	2725	1.5	Left/rear/complete	08012818		2
			0.7	Left/front/top	08012820		2
			1.1	Left/front/bottom	08012825		2
			1.5	Right/rear/complete	08012819		2
			0.7	Sliding door/right/top	08012821		1
			1.1	Sliding door/right/bottom	08012826		2
			0.7	Sliding door/left/top	08012822		1
			0.9	Sliding door/left/bottom	08012827		2
			0.7	Rear door/left/top	08012823		1
			0.9	Rear door/left/bottom	08012828		2
			0.4	Rear door/right/top	08012824		1
			0.5	Rear door/right/bottom	08012829		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV250 L1	2019	2697	3,5	Left/complete	08012932		2
			1,5	Right/rear/complete	08012933		2
			1,1	Sliding door/right/top	08012619		1
			0,9	Sliding door/right/bottom	08012618		2
			1,0	Rear door/left/top	08012615		1
			0,6	Rear door/left/bottom	08012614		2
			0,4	Rear door/right/bottom	08012616		1
			0,6	Rear door/right/top	08012617		1
				Sliding door/left/bottom	08022258		1
				Sliding door/left/top	08022259		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV250 L2	2019	3081	3,5	Left/complete	08012934		2
			1,5	Right/rear/complete	08012935		2
			1,1	Sliding door/right/top	08012619		1
			0,9	Sliding door/right/bottom	08012618		2
			1,0	Rear door/left/top	08012615		1
			0,6	Rear door/left/bottom	08012614		2
			0,4	Rear door/right/bottom	08012616		1
			0,6	Rear door/right/top	08012617		1
				Sliding door/left/bottom	08022258		1
				Sliding door/left/top	08022259		1
				left/rear/complete	08022256		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Townstar L1	2021	2716	0,7	Right/front/top	08022378		
			0,7	Right/front/bottom	08022380		2
			0,5	Right/rear/complett	08022375		2
			0,7	Sliding door/right/top	08022436		1
			0,9	Sliding door/right/bottom	08022373		2
			0,6	Rear door/left/top	08022368		1
			0,5	Rear door/left/bottom	08022370		2
			0,4	Tailgate/rigth/bottom	08022369		1
			0,4	Tailgate/right/top	08022367		1
			0,9	Sliding door/left/bottom	08022374		1
			0,7	Sliding door/ left/top	08022372		1
			1,0	Left/rear/complett	08022376		2
			0,7	Left/front/top	08022377		2
			0,7	Left/front/bottom	08022379		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Townstar L2	2021	3100	0,7	Right/front/top	08022454		
			0,7	Right/front/bottom	08022456		2
			0,5	Right/rear/complett	08022451		2
			0,7	Sliding door/right/top	08022447		1
			0,9	Sliding door/right/bottom	08022449		2
			0,9	Sliding door/left/bottom	08022450		1
			0,7	Sliding door/ left/top	08022448		1
			1,0	Left/rear/complett	08022452		2
			0,7	Left/front/top	08022453		2
			0,7	Left/front/bottom	08022455		2

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
NV300	2016	3098	All roof forms	1.4	Left/rear/complete	08022031		2
			All roof forms	2.0	Left/front/complete	08022033		2
			All roof forms	1.4	Right/rear/complete	08022032		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms		Tailgate/top/complete	08022250		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
NV300	2016	3498	Normal roof	2.1	Left/rear/complete	08022069		2
			Normal roof	2.0	Left/front/complete	08022033		2
			Normal roof	2.1	Right/rear/complete	08022068		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms		Tailgate/top/complete	08022250		2

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L1-H1	2011	3182	1.7	Left/rear/bottom	08037318		2
			2.0	Left/rear/top	08037319		2
			2.4	Left/front/bottom	08037314		2
			2.2	Left/front/top	08037315		2
			1.7	Right/rear/bottom	08037326		2
			2.0	Right/rear/top	08037327		2
			2.4	Right/front/bottom	08037322		2
			2.2	Right/front/top	08037323		2
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			0.5	Sliding door/right/top	08012773		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L1-H2	2011	3182	1.7	Left/rear/bottom	08037318		2
			1.8	Left/rear/top	08037320		2
			0.7	Left/rear/top	08037321		1
			2.4	Left/front/bottom	08037314		2
			2.0	Left/front/top	08037316		2
			2.0	Left/front/top	08037317		1
			1.7	Right/rear/bottom	08037326		2
			1.8	Right/rear/top	08037328		2
			0.7	Right/rear/top	08037329		1
			2.4	Right/front/bottom	08037322		2
			2.0	Right/front/top	08037324		2
			2.4	Right/front/top	08037325		1
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1
			0.4	Rear door/right/top	08012767		1

1

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L2-H2-H3	2011	3682	2.3	Left/rear/bottom	08037231		2
			2.3	Left/rear/top	08037229		2
			0.9	Left/rear/top	08037311		1
			2.4	Left/front/bottom	08037307		2
			2.9	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.3	Right/rear/bottom	08037232		2
			2.3	Right/rear/top	08037230		2
			0.9	Right/rear/top	08037312		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L3-H2-H3-FA	2011	4322	3.7	Left/rear/bottom	08037330		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.9	Left/front/bottom	08037307		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.7	Right/rear/bottom	08037333		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L3-H2-H3-HA	2011	4322	3.4	Left/rear/bottom	08037349		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.4	Right/rear/bottom	08037350		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect-plus without fixing kit Nissan

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
NV400 L4-H2-H3-HA	2011	4322	2.2	Left/rear/bottom	08037342		2
			2.2	Left/rear/top	08037343		2
			0.8	Left/rear/top	08037344		1
			2.5	Left/middle/bottom	08037336		2
			2.4	Left/middle/top	08037337		2
			0.9	Left/middle/top	08037338		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.2	Right/rear/bottom	08037345		2
			2.2	Right/rear/top	08037346		2
			0.8	Right/rear/top	08037347		1
			2.5	Right/middle/bottom	08037339		2
			2.4	Right/middle/top	08037340		2
			0.9	Right/middle/top	08037341		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
NV200	2009	12230015.19V		3
NV300 L1-L2	2016	12230006.19V		3
NV400 L1-L2-L3-L4	2010	12230013.19V		3

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
NV300 L1-L2	2016	Rear doors	12230021.19V		3
NV300 L1-L2	2016	Tailgate	12230036.19V		2
NV300 L1-L2	2016	Sliding door, right	12230059.19V		2
NV300 L1-L2	2016	Sliding door, left	12230060.19V		2
NV400 L1-L2-L3-L4	2010	Rear doors	12230023.19V		3
NV400 L1	2010	Sliding door, right	12230024.19V		2
NV400 L2-L4	2010	Sliding door, right	12230025.19V		2

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Combo L1	2010	2755	11320134		11310134[1]		11312134[1]	3		
Combo L2	2010	3105	11320135		11310135[1]		11312135[1]	3		
Combo L1	2018	2785	11320475		11310475		11312475	3		
Combo L2	2018	2975	11320476		11310476		11312476	3		
Vivaro L1-H1	2014	3098	11320154[2]		11310154[2]		11312154[2]	3		11321154[2]
Vivaro L1-H2	2014	3098	11320484[2]		11310484[2]		11312484[2]	3		11321484[2]
Vivaro L2-H1	2014	3498	11320155[2]		11310155[2]		11312155[2]	4		11321155[2]
Vivaro L2-H2	2014	3498	11320446		11310446		11312446	4		11321446
Vivaro L1	2019	2925	11320182		11310182		11312182	3		11321182
Vivaro L2	2019	3275	11320183		11310183		11312183	3		11321183
Vivaro L3	2019	3275*	11320184		11310184		11312184	3		11321184
Movano L1-FA	2010	3182	11320137		11310137		11312137	3		11321137
Movano L2-FA	2010	3682	11320138		11310138		11312138	3		11321138
Movano L3-FA	2010	4332	11320139		11310139		11312139	4		11321139
Movano L3-HA	2010	3682	11320140		11310140		11312140	4		11321140
Movano L3-RWD Dual tyr.	2010	3682	11320174		11310174		11312174	4		11321174
Movano L4-HA	2010	4332	11320141		11310141		11312141	5		11321141
Movano L4-RWD Dual tyr.	2010	4332	11320175		11310175		11312175	5		11321175
Movano L1	4/2021	3000	11320120		11310120		11312120	3		11321120
Movano L2	4/2021	3450	11320121		11310121		11312121	3		11321121
Movano L3	4/2021	4035	11320122		11310122		11312122	4		11321122
Movano L4	4/2021	4035*	11320123		11310123		11312123	5		11321123

[1]H1 only [2]Installation without hold-down cup, FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lashing rails		AW Value
Vivaro L2-H1	2016	3498	11323532	2*		7
Vivaro L2-H2	2016	3498	11323563	2*		7
Vivaro L2	2019	2975	11323570	2*		6
Vivaro L3	2019	3275	11323447	2*		7
Movano L2-FA	2010	3682	11323535	2*		7

*max. Number possible - must be planned individually

1

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Combo L1	2010	2755	11323134		6
Combo L2	2010	3105	11323135		6
Combo L1	2018	2785	11323475		6
Combo L2	2018	2975	11323476		6
Vivaro L1-H1	2014	3098	11323154		7
Vivaro L1-H2	2014	3098	11323484		7
Vivaro L2-H1	2014	3498	11323155		7
Vivaro L2-H2	2014	3498	11323446		7
Vivaro L1	2019	3275	11323183		7
Vivaro L2	2019	3275*	11323184		7
Vivaro L3	2019	3000	11323120		5
Movano FWD-L1	2011	3182	11323137		7
Movano FWD-L2	2010	3682	11323138		8
Movano FWD-L3	2010	4332	11323139		9
Movano RWD-L3	2010	3682	11323140		9
Movano RWD-L3 Dual tyres	2010	3682	11323174		9
Movano RWD-L4	2010	4332	11323141		9
Movano RWD-L4 Dual tyres	2010	4332	11323175		9
Movano L1	04/2021	3000	11323120		7
Movano L2	04/2021	3450	11323121		7
Movano L3	04/2021	4035	11323122		7
Movano L4	04/2021	4035*	11323123		9

- The use of shoring poles is not approved for vehicles with a super high roof made of plastic

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Combo L1-H1	2010	2755				12225095.95			6
Combo L2-H1	2010	3105				12225097.95			6
Combo L1-H2	2010	2755				12225169.95			6
Combo L2-H2	2010	3105				12225171.95			6
Combo L1	2018	2785	12225306.95		4	12225307.95	12225308.95		6
Combo L2	2018	2975	12225311.95		4	12225312.95	12225313.95		6
Vivaro L1-H1	2014	3098	12225206.95		6	12225207.95	12225208.95		8
Vivaro L2-H1	2014	3498	12225209.95		6	12225210.95	12225211.95		8
Vivaro L1-H2	2014	3098	12225206.95		6	12225299.95			9
Vivaro L2-H2	2014	3498	12225209.95		6	12225300.95			10
Vivaro L1	2019	2925	12225279.95		5	12225280.95	12225281.95		8
Vivaro L2	2019	3275	12225284.95		6	12225285.95	12225286.95		9
Vivaro L3	2019	3275*	12225289.95		7	12225290.95	12225291.95		10
Movano L1-H1-FA	2011	3182	12225128.95		6	12225130.95			8
Movano L1-H2-FWD**	2011	3182	12225129.95		6	12225131.95			8
Movano L2-H2-H3-FWD**	2010	3682	12225132.95		8	12225133.95			10
Movano L3-H2-H3-FWD**	2010	4332	12225134.95		8	12225135.95			10
Movano L3-H2-H3-RWD**	2010	3682	12225136.95		8	12225137.95			10
Movano L4-H2-H3-RWD-**	2010	4332	12225138.95		10	12225139.95			12
Movano L1-H1	04/2021	3000	12225104.95		6	12225105.95			8
Movano L1-H2**	04/2021	3000	12225144.95		6	12225145.95			8
Movano L2-H1	04/2021	3450	12225106.95		8	12225107.95			10
Movano L2-H2**	04/2021	3450	12225108.95		8	12225109.95			10
Movano L3-H2**	04/2021	4035	12225110.95		10	12225111.95			12
Movano L3-H3**	04/2021	4035	12225112.95		10	12225113.95			12
Movano L4-H2**	04/2021	4035*	12225114.95		10	12225115.95			12
Movano L4-H3**	04/2021	4035*	12225116.95		10	12225117.95			12

*With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Combo L1-H1	2010	2755				12226095.95			6
Combo L2-H1	2010	3105				12226097.95			6
Combo L1-H2	2010	2755				12226169.95			6
Combo L2-H2	2010	3105				12226171.95			6
Combo L1	2018	2785	12226306.95		4	12226307.95	12226308.95		6
Combo L2	2018	2975	12226311.95		4	12226312.95	12226313.95		6
Vivaro L1-H1	2014	3098	12226206.95		6	12226207.95	12226208.95		8
Vivaro L2-H1	2014	3498	12226209.95		6	12226210.95	12226211.95		8
Vivaro L1-H2	2014	3098	12226206.95		6	12226299.95			9
Vivaro L2-H2	2014	3498	12226209.95		6	12226300.95			10
Vivaro L1	2019	2925	12226279.95		5	12226280.95	12226281.95		8
Vivaro L2	2019	3275	12226284.95		6	12226285.95	12226286.95		9
Vivaro L3	2019	3275*	12226289.95		7	12226290.95	12226291.95		10
Movano L1-H1-FA	2011	3182	12226128.95		6	12226130.95			8
Movano L1-H2-FWD**	2011	3182	12226129.95		6	12226131.95			8
Movano L2-H2-H3-FWD**	2010	3682	12226132.95		8	12226133.95			10
Movano L3-H2-H3-FWD**	2010	4332	12226134.95		10	12226135.95			12
Movano L3-H2-H3-RWD**	2010	3682	12226136.95		10	12226137.95			12
Movano L4-H2-H3-RWD-**	2010	4332	12226138.95		10	12226139.95			12
Movano L1-H1	04/2021	3000	12226104.95		6	12226105.95			8
Movano L1-H2**	04/2021	3000	12226144.95		6	12226145.95			8
Movano L2-H1	04/2021	3450	12226106.95		8	12226107.95			10
Movano L2-H2**	04/2021	3450	12226108.95		8	12226109.95			10
Movano L3-H2**	04/2021	4035	12226110.95		10	12226111.95			12
Movano L3-H3**	04/2021	4035	12226112.95		10	12226113.95			12
Movano L4-H2**	04/2021	4035*	12226114.95		10	12226115.95			12
Movano L4-H3**	04/2021	4035*	12226116.95		10	12226117.95			12

*With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Combo L1	2018	2785	12225309.95		12225310.95		6
Combo L2	2018	2975	12225314.95		12225315.95		6
Vivaro L1	2014	3098	12225255.95		12225257.95		8
Vivaro L2	2014	3498	12225261.95		12225262.95		8
Vivaro L1	2019	2925	12225282.95		12225283.95		8
Vivaro L2	2019	3275	12225287.95		12225288.95		9
Vivaro L3	2019	3275*	12225292.95		12225293.95		10
Movano L1-FWD-H1	2011	3182	12225181.95				8
Movano L1-FWD-H2 T*	2011	3182	12225182.95				8
Movano L2-FWD-H2-H3 T*	2010	3682	12225183.95				10
Movano L3-FWD-H2-H3 T*	2010	4332	12225184.95				12
Movano L3-RWD-H2-H3 T*	2010	3682	12225185.95				12
Movano L4-RWD-H2-H3 T*	2010	4332	12225186.95				12
Movano L1-H1	04/2021	3000	12225180.95				8
Movano L2-H1	04/2021	3000	12225176.95				8
Movano L2-H2 T*	04/2021	3450	12225177.95				10
Movano L3-H2 T*	04/2021	3450	12225178.95				12
Movano L4-H2 T*	04/2021	4035*	12225179.95				12

With overhang T High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Combo L1	2018	2785	12226309.95		12226310.95		6
Combo L2	2018	2975	12226314.95		12226315.95		6
Vivaro L1	2014	3098	12226255.95		12226257.95		8
Vivaro L2	2014	3498	12226261.95		12226262.95		8
Vivaro L1	2019	2925	12226282.95		12226283.95		8
Vivaro L2	2019	3275	12226287.95		12226288.95		9
Vivaro L3	2019	3275*	12226292.95		12226293.95		10
Movano L1-FWD-H1	2011	3182	12226181.95				8
Movano L1-FWD-H2 T*	2011	3182	12226182.95				8
Movano L2-FWD-H2-H3 T*	2010	3682	12226183.95				10
Movano L3-FWD-H2-H3 T*	2010	4332	12226184.95				12
Movano L3-RWD-H2-H3 T*	2010	3682	12226185.95				12
Movano L4-RWD-H2-H3 T*	2010	4332	12226186.95				12
Movano L1-H1	04/2021	3000	12226180.95				10
Movano L2-H1	04/2021	3000	12226176.95				10
Movano L2-H2 T*	04/2021	3450	12226177.95				10
Movano L3-H2 T*	04/2021	3450	12226178.95				12
Movano L4-H2 T*	04/2021	4035*	12226179.95				12

With overhang T High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Combo L1-H1	2010	2755				12225095.98			10
Combo L2-H1	2010	3105				12225097.98			11
Combo L1-H2	2010	2755				12225169.98			10
Combo L2-H2	2010	3105				12225171.98			11
Combo L1	2018	2785	12225306.98		7	12225307.98	12225308.98		10
Combo L2	2018	2975	12225311.98		7	12225312.98	12225313.98		10
Vivaro L1-H1	2014	3098	12225206.98		9	12225207.98	12225208.98		12
Vivaro L2-H1	2014	3498	12225209.98		10	12225210.98	12225211.98		16
Vivaro L1-H2	2014	3098				12225299.98			12
Vivaro L2-H2	2014	3498				12225300.98			19
Vivaro L1	2019	2925	12225279.98		8	12225280.98	12225281.98		11
Vivaro L2	2019	3275	12225284.98		9	12225285.98	12225286.98		12
Vivaro L3	2019	3275*	12225289.98		10	12225290.98	12225291.98		16
Movano L1-H1-FA	2011	3182	12225128.98		9	12225130.98			12
Movano L1-H2-FWD**	2011	3182	12225129.98		10	12225131.98			16
Movano L2-H2-H3-FWD**	2010	3682	12225132.98		12	12225133.98			20
Movano L3-H2-H3-FWD**	2010	4332	12225134.98		15	12225135.98			21
Movano L3-H2-H3-RWD**	2010	3682	12225136.98		15	12225137.98			21
Movano L4-H2-H3-RWD**	2010	4332	12225138.98		15	12225139.98			21
Movano L1-H1	04/2021	3000	12225104.98		9	12225105.98			12
Movano L1-H2**	04/2021	3000	12225144.98		10	12225145.98			13
Movano L2-H1	04/2021	3450	12225106.98		11	12225107.98			17
Movano L2-H2**	04/2021	3450	12225108.98		14	12225109.98			20
Movano L3-H2**	04/2021	4035	12225110.98		15	12225111.98			21
Movano L3-H3**	04/2021	4035	12225112.98		15	12225113.98			21
Movano L4-H2**	04/2021	4035*	12225114.98		16	12225115.98			22
Movano L4-H3**	04/2021	4035*	12225116.98		16	12225117.98			22

*With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Combo L1	2018	2785	12225309.98		12225310.98		10
Combo L2	2018	2975	12225314.98		12225315.98		10
Vivaro L1	2014	3098	12225255.98		12225257.98		12
Vivaro L2	2014	3498	12225261.98		12225262.98		16
Vivaro L1	2016	2925	12225282.98		12225283.98		11
Vivaro L2	2016	3275	12225287.98		12225288.98		12
Vivaro L3	2016	3275*	12225292.98		12225293.98		16
Movano L1-FWD-H1	2011	3182	12225181.98				12
Movano L1-FWD-H2 T*	2011	3182	12225182.98				16
Movano L2-FWD-H2-H3 T*	2010	3682	12225183.98				20
Movano L3-FWD-H2-H3 T*	2010	4332	12225184.98				21
Movano L3-RWD-H2-H3 T*	2010	3682	12225185.98				21
Movano L4-RWD-H2-H3 T*	2010	4332	12225186.98				21
Movano L1-H1	04/2021	3000	12225180.98				12
Movano L2-H1	04/2021	3000	12225176.98				17
Movano L2-H2 T*	04/2021	3450	12225177.98				20
Movano L3-H2 T*	04/2021	3450	12225178.98				21
Movano L4-H2 T*	04/2021	4035*	12225179.98				22

With overhang T High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Combo L1	2010	2755	All roof forms	0.8	Left/rear/top	08012742		2
			All roof forms	0.6	Left/front/top	08012740		2
			All roof forms	0.6	Right/rear/top	08012735		2
			All roof forms	0.8	Sliding door/right/top	08012737		1
			All roof forms	0.9	Rear door/left/top	08012736		1
			All roof forms	1.2	Rear door/right/top	08012739		1
			High roof		Rear door/left/top	08022254		1
			High roof		Rear door/right/top	08022255		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Combo L2	2010	3105	All roof forms	0.9	Rear door/left/top	08012736		1
			All roof forms	0.8	Sliding door/right/top	08012737		1
			All roof forms	1.2	Right/rear/top	08012738		2
			All roof forms	1.2	Rear door/right/top	08012739		1
			All roof forms	0.6	Left/front/top	08012740		2
			All roof forms	0.8	Left/rear/top	08012741		2
			High roof		Rear door/left/top	08022254		1
			High roof		Rear door/right/top	08022255		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Combo L1	2018	2785		Left/rear/top	08022305		1
				Left/front/top	08022313		2
				Right/rear/top	08022304		1
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Combo L2	2018	2795		Left/rear/top	08022307		2
				Left/front/top	08022313		2
				Right/rear/top	08022306		2
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Vivaro L1	2014	3098	All roof forms	1.4	Left/rear/complete	08022031		2
			All roof forms	2.0	Left/front/complete	08022033		2
			All roof forms	1.4	Right/rear/complete	08022032		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms	1.4	Tailgate/top/complete	08022250		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Vivaro L2	2014	3498	Normal roof	2.1	Left/rear/complete	08022069		2
			Normal roof	2.0	Left/front/complete	08022033		2
			Normal roof	2.1	Right/rear/complete	08022068		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms	1.4	Tailgate/top/complete	08022250		2

1

Individual panels vario protect-plus without fixing kit Peugeot

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Vivaro L1	2019	2925	Normal roof		Left/rear/complete	08022220		1
			Normal roof		Left/front/complete	08022221		2
			Normal roof		Right/front/complete	08022222		2
			Normal roof		Right/rear/complete	08022219		1
			Normal roof		Sliding door/right/top	08022225		1
			Normal roof		Sliding door/right/bottom	08022217		1
			Normal roof/sliding door left		Sliding door/left/bottom	08022218		1
			Normal roof/sliding door left		Sliding door/left/top	08022226		1
			Normal roof		Rear door/left/top	08022205		1
			Normal roof		Rear door/left/bottom	08022200		1
			Normal roof		Rear door/right/top	08022204		1
			Normal roof		Rear door/right/bottom	08022199		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Vivaro L2	2019	3275	Normal roof	2.4	Right/rear/complete	08022213		2
			Normal roof	2.2	Left/rear/complete	08022214		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof		Right/front/complete	08022224		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Vivaro L3	2019	3275* * With overhang	Normal roof		Right/rear/complete	08022215		2
			Normal roof		Left/rear/complete	08022216		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof		Right/front/complete	08022224		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L1-H1	2011	3182	1.7	Left/rear/bottom	08037318		2
			2.0	Left/rear/top	08037319		2
			2.4	Left/front/bottom	08037314		2
			2.2	Left/front/top	08037315		2
			1.7	Right/rear/bottom	08037326		2
			2.0	Right/rear/top	08037327		2
			2.4	Right/front/bottom	08037322		2
			2.2	Right/front/top	08037323		2
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			0.5	Sliding door/right/top	08012773		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L1-H2	2011	3182	1.7	Left/rear/bottom	08037318		2
			1.8	Left/rear/top	08037320		2
			0.7	Left/rear/top	08037321		1
			2.4	Left/front/bottom	08037314		2
			2.0	Left/front/top	08037316		2
			2.0	Left/front/top	08037317		1
			1.7	Right/rear/bottom	08037326		2
			1.8	Right/rear/top	08037328		2
			0.7	Right/rear/top	08037329		1
			2.4	Right/front/bottom	08037322		2
			2.0	Right/front/top	08037324		2
			2.4	Right/front/top	08037325		1
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1
			0.4	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L2-H2-H3	2011	3682	2.3	Left/rear/bottom	08037231		2
			2.3	Left/rear/top	08037229		2
			0.9	Left/rear/top	08037311		1
			2.4	Left/front/bottom	08037307		2
			2.9	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.3	Right/rear/bottom	08037232		2
			2.3	Right/rear/top	08037230		2
			0.9	Right/rear/top	08037312		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L3-H2-H3-FWD	2011	4322	3.7	Left/rear/bottom	08037330		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.9	Left/front/bottom	08037307		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.7	Right/rear/bottom	08037333		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L3-H2-H3-RWD	2011	4322	3.4	Left/rear/bottom	08037349		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.4	Right/rear/bottom	08037350		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L4-H2-H3-RWD	2011	4322	2.2	Left/rear/bottom	08037342		2
			2.2	Left/rear/top	08037343		2
			0.8	Left/rear/top	08037344		1
			2.5	Left/middle/bottom	08037336		2
			2.4	Left/middle/top	08037337		2
			0.9	Left/middle/top	08037338		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.2	Right/rear/bottom	08037345		2
			2.2	Right/rear/top	08037346		2
			0.8	Right/rear/top	08037347		1
			2.5	Right/middle/bottom	08037339		2
			2.4	Right/middle/top	08037340		2
			0.9	Right/middle/top	08037341		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L1-H1	04/2021	3000	2,3	Left/rear/top	08037106		2
			1,4	Left/rear/bottom	08037104		2
			2,3	Left/front/top	08037093		2
			2,2	Left/front/bottom	08037091		2
			2,3	Rigth/rear/top	08037105		2
			1,4	Rigth/rear/bottom	08037103		2
			2,3	Rigth/front/top	08037094		2
			2,2	Rigth/front/bottom	08037092		2
			1,9	Sliding door/Rigth/top	08012508		1
			1,7	Sliding door/Rigth/bottom	08012507		1
			1,9	Sliding door/Left/top	08022275		1
			1,7	Sliding door/Left/bottom	08022274		2
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L1-H2	04/2021	3000	2,3	Left/rear/top	08037158		2
			1,4	Left/rear/bottom	08037104		2
			0,9	Left/rear/Top	08037160		1
			0,9	Left/front/Top	08037155		1
			2,2	Left/front/top	08037153		2
			2,2	Left/front/bottom	08037091		2
			2,1	Rigth/rear/top	08037157		2
			1,4	Rigth/rear/bottom	08037103		2
			0,9	Rigth/rear/Top	08037159		1
			0,9	Rigth/front/Top	08037156		1
			2,3	Rigth/front/top	08037154		2
			2,2	Rigth/front/bottom	08037092		2
			1,9	Sliding door/Rigth/top	08012508		1
			1,7	Sliding door/Rigth/bottom	08012507		1
			1,9	Sliding door/Left/top	08022275		1
			1,7	Sliding door/Left/bottom	08022274		2
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L2-H1	04/2021	3450	2,8	Left/rear/top	08037118		2
			1,8	Left/rear/bottom	08037112		2
			2,6	Left/front/top	08037109		2
			2,5	Left/front/bottom	08037107		2
			2,8	Rigth/rear/top	08037117		2
			1,9	Rigth/rear/bottom	08037111		2
			2,6	Rigth/front/top	08037110		2
			2,5	Rigth/front/bottom	08037108		2
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L2-H2	04/2021	3450	2,7	Left/rear/top	08037126		2
			1,8	Left/rear/bottom	08037112		2
			1,1	Left/rear/Top	08037128		1
			2,5	Left/front/top	08037119		2
			2,5	Left/front/bottom	08037107		2
			1,0	Left/front/Top	08037121		1
			2,7	Rigth/rear/top	08037125		2
			1,8	Rigth/rear/bottom	08037111		2
			1,1	Rigth/rear/Top	08037127		1
			2,5	Rigth/front/top	08037120		2
			2,5	Rigth/front/bottom	08037108		2
			1,0	Rigth/front/Top	08037122		1
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			0,7	Sliding door/Rigth/Top	08012518		1
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			0,7	Sliding door/Rigth/Top	08022278		1
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			0,5	Rear door/Left/Top	08012541		1
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2
			0,5	Rear door/Rigth/Top	08012540		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L3-H2	04/2021	4035	3,8	Left/rear/top	08037132		2
			3,0	Left/rear/bottom	08037130		2
			1,5	Left/rear/Top	08037134		1
			2,5	Left/front/top	08037119		2
			2,5	Left/front/bottom	08037107		2
			1,0	Left/front/Top	08037121		1
			3,8	Rigth/rear/top	08037131		2
			3,0	Rigth/rear/bottom	08037129		2
			1,5	Rigth/rear/Top	08037133		1
			1,0	Rigth/front/Top	08037122		1
			2,5	Rigth/front/top	08037120		2
			2,5	Rigth/front/bottom	08037108		2
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			0,7	Sliding door/Rigth/Top	08012518		1
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			0,7	Sliding door/Rigth/Top	08022278		1
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			0,5	Rear door/Left/Top	08012541		1
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2
			0,5	Rear door/Rigth/Top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L3-H3	04/2021	4035	3,8	Left/rear/top	08037132		2
			3,0	Left/rear/bottom	08037130		2
			2,6	Left/rear/Top	08037138		1
			2,5	Left/front/top	08037119		2
			2,5	Left/front/bottom	08037107		2
			1,0	Left/front/Top	08037121		1
			3,8	Rigth/rear/top	08037131		2
			3,0	Rigth/rear/bottom	08037129		2
			2,6	Rigth/rear/Top	08037137		1
			1,8	Rigth/front/Top	08037124		1
			2,5	Rigth/front/top	08037120		2
			2,5	Rigth/front/bottom	08037108		2
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			0,7	Sliding door/Rigth/Top	08012518		1
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			0,7	Sliding door/Rigth/Top	08022278		1
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			0,5	Rear door/Left/Top	08012541		1
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2
			0,5	Rear door/Rigth/Top	08012540		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L4-H2	04/2021	4035* *mit Überhang	4,5	Left/rear/top	08037142		2
			3,8	Left/rear/bottom	08037140		2
			1,8	Left/rear/Top	08037144		1
			2,5	Left/front/top	08037119		2
			2,5	Left/front/bottom	08037107		2
			1,0	Left/front/Top	08037123		1
			4,5	Rigth/rear/top	08037141		2
			3,8	Rigth/rear/bottom	08037139		2
			1,8	Rigth/rear/Top	08037143		1
			1,2	Rigth/front/Top	08037122		1
			2,5	Rigth/front/top	08037120		2
			2,5	Rigth/front/bottom	08037108		2
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			0,7	Sliding door/Rigth/Top	08012518		1
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			0,7	Sliding door/Rigth/Top	08022278		1
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			0,5	Rear door/Left/Top	08012541		1
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2
			0,5	Rear door/Rigth/Top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Movano L4-H3	04/2021	4035* *mit Überhang	4,4	Left/rear/top	08037142		2
			3,8	Left/rear/bottom	08037140		2
			3,1	Left/rear/Top	08037152		1
			2,5	Left/front/top	08037119		2
			2,5	Left/front/bottom	08037107		2
			1,0	Left/front/Top	08037123		1
			4,5	Rigth/rear/top	08037141		2
			3,8	Rigth/rear/bottom	08037139		2
			3,1	Rigth/rear/Top	08037151		1
			1,0	Rigth/front/Top	08037122		1
			2,5	Rigth/front/top	08037120		2
			2,5	Rigth/front/bottom	08037108		2
			2,2	Sliding door/Rigth/top	08012517		1
			2,0	Sliding door/Rigth/bottom	08012516		2
			0,7	Sliding door/Rigth/Top	08012518		1
			2,2	Sliding door/Left/top	08022277		1
			2,0	Sliding door/Left/bottom	08022276		2
			0,7	Sliding door/Rigth/Top	08022278		1
			1,4	Rear door/Left/top	08012512		1
			1,1	Rear door/Left/bottom	08012511		2
			0,5	Rear door/Left/Top	08012541		1
			1,4	Rear door/Rigth/top	08012510		1
			1,1	Rear door/Rigth/bottom	08012509		2
			0,5	Rear door/Rigth/Top	08012540		1

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced		AW Value
Movano L1-H1-FA	2011	3182	12220128.95		7	12220130.95		10
Movano L1-H2-FWD**	2011	3182	12220129.95		7	12220131.95		10
Movano L2-H2-H3-FWD**	2010	3682	12220132.95		12	12220133.95		15
Movano L3-H2-H3-FWD**	2010	4332	12220134.95		13	12220135.95		16
Movano L3-H2-H3-RWD**	2010	3682	12220136.95		13	12220137.95		16
Movano L4-H2-H3-RWD-**	2010	4332	12220138.95		17	12220139.95		17
Movano L1-H1	04/2021	3000	12220104.95		7	12220105.95		10
Movano L1-H2**	04/2021	3000	12220144.95		7	12220145.95		10
Movano L2-H1	04/2021	3450	12220106.95		12	12220107.95		15
Movano L2-H2**	04/2021	3450	12220108.95		12	12220109.95		15
Movano L3-H2**	04/2021	4035	12220110.95		13	12220111.95		16
Movano L3-H3**	04/2021	4035	12220112.95		13	12220113.95		16
Movano L4-H2**	04/2021	4035*	12220114.95		14	12220115.95		17
Movano L4-H3**	04/2021	4035*	12220116.95		14	12220117.95		17

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect advanced (rear doors)		AW Value
Movano L1-H1-FA	2011	3182	12220181.95		10
Movano L1-H2-FA**	2011	3182	12220182.95		15
Movano L2-H2-H3-FA**	2010	3682	12220183.95		15
Movano L3-H2-H3-FA**	2010	4332	12220184.95		16
Movano L3-H2-H3-HA**	2010	3682	12220185.95		16
Movano L4-H2-H3-HA**	2010	4332	12220186.95		17
Movano L1-H1	04/2021	3000	12220180.95		8
Movano L2-H1	04/2021	3000	12221176.95		8
Movano L2-H2 T*	04/2021	3450	12221177.95		8
Movano L3-H2 T*	04/2021	3450	12221178.95		10
Movano L4-H2 T*	04/2021	4035*	12221179.95		12

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Movano L1-H2-FWD**	2011	3182	12221129.95		7	12221131.95		10
Movano L2-H2-H3-FWD**	2010	3682	12221132.95		12	12221133.95		15
Movano L3-H2-H3-FWD**	2010	4332	12221134.95		13	12221135.95		16
Movano L3-H2-H3-RWD**	2010	3682	12221136.95		13	12221137.95		16
Movano L4-H2-H3-RWD-**	2010	4332	12221138.95		17	12221139.95		17
Movano L1-H1	04/2021	3000	12221104.95		10	12221105.95		13
Movano L1-H2**	04/2021	3000	12221144.95		10	12221145.95		13
Movano L2-H1	04/2021	3450	12221106.95		15	12221107.95		18
Movano L2-H2**	04/2021	3450	12221108.95		15	12221109.95		18
Movano L3-H2**	04/2021	4035	12221110.95		16	12221111.95		19
Movano L3-H3**	04/2021	4035	12221112.95		16	12221113.95		19
Movano L4-H2**	04/2021	4035*	12221114.95		17	12221115.95		20
Movano L4-H3**	04/2021	4035*	12221116.95		17	12221117.95		20

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheelbase mm	[1+2+3] bott vario3 protect advanced (rear doors)		AW Value
Movano L1-H2-FA**	2011	3182	12221182.95		15
Movano L2-H2-H3-FA**	2010	3682	12221183.95		15
Movano L3-H2-H3-FA**	2010	4332	12221184.95		16
Movano L3-H2-H3-HA**	2010	3682	12221185.95		16
Movano L4-H2-H3-HA**	2010	4332	12221186.95		17
Movano L1-H1	04/2021	3000	12221180.95		8
Movano L2-H1	04/2021	3000	12221176.95		8
Movano L2-H2 T*	04/2021	3450	12221177.95		8
Movano L3-H2 T*	04/2021	3450	12221178.95		10
Movano L4-H2 T*	04/2021	4035*	12221179.95		12

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Movano L2-L3	rigth door	2006	08022548.98		
Movano L2-L3	left door	2006	08022547.98		

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Combo L1-L2	2010	12230017.19V		3
Combo L1-L2	2018	12230100.19V		3
Vivaro L1-L2	2014	12230006.19V		3
Movano L1-L2-L3-L4	2010	12230013.19V		3

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Combo L2-H1*	2012	3105	12231012.95		9
Combo L1	2018	2785	12231047.95		13
Combo L2	2018	2975	12231048.95		13
Vivaro L1-H1*	2014	3098	12231020.95		13
Vivaro L2-H1*	2014	3498	12231021.95		13
Vivaro L1**	2019	2925	12231033.95		6
Vivaro L2**	2019	3275	12231034.95		6
Vivaro L3**	2019	3275*	12231035.95		6
Movano L2-H2-RWD-FWD*	2010	3682	12231010.95		17
Movano L3-H2-RWD-FWD*	2010	3682/4332	12231011.95		17
Movano L2	2021	3450	12231054.95		
Movano L3	2021	4035	12231055.95		
Movano L4	2021	4035	12231056.95		

FWD = Front wheel drive RWD = Rear wheel drive *incl. profile

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Combo L1-L2	2010	Rear doors	12230049.19V		3
Combo L1-L2	2018	Rear doors	12230094.19V		3
Combo L1	2018	Sliding door, left	12230095.19V		2
Combo L1	2018	Sliding door, right	12230096.19V		2
Combo L2	2018	Sliding door, left	12230097.19V		2
Combo L2	2018	Sliding door, right	12230098.19V		2
Vivaro L1-L2	2014	Rear doors	12230021.19V		3
Vivaro L1-L2	2014	Tailgate	12230036.19V		2
Vivaro L1-L2	2014	Sliding door, right	12230059.19V		2
Vivaro L1-L2	2014	Sliding door, left	12230060.19V		2
Vivaro L1-L2-L3	2019	Rear doors	12230077.19V		3
Vivaro L1	2019	Sliding door, left	12230079.19V		2
Vivaro L1	2019	Sliding door, right	12230080.19V		2
Vivaro L2-L3	2019	Sliding door, left	12230082.19V		2
Vivaro L2-L3	2019	Sliding door, right	12230083.19V		2
Movano L1-L2-L3-L4	2010	Rear doors	12230023.19V		3
Movano L1	2010	Sliding door, right	12230024.19V		2
Movano L2-L3-L4	2010	Sliding door, right	12230025.19V		2
Movano L1-L2-L3-L4	04/2021	Rear doors	12230026.19V		3
Movano L1	04/2021	Sliding door, right	12230027.19V		2
Movano L1	04/2021	Sliding door, left	12230088.19V		
Movano L2-L4	04/2021	Sliding door, right	12230028.19V		2
Movano L2-L4	04/2021	Sliding door, left	12230089.19V		



1

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Partner L1	10/2018	2785	11320475		11310475		11312475	3		
Partner L2	10/2018	2975	11320476		11310476		11312476	3		
Expert L1	2016	2925	11320182		11310182		11312182	3		11321182
Expert L2	2016	3275	11320183		11310183		11312183	3		11321183
Expert L3	2016	3275*	11320184		11310184		11312184	3		11321184
Boxer L1	2006	3000	11320120		11310120		11312120	3		11321120
Boxer L2	2006	3450	11320121		11310121		11312121	3		11321121
Boxer L3	2006	4035	11320122		11310122		11312122	4		11321122
Boxer L4	2006	4035*	11320123		11310123		11312123	5		11321123

*With overhang

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lashing rails		AW Wert
Expert L2	2016	2975	11323570	2*		6
Expert L3	2016	3275	11323447	2*		7

*max. Number possible - must be planned individually

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Boxer L1	2006	3000			5
Boxer L2	2006	3450			7

bott vario3 floor with customised adjustments Peugeot

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Partner L1	2018	2785	11323475	328,00	6
Partner L2	2018	2975	11323476	355,00	6
Expert L1	2016	2925	11323182	355,00	7
Expert L2	2016	3275	11323183	372,00	7
Expert L3	2016	3275*	11323184	461,00	5
Boxer L1	2006	3000	11323120	372,00	7
Boxer L2	2006	3450	11323121	510,00	7
Boxer L3	2006	4035	11323122	577,00	7
Boxer L4	2006	4035*	11323123	628,00	9

*With overhang

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Partner L1	2018	2785	12225306.95		4	12225307.95	12225308.95		6
Partner L2	2018	2975	12225311.95		4	12225312.95	12225313.95		6
Expert L1	2016	2925	12225279.95		5	12225280.95	12225281.95		8
Expert L2	2016	3275	12225284.95		6	12225285.95	12225286.95		9
Expert L3	2016	3275*	12225289.95		7	12225290.95	12225291.95		10
Boxer L1-H1	2006	3000	12225104.95		6	12225105.95			8
Boxer L1-H2**	2006	3000	12225144.95		6	12225145.95			8
Boxer L2-H1	2006	3450	12225106.95		8	12225107.95			10
Boxer L2-H2**	2006	3450	12225108.95		8	12225109.95			10
Boxer L3-H2**	2006	4035	12225110.95		10	12225111.95			12
Boxer L3-H3**	2006	4035	12225112.95		10	12225113.95			12
Boxer L4-H2**	2006	4035*	12225114.95		10	12225115.95			12
Boxer L4-H3**	2006	4035*	12225116.95		10	12225117.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Partner L1	2018	2785	12226306.95		4	12226307.95	12226308.95		6
Partner L2	2018	2975	12226311.95		4	12226312.95	12226313.95		6
Expert L1	2016	2925	12226279.95		5	12226280.95	12226281.95		8
Expert L2	2016	3275	12226284.95		6	12226285.95	12226286.95		9
Expert L3	2016	3275*	12226289.95		7	12226290.95	12226291.95		10
Boxer L1-H1	2006	3000	12226104.95		6	12226105.95			8
Boxer L1-H2**	2006	3000	12226144.95		6	12226145.95			8
Boxer L2-H1	2006	3450	12226106.95		8	12226107.95			10
Boxer L2-H2**	2006	3450	12226108.95		8	12226109.95			10
Boxer L3-H2**	2006	4035	12226110.95		10	12226111.95			12
Boxer L3-H3**	2006	4035	12226112.95		10	12226113.95			12
Boxer L4-H2**	2006	4035*	12226114.95		10	12226115.95			12
Boxer L4-H3**	2006	4035*	12226116.95		10	12226117.95			12

* With overhang ** High roof version with side lining over the full height

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Partner L1	2018	2785	12225309.95		12225310.95		6
Partner L2	2018	2975	12225314.95		12225315.95		6
Expert L1	2016	2925	12225282.95		12225283.95		8
Expert L2	2016	3275	12225287.95		12225288.95		9
Expert L3	2016	3275*	12225292.95		12225293.95		10
Boxer L1-H1	2006	3000	12225180.95				8
Boxer L2-H1	2006	3000	12225176.95				8
Boxer L2-H2 T*	2006	3450	12225177.95				10
Boxer L3-H2 T*	2006	3450	12225178.95				12
Boxer L4-H2 T*	2006	4035*	12225179.95				12

* With overhang T* High roof version with full height side lining

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Partner L1	2018	2785	12226309.95		12226310.95		6
Partner L2	2018	2975	12226314.95		12226315.95		6
Expert L1	2016	2925	12226282.95		12226283.95		8
Expert L2	2016	3275	12226287.95		12226288.95		9
Expert L3	2016	3275*	12226292.95		12226293.95		10
Boxer L1-H1	2006	3000	12226180.95				10
Boxer L2-H1	2006	3000	12226176.95				10
Boxer L2-H2 T*	2006	3450	12226177.95				10
Boxer L3-H2 T*	2006	3450	12226178.95				12
Boxer L4-H2 T*	2006	4035*	12226179.95				12

* With overhang T* High roof version with full height side lining

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Partner L1	2018	2785	12225306.98		7	12225307.98	12225308.98		10
Partner L2	2018	2975	12225311.98		7	12225312.98	12225313.98		10
Expert L1	2016	2925	12225279.98		8	12225280.98	12225281.98		11
Expert L2	2016	3275	12225284.98		9	12225285.98	12225286.98		12
Expert L3	2016	3275*	12225289.98		10	12225290.98	12225291.98		16
Boxer L1-H1	2006	3000	12225104.98		9	12225105.98			12
Boxer L1-H2**	2006	3000	12225144.98		10	12225145.98			13
Boxer L2-H1	2006	3450	12225106.98		11	12225107.98			17
Boxer L2-H2**	2006	3450	12225108.98		14	12225109.98			20
Boxer L3-H2**	2006	4035	12225110.98		15	12225111.98			21
Boxer L3-H3**	2006	4035	12225112.98		15	12225113.98			21
Boxer L4-H2**	2006	4035*	12225114.98		16	12225115.98			22
Boxer L4-H3**	2006	4035*	12225116.98		16	12225117.98			22

* With overhang ** High roof version with side lining over the full height

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Partner L1	2018	2785	12225309.98		12225310.98		10
Partner L2	2018	2975	12225314.98		12225315.98		10
Expert L1	2016	2925	12225282.98		12225283.98		11
Expert L2	2016	3275	12225287.98		12225288.98		12
Expert L3	2016	3275*	12225292.98		12225293.98		16
Boxer L1-H1	2006	3000	12225180.98				12
Boxer L2-H1	2006	3000	12225176.98				17
Boxer L2-H2 T*	2006	3450	12225177.98				20
Boxer L3-H2 T*	2006	3450	12225178.98				21
Boxer L4-H2 T*	2006	4035*	12225179.98				22

* With overhang T* High roof version with full height side lining

Individual panels vario protect-plus without fixing kit Peugeot

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Partner L1	2018	2785		Left/rear/top	08022305		1
				Left/front/top	08022313		2
				Right/rear/top	08022304		1
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Partner L2	2018	2795		Left/rear/top	08022307		2
				Left/front/top	08022313		2
				Right/rear/top	08022306		2
				Right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Individual panels vario protect-plus without fixing kit Peugeot

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Expert L1	2016	2925	Normal roof		Left/rear/complete	08022220		1
			Normal roof		Left/front/complete	08022221		2
			Normal roof		Right/front/complete	08022222		2
			Normal roof		Right/rear/complete	08022219		1
			Normal roof		Sliding door/right/top	08022225		1
			Normal roof		Sliding door/right/bottom	08022217		1
			Normal roof/sliding door left		Sliding door/left/bottom	08022218		1
			Normal roof/sliding door left		Sliding door/left/top	08022226		1
			Normal roof		Rear door/left/top	08022205		1
			Normal roof		Rear door/left/bottom	08022200		1
			Normal roof		Rear door/right/top	08022204		1
			Normal roof		Rear door/right/bottom	08022199		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Expert L2	2016	3275	Normal roof	2.4	Right/rear/complete	08022213		2
			Normal roof	2.2	Left/rear/complete	08022214		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof		Right/front/complete	08022224		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Expert L3	2016	3275* * With overhang	Normal roof		Right/rear/complete	08022215		2
			Normal roof		Left/rear/complete	08022216		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof		Right/front/complete	08022224		2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L1-H1	2006	3000	2.3	Left/rear/top	08037106		2
			1.4	Left/rear/bottom	08037104		2
			2.3	Left/front/top	08037093		2
			2.2	Left/front/bottom	08037091		2
			2.3	Right/rear/top	08037105		2
			1.4	Right/rear/bottom	08037103		2
			2.3	Right/front/top	08037094		2
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		1
			1.7	Sliding door/right/bottom	08012507		1
			1.9	Sliding door/left/top	08022275		1
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L1-H2	2006	3000	2.3	Left/rear/top	08037158		2
			1.4	Left/rear/bottom	08037104		2
			0.9	Left/rear/top	08037160		1
			0.9	Left/front/top	08037155		1
			2.2	Left/front/top	08037153		2
			2.2	Left/front/bottom	08037091		2
			2.1	Right/rear/top	08037157		2
			1.4	Right/rear/bottom	08037103		2
			0.9	Right/rear/top	08037159		1
			0.9	Right/front/top	08037156		1
			2.3	Right/front/top	08037154		2
			2.2	Right/front/bottom	08037092		2
			1.9	Sliding door/right/top	08012508		1
			1.7	Sliding door/right/bottom	08012507		1
			1.9	Sliding door/left/top	08022275		1
			1.7	Sliding door/left/bottom	08022274		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L2-H1	2006	3450	2.8	Left/rear/top	08037118		2
			1.8	Left/rear/bottom	08037112		2
			2.6	Left/front/top	08037109		2
			2.5	Left/front/bottom	08037107		2
			2.8	Right/rear/top	08037117		2
			1.9	Right/rear/bottom	08037111		2
			2.6	Right/front/top	08037110		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L2-H2	2006	3450	2.7	Left/rear/top	08037126		2
			1.8	Left/rear/bottom	08037112		2
			1.1	Left/rear/top	08037128		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			2.7	Right/rear/top	08037125		2
			1.8	Right/rear/bottom	08037111		2
			1.1	Right/rear/top	08037127		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			1.0	Right/front/top	08037122		1
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L3-H2	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			1.5	Left/rear/top	08037134		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			1.5	Right/rear/top	08037133		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L3-H3	2006	4035	3.8	Left/rear/top	08037132		2
			3.0	Left/rear/bottom	08037130		2
			2.6	Left/rear/top	08037138		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037121		1
			3.8	Right/rear/top	08037131		2
			3.0	Right/rear/bottom	08037129		2
			2.6	Right/rear/top	08037137		1
			1.8	Right/front/top	08037124		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L4-H2	2006	4035* * With overhang	4.5	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			1.8	Left/rear/top	08037144		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			1.8	Right/rear/top	08037143		1
			1.2	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Boxer L4-H3	2006	4035* * With overhang	4.4	Left/rear/top	08037142		2
			3.8	Left/rear/bottom	08037140		2
			3.1	Left/rear/top	08037152		1
			2.5	Left/front/top	08037119		2
			2.5	Left/front/bottom	08037107		2
			1.0	Left/front/top	08037123		1
			4.5	Right/rear/top	08037141		2
			3.8	Right/rear/bottom	08037139		2
			3.1	Right/rear/top	08037151		1
			1.0	Right/front/top	08037122		1
			2.5	Right/front/top	08037120		2
			2.5	Right/front/bottom	08037108		2
			2.2	Sliding door/right/top	08012517		1
			2.0	Sliding door/right/bottom	08012516		2
			0.7	Sliding door/right top	08012518		1
			2.2	Sliding door/left/top	08022277		1
			2.0	Sliding door/left/bottom	08022276		2
			0.7	Sliding door/right top	08022278		1
			1.4	Rear door/left/top	08012512		1
			1.1	Rear door/left/bottom	08012511		2
			0.5	Rear door/left/top	08012541		1
			1.4	Rear door/right/top	08012510		1
			1.1	Rear door/right/bottom	08012509		2
			0.5	Rear door/right/top	08012540		1

1

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Boxer L1-H1	2006	3000	12220104.95		7	12220105.95		10
Boxer L1-H2**	2006	3000	12220144.95		7	12220145.95		10
Boxer L2-H1	2006	3450	12220106.95		12	12220107.95		15
Boxer L2-H2**	2006	3450	12220108.95		12	12220109.95		15
Boxer L3-H2**	2006	4035	12220110.95		13	12220111.95		16
Boxer L3-H3**	2006	4035	12220112.95		13	12220113.95		16
Boxer L4-H2**	2006	4035*	12220114.95		14	12220115.95		17
Boxer L4-H3**	2006	4035*	12220116.95		14	12220117.95		17

* With overhang ** High roof version with side lining over the full height

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Boxer L1-H1	2006	3000	12221104.95		10	12221105.95		13
Boxer L1-H2**	2006	3000	12221144.95		10	12221145.95		13
Boxer L2-H1	2006	3450	12221106.95		15	12221107.95		18
Boxer L2-H2**	2006	3450	12221108.95		15	12221109.95		18
Boxer L3-H2**	2006	4035	12221110.95		16	12221111.95		19
Boxer L3-H3**	2006	4035	12221112.95		16	12221113.95		19
Boxer L4-H2**	2006	4035*	12221114.95		17	12221115.95		20
Boxer L4-H3**	2006	4035*	12221116.95		17	12221117.95		20

* With overhang ** High roof version with side lining over the full height

vario protect rail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Boxer L1-H1	2006	3000	12220180.95				8
Boxer L2-H1	2006	3000	12220176.95				8
Boxer L2-H2 T*	2006	3450	12220177.95				8
Boxer L3-H2 T*	2006	3450	12220178.95				10
Boxer L4-H2 T*	2006	4035*	12220179.95				12

* With overhang T* High roof version with full height side lining

vario protect prorail interior side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Boxer L1-H1	2006	3000	12221180.95				8
Boxer L2-H1	2006	3000	12221176.95				8
Boxer L2-H2 T*	2006	3450	12221177.95				8
Boxer L3-H2 T*	2006	3450	12221178.95				10
Boxer L4-H2 T*	2006	4035*	12221179.95				12

* With overhang T* High roof version with full height side lining

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Boxer L2-L3	rigth door	2006	08022548.98		
Boxer L2-L3	left door	2006	08022547.98		

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Partner L1	2018	2785	12231047.95		13
Partner L2	2018	2975	12231048.95		13
Expert L1**	2016	2925	12231033.95		6
Expert L2**	2016	3275	12231034.95		6
Expert L3**	2016	3275*	12231035.95		6
Boxer L2	2006	3450	12231054.95		
Boxer L3	2006	4035	12231055.95		
Boxer L4	2006	4035	12231056.95		

* With overhang **incl. profile

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Partner L1-L2	2018	12230100.19V		3
Boxer L1-L2-L3-L4	2006	12230057.19V		3

1

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Partner L1-L2	2018	Rear doors	12230094.19V		3
Partner L1	2018	Sliding door, left	12230095.19V		2
Partner L1	2018	Sliding door, right	12230096.19V		2
Partner L2	2018	Sliding door, left	12230097.19V		2
Partner L2	2018	Sliding door, right	12230098.19V		2
Expert L1-L2-L3	2016	Rear doors	12230077.19V		3
Expert L1	2016	Sliding door, left	12230079.19V		2
Expert L1	2016	Sliding door, right	12230080.19V		2
Expert L2-L3	2016	Sliding door, left	12230082.19V		2
Expert L2-L3	2016	Sliding door, right	12230083.19V		2
Boxer L1-L2-L3-L4	2006	Rear doors	12230026.19V		3
Boxer L1	2006	Sliding door, right	12230027.19V		2
Boxer L1	2006	Sliding door, left	12230088.19V		
Boxer L2-L4	2006	Sliding door, right	12230028.19V		2
Boxer L2-L4	2006	Sliding door, left	12230089.19V		

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Kangoo L1	2013	2313	11320130[2]		11310130[2]		11312130[2]	2		
Kangoo L2	2013	2697	11320127[2]		11310127[2]		11312127[2]	3		
Kangoo L3	2013	3081	11320136[2]		11310136[2]		11312136[2]	3		
Express	2021	2810	11320146		11310146		11312146	3		
Kangoo Rapid L1	2021	2716	11320591[2]		11310591[2]		11312591[2]	3		
Kangoo Rapid L2	2021	3100	11320592[2]		11310592[2]		11312592[2]	3		
Trafic L1-H1	2014	3098	11320154[2]		11310154[2]		11312154[2]	3		11321154[2]
Trafic L1-H2	2014	3098	11320484[2]		11310484[2]		11312484[2]	2		11321484[2]
Trafic L2-H1	2014	3498	11320155[2]		11310155[2]		11312155[2]	4		11321155[2]
Trafic L2-H2	2014	3498	11320446		11310446		11312446	4		11321446
Master L1-FWD	2011	3182	11320137		11310137		11312137	3		11321137
Master L2-FA	2010	3682	11320138		11310138		11312138	3		11321138
Master L3-FA	2010	4332	11320139		11310139		11312139	4		11321139
Master L3-HA	2010	3682	11320140		11310140		11312140	4		11321140
Master L3-RWD Dual tyr.	2010	3682	11320174		11310174		11312174	4		11321174
Master L4-HA	2010	4332	11320141		11310141		11312141	5		11321141
Master L4-RWD Dual tyr.	2010	4332	11320175		11310175		11312175	5		11321175
Master L2-FA XDD	2024		11320663		11310663		11312663	3		
Master L3-FA XDD	2024		11320664		11310664		11312664	3		

[2]Installation without hold-down cup, FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic**Double cab only in conjunction with hard top

Basic interior - you will find further information from page 214 onwards

Expressdelivery possible 48 h

bott vario3 floor with customised adjustments Renault

Vehicle	Model year from	Wheel-base	Order Ref.		AW Value
Kangoo L1	2008	2313	11323130		5
Kangoo L2	2008	2697	11323127		6
Kangoo L3	2010	3081	11323136		6
Kangoo Rapid L1	2021	2716	11323591		6
Kangoo Rapid L2	2021	3100	11323592		6
Trafic L1-H1	2014	3098	11323154		7
Trafic L1-H2	2014	3098	11323484		7
Trafic L2-H1	2014	3498	11323155		7
Trafic L2-H1	2016	3498	11323446		7
Master FA-L1	2011	3182	11323137		7
Master FA-L2	2010	3682	11323138		8
Master FA-L3	2010	4332	11323139		9
Master HA-L3	2010	3682	11323140		9
Master RWD-L3 Dual tyres	2010	3682	11323174		9
Master HA-L4	2010	4332	11323141		9
Master RWD-L4 Dual tyres	2010	4332	11323175		9
Master L2-FA XDD	2024	4332	11323663		
Master L3-FA XDD	2024	4332	11323664		

- The use of shoring poles is not approved for vehicles with a super high roof made of plastic

bott vario3 floor with aluminium chequer plate

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Kangoo L2	2008	2697			3

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lahing rails		AW Value
Trafic L2-H1	2014	3498	11323532	2*		
Trafic L2-H2	2014	3498	11323563	2*		
Master L2-FA	2010	3682	11323535	2*		

*max. Number possible - must be planned individually

1

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Kangoo L1	2013	2313	12225161.95		4	12225162.95			6
Kangoo L2	2013	2697	12225163.95		4	12225164.95			6
Kangoo L3	2013	3081	12225165.95		4	12225166.95			6
Express	2021	2810	12225167.95		4	12225167.95			6
Kangoo/ eKangoo Rapid L1 with B-pillar	2021	2716	12225389.95		4	12225390.95	12225391.95		6
Kangoo Rapid L1 without B-pillar	2021	2716	12225389.95		4	12225410.95	12225411.95		6
Kangoo/ eKangoo Rapid L2	2021	3100	12225394.95		4	12225395.95	12225396.95		6
Trafic L1-H1	2014	3098	12225206.95		6	12225207.95	12225208.95		8
Trafic L2-H1	2014	3498	12225209.95		6	12225210.95	12225211.95		8
Trafic L1-H2	2014	3098	12225206.95		6	12225299.95			9
Trafic L2-H2	2014	3498	12225209.95		6	12225300.95			10
Master L1-H1-FA	2011	3182	12225128.95		6	12225130.95			8
Master L1-H2-FWD**	2011	3182	12225129.95		6	12225131.95			8
Master L2-H2-H3-FWD**	2010	3682	12225132.95		8	12225133.95			10
Master L3-2-H3-FWD**	2010	4332	12225134.95		8	12225135.95			10
Master L3-H2-H3-RWD**	2010	3682	12225136.95		8	12225137.95			10
Master L4-H2-H3-RWD**	2010	4332	12225138.95		10	12225139.95			12

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Kangoo L1	2013	2313	12226161.95		4	12226162.95			6
Kangoo L2	2013	2697	12226163.95		4	12226164.95			6
Kangoo L3	2013	3081	12226165.95		4	12226166.95			6
Express	2021	2810	12226167.95			12226167.95	12226167.95		
Kangoo/ eKangoo Rapid L1 with B-pillar	2021	2716	12226389.95		4	12226390.95	12226391.95		6
Kangoo Rapid L1 without B-pillar	2021	2716	12226389.95		4	12226410.95	12226411.95		6
Kangoo/ eKangoo Rapid L2	2021	3100	12226389.95			12226390.95	12226391.95		6
Trafic L1-H1	2014	3098	12226206.95		6	12226207.95	12226208.95		8
Trafic L2-H1	2014	3498	12226209.95		6	12226210.95	12226211.95		8
Trafic L1-H2	2014	3098	12226206.95		6	12226299.95			9
Trafic L2-H2	2014	3498	12226209.95		6	12226300.95			10
Master L1-H1-FA	2011	3182	12226128.95		6	12226130.95			8
Master L1-H2-FWD**	2011	3182	12226129.95		6	12226131.95			8
Master L2-H2-H3-FWD**	2010	3682	12226132.95		8	12226133.95			10
Master L3-2-H3-FWD**	2010	4332	12226134.95		8	12226135.95			10
Master L3-H2-H3-RWD**	2010	3682	12226136.95		8	12226137.95			10
Master L4-H2-H3-RWD**	2010	4332	12226138.95		10	12226139.95			12
Master L2-H2-H3-FA XDD	2024	3182	12226462.95			12226463.95	12226465.95		
Master L3-H2-H3-FA XDD	2024	4332	12226466.95			12226467.95	12226469.95		

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Kangoo L3	2012	3081	12225294.95				6
Express	2021	2810	12225416.95				8
Kangoo/ eKangoo Rapid L1 with B-pillar	2021	2716	12225392.95		12226393.95		8
Kangoo Rapid L1 without B-pillar	2021	2716	12225412.95		12226413.95		8
Kangoo/ eKangoo Rapid L2	2021	3100	12225397.95		12225398.95		8
Trafic L1	2014	3098	12225255.95		12225257.95		8
Trafic L2	2014	3498	12225261.95		12225262.95		8
Master L1-H1 FWD	2011	3182	12225181.95				8
Master L1-H2 FWD T*	2011	3182	12225182.95				8
Master L2-H2 FWD T*	2010	3682	12225183.95				10
Master L3-H2 FWD T*	2010	4332	12225184.95				12
Master L3-H2 RWD T*	2010	3682	12225185.95				12
Master L4-H2 RWD T*	2010	4332	12225186.95				12

T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Kangoo L3	2012	3081	12226294.95				6
Express	2021	2810	12226416.95				
Kangoo/ eKangoo Rapid L1 with B-pillar	2021	2716	12226392.95		12226393.95		8
Kangoo Rapid L1 without B-pillar	2021	2716	12226412.95		12226413.95		8
Kangoo/ eKangoo Rapid L2	2021	3100	12226397.95		12226398.95		8
Trafic L1	2014	3098	12226255.95		12226257.95		8
Trafic L2	2014	3498	12226261.95		12226262.95		8
Master L1-H1 FWD	2011	3182	12226181.95				8
Master L1-H2 FWD T*	2011	3182	12226182.95				8
Master L2-H2 FWD T*	2010	3682	12226183.95				10
Master L3-H2 FWD T*	2010	4332	12226184.95				12
Master L3-H2 RWD T*	2010	3682	12226185.95				12
Master L4-H2 RWD T*	2010	4332	12226186.95				12

T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Kangoo L1	2013	2313	12225161.98		7	12225162.98			10
Kangoo L2	2013	2697	12225163.98		7	12225164.98			10
Kangoo L3	2013	3081	12225165.98		7	12225166.98			10
Express	2021	2810	12225167.95		6	12225415.98			
Kangoo L1 with B-pillar	2021	2716	12225389.98		6	12225390.98	12225391.98		
Kangoo L1 without B-pillar	2021	2716	12225389.98		6	12225410.98	12225411.98		
Kangoo Rapid L2	2021	3100	12225394.98		7	12225395.98	12225396.98		10
Trafic L1-H1	2014	3098	12225206.98		9	12225207.98	12225208.98		12
Trafic L2-H1	2014	3498	12225209.98		10	12225210.98	12225211.98		16
Trafic L1-H2	2014	3098				12225299.98			12
Trafic L2-H2	2014	3498				12225300.98			19
Master L1-H1-FA	2011	3182	12225128.98		9	12225130.98			12
Master L1-H2-FWD**	2011	3182	12225129.98		10	12225131.98			16
Master L2-H2-H3-FWD**	2010	3682	12225132.98		12	12225133.98			20
Master L3-H2-H3-FWD**	2010	4332	12225134.98		15	12225135.98			21
Master L3-H2-H3-RWD**	2010	3682	12225136.98		15	12225137.98			21
Master L4-H2-H3-RWD**	2010	4332	12225138.98		15	12225139.98			21
Master L2-H2-H3-FA XDD	2024	3182	12225462.98	815,00		12225463.98	12225465.98	1.280,00	
Master L3-H2-H3-FA XDD	2024	4332	12225466.98	945,00		12225467.98	12225469.98	1.520,00	

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

vario protect plus side lining for vehicles with 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Kangoo L3	2012	3081	12225294.98				10
Express	2021	2810	12225392.98		12225393.98		6
Kangoo L1 with B-pillar	2021	2716	12225416.98				6
Kangoo L1 without B-pillar	2021	2716	12225412.98		12225413.98		6
Kangoo Rapid L2	2021	3100	12225397.98		12225398.98		8
Trafic L1	2014	3098	12225255.98		12225257.98		12
Trafic L2	2014	3498	12225261.98		12225262.98		16
Master L1-H1 FWD	2011	3182	12225181.98				12
Master L1-H2 FWD T*	2011	3182	12225182.98				16
Master L2-H2 FWD T*	2010	3682	12225183.98				20
Master L3-H2 FWD T*	2010	4332	12225184.98				21
Master L3-H2 RWD T*	2010	3682	12225185.98				21
Master L4-H2 RWD T*	2010	4332	12225186.98				21

T* High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

Individual panels vario protect plus without fixing kit Renault

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Kangoo L1	2013	2313	All roof forms	3.5	Left/complete	08012936		2
			All roof forms	1.5	Right/complete	08012937		2
			All roof forms	1.0	Rear door/left/top	08012615		1
			All roof forms	0.6	Rear door/left/bottom	08012614		2
			All roof forms	0.4	Rear door/right/bottom	08012616		2
			All roof forms	0.6	Rear door/right/top	08012617		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Kangoo L2	2013	2697	All roof forms	3.5	Left/complete	08012932		2
			All roof forms	1.5	Right/rear/complete	08012933		2
			All roof forms	1.1	Sliding door/right/top	08012619		1
			All roof forms	0.9	Sliding door/right/bottom	08012618		2
			All roof forms	1.0	Rear door/left/top	08012615		1
			All roof forms	0.6	Rear door/left/bottom	08012614		2
			All roof forms	0.4	Rear door/right/bottom	08012616		1
			All roof forms	0.6	Rear door/right/top	08012617		1
			All roof forms		Sliding door/left/bottom	08022258		1
			All roof forms		Sliding door/left/top	08022259		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Kangoo L1	2021	2716	0,7	Right/front/top	08022378		
			0,7	Right/front/bottom	08022380		2
			0,5	Right/rear/complett	08022375		2
			0,7	Sliding door/right/top	08022436		1
			0,9	Sliding door/right/bottom	08022373		2
			0,6	Rear door/left/top	08022368		1
			0,5	Rear door/left/bottom	08022370		2
			0,4	Tailgate/rigth/bottom	08022369		1
			0,4	Tailgate/right/top	08022367		1
			0,9	Sliding door/left/bottom	08022374		1
			0,7	Sliding door/ left/top	08022372		1
			1,0	Left/rear/complett	08022376		2
			0,7	Left/front/top	08022377		2
			0,7	Left/front/bottom	08022379		2

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Kangoo L2	2021	3100	0,7	Right/front/top	08022454		
			0,7	Right/front/bottom	08022456		2
			0,5	Right/rear/complett	08022451		2
			0,7	Sliding door/right/top	08022447		1
			0,9	Sliding door/right/bottom	08022449		2
			0,9	Sliding door/left/bottom	08022450		1
			0,7	Sliding door/ left/top	08022448		1
			1,0	Left/rear/complett	08022452		2
			0,7	Left/front/top	08022453		2
			0,7	Left/front/bottom	08022455		2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Express	2021	2810	All roof forms	0.4	Rear door/left/bottom	08012889		2
			All roof forms	0.2	Rear door/right/bottom	08012890		2
			All roof forms	0.8	Rear door/left/top	08012891		1
			All roof forms	0.5	Rear door/right/top	08012892		1
			All roof forms	1.2	Right/rear/complete	08012893		2
			All roof forms	1.4	Left/rear/complete	08012894		2
			All roof forms	0.9	Left/front/bottom	08022440		2
			All roof forms	1.3	Left/front/top	08012896		2
			All roof forms	0.8	Sliding door/left/top	08012897		1
			All roof forms	0.8	Sliding door/right/top	08012898		1
			All roof forms	0.8	Sliding door/left/bottom	08022439		2
			All roof forms	0.8	Sliding door/right/bottom	08022438		2

Model	Model	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Kangoo L1	Kangoo L1	2021	2716	0,7	Right/front/top	08022378		
				0,7	Right/front/bottom	08022380		2
				0,5	Right/rear/complet	08022375		2
				0,7	Sliding door/rigth/top	08022436		1
				0,9	Sliding door/rigth/bottom	08022373		2
				0,6	Tailgate/left/top	08022368		1
				0,5	Tailgate/left/bottom	08022370		2
				0,4	Tailgate/rigth/bottom	08022369		1
				0,4	Tailgate/rigth/top	08022367		1
				0,9	Sliding door/left/bottom	08022374		1
				0,7	Sliding door/left/top	08022372		1
				1,0	Left/rear/complet	08022376		2
				0,7	Left/front/top	08022377		2
				0,7	Left/front/bottom	08022379		2

Individual panels vario protect plus without fixing kit Renault

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Trafic L1	2014	3098	All roof forms	1.4	Left/rear/complete	08022031		2
			All roof forms	2.0	Left/front/complete	08022033		2
			All roof forms	1.4	Right/rear/complete	08022032		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms	1.4	Tailgate/top/complete	08022250		2
			All roof forms	1.4	Sliding door/left/top	08022035		2
			All roof forms	1.4	Sliding door/right/top	08022034		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Trafic L2	2014	3498	Normal roof	2.1	Left/rear/complete	08022069		2
			Normal roof	2.0	Left/front/complete	08022033		2
			Normal roof	2.1	Right/rear/complete	08022068		2
			All roof forms	1.5	Rear door/left/top	08012668		2
			All roof forms	1.0	Rear door/right/top	08012669		2
			All roof forms		Tailgate/top/complete	08022250		2
			All roof forms	1.4	Sliding door/right/top	08022034		2
			All roof forms	1.4	Sliding door/left/top	08022035		2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L1-H1	2011	3182	1.7	Left/rear/bottom	08037318		2
			2.0	Left/rear/top	08037319		2
			2.4	Left/front/bottom	08037314		2
			2.2	Left/front/top	08037315		2
			1.7	Right/rear/bottom	08037326		2
			2.0	Right/rear/top	08037327		2
			2.4	Right/front/bottom	08037322		2
			2.2	Right/front/top	08037323		2
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			0.5	Sliding door/right/top	08012773		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L1-H2	2011	3182	1.7	Left/rear/bottom	08037318		2
			1.8	Left/rear/top	08037320		2
			0.7	Left/rear/top	08037321		1
			2.4	Left/front/bottom	08037314		2
			2.0	Left/front/top	08037316		2
			2.0	Left/front/top	08037317		1
			1.7	Right/rear/bottom	08037326		2
			1.8	Right/rear/top	08037328		2
			0.7	Right/rear/top	08037329		1
			2.4	Right/front/bottom	08037322		2
			2.0	Right/front/top	08037324		2
			2.4	Right/front/top	08037325		1
			2.3	Sliding door/right/bottom	08012848		2
			2.0	Sliding door/right/top	08012846		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012860		2
			2.0	Sliding door/left/top	08012847		1
			0.5	Sliding door/left/top	08022128		1
			1.1	Rear door/left/bottom	08012772		2
			1.2	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			0.9	Rear door/right/bottom	08012771		2
			1.3	Rear door/right/top	08012769		1
			0.4	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L2-H2-H3	2011	3682	2.3	Left/rear/bottom	08037231		2
			2.3	Left/rear/top	08037229		2
			0.9	Left/rear/top	08037311		1
			2.4	Left/front/bottom	08037307		2
			2.9	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.3	Right/rear/bottom	08037232		2
			2.3	Right/rear/top	08037230		2
			0.9	Right/rear/top	08037312		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L3-H2-H3-FA	2011	4322	3.7	Left/rear/bottom	08037330		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.9	Left/front/bottom	08037307		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.7	Right/rear/bottom	08037333		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.9	Right/front/bottom	08037308		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L3-H2-H3-HA	2011	4322	3.4	Left/rear/bottom	08037349		2
			3.5	Left/rear/top	08037331		2
			1.3	Left/rear/top	08037332		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			3.4	Right/rear/bottom	08037350		2
			3.5	Right/rear/top	08037334		2
			1.3	Right/rear/top	08037335		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Master L4-H2-H3-HA	2011	4322	2.2	Left/rear/bottom	08037342		2
			2.2	Left/rear/top	08037343		2
			0.8	Left/rear/top	08037344		1
			2.5	Left/middle/bottom	08037336		2
			2.4	Left/middle/top	08037337		2
			0.9	Left/middle/top	08037338		1
			2.5	Left/front/bottom	08037313		2
			2.4	Left/front/top	08037233		2
			0.9	Left/front/top	08037309		1
			2.2	Right/rear/bottom	08037345		2
			2.2	Right/rear/top	08037346		2
			0.8	Right/rear/top	08037347		1
			2.5	Right/middle/bottom	08037339		2
			2.4	Right/middle/top	08037340		2
			0.9	Right/middle/top	08037341		1
			2.5	Right/front/bottom	08037348		2
			2.4	Right/front/top	08037234		2
			0.9	Right/front/top	08037310		1
			2.0	Sliding door/right/bottom	08012775		2
			2.2	Sliding door/right/top	08012774		1
			0.5	Sliding door/right/top	08012773		1
			2.3	Sliding door/left/bottom	08012859		2
			2.0	Sliding door/left/top	08012858		1
			0.5	Sliding door/left/top	08022128		1
			1.2	Rear door/left/bottom	08012772		2
			1.1	Rear door/left/top	08012770		1
			0.4	Rear door/left/top	08012768		1
			1.3	Rear door/right/bottom	08012771		2
			0.8	Rear door/right/top	08012769		1
			0.3	Rear door/right/top	08012767		1

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced		AW Value
Master L1-H1-FA	2011	3182	12220128.95		7	12220130.95		10
Master L1-H2-FWD**	2011	3182	12220129.95		7	12220131.95		10
Master L2-H2-H3-FWD**	2010	3682	12220132.95		12	12220133.95		15
Master L3-2-H3-FWD**	2010	4332	12220134.95		13	12220135.95		16
Master L3-H2-H3-RWD**	2010	3682	12220136.95		13	12220137.95		16
Master L4-H2-H3-RWD**	2010	4332	12220138.95		17	12220139.95		17

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect rail interior side lining for vehicles with 2 sliding doors

Model	Baujahr ab	Radstand mm	[1+2+3] bott vario3 protect rail advanced (Hecktüren)		AW Wert
Master L1-H1-FA	2011	3182	12220181.95		10
Master L1-H2-FA**	2011	3182	12220182.95		15
Master L2-H2-H3-FA**	2010	3682	12220183.95		15
Master L3-H2-H3-FA**	2010	4332	12220184.95		16
Master L3-H2-H3-HA**	2010	3682	12220185.95		16
Master L4-H2-H3-HA**	2010	4332	12220186.95		17

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect prorail		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Master L1-H2-FWD**	2011	3182	12221129.95		7	12221131.95		10
Master L2-H2-H3-FWD**	2010	3682	12221132.95		12	12221133.95		15
Master L3-2-H3-FWD**	2010	4332	12221134.95		13	12221135.95		16
Master L3-H2-H3-RWD**	2010	3682	12221136.95		13	12221137.95		16
Master L4-H2-H3-RWD**	2010	4332	12221138.95		17	12221139.95		17

** High roof version with full height side lining FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors

Model	Baujahr ab	Radstand mm	[1+2+3] bott vario3 protect rail advanced (Hecktüren)		AW Wert
Master L1-H2-FA**	2011	3182	12221182.95		15
Master L2-H2-H3-FA**	2010	3682	12221183.95		15
Master L3-H2-H3-FA**	2010	4332	12221184.95		16
Master L3-H2-H3-HA**	2010	3682	12221185.95		16
Master L4-H2-H3-HA**	2010	4332	12221186.95		17

** Ausführung Hochdach über die komplette Höhe verkleidet FA = Frontantrieb HA = Heckantrieb

bott vario3 protect roof liners for your Renault

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Kangoo L1*	2012	2697	12231014.95		9
Trafic L1-H1*	2014	3098	12231020.95		13
Trafic L2-H1*	2014	3498	12231021.95		13
Master L2-H2-RWD-FWD*	2010	3682	12231010.95		17
Master L3-H2-RWD-FWD*	2010	3682/4332	12231011.95		17
Master XDD L2-H2	2024	4332	12231059.95		

FWD = Front wheel drive RWD = Rear wheel drive *incl. profile

Window grilles for the vehicle bulkhead for your Renault

Model	Model year from	Order Ref.		AW Value
Kangoo L1	2020	12230116.19V		3
Trafic L1-L2	2014	12230006.19V		3
Master L1-L2-L3-L4	2010	12230013.19V		3

Window grilles for sliding and rear doors and tailgates for your Renault

Model	Model year from	Suitable door type	Order Ref.		AW Value
Express	2020	Rear doors	12230146.19V		3
Express	2020	Sliding door, right	12230144.19V		2
Express	2020	Sliding door, left	12230145.19V		2
Kangoo L1	2021	Rear doors	12230112.19V		3
Kangoo L1	2021	Tailgate	12230113.19V		
Kangoo L1	2021	Sliding door, right	12230114.19V		2
Kangoo L1	2021	Sliding door, left	12230115.19V		2
Kangoo L1 without B-pillar	2021	Sliding door, right	12230143.19V		2
Trafic L1-L2	2014	Rear doors	12230021.19V		3
Trafic L1-L2	2014	Tailgate	12230036.19V		2
Trafic L1-L2	2014	Sliding door, right	12230059.19V		2
Trafic L1-L2	2014	Sliding door, left	12230060.19V		2
Master L1-L2-L3-L4	2010	Rear doors	12230023.19V		3
Master L1	2010	Sliding door, right	12230024.19V		2
Master L2-L4	2010	Sliding door, right	12230025.19V		2

bott vario3 floor in various versions

Model	Model year from	Wheel-base mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails		Floor with longitudinal lashing rails
Proace City L1	2020	2785	11320475		11310475		11312475	3		
Proace City L2	2020	2975	11320476		11310476		11312476	3		
Hilux	2015				11310471					
Proace Compact	2016	2925	11320182		11310182		11312182	3		11321182
Proace L1	2016	3275	11320183		11310183		11312183	3		11321183
Proace L2	2016	3275*	11320184		11310184		11312184	3		11321184

* With overhang

bott vario3 floor plastic version

Model	Model year from			Floor with step-edge protection		
Hilux	2015			11310471.10		

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lahing rails		AW Value
Proace L1	2016	2975	11323570	2*		6
Proace L2	2016	3275	11323447	2*		7

*max. Number possible - must be planned individually

bott vario3 floor with customised adjustments

Model	Model year from	Wheelbase	Order Ref.		AW Value
Proace City L1	2020	2785	11323475		5
Proace City L2	2020	2975	11323476		6
Proace Compact	2016	2925	11323182		6
Proace L1	2016	3275	11323183		7
Proace L2	2016	3275*	11323134		6

*With overhang

1

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3+5] bott vario3 protect advanced (rear doors)	[1+2+4+5] bott vario3 protect advanced (tailgate)		AW Value
Proace City L1	2020	2785	12225306.95		4	12225307.95	12225308.95		6
Proace City L2	2020	2975	12225311.95		4	12225312.95	12225313.95		6
Proace Compact	2016	2925	12225279.95		5	12225280.95	12225281.95		8
Proace L1	2016	3275	12225284.95		6	12225285.95	12225286.95		9
Proace L2	2016	3275*	12225289.95		7	12225290.95	12225291.95		10

* With overhang

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3+5] bott vario3 protect advanced (rear doors)	[1+2+4+5] bott vario3 protect advanced (tailgate)		AW Value
Proace City L1	2020	2785	12226306.95		4	12226307.95	12226308.95		6
Proace City L2	2020	2975	12226311.95		4	12226312.95	12226313.95		6
Proace Compact	2016	2925	12226279.95		5	12226280.95	12226281.95		8
Proace L1	2016	3275	12226284.95		6	12226285.95	12226286.95		9
Proace L2	2016	3275*	12226289.95		7	12226290.95	12226291.95		10

* With overhang

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Proace City L1	2020	2785	12225309.95		12225310.95		6
Proace City L2	2020	2975	12225314.95		12225315.95		6
Proace Compact	2016	2925	12225282.95		12225283.95		8
Proace L1	2016	3275	12225287.95		12225288.95		9
Proace L2	2016	3275*	12225292.95		12225293.95		10

* With overhang

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Proace City L1	2020	2785	12226309.95		12226310.95		6
Proace City L2	2020	2975	12226314.95		12226315.95		6
Proace Compact	2016	2925	12226282.95		12226283.95		8
Proace L1	2016	3275	12226287.95		12226288.95		9
Proace L2	2016	3275*	12226292.95		12226293.95		10

* With overhang

bott vario3 protect plus interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Proace City L1	2020	2785	12225306.98		7	12225307.98	12225308.98		10
Proace City L2	2020	2975	12225311.98		7	12225312.98	12225313.98		10
Proace Compact	2016	2925	12225279.98		8	12225280.98	12225281.98		11
Proace L1	2016	3275	12225284.98		9	12225285.98	12225286.98		12
Proace L2	2016	3275*	12225289.98		10	12225290.98	12225291.98		16

* With overhang

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value	[1+2+4] complete set tailgate + sliding doors		AW Value
Proace City L1	2020	2785	12225309.98			12225310.98		
Proace City L2	2020	2975	12225314.98			12225315.98		
Proace Compact	2016	2925	12225282.98		11	12225283.98		11
Proace L1	2016	3275	12225287.98		12	12225288.98		12
Proace L2	2016	3275*	12225292.98		16	12225293.98		16

* With overhang

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Proace compact	2016	2925	Normal roof		Left/rear/complete	08022220		1
			Normal roof		Left/front/complete	08022221		2
			Normal roof		Right/front/complete	08022222		2
			Normal roof		Right/rear/complete	08022219		1
			Normal roof		Sliding door/right/top	08022225		1
			Normal roof		Sliding door/right/bottom	08022217		1
			Normal roof		Rear door/left/top	08022205		1
			Normal roof		Rear door/left/bottom	08022200		1
			Normal roof		Rear door/right/top	08022204		1
			Normal roof		Rear door/right/bottom	08022199		1
			Normal roof/sliding door left		Sliding door/left/bottom	08022218		1
			Normal roof/sliding door left		Sliding door/left/top	08022226		1

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Proace L1	2016	3275	Normal roof	2.4	Right/rear/complete	08022213		2
			Normal roof	2.2	Left/rear/complete	08022214		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof		Right/front/complete	08022224		2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
Proace L2	2016	3275 L	Normal roof		Right/rear/complete	08022215		2
			Normal roof		Left/rear/complete	08022216		2
			Normal roof	3.5	Left/front/complete	08022223		2
			Normal roof	1.3	Sliding door/right/top	08022209		2
			Normal roof	1.5	Sliding door/right/bottom	08022197		2
			Normal roof	0.6	Rear door/left/top	08022205		1
			Normal roof	0.6	Rear door/left/bottom	08022200		1
			Normal roof	0.6	Rear door/right/top	08022204		1
			Normal roof	0.6	Rear door/right/bottom	08022199		1
			Normal roof/sliding door left	1.5	Sliding door/left/bottom	08022198		2
			Normal roof/sliding door left	1.3	Sliding door/left/top	08022210		2
			Normal roof		Right/front/complete	08022224		2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Proace City L1	2020	2785		left/rear/top	08022305		1
				left/front/top	08022313		2
				right/back/top	08022304		1
				right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Proace City L2	2020	2795		left/rear/top	08022307		2
				left/front/top	08022313		2
				right/back/top	08022306		2
				right/front/top	08022314		2
				Rear door/left/top	08022312		1
				Rear door/right/top	08022310		1
				Sliding door/right/top	08022308		1
				Sliding door/left/top	08022309		1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Proace Max L2-L3	rigth door	2006	08022548.98		
Proace Max L2-L3	left door	2006	08022547.98		

1

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Proace City L1	2020	2875	12231047.95		13
Proace City L2	2020	2975	12231048.95		13
Proace Compact	2016	2925	12231033.95		6
Proace L1	2016	3275	12231034.95		6
Proace L2	2016	3275*	12231035.95		6

* With overhang

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Proace City L1	2018	Sliding door left	12230095.19V		2
Proace City L1	2018	Sliding door rigth	12230096.19V		2
Proace City L2	2018	Sliding door left	12230097.19V		2
Proace City L2	2018	Sliding door rigth	12230098.19V		2
Proace Compact-L1-L2	2016	Rear doors	12230077.19V		3
Proace Compact	2016	Sliding door, left	12230079.19V		2
Proace Compact	2016	Sliding door, right	12230080.19V		2
Proace L1-L2	2016	Sliding door, left	12230082.19V		2
Proace L1-L2	2016	Sliding door, right	12230083.19V		2

bott vario3 floor in various versions

Model	Model year from	Wheelbase mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails	Floor with longitudinal lashing rails
Amarok	2017	3095			11310477				
Caddy L1	2015	2682	11320333[2]		11310333[2]		11312333[2]	3	
Caddy L2	2015	3000	11320126[2]		11310126[2]		11312126[2]	4	
Caddy L1	2020	2755	11320579[2]		11310579[2]		11312579[2]	3	
Caddy L2	2020	2970	11320580[2]		11310580[2]		11312580[2]	4	
T6 L1	2015	3000	11320328		11310328		11312328[1]	3	11321328
T6 L2	2015	3400	11320332		11310332		11312332[1]	3	11321332
ID BUZZ	2022	2989	11320623						
Crafter L3-RWD/FWD	2016	3640	11320191		11310191		11312191	5	11321191
Crafter L3-Dual tyr.	2016	3640	11320188		11310188		11312188	5	11321188
Crafter L4-RWD/FWD	2016	4490	11320192		11310192		11312192	5	11321192
Crafter L4-Dual tyr.	2016	4490	11320189		11310189		11312189	5	11321189
Crafter L5-RWD/FWD	2016	4490*	11320193		11310193		11312193	5	11321193
Crafter L5-Dual tyr.	2016	4490*	11320190		11310190		11312190	5	11321190

*With overhang [1] H1 only [2] Installation without hold-down cups FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic

Volkswagen

bott vario3 floor in various versions

Model	Model year from	Wheelbase mm	Floor without step-edge protection		Floor with step-edge protection		Floor with transverse lashing rails	Quantity of transverse lashing rails	Floor with longitudinal lashing rails
Amarok	2017	3095			11310477				
Caddy L1	2015	2682	11320333[2]		11310333[2]		11312333[2]	3	
Caddy L2	2015	3000	11320126[2]		11310126[2]		11312126[2]	4	
Caddy L1	2020	2755	11320579[2]		11310579[2]		11312579[2]	3	
Caddy L2	2020	2970	11320580[2]		11310580[2]		11312580[2]	4	
T6 L1	2015	3000	11320328		11310328		11312328[1]	3	11321328
T6 L2	2015	3400	11320332		11310332		11312332[1]	3	11321332
ID BUZZ	2022	2989	11320623						
Crafter L3-HA/FA	2016	3640	11320191		11310191		11312191	5	11321191
Crafter L3-Zwillingsb.	2016	3640	11320188		11310188		11312188	5	11321188
Crafter L4-HA/FA	2016	4490	11320192		11310192		11312192	5	11321192
Crafter L4-Zwillingsb.	2016	4490	11320189		11310189		11312189	5	11321189
Crafter L5-HA/FA	2016	4490*	11320193		11310193		11312193	5	11321193
Crafter L5-Zwillingsb.	2016	4490*	11320190		11310190		11312190	5	11321190
Amarok Doublecab**	2016	3220			11310467				
Amarok Doublecab***	2022	3270			11310632				
Amarok Doublecab****	2022	3270			11310639				

*With overhang [1] H1 only [2] Installation without hold-down cups FWD = Front wheel drive RWD = Rear wheel drive - The use of shoring poles is not approved for vehicles with a super high roof made of plastic ***without plastic tub ****with plastic tub

bott vario3 floor for double cab

Model	Model year from	Wheel-base mm	Order Ref.	Lahing rails		AW Wert
T6 L1	2015	3000	11323553	2**		6
T6 L2	2015	3400	11323548	2**		7
Crafter L3-FA	2016	3640	11323487[2]	3**		7
Crafter L3-HA	2016	3640	11323545[2]	3**		7
Crafter L4-FA	2016	4490	11323488[2]	5**		9
Crafter L4-HA	2016	4490	11323546[2]	5**		9
Crafter L5-FA	2016	4490*	11323489[2]	6**		9
Crafter L5-HA	2016	4490*	11323547[2]	5**		9

*With overhang - the use of shoring poles is not approved for vehicles with a super high roof made of plastic, ***max. Number possible - must be planned individually

bott vario3 floor plastic version

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Amarok Doublecab*	2022	3220	11310432.10		7
Amarok Doublecab**	2022	3220	11310639.10		7

***without plastic tub ****with plastic tub

bott vario3 floor with customised adjustments

Vehicle	Model year from	Wheel-base	Floor without step-edge protection		AW Value
Caddy L1	2003	2682	11323333		6
Caddy L2	2007	3000	11323126		6
Caddy L1	2020	2755	11323579		6
Caddy L2	2020	2970	11323580		6
T5 L1	2003	3000	11323328		7
T5 L2	2003	3400	11323332		7
ID BUZZ	2022	2989	11323623		
Crafter L3-RWD/FWD	2016	3640	11323191[2]		8
Crafter L3, dual tyres	2016	3640	11323188[2]		8
Crafter L4-RWD/FWD	2016	4490	11323192[2]		9
Crafter L4, dual tyres	2016	3640	11323189[2]		9
Crafter L5-RWD	2016	4490*	11323193[2]		10
Crafter L5, dual tyres	2016	3640	11323190[2]		10
Crafter L3, Dual tyr. Doublecap	2017	3640	11323636		
Crafter L4, Dual tyr. Doublecap	2017	3640	11323637		
Crafter L5, Dual tyr. Doublecap	2017	3640	11323638		

*With overhang [1]H1 only [2]Installation without hold-down cups [3]With step-edge protection- The use of shoring poles is not approved for vehicles with a super high roof made of plastic

bott vario3 protect interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Caddy L1	2015	2682	12225041.95		4	12225042.95	12225252.95		6
Caddy L2	2015	3000	12225043.95		4	12225044.95	12225253.95		6
Caddy L1	2020	2755	12225379.95		4	12225380.95	12225381.95		6
Caddy L2	2020	2970	12225384.95		4	12225385.95	12225386.95		6
T6 L1-H1-H2	2015	3000	12225045.95		6	12225046.95	12225256.95		8
T6 L2-H1-H2	2015	3400	12225048.95		6	12225049.95	12225258.95		8
T6 L2-H3	2015	3400	12225346.95		6	12225154.95			8
Crafter L3-H2	2016	3640	12225267.95		8	12225269.95			11
Crafter L3-H3**	2016	3640	12225268.95		8	12225270.95			11
Crafter L4-H3-H4**	2016	4490	12225273.95		10	12225274.95			13
Crafter L5-H3-H4**	2016	4490*	12225276.95		11	12225277.95			14

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Caddy L1	2015	2682	12226041.95		4	12226042.95	12226252.95		6
Caddy L2	2015	3000	12226043.95		4	12226044.95	12226253.95		6
Caddy L1	2020	2755	12226379.95		4	12226380.95	12226381.95		6
Caddy L2	2020	2970	12226384.95		4	12226385.95	12226386.95		6
T6 L1-H1-H2	2015	3000	12226045.95		6	12226046.95	12226256.95		8
T6 L2-H1-H2	2015	3400	12226048.95		6	12226049.95	12226258.95		8
T6 L2-H3	2015	3400	12226346.95		6	12226154.95			8
Crafter L3-H2	2016	3640	12226267.95		8	12226269.95			11
Crafter L3-H3**	2016	3640	12226268.95		8	12226270.95			11
Crafter L4-H3-H4**	2016	4490	12226273.95		10	12226274.95			13
Crafter L5-H3-H4**	2016	4490*	12226276.95		11	12226277.95			14

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining for Doublecap with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
T6 L1-H1	2015	3000	12225347.95		6	12225348.95	12225349.95		8
T6 L2-H1	2015	3400	12225350.95		6	12225351.95	12225352.95		8
Crafter L3-H2	2016	3640	12225365.95		6	12225366.95			8
Crafter L3-H3	2016	3640	12225367.95		6	12225368.95			8
Crafter L4-H3-H4**	2016	4490	12225369.95		10	12225370.95			12
Crafter L5-H3-H4**	2016	4490*	12225371.95		10	12225372.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining for Doublecap without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
T6 L1-H1	2015	3000	12226347.95		6	12226348.95	12226349.95		8
T6 L2-H1	2015	3400	12226350.95		6	12226351.95	12226352.95		8
Crafter L3-H2	2016	3640	12226365.95		6	12226366.95			8
Crafter L3-H3	2016	3640	12226367.95		6	12226368.95			8
Crafter L4-H3-H4**	2016	4490	12226369.95		10	12226370.95			12
Crafter L5-H3-H4**	2016	4490*	12226371.95		10	12226372.95			12

* With overhang ** High roof version with side lining over the full height

bott vario3 protect interior side lining without fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario protect		AW Value	[1+2+3] bott vario3 protect advanced (rear doors)	[1+2+4] bott vario3 protect advanced (tailgate)		AW Value
Caddy L1	2015	2682	12226041.95		4	12226042.95	12226252.95		6
Caddy L2	2015	3000	12226043.95		4	12226044.95	12226253.95		6
Caddy L1	2020	2755	12226379.95		4	12226380.95	12226381.95		6
Caddy L2	2020	2970	12226384.95		4	12226385.95	12226386.95		6
T6 L1-H1-H2	2015	3000	12226045.95		6	12226046.95	12226256.95		8
T6 L2-H1-H2	2015	3400	12226048.95		6	12226049.95	12226258.95		8
T6 L2-H3	2015	3400	12226346.95		6	12226154.95			8
Crafter L3-H2	2016	3640	12226267.95		8	12226269.95			11
Crafter L3-H3**	2016	3640	12226268.95		8	12226270.95			11
Crafter L4-H3-H4**	2016	4490	12226273.95		10	12226274.95			13
Crafter L5-H3-H4**	2016	4490*	12226276.95		10	12226277.95			14

* With overhang ** High roof version with side lining over the full height

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
T6 short H1-H2	2015	3000	12225174.95		12225259.95		8
T6 long H1-H2	2015	3400	12225175.95		12225260.95		8
Crafter L3-H2	2017	3640	12225271.95		12225211.95		8
Crafter L3-H3 T*	2017	3640	12225272.95				11
Crafter L4-H3-H4 T*	2017	4490	12225275.95				13
Crafter L5 H3-H4 T*	2017	4490*	12225278.95				14

* With overhang T* High roof version with full height side lining

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
T6 short H1-H2	2015	3000	12226174.95		12226259.95		8
T6 long H1-H2	2015	3400	12226175.95		12226260.95		8
Crafter L3-H2	2017	3640	12226271.95				11
Crafter L3-H3 T*	2017	3640	12226272.95				11
Crafter L4-H3-H4 T*	2017	4490	12226275.95				13
Crafter L5 H3-H4 T*	2017	4490*	12226278.95				14

* With overhang T* High roof version with full height side lining

1

bott vario3 protect plus interior side lining with fixing kit

Model	Model year from	Wheelbase mm	[1] bott vario3 protect plus		AW Value	[1+2+3+5+6] bott vario3 protect plus advanced (rear doors)	[1+2+4+5+6] bott vario3 protect plus advanced (tailgate)		AW Value
Caddy L1	2015	2682	12225041.98		7	12225042.98	12225252.98		10
Caddy L2	2015	3000	12225043.98		8	12225044.98	12225253.98		11
Caddy L1	2020	2755	12225379.98	219,00	7	12225380.98	12225381.98	349,00	10
Caddy L2	2020	2970	12225384.98	239,00	8	12225385.98	12225385.98	389,00	11
T6 L1-H1-H2	2015	3000	12225045.98		9	12225046.98	12225256.98		11
T6 L2-H1-H2	2015	3400	12225048.98		10	12225049.98	12225258.98		16
T6 L2-H3	2015	3400	12225346.98		12	12225154.98			16
Crafter L3-H2	2016	3640	12225267.98		11	12225269.98			17
Crafter L3-H3**	2016	3640	12225268.98		14	12225270.98			20
Crafter L4-H3-H4**	2016	4490	12225273.98		16	12225274.98			22
Crafter L5-H3-H4**	2016	4490*	12225276.98		17	12225277.98			23

* With overhang ** High roof version with side lining over the full height

bott vario3 protect plus interior side lining for Doublecap with fixing kit

Model	Baujahr ab	Radstand mm	[1] bott vario protect		AW Wert	[1+2+3] bott vario3 protect advanced (Hecktüren)	[1+2+4] bott vario3 protect advanced (Heckklappe)		AW Wert
T6 L1-H1	2015	3000	12225347.98		8	12225348.98	12225349.98		10
T6 L2-H1	2015	3400	12225350.98		9	12225351.98	12225352.98		12
Crafter L3-H2	2016	3640	12225365.98		10	12225366.98			16
Crafter L3-H3	2016	3640	12225367.98		10	12225368.98			16
Crafter L4-H3-H4**	2016	4490	12225369.98		15	12225370.98			21
Crafter L5-H3-H4**	2016	4490*	12225371.98		16	12225372.98			22

* mit Überhang ** Ausführung Hochdach über die komplette Höhe verkleidet

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		[1+2+4] complete set tailgate + sliding doors		AW Value
Caddy L1	2015	2682	12225295.98		12225296.98		10
Caddy L2	2015	3000	12225153.98		12225254.98		11
Caddy L1	2020	2755	12225382.98	349,00	12225383.98	349,00	10
Caddy L2	2020	2970	12225387.98	319,00	12225388.98	389,00	11
T6 short H1-H2	2015	3000	12225174.98		12225259.98		12
T6 long H1-H2	2015	3400	12225175.98		12225260.98		16
Crafter L3-H2	2017	3640	12225271.98				17
Crafter L3-H3 T*	2017	3640	12225272.98				20
Crafter L4-H3-H4 T*	2017	4490	12225275.98				22
Crafter L5 H3-H4 T*	2017	4490*	12225278.98				23

* With overhang T* High roof version with full height side lining

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value
Caddy L1	2015	2682	All roof forms	3.7	Left/complete	08012832	2
			All roof forms	1.3	Right/rear/complete	08012833	2
			All roof forms	0.5	Sliding door/right/bottom	08012599	2
			All roof forms		Sliding door/right/top	08022096	1
			All roof forms/ 2 sliding doors		Sliding door/left/top	08022097	1
			All roof forms/ 2 sliding doors	0.5	Sliding door/left/bottom	08022168	2
			All roof forms	1.6	Tailgate/top/complete	08022124	1
			All roof forms	1.2	Tailgate/bottom/complete	08022125	2
			All roof forms	0.9	Rear door/left/top	08012638	1
			All roof forms	0.7	Rear door/left/bottom	08012598	2
			All roof forms	0.6	Rear door/right/top	08012637	1
			All roof forms	0.4	Rear door/right/bottom	08012597	2
			All roof forms/ 2 sliding doors	1.2	Left/rear/complete	08022170	2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value
Caddy L2	2015	3000	All roof forms	2.1	Left/rear/complete	08012594	2
			All roof forms	2.1	Left/front/complete	08012596	2
			All roof forms	2.2	Right/rear/complete	08012595	2
			All roof forms	0.5	Sliding door/right/bottom	08012599	2
			All roof forms		Sliding door/right/top	08022096	1
			All roof forms/ 2 sliding doors		Sliding door/left/top	08022097	1
			All roof forms/ 2 sliding doors	0.5	Sliding door/left/bottom	08022168	2
			All roof forms	1.6	Tailgate/top/complete	08022124	1
			All roof forms	1.2	Tailgate/bottom/complete	08022125	2
			All roof forms	0.9	Rear door/left/top	08012638	1
			All roof forms	0.7	Rear door/left/bottom	08012598	2
			All roof forms	0.6	Rear door/right/top	08012637	1
			All roof forms	0.4	Rear door/right/bottom	08012597	2

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value	AW Wert
Caddy L1	2020	2755	All roof forms		Left/complete	08022345	79,00	2
			All roof forms		Right/rear/complete	08022344	79,00	2
			All roof forms		Sliding door/right/bottom	08022350	82,00	2
			All roof forms		Sliding door/right/top	08022348	82,00	1
			All roof forms/ 2 sliding doors		Sliding door/left/top	08022349	82,00	1
			All roof forms/ 2 sliding doors		Sliding door/left/bottom	08022351	82,00	2
			All roof forms		Rear door/left/top	08022341	54,00	1
			All roof forms		Rear door/left/bottom	08022343	54,00	2
			All roof forms		Rear door/right/top	08022340	54,00	1
			All roof forms		Rear door/right/bottom	08022342	54,00	2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value	AW Wert
Caddy L2	2020	2970	All roof forms		Left/front/complete	08022347	109,00	2
			All roof forms		Right/rear/complete	08022346	109,00	2
			All roof forms		Sliding door/right/bottom	08022354	82,00	2
			All roof forms		Sliding door/right/top	08022352	82,00	1
			All roof forms/ 2 sliding doors		Sliding door/left/top	08022353	82,00	1
			All roof forms/ 2 sliding doors		Sliding door/left/bottom	08022355	82,00	2
			All roof forms		Rear door/left/top	08022341	54,00	1
			All roof forms		Rear door/left/bottom	08022343	54,00	2
			All roof forms		Rear door/right/top	08022340	54,00	1
			All roof forms		Rear door/right/bottom	08022342	54,00	2

Individual panels vario protect plus without fixing kit Volkswagen

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value
T6 L1	2015	3000	All roof forms	2.6	Left/rear/complete	08012404	2
			All roof forms	3.7	Left/front/complete	08012405	2
			All roof forms	1.9	Left/front/bottom	08012406	2
			All roof forms	2.6	Right/rear/complete	08012407	2
			All roof forms	1.5	Sliding door/left/top	08012490	1
			All roof forms	2.2	Sliding door/left/bottom	08012489	2
			All roof forms	1.5	Sliding door/right/top	08012409	1
			All roof forms	2.0	Sliding door/right/bottom	08012408	2
			All roof forms	1.9	Tailgate/top/complete	08022147	2
			All roof forms	1.9	Tailgate/bottom/complete	08012410	2
			Normal roof/medium roof	1.2	Rear door/left/top	08012436	1
			All roof forms	0.9	Rear door/left/bottom	08012434	2
			Normal roof/medium roof	1.2	Rear door/right/top	08012437	1
			All roof forms	0.9	Rear door/right/bottom	08012435	2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed	AW Value
T6 L2	2015	3400	All roof forms	3.7	Left/rear/complete	08012429	2
			All roof forms	3.7	Left/front/complete	08012405	2
			All roof forms	1.9	Left/front/bottom	08012406	2
			All roof forms	3.7	Right/rear/complete	08012428	2
			All roof forms	1.5	Sliding door/left/top	08012490	1
			All roof forms	2.2	Sliding door/left/bottom	08012489	2
			All roof forms	1.5	Sliding door/right/top	08012409	1
			All roof forms	2.0	Sliding door/right/bottom	08012408	2
			All roof forms	1.9	Tailgate/top/complete	08022147	2
			All roof forms	1.9	Tailgate/bottom/complete	08022410	2
			Normal roof/medium roof	1.2	Rear door/left/top	08012436	1
			All roof forms	0.9	Rear door/left/bottom	08012434	2
			Normal roof/medium roof	1.2	Rear door/right/top	08012437	1
			All roof forms	0.9	Rear door/right/bottom	08012435	2
			High roof	1.3	Rear door/left/top	08012834	1
			High roof	1.2	Rear door/right/top	08012835	1

1

Individual panels vario protect plus without fixing kit Ford

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
New Transporter L1	2023	3100	Normal roof	1,2	Left/rear/top	08022478		2
			Normal roof	1,3	Left/rear/bottom	08022476		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022479		2
			Normal roof	1,3	Right/rear/bottom	08022477		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022542		1
			Normal roof	0,8	Rear door/left/bottom	08022542		1
			Normal roof	0,8	Rear door/right/top	08022545		1
			Normal roof	0,7	Rear door/right/bottom	08022544		1
			Normal roof	1,9	Tailgate/top/complete			2
			Normal roof	2,1	Tailgate/bottom/complete			2

Model	Model year from	Wheelbase mm	Roof type	Weight kg	Suitable for	Order ref. packed		AW Value
New Transporter L2	2023	3500	Normal roof	1,2	Left/rear/top	08022496		2
			Normal roof	1,3	Left/rear/bottom	08022494		2
			Normal roof	1,4	Left/front/top	08022480		2
			Normal roof	1,6	Left/front/bottom	08022482		2
			Normal roof	1,2	Right/rear/top	08022497		2
			Normal roof	1,3	Right/rear/bottom	08022495		2
			Normal roof	1,4	Rigth/front/top	08022483		2
			Normal roof	1,6	Right/front/bottom	08022481		2
			Normal roof	1,2	Sliding door/left/top	08022487		1
			Normal roof	1,6	Sliding door/left/bottom	08022485		1
			Normal roof	1,2	Sliding door/right/top	08022486		1
			Normal roof	1,6	Sliding door/right/bottom	08022484		1
			Normal roof	0,8	Rear door/left/top	08022542		1
			Normal roof	0,8	Rear door/left/bottom	08022542		1
			Normal roof	0,8	Rear door/right/top	08022545		1
			Normal roof	0,7	Rear door/right/bottom	08022544		1
			Normal roof	1,9	Tailgate/top/complete			2
			Normal roof	2,1	Tailgate/bottom/complete			2

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L3-H2	2016	3640	2.9	Left/rear/top	08037016		2
			2.4	Left/rear/bottom	08037004		2
			2.9	Left/front/top	08037013		2
			2.8	Left/front/bottom	08037001		2
			2.9	Right/rear/top	08037015		2
			2.4	Right/rear/bottom	08037005		2
			2.9	Right/front/top	08037014		2
			2.8	Right/front/bottom	08037010		2
			2.2	Sliding door/right/top	08022237		1
			3.0	Sliding door/right/bottom	08022267		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022268		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L3-H3	2016	3640	3.1	Left/rear/top	08037006		2
			2.4	Left/rear/bottom	08037004		2
			1.1	Left/rear/top	08037008		1
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		1
			3.1	Right/rear/top	08037007		2
			2.4	Right/rear/bottom	08037005		2
			1.1	Right/rear/top	08037009		1
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		1
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L4-H3 L4-H4	2016	4490	4.8	Left/rear/top	08037019		2
			4.0	Left/rear/bottom	08037017		2
			1.7	Left/rear/top	08037021		2
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		1
			4.8	Right/rear/top	08037020		2
			4.0	Right/rear/bottom	08037018		2
			1.7	Right/rear/top	08037022		2
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		1
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L5-H3 L5-H4	2016	4490* *With overhang	1.1	Left/rear/top	08037102		2
			1.0	Left/rear/bottom	08037100		2
			0.4	Left/rear/top	08037116		2
			3.0	Left/front/top	08037002		2
			2.8	Left/front/bottom	08037001		2
			0.4	Left/front/top	08037003		1
			1.1	Right/rear/top	08037101		2
			1.0	Right/rear/bottom	08037099		2
			0.4	Right/rear/top	08037115		1
			3.0	Right/front/top	08037011		2
			2.8	Right/front/bottom	08037010		2
			0.4	Right/front/top	08037012		1
			4.8	Left/middle/top	08037098		2
			4.0	Left/middle/bottom	08037096		2
			1.7	Left/middle/top	08037114		1
			4.8	Right/middle/top	08037097		2
			4.0	Right/middle/bottom	08037095		2
			1.7	Right/middle/top	08037113		1
			2.2	Sliding door/right/top	08022237		2
			3.0	Sliding door/right/bottom	08022227		2
			2.2	Sliding door/left/top	08022238		2
			3.0	Sliding door/left/bottom	08022228		2
			0.9	Rear door/left/top	08022241		1
			1.2	Rear door/left/bottom	08022239		2
			0.9	Rear door/right/top	08022242		1
			1.2	Rear door/right/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Suitable for	Weight kg	Suitable for	Order ref. packed		AW Value
T6 L1	2015	3000	All roof forms	2,6	left/rear/komplett	08012404		2
			All roof forms	2,6	rigth/rear/komplett	08012407		2
			All roof forms	1,9	Tailgate/top/komplett	08022147		2
			All roof forms	1,9	Tailgate/bottom/komplett	08012410		2
			Normal roof/medium roof	1,2	Rear doore/left/top	08012436		1
			All roof forms	0,9	Rear doore/left/bottom	08012434		2
			Normal roof/medium roof	1,2	Rear doore/rigth/top	08012437		1
			All roof forms	0,9	Rear doore/rigth/bottom	08012435		2
			High roof	1,3	Rear doore/left/top	08012834		1
			High roof	1,2	Rear doore/rigth/top	08012835		1

Model	Model year from	Wheelbase mm	Suitable for	Weight kg	Suitable for	Order ref. packed		AW Value
T6 L2	2015	3400	All roof forms	3,7	left/rear/komplett	08012429		2
			All roof forms	3,7	rigth/rear/komplett	08012428		2
			All roof forms	1,9	Tailgate/top/komplett	08022147		2
			All roof forms	1,9	Tailgate/bottom/komplett	08012410		2
			Normal roof/medium roof	1,2	Rear doore/left/top	08012436		1
			All roof forms	0,9	Rear doore/left/bottom	08012434		2
			Normal roof/medium roof	1,2	Rear doore/rigth/top	08012437		1
			All roof forms	0,9	Rear doore/rigth/bottom	08012435		2
			High roof	1,3	Rear doore/left/top	08012834		1
			High roof	1,2	Rear doore/rigth/top	08012835		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L3-H2	2016	3640	2,9	left/rear/top	08037374		2
			2,4	left/rear/bottom	08037360		2
			2,9	rigth/rear/top	08037373		2
			2,4	rigth/rear/bottom	08037359		2
			0,9	Rear door/left/top	08022241		1
			1,2	Rear door/left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1

Individual panels vario protect plus for Doublecape without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L3-H3	2016	3640	3,1	left/rear/top	08037362		2
			2,4	left/rear/bottom	08037360		2
			1,1	left/rear/Top	08037364		1
			3,1	rigth/rear/top	08037361		2
			2,4	rigth/rear/bottom	08037359		2
			1,1	rigth/rear/Top	08037363		1
			0,9	Rear door/left/top	08022241		1
			1,2	Rear door/left/bottom	08022239		2
			0,9	Rear door/rigth/top	08022242		1
			1,2	Rear door/rigth/bottom	08022240		1

1

Individual panels vario protect plus without fixing kit

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L4-H3 L4-H4	2016	4490	4,8	links/hinten/oben	08037378		2
			4,0	links/hinten/unten	08037376		2
			1,7	links/hinten/Top	08037383		2
			4,8	rechts/hinten/oben	08037377		2
			4,0	rechts/hinten/unten	08037375		2
			1,7	rechts/hinten/Top	08037384		2
			0,9	Hecktür/links/oben	08022241		1
			1,2	Hecktür/links/unten	08022239		2
			0,9	Hecktür/rechts/oben	08022242		1
			1,2	Hecktür/rechts/unten	08022240		1

Model	Model year from	Wheelbase mm	Weight kg	Suitable for	Order ref. packed		AW Value
Crafter L5-H3 L5-H4	2016	4490* *mit Überhang	1,1	links/hinten/oben	08037102		2
			1,0	links/hinten/unten	08037100		2
			0,4	links/hinten/Top	08037116		2
			1,1	rechts/hinten/oben	08037101		2
			1,0	rechts/hinten/unten	08037099		2
			0,4	rechts/hinten/Top	08037115		1
			4,8	links/mitte/oben	08037380		2
			4,0	links/mitte/unten	08037379		2
			1,7	links/mitte/Top	08037385		1
			4,8	rechts/mitte/oben	08037382		2
			4,0	rechts/mitte/unten	08037381		2
			1,7	rechts/mitte/Top	08037386		1
			0,9	Hecktür/links/oben	08022241		1
			1,2	Hecktür/links/unten	08022239		2
			0,9	Hecktür/rechts/oben	08022242		1
			1,2	Hecktür/rechts/unten	08022240		1

bott vario3 protect rail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect rail		AW Value	[1+2+3] bott vario3 protect rail advanced (rear doors)		AW Value
Crafter L3-H2	2016	3640	12220267.95		12	12220269.95		15
Crafter L3-H3**	2016	3640	12220268.95		12	12220270.95		15
Crafter L4-H3-H4**	2016	4490	12220273.95		13	12220274.95		16
Crafter L5-H3-H4**	2016	4490*	12220276.95		17	12220277.95		20

* With overhang ** High roof version with side lining over the full height

bott vario3 protect prorail interior side lining

Model	Model year from	Wheelbase mm	[1] bott vario3 protect		AW Value	[1+2+3+5] bott vario3 protect prorail advanced (rear doors)		AW Value
Crafter L3-H2	2016	3640	12221267.95		15	12221269.95		18
Crafter L3-H3**	2016	3640	12221268.95		15	12221270.95		18
Crafter L4-H3-H4**	2016	4490	12221273.95		16	12221274.95		19
Crafter L5-H3-H4**	2016	4490*	12221276.95		22	12221277.95		25

* With overhang ** High roof version with side lining over the full height

bott vario3 protect rail interior side lining for 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Crafter L3-H2	2017	3640	12220271.95		14
Crafter L3-H3**	2017	3640	12220272.95		14
Crafter L4-H3-H4**	2017	4490	12220275.95		19
Crafter L5 H3-H4**	2017	4490*	12220278.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

bott vario3 protect prorail interior side lining for 2 sliding doors

Model	Model year from	Wheel-base mm	[1+2+3] complete set rear doors + sliding doors		AW Value
Crafter L3-H2	2017	3640	12221271.95		17
Crafter L3-H3**	2017	3640	12221272.95		17
Crafter L4-H3-H4**	2017	4490	12221275.95		23
Crafter L5 H3-H4**	2017	4490*	12221278.95		14

* With overhang ** High roof version with side lining over the full height FWD = Front wheel drive RWD = Rear wheel drive

1

bott vario protect plus Custom-fit rear door lining



Model	Version	Model year from	Order Ref.		AW Value
Crafter L1-L2-L3-L4	rigth door	2016	08022520		
Crafter L1-L2-L3-L4	left door	2016	08022521		

bott vario3 protect roof liner

Model	Model year from	Wheelbase mm	Order Ref.		AW Value
Caddy L1	2015	2682	12231006.95		9
Caddy L1	2020	2755	12231049.95		13
Caddy L2	2020	2970	12231050.95		13
T6 L1-H1	2015	3000	12231004.95		13
ID BUZZ	2022	2989	12231053.95		
Crafter L3-H2*	2016	3640	12231040.95		17
Crafter L3-H3*	2016	3640	12231032.95		17
Crafter L4-H3*	2016	4490	12231038.95		17
Crafter L5-H3*	2016	4490**	12231039.95		17

*incl. profile **With overhang

Window grilles for the vehicle bulkhead

Model	Model year from	Order Ref.		AW Value
Caddy L1-L2	2014	12230033.19V		4
T6 L1-L2	2014	12230005.19V		3

Window grille for sliding and rear doors and tailgates

Model	Model year from	Suitable door type	Order Ref.		AW Value
Caddy L1-L2	2015	Rear doors	12230009.19V		3
Caddy L1-L2	2015	Tailgate	12230062.19V		2
Caddy L1-L2	2020	Rear doors	12230106.19V		3
Caddy L1-L2	2020	Tailgate	12230107.19V		2
Caddy L1	2020	Sliding door right	12230108.19V		2
Caddy L1	2020	Sliding door left	12230109.19V		2
Caddy L2	2020	Sliding door right	12230110.19V		2
Caddy L2	2020	Sliding door left	12230111.19V		2
T6 L1-L2	2015	Rear doors	12230029.19V		3
T6 L1-L2	2015	Tailgate	12230063.19V		2
T6 L1-L2	2015	Sliding door, right	12230030.19V		2
T6 L1-L2	2015	Sliding door, left	12230104.19V		2
Crafter L3-L4-L5	2016	Rear doors	12230084.19V		3
Crafter L3-L4-L5	2016	Sliding door, left	12230085.19V		2
Crafter L3-L4-L5	2016	Sliding door, right	12230086.19V		2

Protective grille for ABS vehicle bulkhead from “Motexion”

Vehicle type	Model year from	Order Ref.		AW Value
Volkswagen Caddy - New Transporter	2015	12230061.19V		4
Volkswagen T6	2015	12230011.19V		3

1





Room divider complete

- vehicle specmc room alvlaer
- room divider complete for dividing the loading space on the C-pillar (± 500 mm for offsetting) incl. mounting bracket for fixing to the floor and to the body shell of the vehicle contour
- optionally, a viewing window at the top and a slider at the bottom can be selected for the room divider using
- the bott room divider is not a restraint device according to DIN ISO 27956 and may only be used to divide the load compartment
- any attachments (e.g. lashing rails, fire extinguishers, hose holders, etc.) and loads on the bott room divider are prohibited

Version	**Room divider complete**
suitable for	H3
Dimensions W x D x H mm	1773 x 15 x 1941
Weight kg	11302001.27V
Order ref. packed	45,80
AW value	45

Base plate for room divider

- base plate for individual cutting
- CPL coated
- Pack unit 2
- color: grey RAL 7038

Version	Base plae PU 2	Base plate individual
Dimensions W x D x H mm	1840 x 1515 x 15	
Weight kg	65,50	32,80
Order ref. packed	11302024.27V	11302025.27V

Opening slide for room divider / Frame and Makrolon pane for room divider



- make cut-out in room divider for opening slide
- slide can be locked at a height of 0-400 mm
- create window sliders for room divider

Version	Opening slide for room divider	Frame and Makrolon pane for room divider
Dimensions W x D x H mm	635 x 22,5 x 810	530 x 330 x 3
Weight kg	3,70	0,90
Order ref. packed	11302019.27V	

Offset for room divider



- connection of the separate room divider elements
- incl. mounting material
- for creating an offset in the room divider

Dimensions W x D x H mm	40 x 275 x 2018
Order ref. packed	73508034.97V

2 bott vario3

Under floor modules and installation platforms



Under floor modules | Heavy duty sliding platforms | Installation platforms | Accessories

bott vario Under floor modules



storage space organisation on 2 levels | quick access to tools and materials | generous load space for large transported goods



Lower level

- Convenient access to tools and materials via rear and side doors
- Variable and manageable underfloor solutions for a variety of vehicles
- Two heights of housing (250 and 350 mm) for maximum utilisation of the space inside the vehicle
- Individually equipped housings with drawers, euroboxes, aluminium drop-front shelves and shelves
- Drawers mostly with full extension slide and high load carrying capacity up to 70 kg
- Clear order thanks to versatile drawer dividers






Upper level

- Room for bulky goods
- Sturdy floor panel with anti-slip surface
- Simple load restraint thanks to integrated lashing eyes
- Possible to add bott vario in-vehicle equipment, load-securing rails and heavy duty slides




The bott vario under floor module at construction height
(incl. flooring panel height)



bott vario3 under floor modules

- Construction height 260 mm (incl. flooring panel)
- Equipped with drawers
- Convenient access via rear and side doors
- Stable floor panel for transporting bulky and heavy goods on the higher level
- Simple load restraint thanks to integrated lashing eyes
- Theft protection, since the stored material is not visible from the outside



Version with drawers

- Drawers with full extension slide
- Load capacity up to 70 kg
- Large storage volume thanks to drawer front height of 200 mm

Info Please refer to page 352 onwards for matching dividers and cross dividers

Citroën				
for model	**Berlingo L1**	**Berlingo L2**	**Jumpy L1***	
Year of construction from	2018	2018	2016	
Wheelbase mm	2785	2975	2925	
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	
Side drawer quantity x W x D mm	1x 478 x 1048	1x 590 x 1048	1x 590 x 1048	
Order Ref.	70010016.19V	70010017.19V	70010013.19V	
AW value	21	21	21	

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
*In vehicles with tailgate, the under floor module must be supported.

Fiat

for model	Doblò*	Doblò Maxi*	Fullback**	Fullback**
Year of construction from	2010	2010	2015	2019
Wheelbase mm	2755	3105	3000	3000
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	1x 590 x 1384 1x 478 x 1384	1x 590 x 1384 1x 478 x 1384
Side drawer quantity x W x D mm	1x 478 x 1048	1x 478 x 1048	-	-
Order Ref.	70010002.19V	70010003.19V	70010019.19V	70010051.19V
AW value	21	21	21	21

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
*In vehicles with tailgate, the under floor module must be supported.
**Double cab only in conjunction with hard top

Ford

for model	Transit Courier	Transit Connect L1*	Transit Connect L2*	Ranger**
Year of construction from	2014	2014	2014	2016
Wheelbase mm	2489	2662	3062	3220
Rear drawer quantity x W x D mm	2x 487 x 1048	2x 590 x 1048	2x 590 x 1048	2x 590 x 1384
Side drawer quantity x W x D mm	Storage space for long parts	1x 478 x 1048	1x 590 x 1048	
Order Ref.	70010010.19V	70010008.19V	70010009.19V	70010018.19V
AW value	21	21	21	21

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
*Version with original wheel arch lining made of plastic
**Double cab only in conjunction with hard top

Isuzu

for model	D-MAX**			
Year of construction from	2017			
Wheelbase mm	3095			
Rear drawer quantity x W x D mm	1x 590 x 1384 1x 478 x 1384			
Side drawer quantity x W x D mm	-			
Order Ref.	70010022.19V			
AW value	21			

**Double cab only in conjunction with hard top

Mercedes-Benz

for model	Citan Compact	Citan Long*	Citan Extra long	
Year of construction from	2012	2012	2012	
Wheelbase mm	2313	2697	3081	
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	
Side drawer quantity x W x D mm	-	1x 478 x 1048	1x 478 x 1048	
Order Ref.	70010004.19V	70010005.19V	70010006.19V	
AW value	21	21	21	

*not suitable for lattice partition **Double cab only in conjunction with hard top

for model	Citan L1	Citan L2		
Year of construction from	2021	2021		
Wheelbase mm	2716	3100		
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048		
Side drawer quantity x W x D mm	1x 478 x 1048	1x 478 x 1048		
Order Ref.	70010055.19V	70010056.19V		
AW value	21	21		

Mitsubishi

for model	L200**	L200**		
Year of construction from	2015	2019		
Wheelbase mm	3000	3000		
Rear drawer quantity x W x D mm	1x 590 x 1384 1x 478 x 1384	1x 590 x 1384 1x 478 x 1384		
Side drawer quantity x W x D mm	-	-		
Order Ref.	70010019.19V	70010051.19V		
AW value	21	21		

**Double cab only in conjunction with hard top

Nissan

for model	Townstar L1	Townstar L2		
Year of construction from	2021	2021		
Wheelbase mm	2716	3100		
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048		
Side drawer quantity x W x D mm	1x 478 x 1048	1x 478 x 1048		
Order Ref.	70010055.19V	70010056.19V		
AW value	21	21		

Opel				
for model	**Combo L1**	**Combo L2**		
Year of construction from	2018	2018		
Wheelbase mm	2785	2975		
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048		
Side drawer quantity x W x D mm	1x 478 x 1048	1x 590 x 1048		
Order Ref.	70010016.19V	70010017.19V		
AW value	21	21		

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
*In vehicles with tailgate, the under floor module must be supported.

Peugeot				
for model	**Partner L1**	**Partner L2**	**Expert L1***	
Year of construction from	2018	2018	2016	
Wheelbase mm	2785	2975	2925	
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	
Side drawer quantity x W x D mm	1x 478 x 1048	1x 590 x 1048	1x 590 x 1048	
Order Ref.	70010016.19V	70010017.19V	70010018.19V	
AW value	21	21	21	

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
*In vehicles with tailgate, the under floor module must be supported.

Renault				
for model	**Kangoo L1**	**Kangoo L2**	**Kangoo L3**	
Year of construction from	2013	2012	2012	
Wheelbase mm	2313	2697	3081	
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	
Side drawer quantity x W x D mm	-	1x 478 x 1048	1x 478 x 1048	
Order Ref.	70010004.19V	70010005.19V	70010006.19V	
AW value	21	21	21	

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
**Double cab only in conjunction with hard top

for model	**Kangoo L1**	**Kangoo L2**		
Year of construction from	2021	2021		
Wheelbase mm	2716	3100		
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048		
Side drawer quantity x W x D mm	1x 478 x 1048	1x 478 x 1048		
Order Ref.	70010055.19V	70010056.19V		
AW value	21	21		

Toyota				
for model	**Proace City L1**	**Proace City L2**	**Proace Compact***	**Hilux****
Year of construction from	2020	2020	2016	2015
Wheelbase mm	2785	2975	2925	3085
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	1x 590 x 1384 1x 478 x 1384
Side drawer quantity x W x D mm	1x 478 x 1048	1x 478 x 1048	1x 590 x 1048	-
Order Ref.	70010016.19V	70010017.19V	70010013.19V	70010021.19V
AW value	21	21	21	21

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
In vehicles with tailgate, the under floor module must be supported. Double cab only in conjunction with hard top

Volkswagen				
for model	**Caddy L1**	**Caddy L2**	**Caddy L1**	**Caddy L2**
Year of construction from	2015	2015	2020	2020
Wheelbase mm	2682	3000	2755	2970
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048	2x 590 x 1048
Side drawer quantity x W x D mm	1x 590 x 1048	1x 590 x 1048	1x 478 x 1048	1x 590 x 1048
Order Ref.	70010011.19V	70010012.19V	70010013.19V	70010021.19V
AW value	21	21	21	21


for model	**Caddy L1 Life**	**Caddy L2 Life**	**Amarok**	**ID BUZZ**
Year of construction from	2021	2021	2010	2022
Wheelbase mm	2755	2970	3095	2989
Rear drawer quantity x W x D mm	2x 590 x 1048	2x 590 x 824	1x 590 x 1384 1x 478 x 1384	2x 590 x 1048 1x 590 x 1048
Order Ref.	70010069.19V	70010070.19V	70010007.19V	70010076.19V
AW value	21	21	21	21

for model	**Multivan T7**			
Year of construction from	2021			
Wheelbase mm	3124			
Rear drawer quantity x W x D mm	1x 478 x 1048 1x 590 x 1048			
Order Ref.	70010091.19V			
AW value	21			

In vehicles with different bulkhead configurations, the load deck must be cut to size during installation (cutting edge is marked).
[2]For vehicles without bulkhead/grille, **Double cab only in conjunction with hard top




Double empty housing for under floor drawer height 250 mm



- Screwed and riveted empty housing
- Planning height 250 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**926**		**1038**		**1150**	
System depth mm	1048		1048	1384	1048	
Weight kg	11.2		11.8	14.5	12.3	
Order Ref.	70011042.19V		70011034.19V	70011040.19V	70011032.19V	
AW value	5		5	5	5	

Double empty housing for under floor drawer height 350 mm



- Screwed and riveted empty housing
- Planning height 350 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**926**		**1038**		**1150**	
System depth mm	1048		1048	1384	1048	
Weight kg	12.6		13.2	16.3	13.7	
Order Ref.	70011043.19V		70011035.19V	70011041.19V	70011033.19V	
AW value	5	5	5	5	5	

Double housing with drawers height 250 mm



- Screwed and riveted empty housing
- Planning height 250 mm
- Telescopic slide with full extension slide
- Load capacity drawers up to 70 kg
- Drawers incl. anti-slip mat
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**926**			
System depth mm	1048	1048	1048	
Number of drawers x drawer height mm	2x 100 (B4), 2x 100 (B4)	1x 200 (B4), 1x 200 (B4)	2x 100 (B4), 1x 200 (B4)	
Weight kg	45.0	29.7	37.4	
Order Ref.	70011044.19V	70011045.19V	70011046.19V	
AW value	5	5	5	


System width mm	**1038**			
System depth mm	1048	1084	1084	1048
Number of drawers x drawer height mm	2x 100 (B4), 2x 100 (B5)	1x 200 (B4), 1x 200 (B5)	2x 100 (B4), 1x 200 (B5)	2x 100 (B4), 1x 200 (B5)
Weight kg	46.6	31.0	39.0	38.8
Order Ref.	70011001.19V	70011002.19V	70011003.19V	70011004.19V
AW value	5	5	5	5

System width mm	**1038**			
System depth mm	1348	1348	1348	1348
Number of drawers x drawer height mm	2x 100 (B4), 2x 100 (B5)	1x 200 (B4), 1x 200 (B5)	1x 200 (B4), 2x 100 (B5)	2x 100 (B4), 1x 200 (B5)
Weight kg	59.6	38.8	49.3	48.8
Order Ref.	70011036.19V	70011037.19V	70011038.19V	70011039.19V
AW value	5	5	5	5

System width mm	**1150**			
System depth mm	1048	1048	1048	
Number of drawers x drawer height mm	2x 100 (B5), 2x 100 (B5)	1x 200 (B5), 1x 200 (B5)	2x 100 (B5), 1x 200 (B5)	
Weight kg	48.2	32.1	40.2	
Order Ref.	70011005.19V	70011006.19V	70011007.19V	
AW value	5	5	5	

2

Under floor module faced with drawers




- Screwed and riveted empty housing
- Planning height 250/350 mm
- Telescopic slide with full extension slide
- Load capacity of the drawers width 478/4 and 590/5 up to depth 1048/9 = 70 kg - depth 1384/12 = 50 kg
- Drawers incl. anti-slip mat
- Sides be lined with aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**590**			
System depth mm	1048	1048	1384	1384
Height mm	250	250	350	350
Number of drawers x drawer height mm	2x 100	1x 200	2x 150	1x 300
Weight kg	34.8	23.1	97.2	80.2
Order Ref.	70011018.19V	70011019.19V	70011020.19V	70011021.19V
AW value	3	3	3	3



Base unit with drawers



- Screwed and riveted empty housing
- Planning height 250 mm
- Telescopic slide with full extension slide
- Load capacity of the drawers width 478/4 and 590/5 up to depth 1048/9 = 70 kg - depth 1384/12 = 50 kg, width 1038/9 and depth 1048/9 = 50 kg
- Drawers incl. anti-slip mat
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating


System width mm	**366**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	250	250	250	250	250
Number of drawers x drawer height mm	2x 100	1x 200	2x 100	1x 200	2x 100	1x 200
Weight kg	18,4	12,9	22,4	15,7	29,8	19,9
Order Ref.	70011085.19V	70011086.19V	70011087.19V	70011088.19V	70011089.19V	70011090.19V
AW value	3	3	3	3	3	3

System width mm	**478**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	250	250	250	250	250
Number of drawers x drawer height mm	2x 100	1x 200	2x 100	1x 200	2x 100	1x 200
Weight kg	19,4	13,5	23,4	15,7	28,5	19,4
Order Ref.	70011073.19V	70011074.19V	70011016.19V	70011017.19V	70011014.19V	70011015.19V
AW value	3	3	3	3	3	3

System width mm	**590**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	250	250	250	250	250
Number of drawers x drawer height mm	2x 100	1x 200	2x 100	1x 200	2x 100	1x 200
Weight kg	21,5	15,1	29,0	16,9	31,5	21,3
Order Ref.	70011075.19V	70011076.19V	70011012.19V	70011013.19V	70011010.19V	70011011.19V
AW value	3	3	3	3	3	3

System width mm	**1038**					
System depth mm	824	824	1048	1048		
Height mm	250	250	250	250		
Number of drawers x drawer height mm	2x 100	1x 200	2x 100	1x 200		
Weight kg	27,8	19,8	47,0	29,4		
Order Ref.	70011077.19V	70011078.19V	70011008.19V	70011009.19V		
AW value	5	5	5	5		

Empty housing for under floor drawer height 250 mm




- Screwed and riveted empty housing
- Planning height 250 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**376**			**478**		
System depth mm	824	1048	1384	824	1048	1384
Weight kg	6,2	6,5	8,1	6,2	6,5	8,1
Order Ref.	70011079.19V	70011081.19V	70011083.19V	70011063.19V	70011022.19V	70011024.19V
AW value	3	3	3	3	3	3

System width mm	**590**			**1038**		
System depth mm	824	1048	1384	824	1048	
Weight kg	7,1	7,1	8,7	9,2	9,3	
Order Ref.	70011067.19V	70011026.19V	70011028.19V	70011071.19V	70011030.19V	
AW value	3	3	3	5	5	

Empty housing for under floor drawer height 350 mm




- Screwed and riveted empty housing
- Planning height 350 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**376**			**478**		
System depth mm	824	1048	1384	824	1048	1384
Weight kg	7,0	7,3	9,1	7,0	7,3	9,1
Order Ref.	70011080.19V	70011082.19V	70011084.19V	70011064.19V	70011023.19V	70011025.19V
AW value	3	3	3	3	3	3

System width mm	**590**			**1038**		
System depth mm	824	1048	1384	824	1048	
Weight kg	7,9	7,9	9,8	10,00	10,1	
Order Ref.	70011068.19V	70011027.19V	70011029.19V	70011072.19V	70011031.19V	
AW value	3	3	3	5	5	


Empty housing for under floor drawer height 400 mm



- Screwed and riveted empty housing
- Planning height 400 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**478**			**590**		
System depth mm	824	1048	1384	824	1048	1384
Weight kg	7,4	9,6	10,2	8,4	7,7	8,3
Order Ref.	70011065.19V	70011057.19V	70011055.19V	70011069.19V	70011058.19V	70011056.19V
AW value	3	3	3	3	3	3


Empty housing for under floor drawer height 500 mm



- Screwed and riveted empty housing
- Planning height 500 mm
- Sides can be lined with optional aluminium panel
- Anodised aluminium/sheet steel powder coating

System width mm	**478**			**590**		
System depth mm	824	1048	1384	824	1048	1384
Weight kg	8,3	10,6	11,3	9,2	8,6	9,2
Order Ref.	70011066.19V	70011061.19V	70011059.19V	70011070.19V	70011062.19V	70011060.19V
AW value	3	3	3	3	3	3


Attachment set for empty housing width 478 mm



- For extension of an existing empty housing
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**478**					
System depth mm	824	1048	1384	824	1048	1384
Height mm	250	250	250	350	350	350
Weight kg	4,6	4,8	6,0	5,2	5,4	7,1
Order Ref. installed	70010061.19M	70010043.19M	70010044.19M	70010063.19M	70010047.19M	70010048.19M
Order Ref. packed	70010061.19V	70010043.19V	70010044.19V	70010063.19V	70010047.19V	70010048.19V
AW value installed	2	2	2	2	2	2


Attachment set for empty housing width 590 mm



- For extension of an existing empty housing
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**590**					
System depth mm	824	1048	1384	824	1048	1384
Height mm	250	250	250	350	350	350
Weight kg	5,2	5,1	6,6	5,8	5,7	7,4
Order Ref. installed	70010062.19M	70010045.19M	70010046.19M	70010064.19M	70010049.19M	70010050.19M
Order Ref. packed	70010062.19V	70010045.19V	70010046.19V	70010064.19V	70010049.19V	70010050.19V
AW value installed	2	2	2	2	2	2


Extension for empty housing



- Conversion kit for an existing/equipped empty enclosure under-floor units
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**376**		**478**		**590**	
System depth mm	824	1048	824	1048	824	1048
Height mm	250	350	250	350	250	350
Weight kg						
Order Ref. installed	70010088.19M	70010089.19M	70010084.19M	70010085.19M	70010086.19M	70010087.19M
Order Ref. packed	70010088.19V	70010089.19V	70010084.19V	70010085.19V	70010086.19V	70010087.19V
AW value installed						


Extension for empty housing width 376 mm



- Attachment set to an existing/equipped empty enclosure under-floor unit
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**376**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	350	250	350	250	350
Weight kg						
Order Ref. installed	70010078.19M	70010079.19M	70010080.19M	70010081.19M	70010082.19M	70010083.19M
Order Ref. packed	70010078.19V	70010079.19V	70010080.19V	70010081.19V	70010082.19V	70010083.19V
AW value installed						


Extension for empty housing width 478 mm



- Attachment set to an existing/equipped empty enclosure under-floor unit
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**478**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	350	250	350	250	350
Weight kg						
Order Ref. installed	70010061.19M	70010063.19M	70010043.19M	70010047.19M	70010044.19M	70010048.19M
Order Ref. packed	70010061.19V	70010063.19V	70010043.19V	70010047.19V	70010044.19V	70010048.19V
AW value installed						


Extension for empty housing width 590 mm



- Attachment set to an existing/equipped empty enclosure under-floor unit
- Planning height 250/350 mm
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

System width mm	**590**					
System depth mm	824	824	1048	1048	1384	1384
Height mm	250	350	250	350	250	350
Weight kg						
Order Ref. installed	70010062.19M	70010064.19M	70010045.19M	70010049.19M	70010046.19M	70010050.19M
Order Ref. packed	70010062.19V	70010064.19V	70010045.19V	70010049.19V	70010046.19V	70010050.19V
AW value installed						

Extension for empty housing




- Remote mounting set for mounting on an existing empty housing T7/T9/T12 in heights
- 350/400/500
- The 250/350 attachment set is always required.
- Packed incl. assembly fixings
- Anodised aluminium/sheet steel powder coating

Version	**for empty housing T7**		
Height mm	350	400	500
Weight kg	0,7	0,8	1,0
Order Ref. installed	70010096.19M	70010097.19M	70010098.19M
Order Ref. packed	70010096.19V	70010097.19V	70010098.19V
AW value installed			

Version	**for empty housing T9**		
Height mm	350	400	500
Weight kg	0,4	0,4	0,5
Order Ref. installed	70010099.19M	70010100.19M	70010101.19M
Order Ref. packed	70010099.19V	70010100.19V	70010101.19V
AW value installed			

Version	**for empty housing T12**		
Height mm	350	400	500
Weight kg			
Order Ref. installed	70010102.19M	70010103.19M	70010104.19M
Order Ref. packed	70010102.19V	70010103.19V	70010104.19V
AW value installed			


Gusset plate set



- Set - one each left and right version
- For the optimum stabilisation of the housing
- Flexible screwing in the slot system
- Riveting through existing perforation in the housings

Dimensions W x D x H mm	200 x 10 x 172
Weight kg	0.4
Order Ref. installed	73502016.51M
Order ref. packed	73502016.51V


Gusset plate



- Left and right versions
- For the optimum stabilisation of the housing
- Flexible screwing in the slot system
- Riveting through existing perforation in the housings

Version	**for SLF (A)**	**for SLF (B)**
Dimensions W x D x H mm	200 x 10 x 172	200 x 10 x 172
Weight	0.2	0.2
Order Ref. installed	73502008.51M	73502009.51M
Order ref. packed	73502008.51V	73502009.51V

Drawer pan extension for 300 and 350 mm drawer



- For mounting on the drawer body
- Body height 260 mm
- From drawer height 300 mm
- For improved storage of higher parts
- Natural aluminium

System width/system depth	**-4/ 7**	**-4/ 9**	**-4/ 12**		
Dimensions W x D x H mm	478 x 824 x 135	478 x 1048 x 135	478 x 1384 x 135		
Weight kg	0,8	1,0	1,3		
Order Ref. installed	73505035.98M	73505014.98M	73505015.98M		
Order ref. packed	73505035.98V	73505014.98V	73505015.98V		
AW value installed					

System width/system depth	**-5/ 7**	**-5/ 9**	**-5/ 12**	**-9/ 7**	**-9/ 9**
Dimensions W x D x H mm	590 x 824 x 135	590 x 1048 x 135	590 x 1384 x 135	1038 x 824 x 135	1038 x 1048 x 135
Weight kg	0,8	1,1	1,4	1,0	1,3
Order Ref. installed	73505036.98M	73505019.98M	73505020.98M	73505037.98M	73505028.98M
Order ref. packed	73505036.98V	73505019.98V	73505020.98V	73505037.98V	73505028.98V
AW value installed					

Cover cap for SLF-F



- Cover cap for SLF-F in underfloor housing to cover the upper edge on the SLF-F profile
- when combining different widths of underfloor housin.gs the front 10mm of the SLF-F profile are provided with a cover cap to cover the sharp edges
- the cover cap is additionally fixed from the front in the SLF-F profile with a drilling screw

Dimensions W x D x H mm	30 x 10 x 17
Weight kg	0,01
Order Ref. packed	80833588.19V

2

Drawers for under floor modules



- Load capacity of the drawers width 478/4 and 590/5 up to depth 1048/9 = 70 kg - depth 1384/12 = 50 kg, width 1038/9 and depth 1048/9 = 50 kg
- Incl. anti-slip mat
- Material of drawer body:
  Natural aluminium for width 478 / 590 mm
  Zinc-plated steel for width 1038 mm
- Depth 1048 / 1384 mm: Full extension slide
- Drawers only suitable for under floor modules
- From front height 150 mm optionally with finger-trap protection

System width mm	**366**				
System depth mm	1384				
Front height mm	100	150	200	300	350
Internal dimensions mm	378 x 715 x 75	378 x 715 x 125	378 x 715 x 125	378 x 715 x 125	378 x 715 x 125
Usable dimensions of the drawer B x T mm	350 x 700	350 x 700	350 x 700	350 x 700	350 x 700
Weight kg	10,8	11,5	11,7	12,4	13,0
Order Ref. installed	70504021.19M	70504022.19M	70504023.19M	70504024.19M	70504025.19M
Order ref. packed	70504021.19V	70504022.19V	70504023.19V	70504024.19V	70504025.19V
AW value installed					

System width mm	**478**				
System depth mm	824				
Front height mm	100	150	200	300	350
Internal dimensions mm	378 x 715 x 75	378 x 715 x 125	378 x 715 x 125	378 x 715 x 125	378 x 715 x 125
Usable dimensions of the drawer B x T mm	350 x 700	350 x 700	350 x 700	350 x 700	350 x 700
Weight kg	6,6	7,1	7,3	8,1	8,2
Order Ref. installed	70504025.19M	70504026.19M	70504027.19M	70504028.19M	70504029.19M
Order ref. packed	70504025.19V	70504026.19V	70504027.19V	70504028.19V	70504029.19V
AW value installed					

System width mm	**478**				
System depth mm	1048				
Front height mm	100	150	200	300	350
Internal dimensions mm	378 x 965 x 75	378 x 965 x 125	378 x 965 x 125	378 x 965 x 125	378 x 965 x 125
Usable dimensions of the drawer B x T mm	350 x 950	350 x 950	350 x 950	350 x 950	350 x 950
Weight kg	8,60	9,30	9,50	10,20	10,40
Order Ref. installed	70504016.19M	70504017.19M	70504018.19M	70504019.19M	70504020.19M
Order ref. packed	70504016.19V	70504017.19V	70504018.19V	70504019.19V	70504020.19V
AW value installed					

System width mm	**478**				
System depth mm	1384				
Front height mm	100	150	200	300	350
Internal dimensions mm	378 x 1315 x 75	378 x 1315 x 125	378 x 1315 x 125	378 x 1315 x 125	378 x 965 x 125
Usable dimensions of the drawer B x T mm	350 x 1300	350 x 1300	350 x 1300	350 x 1300	350 x 1300
Weight kg	11,10	12,10	12,30	13,00	13,60
Order Ref. installed	70504021.19M	70504022.19M	70504023.19M	70504024.19M	70504030.19M
Order ref. packed	70504021.19V	70504022.19V	70504023.19V	70504024.19V	70504030.19V
AW value installed					

System width mm	**590**				
System depth mm	824				
Front height mm	100	150	200	300	350
Internal dimensions mm	490 x 715 x 75	490 x 715 x 125	490 x 715 x 125	490 x 715 x 125	490 x 715 x 125
Usable dimensions of the drawer B x T mm	475 x 700	475 x 700	475 x 700	475 x 700	475 x 700
Weight kg	7,2	7,8	8,0	8,9	9,2
Order Ref. installed	70505026.19M	70505027.19M	70505028.19M	70505029.19M	70505030.19M
Order ref. packed	70505026.19V	70505027.19V	70505028.19V	70505029.19V	70505030.19V
AW value installed					

System width mm	**590**				
System depth mm	1048				
Front height mm	100	150	200	300	350
Internal dimensions mm	490 x 965 x 75	490 x 965 x 125	490 x 965 x 125	490 x 965 x 125	490 x 965 x 125
Usable dimensions of the drawer B x T mm	475 x 950	475 x 950	475 x 950	475 x 950	475 x 950
Weight kg	9,30	9,30	10,20	11,20	11,50
Order Ref. installed	70505016.19M	70505017.19M	70505018.19M	70505019.19M	70505024.19M
Order ref. packed	70505016.19V	70505017.19V	70505018.19V	70505019.19V	70505024.19V
AW value installed					

System width mm	**590**				
System depth mm	1384				
Front height mm	100	150	200	300	350
Internal dimensions mm	490 x 1315 x 75	490 x 1315 x 125	490 x 1315 x 125	490 x 1315 x 125	490 x 965 x 125
Usable dimensions of the drawer B x T mm	475 x 1300	475 x 1300	475 x 1300	475 x 1300	475 x 1300
Weight kg	12,10	12,90	13,10	14,10	14,10
Order Ref. installed	70505020.19M	70505021.19M	70505022.19M	70505023.19M	70505025.19M
Order ref. packed	70505020.19V	70505021.19V	70505022.19V	70505023.19V	70505025.19V
AW value installed					

System width mm	**1038**			
System depth mm	824			
Front height mm	100	150	200	300
Internal dimensions mm	938 x 715 x 75	938 x 715 x 125	938 x 715 x 125	938 x 715 x 125
Usable dimensions of the drawer B x T mm	925 x 700	925 x 700	925 x 700	925 x 700
Weight kg	9,3	10,1	10,6	12,2
Order Ref. installed	70509024.19M	70509025.19M	70509026.19M	70509027.19M
Order ref. packed	70509024.19V	70509025.19V	70509026.19V	70509027.19V
AW value installed				


System width mm	**1038**			
System depth mm	1048			
Front height mm	100	150	200	300
Internal dimensions mm	938 x 965 x 75	938 x 965 x 125	938 x 965 x 125	938 x 965 x 125
Usable dimensions of the drawer B x T mm	925 x 950	925 x 950	925 x 950	925 x 950
Weight kg	17,70	19,30	19,80	21,50
Order Ref. installed	70509016.19M	70509017.19M	70509018.19M	70509019.19M
Order ref. packed	70509016.19V	70509017.19V	70509018.19V	70509019.19V
AW value installed				


Kits - small parts storage boxes



- For customised division of drawers
- Rounded corners for easy removal of small parts
- Removal of individual boxes possible
- Colour: light grey (RAL 7035)
- Height 68 mm


Cabinet dimensions width 478 mm






System depth mm	**824**	**824**
Quantity of small parts storage boxes 50x50	8	8
Quantity of small parts storage boxes 50x75	4	12
Quantity of small parts storage boxes 75x75	-	16
Quantity of small parts storage boxes 75x100	-	-
Quantity of small parts storage boxes 75x150		8
Quantity of small parts storage boxes 100x150	8	-
Quantity of small parts storage boxes 150x300	2	-
Front height of the drawer	starting from 100	starting from 100
Height of small parts storage boxes	68	68
Order Ref.	73020107.16V	7302108.16V


Cabinet dimensions width 478 mm






System depth mm	**1048**	**1384**
Quantity of small parts storage boxes 50x50	1	2
Quantity of small parts storage boxes 50x75	16	24
Quantity of small parts storage boxes 75x75	8	8
Quantity of small parts storage boxes 75x100	4	4
Quantity of small parts storage boxes 150x150	4	6
Quantity of small parts storage boxes 150x300	2	3
Front height of the drawer	starting from 100	starting from 100
Height of small parts storage boxes	68	68
Order Ref.	73020007.16V	7302008.16V


Cabinet dimensions width 590 mm



System depth mm	**824**
Quantity of small parts storage boxes 50x50	10
Quantity of small parts storage boxes 50x75	17
Quantity of small parts storage boxes 75x75	2
Quantity of small parts storage boxes 75x150	6
Quantity of small parts storage boxes 100x150	2
Quantity of small parts storage boxes 150x150	2
Quantity of small parts storage boxes 150x300	2
Front height of the drawer	starting from 100
Height of small parts storage boxes	68
Order Ref.	73020113.16V


Cabinet dimensions width 590 mm






System depth mm	**1048**	**1384**
Quantity of small parts storage boxes 50x50	2	4
Quantity of small parts storage boxes 50x75	17	42
Quantity of small parts storage boxes 75x100	6	8
Quantity of small parts storage boxes 100x150	6	6
Quantity of small parts storage boxes 150x150	4	4
Quantity of small parts storage boxes 150x300	2	4
Front height of the drawer	starting from 100	starting from 100
Height of small parts storage boxes	68	68
Order Ref.	73020015.16V	73020016.16V

Cabinet dimensions width 1038 mm





System depth mm	**824**	**1048**
Quantity of small parts storage boxes 50x50	10	2
Quantity of small parts storage boxes 50x75	17	25
Quantity of small parts storage boxes 75x75	6	12
Quantity of small parts storage boxes 75x150	8	10
Quantity of small parts storage boxes 100x150	5	10
Quantity of small parts storage boxes 150x150	8	12
Quantity of small parts storage boxes 150x300	4	4
Front height of the drawer	starting from 100	starting from 100
Height of small parts storage boxes	68	68
Order Ref.	73020114.16V	73020031.16V

Cross and longitudinal dividers



- For subdivision of drawers in width
- 2 plastic supports included per divider
- 68 mm high for drawer front heights of 75/100 mm
- 118 mm high for drawer front heights of 125 mm or above
- Material: Sheet steel, zinc-plated

Cross dividers

System width mm	**478**		**590**		**1038**	
Drawer width mm	346		468		916	
Drawer front height mm	75	125	75	125	75	125
Weight kg	0.4	0.7	0.6	1.0	1.1	1.8
Order Ref.	73001010.19V	73001011.19V	73001012.19V	73001013.19V	73001017.19V	73001018.19V
AW value						

Dividers lengthwise high

System depth mm	**488**	**600**		
Drawer front height mm	300	300		
Weight kg	1.7	2.1		
Order Ref.	73001015.19V	73001016.19V		
AW value				

Divider and cross divider kits



- Comprising:
  dividers and cross dividers, divider and cross divider supports
- For subdivision of drawers in depth and width
- Including plastic support
- 68 mm high for drawer front heights of 75/100 mm
- 118 mm high for drawer front heights of 125 mm or above
- Material of dividers and cross dividers: Natural aluminium
- Material of divider and cross divider supports: Plastic RAL 7016

Kit with 6 dividers

System width mm	**366**	**366**	**366**	**366**
System depth mm	488	488	600	600
Drawer front height mm	75	125	75	125
Version	2x TW, 4x SW	2x TW, 4x SW	2x TW, 4x SW	2x TW, 4x SW
Weight kg	0.3	0.5	0.3	0.5
Order ref. packed	73020044.19V	73020045.19V	73020046.19V	73020047.19V
AW value				

System width mm	**478**	**478**	**366**	**366**
System depth mm	376	376	600	600
Drawer front height mm	75	125	75	125
Version	2x TW, 4x SW	2x TW, 4x SW	2x TW, 4x SW	2x TW, 4x SW
Weight kg	0.4	0.6	0.3	0.5
Order ref. packed	73020050.19V	73020051.19V	73020052.19V	73020053.19V
AW value				

System width mm	**478**	**478**		
System depth mm	600	600		
Drawer front height mm	75	125		
Version	2x TW, 4x SW	2x TW, 4x SW		
Weight kg	0.8	1.4		
Order ref. packed	73020054.19V	73020055.19V		
AW value				

Kit with 8 dividers				
System width mm	**366**	**366**	**478**	**478**
System depth mm	1048	1048	824	824
Drawer front height mm	75	125	75	125
Version	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW
Weight kg	0,4	0,7	0,5	0,9
Order ref. packed	73020048.19V	73020049.19V	73020103.19V	73020104.19V
AW value				

System width mm	**478**	**478**		
System depth mm	1048	1048		
Drawer front height mm	75	125		
Version	4x TW, 4x SW	4x TW, 4x SW		
Weight kg	1,0	1,8		
Order ref. packed	73020056.19V	73020057.19V		
AW value				

System width mm	**590**	**590**	**590**	**590**
System depth mm	376	376	488	488
Drawer front height mm	75	125	75	125
Version	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW
Weight kg	0,5	0,8	1,0	1,6
Order ref. packed	73020060.19V	73020061.19V	73020062.19V	73020063.19V
AW value				

System width mm	**590**	**590**	**590**	**590**
System depth mm	600	600	824	824
Drawer front height mm	75	125	75	125
Version	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW	4x TW, 4x SW
Weight kg	1,2	2,0	1,4	2,2
Order ref. packed	73020064.19V	73020065.19V	73020111.19V	73020112.19V
AW value				

System width mm	**590**	**590**		
System depth mm	1048	1048		
Drawer front height mm	75	125		
Version	4x TW, 4x SW	4x TW, 4x SW		
Weight kg	1,4	2,2		
Order ref. packed	73020066.19V	73020067.19V		
AW value				

Kit with 12 dividers				
System width mm	**814**	**814**	**814**	**814**
System depth mm	376	376	488	488
Drawer front height mm	75	125	75	125
Version	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW
Weight kg	0.7	1.2	1.4	2.3
Order ref. packed	73020070.19V	73020071.19V	73020072.19V	73020073.19V
AW value				

System width mm	**926**	**926**	**926**	**926**
System depth mm	376	376	488	488
Drawer front height mm	75	125	75	125
Version	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW
Weight kg	0.7	1.2	1.4	2.3
Order ref. packed	73020074.19V	73020075.19V	73020076.19V	73020077.19V
AW value				

System width mm	**1038**	**1038**	**1038**	**1038**
System depth mm	824	824	1048	1048
Drawer front height mm	75	125	75	125
Version	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW	4x TW, 8x SW
Weight kg	2.5	4.2	2.5	4.2
Order ref. packed	73020109.19V	73020110.19V	73020084.19V	73020085.19V
AW value				

Kit with 14 dividers				
System width mm	**478**	**478**		
System depth mm	1384	1384		
Drawer front height mm	75	125		
Version	6x TW, 8x SW	6x TW, 8x SW		
Weight kg	1.6	2.8		
Order ref. packed	73020058.19V	73020059.19V		
AW value				


System width mm	**590**	**590**	**1038**	**1038**
System depth mm	1384	1384	376	376
Drawer front height mm	75	125	75	125
Version	5x TW, 9x SW	5x TW, 9x SW	5x TW, 9x SW	5x TW, 9x SW
Weight kg	2.1	3.5	0.8	1.4
Order ref. packed	73020068.19V	73020069.19V	73020078.19V	73020079.19V
AW value				

System width mm	**1038**	**1038**	**1038**	**1038**
System depth mm	488	488	600	600
Drawer front height mm	75	125	75	125
Version	5x TW, 9x SW	5x TW, 9x SW	5x TW, 9x SW	5x TW, 9x SW
Weight kg	1.7	2.8	3.0	3.3
Order ref. packed	73020080.19V	73020081.19V	73020082.19V	73020083.19V
AW value				

Kit with 17 dividers				
System width mm	**1150**	**1150**	**1150**	**1150**
System depth mm	376	376	488	488
Drawer front height mm	75	125	75	125
Version	6x TW, 11x SW	6x TW, 11x SW	6x TW, 11x SW	6x TW, 11x SW
Weight kg	1.0	1.6	2.0	3.3
Order ref. packed	73020086.19V	73020087.19V	73020088.19V	73020089.19V
AW value				

System width mm	**1150**	**1150**		
System depth mm	600	600		
Drawer front height mm	75	125		
Version	6x TW, 11x SW	6x TW, 11x SW		
Weight kg	2.3	3.9		
Order ref. packed	73020090.19V	73020091.19V		
AW value				

Drawer pan extension




- Drawer pan height extension for retrofit
- Material: Natural aluminium
- For front height of 300 mm or above
- Fixings included

System width mm	**478**	**478**	**478**		
System depth mm	824	1048	1384		
From drawer front height mm	300	300	300		
Weight	0,8	1,0	1,3		
Order Ref. installed	73505035.98M	73505014.98M	73505015.98M		
Order ref. packed	73505035.98V	73505014.98V	70010015.98V		
AW value					

System width mm	**590**	**590**	**590**	**1038**	**1038**
System depth mm	824	1048	1384	824	1048
From drawer front height mm	300	300	300	300	300
Weight	0,8	1,1	1,4	1,0	1,3
Order Ref. installed	73505036.98M	73505019.98M	73505020.98M	73505037.98M	73505028.98M
Order ref. packed	73505036.98V	73505019.98V	73505020.98V	73505037.98V	73505028.98V
AW value					

Base shelf infill



- For inserting in an under floor housing
- Also possible in combination with aluminium drop front

System width mm	**478**			**590**		
System depth mm	824	1048	1384	824	1048	1384
Dimensions W x D x H mm	420 x 712	420 x 936	420 x 1272	532 x 712	532 x 936	532 x 1272
Weight	2,5	3,2	4,4	3,1	4,1	5,5
Order Ref.	11308090	11308074	11308075	11308091	11308076	11308077
AW value	1	1	1	1	1	1

System width mm	**1038**					
System depth mm	824	1048				
Dimensions W x D x H mm	420 x 936	980 x 936				
Weight	5,7	7,5				
Order Ref.	11308092	11308078				
AW value	1	1				


Underfloor storage with Eurobox



- Set comprising guide rails, end stop, fixing kit and eurobox
- Material of guide rails: Zinc-plated steel
- Also possible in combination with aluminium drop front for width 590
- Suitable for housing widths 478 / 590 mm

System width [mm]	-4		-5	
System depth [mm]	/12			
Dimensions W x D x H [mm]	418 x 1314 x 170		530 x 1314 x 170	
Weight [kg]	5.46		7.16	
Order ref.	70010041.19M	70010041.19V	70010042.19M	70010042.19V
Final installation [WU]	0.0	3.0	0.0	3.0


Finger-trap protection for drawers



- for optional attachment to the drawer of the underfloor modules
- Possible from a drawer height of 150 mm
- PU 3

Dimensions of the eurobox W x D x H mm	**23 x 63 x 35**
Weight	0,1
Order Ref. packed	70010001.10V
AW value	3

Anti-slip mats for drawers



- For storing sensitive parts
- Thickness 2.5 mm
- Material: hard-wearing, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, liquid-tight, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width mm	**478**			**590**		
System depth mm	824	1048	1384	824	1048	1384
Inner dimensions of the drawers W x D mm	373 x 709	373 x 959	373 x 1309	485 x 709	485 x 959	485 x 1309
Weight	0,8	1,1	1,6	1,1	1,5	2,0
Order Ref.	71301136.19V	71301015.19V	71301016.19V	71301137.19V	71301020.19V	71301021.19V
AW value						

System width mm	**1038**					
System depth mm	824	1048				
Inner dimensions of the drawers W x D mm	933 x 709	933 x 959				
Weight	2,1	2,8				
Order Ref.	71301138.19V	71301029.19V				
AW value						


12 V power supply for drawer



- Power supply in the drawer starting from a drawer front height of 150 mm
- Incl. 12 V power socket
- Incl. vario cable kit

For construction depth	**814/1048/1384**
Weight kg	1.25
Order Ref.	73501001.90M
AW value	


Shelf TopLash -C- For Underfloor Housing



- shelf TopLash -C- for underfloor housing to completely cover the underfloor module
- -anti-slip mat and TopLash -C- function included
- -shelf TopLash -C- for underfloor housing
  incl. anti-slip mat for system width /4 = 478mm and /5 = 590mm
- shelf TopLash -C- for underfloor housing with 2-part telescopic extension, must be adjusted to the required system depth /7 = 824mm, 9 = 1048mm, /12 = 1384mm and mounted onto the underfloor housing
- the anti-slip mat must be adjusted to the appropriate width and depth
- anodised aluminium

Dimensions W x D mm	**478 x 108**	**590 x 108**
Weight kg	4,7	5,6
Order Ref.	72533258.97V	72533259.97V
AW-Wert		

Aluminium drop fronts



- The drop front is mounted using the drop-front shelf support screwed on the sides
- Ergonomic handle strip for simple operation
- Anodised aluminium
- Drop-front shelf support, plastic, anthracite grey (RAL 7016)
- Also in combination with base shelf infill
- **Caution**: Small sill

Height 75 mm

System width mm	**478**	**590**	**1038**	
Weight kg	0.4	0.5	0.9	
Order Ref. installed	72105003.19M	72105004.19M	72105004.19M	
Order ref. packed	72105003.19V	72105003.19V	72105003.19V	
AW value				


Height 125 mm

System width mm	**478**	**590**	**1038**	
Weight kg	0.5	0.6	1.1	
Order Ref. installed	72105015.19M	72105016.19M	72105020.19M	
Order ref. packed	72105015.19V	72105016.19V	72105020.19V	
AW value				

Height 175 mm

System width mm	**478**	**590**	**1038**	
Weight kg	0.6	0.7	1.4	
Order Ref. installed	72105027.19M	72105028.19M	72105032.19M	
Order ref. packed	72105027.19V	72105028.19V	72105032.19V	
AW value				


Lashing strap C-Lash with single lashing eye (raised)



- Makes quick and flexible load restraint possible
- For mounting on bott vario3 vehicle equipment, at the side to the SLF
- Included:
  1x lashing strap (-C-) with cam-buckle strap
  2x single lashing eyes (-C-) (raised)
- bott branded strap in anthracite grey
- Strap width 25 mm
- Load capacity: 100 daN

Strap length mm	**1000**	**2500**		
Fixed end mm	100	100		
Order Ref. installed	72610034.19M	72610035.19M		
Order ref. packed	72610034.19V	72610035.19V		
AW value				

Lashing strap C-Lash with single lashing eye (recessed)



- Makes quick and flexible load restraint possible
- For mounting on bott vario3 vehicle equipment, suitable for the T-nuts on the SLF and various system components
- Included:
  1x lashing strap (-C-) with cam-buckle strap
  2x single lashing eyes (-C-) (recessed)
- bott branded strap in anthracite grey
- Strap width 25 mm
- Load capacity: 100 daN

Strap length mm	**1000**	**2500**		
Fixed end mm	100	100		
Order Ref. installed	72610030.19M	72610031.19M		
Order ref. packed	72610030.19V	72610031.19V		
AW value				


C-Lash lashing strap intermediate-mounted



- C-Lash lashing strap for screwing to the side of the perforated profile end frame
- bott branded strap in green
- Strap width 15 mm
- Load capacity up to 100 daN

Strap length mm	**1000**	**2500**		
Fixed end mm	100	100		
Order Ref. installed	72610041.17M	72610042.17M		
Order ref. packed	72610041.17V	72610042.17V		
AW value				

Side panel for under floor module




- For facing the sides of the under floor housing
- Material: Anodised aluminium

Height mm	**250**			**350**		
For housings with depth mm	814	1048	1384	814	1048	1384
Dimensions W x D mm	736 x 250	960 x 250	1296 x 250	736 x 350	960 x 350	1296 x 350
Weight kg	0,5	0,6	0,9	0,7	0,9	1,2
Order Ref. installed	08040405.97M	08019714.97M	08019716.97M	08040406.97M	08040406.97M	08040401.97M
Order ref. packed	08040405.97V	08019714.97V	08019716.97V	08040406.97V	08019999.97V	08040001.97V
AW value	2	2	2	2	2	2

Height mm	**400**			**500**		
For housings with depth mm	814	1048	1384	814	1048	1384
Dimensions W x D mm	736 x 400	960 x 400	1296 x 400	736 x 500	960 x 500	1296 x 500
Weight kg	0,8	1,1	1,4	1,0	1,3	1,8
Order Ref. installed	08040407.97M	08040136.97M	08040137.97M	08040408.97M	08040408.97M	08040139.97M
Order ref. packed	08040407.97V	08040136.97V	08040137.97V	08040408.97V	08040138.97V	08040139.97V
AW value	2	2	2	2	2	2


Set of panels for under floor modules



- For covering the spaces between the under floor module and the vehicle contour
- Suitable for all vehicle types, the panels are adapted to the vehicle contour during installation
- The set comprises 4 panels
- Material: Anodised aluminium

For housings with height mm	**250**	**350**		
Dimensions W x D x H mm	25 x 250 x 250	25 x 250 x 350		
Weight kg	1.30	1.70		
Order Ref.	63502062.97V	63502039.97V		
AW value	2	2		


Under floor module support



- For supporting the load deck in the front area of the under floor module
- Can be used for height 250 mm and 350 mm
- Material: Sheet steel, zinc-plated

Dimensions W x D x H mm	**350 x 30 x 250**
Order Ref.	08019808.51V

Top cover



- for veneering different widths in underfloor housings
- Cover is screwed and riveted to the underfloor housing
- suitable for construction depth / 7, / 9 and / 12
- Material: Anodized aluminum

Dimensions W x D x H mm	**112 x 1384 x 50**
Order Ref.	08040314.97V

Cushion for under floor module



- Cushion suitable for width 4, depth 5/9
- Cushion width 3, depth 5/9 can be installed as a backrest to the vehicle bulkhead using the adapter set (the adapter set must be ordered separately # 700 10 052.19V)
- Installation in combination with perfo panel possible
- Material: Synthetic leather, black

System depth mm	**600**	**600**	**1048**	**1048**
System width mm	366	478	366	478
Dimensions W x D x H mm	391 x 1068 x 40	503 x 620 x 40	391 x 1068 x 40	503 x 1068 x 40
Order Ref.	85001162	85001161	85001163	85001157
AW value	3	3	3	3

Fixing kit for cushion on the bulkhead



- Adapter for installation of a cushion as a backrest
- VE2
- Powder-coated sheet steel

Dimensions W x D x H mm	**50 x 360 x 1.5**
Weight (kg)	0.2
Order Ref.	70010052.19V
AW value	1

Load decks 250 mm for under floor modules (with fixing holes)

Citroen

Vehicle	**Berlingo L1**	**Berlingo L2**	**Jumpy L1**	**e-Berlingo L1**
From year of construction	2018	2018	2016	2022
Wheelbase mm	2785	2975	2925	2785
Height of under floor module mm	250	250	250	250
Order Ref.	11310530	11310531	11310510	11310610
AW value	14	14	14	14

Vehicle	**e-Berlingo L2**			
From year of construction	2022			
Wheelbase mm	2977			
Height of under floor module mm	250			
Order Ref.	11310612			
AW value	14			

Fiat

Vehicle	**Doblo L1**	**Doblo L2**	**Fullback****	**Fullback****
From year of construction	2011	2011	2015	2019
Wheelbase mm	2755	3105	3000	3000
Height of under floor module mm	250	250	250	250
Order Ref.	11310516	11310517	11310526	11310557
AW value	14	14	14	14

**Double cab only in conjunction with hard top

Ford

Vehicle	**Courier**	**Connect L1**	**Connect L2**	**Ranger****
From year of construction	2014	2014	2014	2016
Wheelbase mm	2489	2662	3062	3200
Height of under floor module mm	250	250	250	250
Order Ref.	11310518	11310514	11310515	11310525
AW value	14	14	14	14

**Double cab only in conjunction with hard top

Isuzu

Vehicle	**D-MAX****			
From year of construction	2017			
Wheelbase mm	3095			
Height of under floor module mm	250			
Order Ref.	11310529			
AW value	14			

**Doublecab nur in Verbindung mit Hardtop

Mercedes-Benz

Vehicle	**Citan Compact**	**Citan Lang**	**Citan Extralang**	
From year of construction	2012	2012	2012	
Wheelbase mm	2313	2697	3081	
Height of under floor module mm	250	250	250	
Order Ref.	11310519	11310520	11310521	
AW value	14	14	14	

**Double cab only in conjunction with hard top

Vehicle	**Citan L1**	**Citan L2**		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	11310583	11310589		
AW value	14	14		

**Double cab only in conjunction with hard top

Nissan

Vehicle	**Townstar L1**	**Townstar L2**		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	11310583	11310589		
AW value	14	14		

**Double cab only in conjunction with hard top

Mitsubishi

Vehicle	**L200****	**L200****		
From year of construction	2015	2019		
Wheelbase mm	3000	3000		
Height of under floor module mm	250	250		
Order Ref.	11310526	11310557		
AW value	14	14		

**Double cab only in conjunction with hard top

Opel

Vehicle	**Combo L1**	**Combo L2**	**Vivaro L1**	**e-Combo Life L1**
From year of construction	2018	2018	2019	2022
Wheelbase mm	2785	2975	2925	2785
Height of under floor module mm	250	250	250	250
Order Ref.	11310530	11310531	11310510	11310610
AW value	14	14	14	14

Vehicle	**e-Combo Life L2**			
From year of construction	2022			
Wheelbase mm	2977			
Height of under floor module mm	250			
Order Ref.	11310612			
AW value	14			

Peugeot

Vehicle	**Partner L1**	**Partner L2**	**Expert L1**	**e-Rifter L1**
From year of construction	2018	2018	2016	2022
Wheelbase mm	2785	2975	2925	2785
Height of under floor module mm	250	250	250	250
Order Ref.	11310530	11310531	11310510	11310610
AW value	14	14	14	14

Vehicle	**e-Rifter L2**			
From year of construction	2022			
Wheelbase mm	2977			
Height of under floor module mm	250			
Order Ref.	11310612			
AW value	14			

Renault

Vehicle	**Kangoo Compact**	**Kangoo Lang**	**Kangoo Extralang**	
From year of construction	2013	2013	2013	
Wheelbase mm	2313	2697	3081	
Height of under floor module mm	250	250	250	
Order Ref.	11310519	11310520	11310521	
AW value	14	14	14	

**Double cab only in conjunction with hard top

Vehicle	**Kangoo L1**	**Kangoo L2**		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	11310583	11310589		
AW value	14	14		

**Double cab only in conjunction with hard top

Toyota				
Vehicle	**Proace City L1**	**Proace City L2**	**Proace compact**	
From year of construction	2020	2020	2016	
Wheelbase mm	2785	2975	2925	
Height of under floor module mm	250	250	250	
Order Ref.	11310530	11310531	11310510	
AW value	14	14	14	

**Double cab only in conjunction with hard top

Vehicle	**Proace City verso L1**	**Proace City verso L2**		
From year of construction	2022	2022		
Wheelbase mm	2785	2977		
Height of under floor module mm	250	250		
Order Ref.	11310610	11310612		
AW value	14	14		

**Double cab only in conjunction with hard top



Load decks 250 mm for under floor modules (with fixing holes)

Volkswagen


Vehicle	Caddy	Caddy Maxi	Caddy L1	Caddy L2
From year of construction	2015	2015	2020	2020
Wheelbase mm	2882	3000	2755	2970
Height of under floor module mm	250	250	250	250
Order Ref.	11310512	11310513	11310055	11310056
AW value	14	14	14	14

**Double cab only in conjunction with hard top

Vehicle	Caddy Life L1	Caddy Life L2	Amarok**	Multivan T7
From year of construction	2021	2021	2010	2021
Wheelbase mm	2760	2970	3059	3124
Height of under floor module mm	250	250	250	250
Order Ref.	11310608	11310620	11310524	11310630
AW value	14	14		

**Double cab only in conjunction with hard top

Semi-circular lashing rails for load decks (without fixing kit / end cap)



- Additional load restraint through semi-circular lashing rails
- Is installed directly on the pre-drilled holes in the load deck
- Can be used for all load decks with fixing holes
- VE1
- Material: Aluminium

Rail length mm	**825**	**1025**	**1225**
Vehicle models	Y12 L1 (Citan/Kangoo/NV250)	Y49 (Courier)	Y60 L1 (Partner/Combo/Berlingo/ Proace City), Y61 (Ranger), Y68 (L200, Fullback), Y63 (Navara, Alaskan), Y64 (Hilux), Y65 (D-MAX), Y46 L1 (Connect), Y12 L2 (Citan/Kangoo/NV250)
Order Ref.	67901044.98V	67901045.98V	67901046.98V
	27,60	30,70	33,80
AW value	2	2	2

Rail length mm	**1425**	**1625**	**1775**
Vehicle models	Y55 L1 (Caddy), Y05 L1 (Doblo), Y69 L1 (Citan/ Kangoo/ Townstar), Y70 L1 (Caddy), Y74 (Express)	Y60 L2 (Partner/Combo/Berlingo/ Proace City), Y05 L2 (Doblo), Y57 L1 (Expert/Jumpy/Vivaro/ Proace), Y12 L3 (Citan/Kangoo/NV250), Y46 L2 (Connect)	Y69 L2 (Citan/ Kangoo/ Townstar)
Order Ref.	67901047.98V	67901048.98V	67901067.98V
	36,80	39,90	43,00
AW value	2	2	2

Rail length mm	**1825**		
Vehicle models	Y55 L2 (Caddy) Y70 L2 (Caddy)		
Order Ref.	67901049.98V		
	43,00		
AW value	2		

Installation kit for semi-circular lashing rail

- Contains all necessary mounting material
- Mounting set sufficient for 2 lashing rails

Designation	**Semi-circular lashing rail**		
Pack of			
Order Ref.	90099765		

Load decks 250 mm for under floor modules (without fixing holes)

Citroën

Vehicle	Jumpy L2	Jumpy L3		
From year of construction	2016	2016		
Wheelbase mm	3275	3275*		
Height of under floor module mm	250	250		
Order Ref.	11310404	11310405		
AW value	18	18		

Dacia

Vehicle	Dokker	Dokker Express		
From year of construction	2012	2020		
Wheelbase mm	2810	2810		
Height of under floor module mm	250	250		
Order Ref.	11310511	11310601		
		297,00		
AW value	18	18		

Fiat

Vehicle	Talento L1	Talento L2		
From year of construction	2016	2016		
Wheelbase mm	3098	3498		
Height of under floor module mm	250	250		
Order Ref.	11310438	11310428		
AW value	18	18		

Ford

Vehicle	Transit Custom L1	Transit Custom L2		
From year of construction	2012	2012		
Wheelbase mm	2933	3300		
Height of under floor module mm	250	250		
Order Ref.	11310441	11310411		
AW value	18	18		

Mercedes-Benz

Vehicle	Vito Compact	Vito long	Vito extra long	
From year of construction	2012	2012	2012	
Wheelbase mm	3200	3200*	3430	
Height of under floor module mm	250	250	250	
Order Ref.	11310427	11310410	11310440	
AW value	18	18	18	

* With overhang

Load decks 250 mm for under floor modules (without fixing holes)

Nissan

Vehicle	**NV300 L1**	**NV300 L2**		
From year of construction	2016	2016		
Wheelbase mm	3098	3498		
Height of under floor module mm	250	250		
Order Ref.	11310438	11310428		
AW value	18	18		

Opel

Vehicle	**Vivaro L2**	**Vivaro L3**		
From year of construction	2019	2019		
Wheelbase mm	3275	3275*		
Height of under floor module mm	250	250		
Order Ref.	11310404	11310405		
AW value	18	18		

Peugeot

Vehicle	**Expert L2**	**Expert L3**		
From year of construction	2019	2019		
Wheelbase mm	3275	3275*		
Height of under floor module mm	250	250		
Order Ref.	11310404	11310405		
AW value	18	18		

Renault

Vehicle	**Trafic L1**	**Trafic L2**		
From year of construction	2014	2014		
Wheelbase mm	3098	3498		
Height of under floor module mm	250	250		
Order Ref.	11310438	11310428		
AW value	18	18		

* With overhang

Load decks 250 mm for under floor modules (without fixing holes)

Toyota

Vehicle	Proace medium	Proace long		
From year of construction	2016	2016		
Wheelbase mm	3275	3275*		
Height of under floor module mm	250	250		
Order Ref.	11310404	11310405		
AW value	18	18		

Volkswagen

Vehicle	T6 L1	T6 L2	ID BUZZ	
From year of construction	2016	2016	2022	
Wheelbase mm	3000	3400	2989	
Height of under floor module mm	250	250	250	
Order Ref.	11310429	11310439	11310621	
AW value	18	18		

Load decks 350 mm for under floor modules (without fixing holes)

Citroën

Vehicle	Berlingo L1	Berlingo L2	e-Berlingo L2	
From year of construction	2018	2018	2022	
Wheelbase mm	2785	2975	2977	
Height of under floor module mm	350	350	250	
Order Ref.	11310480	11310481	11310613	
AW value	18	18	14	

Vehicle	Jumpy L1	Jumpy L2	Jumpy L3	
From year of construction	2016	2016	2016	
Wheelbase mm	2925	3275	3275*	
Height of under floor module mm	350	350	350	
Order Ref.	11310406	11310407	11310408	
AW value	18	18	18	

Fiat

Vehicle	Doblò L1	Doblò L2	Talento L1	Talento L2
From year of construction	2010	2010	2016	2016
Wheelbase mm	2755	3105	3098	3498
Height of under floor module mm	350	350	350	350
Order Ref.	11310430	11310431	11310443	11310444
AW value	18	18	18	18

*With overhang

Load decks 350 mm for under floor modules (without fixing holes)

Dacia

Vehicle	Dokker Express			
From year of construction	2020			
Wheelbase mm	2810			
Height of under floor module mm	350			
Order Ref.	11310602			
AW value	18			

Fiat

Vehicle	Fullback**	Fullback**		
From year of construction	2010	2019		
Wheelbase mm	2755	2755		
Height of under floor module mm	350	350		
Order Ref.	11310430	11310560		
AW value	18	18		

Ford

Vehicle	Transit Connect	Transit Connect	Transit Custom L1	Transit Custom L2
From year of construction	2014	2014	2012	2012
Wheelbase mm	2662	3062	2933	3300
Height of under floor module mm	350	350	350	350
Order Ref.	11310436	11310437	11310442	11310412
AW value	18	18	18	18

Vehicle	Ranger*	Ranger***	Raptor*	
From year of construction	2022	2022	2022	
Wheelbase mm	3220	3220	3220	
Height of under floor module mm	350	350	350	
Order Ref.	11310642	11310644	11310646	
AW value	14	14	14	

*with plastic tub ***without plastic tub

Load decks 350 mm for under floor modules (without fixing holes)

Mercedes-Benz

Vehicle	**Citan Long**	**Citan Extra long**	**Citan L1**	**Citan L2**
From year of construction	2012	2012	2021	2021
Wheelbase mm	2697	3081	2716	3100
Height of under floor module mm	350	350	350	350
Order Ref.	11310432	11310433	11310584	11310590
AW value	18	18	18	18

Vehicle	**Vito Compact**	**Vito long**	**Vito extra long**	
From year of construction	2014	2014	2014	
Wheelbase mm	3200	3200*	3430	
Height of under floor module mm	350	350	350	
Order Ref.	11310392	11310390	11310394	
AW value	18	18	18	

Mitsubishi

Vehicle	**L200**	**L200**		
From year of construction	2015	2019		
Wheelbase mm	3000	3000		
Height of under floor module mm	350	350		
Order Ref.	11310457	11310560		
AW value	18	18		

Nissan

Vehicle	**Townstar L1**	**Townstar L2**	**NV300 L1**	**NV300 L2**
From year of construction	2022	2022	2016	2016
Wheelbase mm	2716	3100	3098	3498
Height of under floor module mm	350	350	350	350
Order Ref.	11310584	11310590	11310443	11310444
AW value	18	18	18	18

Load decks 350 mm for under floor modules (without fixing holes)

Opel

Vehicle	Combo L1	Combo L2	eCombo Life L2	
From year of construction	2018	2018	2022	
Wheelbase mm	2785	2975	2977	
Height of under floor module mm	350	350	250	
Order Ref.	11310480	11310481	11310612	
AW value	18	18	14	

Vehicle	Vivaro L1	Vivaro L2	Vivaro L3	
From year of construction	2019	2019	2019	
Wheelbase mm	2925	3275	3275*	
Height of under floor module mm	350	350	350	
Order Ref.	11310406	11310407	11310408	
AW value	18	18	18	

Peugeot

Vehicle	Partner L1	Partner L2	eRifter L2	
From year of construction	2018	2018	2022	
Wheelbase mm	2785	2975	2977	
Height of under floor module mm	350	350	250	
Order Ref.	11310480	11310481	11310612	
AW value	18	18	14	

Vehicle	Expert L1	Expert L2	Expert L3	
From year of construction	2019	2019	2019	
Wheelbase mm	2925	3275	3275*	
Height of under floor module mm	350	350	350	
Order Ref.	11310406	11310407	11310408	
AW value	18	18	18	

Load decks 350 mm for under floor modules (without fixing holes)

Renault

Vehicle	**Express**	**Kangoo Lang**	**Kangoo Extralang**	
From year of construction	2021	2012	2012	
Wheelbase mm	2810	2697	3081	
Height of under floor module mm	350	350	350	
Order Ref.	11310602	11310432	11310433	
AW value	18	18	18	

Vehicle	**Kangoo L1**	**Kangoo L2**	**Trafic L1**	**Trafic L2**
From year of construction	2021	2021	2014	2014
Wheelbase mm	2716	3100	3098	3498
Height of under floor module mm	350	350	350	350
Order Ref.	11310584	11310590	11310443	11310444
AW value	18	18	18	18

Toyota

Fahrzeug	**Proace City L1**	**Proace City L2**	**ProAce City Verso L2**	
ab Baujahr	2020	2020	2022	
Radstand mm	2785	2975	2977	
Höhe Unterflurmodul mm	350	350	250	
Artikel-Nr.	11310480	11310481	11310612	
AW-Wert	18	18	14	

Fahrzeug	**Proace compact**	**Proace Medium**	**Proace Lang**	
ab Baujahr	2016	2016	2016	
Radstand mm	2925	3275	3275*	
Höhe Unterflurmodul mm	250	350	350	
Artikel-Nr.	11310406	11310407	11310408	
AW-Wert	18	18	18	

Volkswagen				
Vehicle	**Caddy**	**Caddy Maxi**	**Caddy L1**	**Caddy L2**
From year of construction	2015	2015	2020	2020
Wheelbase mm	2682	3000	2755	2970
Height of under floor module mm	350	350	350	350
Order Ref.	11310434	11310435	11310057	11310058
AW value	18	18	18	18

*With overhang

Vehicle	**Caddy Life L2**	**T6**	**T6**	**T7 Multivan**
From year of construction	2021	2015	2015	2021
Wheelbase mm	2970	3000	3400	3124
Height of under floor module mm	350	350	350	350
Order Ref.	11310611	11310378	11310380	11310631
AW value	18	18	18	

Fahrzeug	**ID BUZZ**			
ab Baujahr	2022			
Radstand mm	2989			
Höhe Unterflurmodul mm	350			
Artikel-Nr.	11310622			
AW-Wert	18			

Load deck for under floor modules 350 mm plastic panel (without fixing holes)

Pick-ups				
Vehicle	**Fullback**	**Fullback**	**Ranger**	**D-MAX**
From year of construction	2015	2019	2016	2017
Wheelbase mm	3000	3000	3200	3095
Height of under floor module mm	350	350	350	350
Order Ref.	11310457	11310560	11310455	11310463
AW value	18	18	18	18

Vehicle	**L200**	**L200**	**Hilux**	**Amarok**
From year of construction	2015	2019	2015	2010
Wheelbase mm	3000	3000	3085	3095
Height of under floor module mm	350	350	350	350
Order Ref.	11310457	11310560	11310461	11310449
AW value	18	18	18	18

Conversion kits height 250 for under floor modules

Citroën

Vehicle	Berlingo L1	Berlingo L2	Jumpy L1	eBerlingo L2
From year of construction	2018	2018	2016	2022
Wheelbase mm	2785	2975	2925	2975
Height of under floor module mm	250	250	250	250
Order Ref.	70010039.19V	70010040.19V	70010034.19V	70010075.19V
AW value				

Fiat

Vehicle	Doblò	Doblò Maxi	Fullback**	
From year of construction	2010	2010	2015/2019	
Wheelbase mm	2755	3105	3000	
Height of under floor module mm	250	250	250	
Order Ref.	70010023.19V	70010024.19V	70010036.19V	
AW value				

**Double cab only in conjunction with hard top

Ford

Vehicle	Transit Courier	Transit Connect L1	Transit Connect L2	Ranger**
From year of construction	2014	2014	2014	2016
Wheelbase mm	2489	2662	3062	3200
Height of under floor module mm	250	250	250	250
Order Ref.	70010031.19V	70010029.19V	70010030.19V	70010035.19V
AW value				

**Double cab only in conjunction with hard top

Vehicle	Ranger			
From year of construction	2022			
Wheelbase mm	3220			
Height of under floor module mm	250/350			
Order Ref.	70010094.19V			
AW value				

Conversion kits height 250 for under floor modules

Isuzu

Vehicle	**D-MAX****			
From year of construction	2017			
Wheelbase mm	3095			
Height of under floor module mm	250			
Order Ref.	70010038.19V			
AW value				

**Double cab only in conjunction with hard top

Mercedes-Benz

Vehicle	**Citan compact**	**Citan Long**	**Citan Extra long**	
From year of construction	2012	2012	2012	
Wheelbase mm	2313	2697	3081	
Height of under floor module mm	250	250	250	
Order Ref.	70010025.19V	70010026.19V	70010027.19V	
AW value				

**Double cab only in conjunction with hard top

Mercedes-Benz

Vehicle	**Citan L1**	**Citan L2**		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	70010057.19V	70010058.19V		
AW value				

**Doublecab nur in Verbindung mit Hardtop

Nissan

Vehicle	**Townstar L1**	**Townstar L2**		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	70010057.19V	70010058.19V		
AW value				

**Doublecab nur in Verbindung mit Hardtop

Conversion kits height 250 for under floor modules

Mitsubishi

Vehicle	L200			
From year of construction	2015/2019			
Wheelbase mm	3000			
Height of under floor module mm	250			
Order Ref.	70010036.19V			
AW value				

**Double cab only in conjunction with hard top

Opel

Vehicle	Combo L1	Combo L2	Vivaro L1	eCombo Life L2
From year of construction	2018	2018	2019	2022
Wheelbase mm	2785	2975	2925	2975
Height of under floor module mm	250	250	250	250
Order Ref.	70010039.19V	70010040.19V	70010034.19V	70010075.19V
AW value				

Peugeot

Vehicle	Partner L1	Partner L2	Expert L1	eRifter L2
From year of construction	2018	2018	2016	2022
Wheelbase mm	2785	2975	2925	2975
Height of under floor module mm	250	250	250	250
Order Ref.	70010039.19V	70010040.19V	70010034.19V	70010075.19V
AW value				

Renault

Vehicle	Kangoo Compact	Kangoo	Kangoo Maxi	
From year of construction	2012	2008	2010	
Wheelbase mm	2313	2697	3081	
Height of under floor module mm	250	250	250	
Order Ref.	70010025.19V	70010026.19V	70010027.19V	
AW value				

**Double cab only in conjunction with hard top

Vehicle	Kangoo L1	Kangoo L2		
From year of construction	2021	2021		
Wheelbase mm	2716	3100		
Height of under floor module mm	250	250		
Order Ref.	70010057.19V	70010058.19V		
AW value				

**Doublecab nur in Verbindung mit Hardtop

Conversion kits height 250 for under floor modules

Toyota

Vehicle	Partner L1	Partner L2	Proace compact	ProAce City Verso	Hillux
From year of construction	2020	2020	2016	2022	2015
Wheelbase mm	2785	2975	2925	2975	3085
Height of under floor module mm	250	250	250	250	250
Order Ref.	70010039.19V	70010040.19V	70010034.19V	70010075.19V	70010037.19V
AW value					

**Doublecab nur in Verbindung mit Hardtop

Volkswagen


Vehicle	Caddy	Caddy Maxi	Caddy L1	Caddy L2
From year of construction	2007	2007	2020	2020
Wheelbase mm	2682	3000	2750	2970
Height of under floor module mm	250	250	250	250
Order Ref.	70010032.19V	70010033.19V	70010059.19V	70010060.19V
AW value				

Vehicle	Caddy Life L1	Caddy Life L2	Amarok	ID BUZZ
From year of construction	2021	2021	2010	2022
Wheelbase mm	2750	2970	3095	2989
Height of under floor module mm	250	250	250	250
Order Ref.	70010067.19V	70010068.19V	70010028.19V	70010077.19V
AW value				

**Double cab only in conjunction with hard top



varioCar base shelf infill with lashing rails



- Plastic panel includes 2 lashing rails and 2 lashing straps with fitting and cam-buckle
- Colour: black
- Strap length 2500 mm
- Fixed end of lashing strap 130 mm
- Attachment via 4 looped straps with cam-buckle on the lashing eyes in the vehicle

Vehicle	**MB C-Klasse T-Modell**	**Skoda Octavia**	**Skoda Enyaq**
From year of construction	2021	2020	2021
Weight kg		8,7	8,2
Order Ref.	71903017.10V	71903013.10V	71903016.10V
AW value		5	


Vehicle	**VW ID3***	**VW ID4**	**VW Golf 8/ eGolf**
From year of construction	2020	2020	2020
Weight kg	7,0		
Order Ref.	71903022.10V	71903016.10V	71903015.10V
AW value			

Lashing rails are not compatible

Vehicle	**VW Passat**	**VW Caddy Life L1**	**VW Caddy Life L2**
From year of construction	10/14 - 2021	2020	2020
Weight kg			
Order Ref.	71903008.10V	71903019.10V	71903018.10V
AW value			

Vehicle	**Citroen e/Berlingo, Peugeot e/Rifter, Opel e/Combo Life, Toyota Proace City verso**
From year of construction	
Weight kg	
Order Ref.	
AW value	

varioCar support rail set for 2 systainer³ cases



- For mounting on base shelf infill
- Painted steel sheet
- Colour: anthracite grey (RAL 7016)
- Includes 4x star-shaped handle grip for rapid change of the support rails
- Assembly:
  2x systainer³ with width 4
  2x systainer³ with width 5
  4x systainer³ with width 4 (further support rail set is required)

Designation	**Support rail 2x for SYS³**
Order Ref.	71903009.19V
AW value	1




Installation example for installation platforms



Technical Information

- Versions for access at rear doors
- Fixing of the installation platform at the fixing points provided by the vehicle manufacturer: residue-free dismantling
- For further fitting out with cabinets, racks or heavy duty sliding platforms: multifunctional basis


Installation platform for system components



- For installation in the rear compartment, where it facilitates the attachment of the cabinet housing
- Natural aluminium
- Fixings included for connection to the vehicle
- Without fixing kit for cabinet housing

Vehicle type	**Golf Estate**	**Golf Estate**	**Passat**	
From year of construction	08/13	2020-	10/14	
Wheelbase mm	2635	2686	2791	
Order Ref.	71903004.98V	71903024.98V	71903002.98V	
AW value	5	5	5	


Installation platform for heavy duty sliding platform



- For installation in the rear compartment, where it facilitates the attachment of heavy duty sliding platforms
- Natural aluminium
- Fixings included for connection to the vehicle
- Fixings included for heavy duty sliding platform 940 x 940 mm

Vehicle type	**Golf Estate**	**Golf Estate**	**Passat**	
From year of construction	08/13	2020-	10/14	
Wheelbase mm	2635	2686	2791	
Order Ref.	71903003.98V	71903023.98V	71903001.98V	
AW value	5	5	5	

bott vario cargo shelf with full extension slide



- Smooth-running heavy duty sliding platform with 200 kg load capacity
- Ergonomic access to the cargo thanks to 100% full extension slide
- Can be locked when open, making easy loading and unloading of heavy and bulky objects possible
- Flexible load restraint thanks to lashing rails with Airline profile integrated on both sides
- Simple and safe operation thanks to large and ergonomic handle
- Sturdy structure made of lightweight aluminium and sturdy sheet steel, with anti-slip plastic panel
- Can be installed directly on the vehicle floor
- Height 101 mm
- additional cross strut for all loading floors with cover plate

Width 492 mm

Depth mm	**716**	**940**	**1388**	
Dimensions of cargo area W x D mm	420 x 622	420 x 846	420 x 1294	
Order Ref.	71220021.19V	71220022.19V	71220023.19V	
AW value	10	10	10	

Width 716 mm

Depth mm	**716**	**940**	**1388**	
Dimensions of cargo area W x D mm	646 x 622	646 x 846	646 x 1294	
Order Ref.	71220024.19V	71220025.19V	71220026.19V	
AW value	10	10	10	


Width 940 mm

Depth mm	**716**	**940**	**1388**	
Dimensions of cargo area W x D mm	870 x 622	870 x 846	870 x 1294	
Order Ref.	71220027.19V	71220028.19V	71220029.19V	
AW value	10	12	12	12

Width 1164 mm

Depth mm	**716**	**940**	**1388**	
Dimensions of cargo area W x D mm	1094 x 622	1094 x 846	1094 x 1294	
Order Ref.	71220030.19V	71220031.19V	71220032.19V	
AW value	12	12	12	12

bott vario cargo shelf with stringers



- Smooth-running heavy duty sliding platform with 200 kg load capacity
- Ergonomic access to the cargo thanks to 100% full extension slide
- Can be locked when open, making easy loading and unloading of heavy and bulky objects possible
- Flexible load restraint thanks to lashing rails with Airline profile integrated on both sides
- Simple and safe operation thanks to large and ergonomic handle
- Sturdy structure made of lightweight aluminium and sturdy sheet steel, with anti-slip plastic panel
- Can be installed directly on the vehicle floor
- Height 101 mm

Width 492 mm

Depth mm	**716**	**940**	**1388**	
Order Ref.	71220009.19V	71220010.19V	71220011.19V	
AW value	9	9	9	

Width 716 mm

Depth mm	**716**	**940**	**1388**	
Order Ref.	71220012.19V	71220013.19V	71220014.19V	
AW value	9	9	9	


Width 940 mm

Depth mm	**716**	**940**	**1388**	
Order Ref.	71220015.19V	71220016.19V	71220017.19V	
AW value	9	11	11	

Width 1164 mm

Depth mm	**716**	**940**	**1388**	
Order Ref.	71220018.19V	71220019.19V	71220020.19V	
AW value	11	11	11	

bott partition grille for loading floor



- with perfo perforated grid to accommodate holders and accessories from the bott perfo range
- with mounting material
- To create a vertical, flat surfaceon the loading floor
- Load capacity up to 200daN



Width 492 mm				
Dimensions W x D x H mm	**492 x 30 x 492**	**716 x 30 x 492**	**940 x 30 x 492**	**1164 x 30 x 492**
Order Ref.	71220056.19V	71220057.19V	71220058.19V	71220059.19V
AW value				


Spacer profile for stringers



- Top-hat profile for increasing the height of the stringers for a bott vario cargo shelf with stringers (without load deck).
- The top-hat profiles are installed on the lateral components and compensate the difference in height between lateral component and the top side of the aluminium profile.
- Material: Sheet steel, zinc-plated
- Incl. installation kit

Width 492 mm				
Dimensions W x D x H mm	**492 x 74 x 14**	**716 x 74 x 14**	**940 x 74 x 14**	**1164 x 74 x 14**
Order Ref.	71220034.51V	71220035.51V	71220036.51V	71220037.51V
AW value	1	1	1	1


Mounting for SLF on loading floor



- receptacle for mounting the SLF on the loading floor
- flexible planning on loading floor with suitable connection
- suitable angles for fast and safe mounting of SLF on the loading floor

suitable for	**Recording 03**	**Recording 03**	**Recording 04**	**Recording 04**
Dimensions W x D x H mm	84 x 488 x 75,5	84 x 488 x 27	98 x 488 x 75	98 x 488 x 27
Order Ref.	73508064.19V	73508065.19V	73508066.19V	73508067.19V
AW value				

Adapter set case sliding for Milwaukee Packout



- Support brackets for mounting the Milwaukee Packout onto bott vario3
- Various Packouts can be integrated

Dimensions W x D x H mm	**141,7 x 390 x 50,4**	**141,7 x 390 x 50,4**
Order Ref.	72103053.19M	72103053.19V
AW value		

3 bott vario3
Systembauteile




End-frame profiles

3

SLF F



- Profile heights from 100 mm to 1800 mm
- For mounting system components in 25 mm height increments
- T-slot for mounting single lashing eye FrontLash -oo- and C-Lash



System height [mm]	100		150		200	
Dimensions W x D x H [mm]	30 x 59 x 86		30 x 59 x 136		30 x 59 x 186	
Weight [kg]	0.11		0.17		0.22	
Assembled/packed	Assembled					
Order ref.	**70201010.97M**	**70201010.97V**	**70201015.97M**	**70201015.97V**	**70201020.97M**	**70201020.97V**
Final installation [WU]	0.0					

System height [mm]	250		300		350	
Dimensions W x D x H [mm]	30 x 59 x 236		30 x 59 x 286		30 x 59 x 336	
Weight [kg]	0.27		0.32		0.37	
Order ref.	**70201025.97M**	**70201025.97V**	**70201030.97M**	**70201030.97V**	**70201035.97M**	**70201035.97V**
Final installation [WU]	0.0					

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	30 x 59 x 386		30 x 59 x 436		30 x 59 x 486	
Weight [kg]	0.43		0.49		0.55	
Order ref.	**70201040.97M**	**70201040.97V**	**70201045.97M**	**70201045.97V**	**70201050.97M**	**70201050.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	30 x 59 x 536		30 x 59 x 586		30 x 59 x 636	
Weight [kg]	0.60		0.66		0.71	
Order ref.	**70201055.97M**	**70201055.97V**	**70201060.97M**	**70201060.97V**	**70201065.97M**	**70201065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	30 x 59 x 686		30 x 59 x 736		30 x 59 x 786	
Weight [kg]	0.77		0.83		0.88	
Order ref.	**70201070.97M**	**70201070.97V**	**70201075.97M**	**70201075.97V**	**70201080.97M**	**70201080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	30 x 59 x 836		30 x 59 x 886		30 x 59 x 936	
Weight [kg]	0.94		1.00		1.06	
Order ref.	**70201085.97M**	**70201085.97V**	**70201090.97M**	**70201090.97V**	**70201095.97M**	**70201095.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	30 x 59 x 986		30 x 59 x 1036		30 x 59 x 1086	
Weight [kg]	1.10		1.21		1.22	
Order ref.	**70201100.97M**	**70201100.97V**	**70201105.97M**	**70201105.97V**	**70201110.97M**	**70201110.97V**
Final installation [WU]	0.0					

System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	30 x 59 x 1136		30 x 59 x 1186		30 x 59 x 1286	
Weight [kg]	1.33				1.44	
Order ref.	**70201115.97M**	**70201115.97V**	**70201120.97M**	**70201120.97V**	**70201130.97M**	**70201130.97V**
Final installation [WU]	0.0					

End-frame profiles


System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	30 x 59 x 1386		30 x 59 x 1486		30 x 59 x 1586	
Weight [kg]	1.56		1.67		1.79	
Order ref.	**70201140.97M**	**70201140.97V**	**70201150.97M**	**70201150.97V**	**70201160.97M**	**70201160.97V**
Final installation [WU]	0.0					

System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	30 x 59 x 1686		30 x 59 x 1786	
Weight [kg]	1.89		2.01	
Order ref.	**70201170.97M**	**70201170.97V**	**70201180.97M**	**70201180.97V**
Final installation [WU]	0.0			

SLF F FrontLash -oo-



- Profile heights from 100 mm to 1800 mm with FrontLash -oo- Airline system
- For mounting system components in 25 mm height increments



System height [mm]	100		150		200	
Dimensions W x D x H [mm]	30 x 59 x 86		30 x 59 x 136		30 x 59 x 186	
Weight [kg]	0.09		0.15		0.20	
Order ref.	**70211010.97M**	**70211010.97V**	**70211015.97M**	**70211015.97V**	**70211020.97M**	**70211020.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	250		300		350	
Dimensions W x D x H [mm]	30 x 59 x 236		30 x 59 x 286		30 x 59 x 336	
Weight [kg]	0.26		0.32		0.37	
Order ref.	**70211025.97M**	**70211025.97V**	**70211030.97M**	**70211030.97V**	**70211035.97M**	**70211035.97V**
Final installation [WU]	0.0					

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	30 x 59 x 386		30 x 59 x 436		30 x 59 x 486	
Weight [kg]	0.42		0.48		0.54	
Order ref.	**70211040.97M**	**70211040.97V**	**70211045.97M**	**70211045.97V**	**70211050.97M**	**70211050.97V**
Final installation [WU]	0.0					

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	30 x 59 x 536		30 x 59 x 586		30 x 59 x 636	
Weight [kg]	0.60		0.64		0.70	
Order ref.	**70211055.97M**	**70211055.97V**	**70211060.97M**	**70211060.97V**	**70211065.97M**	**70211065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	30 x 59 x 686		30 x 59 x 736		30 x 59 x 786	
Weight [kg]	0.76		0.82		0.86	
Order ref.	**70211070.97M**	**70211070.97V**	**70211075.97M**	**70211075.97V**	**70211080.97M**	**70211080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	30 x 59 x 836		30 x 59 x 886		30 x 59 x 936	
Weight [kg]	0.92		0.98		1.04	
Order ref.	**70211085.97M**	**70211085.97V**	**70211090.97M**	**70211090.97V**	**70211095.97M**	**70211095.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	30 x 59 x 986		30 x 59 x 1036		30 x 59 x 1086	
Weight [kg]	1.08		1.19		1.20	
Order ref.	**70211100.97M**	**70211100.97V**	**70211105.97M**	**70211105.97V**	**70211110.97M**	**70211110.97V**
Final installation [WU]	0.0					

System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	30 x 59 x 1136		30 x 59 x 1186		30 x 59 x 1286	
Weight [kg]	1.31				1.42	
Order ref.	**70211115.97M**	**70211115.97V**	**70211120.97M**	**70211120.97V**	**70211130.97M**	**70211130.97V**
Final installation [WU]	0.0					

System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	30 x 59 x 1386		30 x 59 x 1486		30 x 59 x 1586	
Weight [kg]	1.53		1.64		1.75	
Order ref.	**70211140.97M**	**70211140.97V**	**70211150.97M**	**70211150.97V**	**70211160.97M**	**70211160.97V**
Final installation [WU]	0.0					


System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	30 x 59 x 1686		30 x 59 x 1786	
Weight [kg]	1.86		1.97	
Order ref.	**70211170.97M**	**70211170.97V**	**70211180.97M**	**70211180.97V**
Final installation [WU]	0.0			

End-frame profiles

SLF R



- Profile heights from 100 mm to 1800 mm
- For mounting system components in 25 mm height increments
- Slot system for SLF plus R and for secure installation in the vehicle



System height [mm]	100		150		200	
Dimensions W x D x H [mm]	30 x 59 x 86		30 x 59 x 136		30 x 49 x 186	
Weight [kg]	0.09		0.13		0.18	
Order ref.	**70202010.97M**	**70202010.97V**	**70202015.97M**	**70202015.97V**	**70202020.97M**	**70202020.97V**
Final installation [WU]	0.0					

System height [mm]	250		300		350	
Dimensions W x D x H [mm]	30 x 49 x 236		30 x 49 x 286		30 x 49 x 336	
Weight [kg]	0.23		0.28		0.33	
Order ref.	**70202025.97M**	**70202025.97V**	**70202030.97M**	**70202030.97V**	**70202035.97M**	**70202035.97V**
Final installation [WU]	0.0					

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	30 x 49 x 386		30 x 49 x 436		30 x 49 x 486	
Weight [kg]	0.37		0.42		0.47	
Order ref.	**70202040.97M**	**70202040.97V**	**70202045.97M**	**70202045.97V**	**70202050.97M**	**70202050.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	30 x 49 x 536		30 x 49 x 586		30 x 49 x 636	
Weight [kg]	0.52		0.57		0.61	
Order ref.	**70202055.97M**	**70202055.97V**	**70202060.97M**	**70202060.97V**	**70202065.97M**	**70202065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	30 x 49 x 686		30 x 49 x 736		30 x 49 x 786	
Weight [kg]	0.66		0.71		0.76	
Order ref.	**70202070.97M**	**70202070.97V**	**70202075.97M**	**70202075.97V**	**70202080.97M**	**70202080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	30 x 49 x 836		30 x 49 x 886		30 x 49 x 936	
Weight [kg]	0.81		0.85		0.90	
Order ref.	**70202085.97M**	**70202085.97V**	**70202090.97M**	**70202090.97V**	**70202095.97M**	**70202095.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	30 x 49 x 986		30 x 49 x 1036		30 x 49 x 1086	
Weight [kg]	0.95		1.04		1.05	
Order ref.	**70202100.97M**	**70202100.97V**	**70202105.97M**	**70202105.97V**	**70202110.97M**	**70202110.97V**
Final installation [WU]	0.0					


System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	30 x 49 x 1136		30 x 49 x 1186		30 x 49 x 1286	
Weight [kg]	1.14				1.24	
Order ref.	**70202115.97M**	**70202115.97V**	**70202120.97M**	**70202120.97V**	**70202130.97M**	**70202130.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	30 x 49 x 1386		30 x 49 x 1486		30 x 49 x 1586	
Weight [kg]	1.33		1.43		1.53	
Order ref.	**70202140.97M**	**70202140.97V**	**70202150.97M**	**70202150.97V**	**70202160.97M**	**70202160.97V**
Final installation [WU]	0.0					

System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	30 x 49 x 1686		30 x 49 x 1786	
Weight [kg]	1.62		1.72	
Order ref.	**70202170.97M**	**70202170.97V**	**70202180.97M**	**70202180.97V**
Final installation [WU]	0.0			

SLF protective strip



- Attachment protection and cover for the T-groove
- For pressing into the T-groove of system components and end-frame profiles from the front
- RAL 7016 anthracite grey

Dimensions W x D x H [mm]	22 x 9 x 250	22 x 9 x 250	22 x 9 x 1100	22 x 9 x 1100	22 x 9 x 1600	22 x 9 x 1600
Weight [kg]	0.06	0.06	0.07	0.07	0.10	0.10
Pack quantity	4	4	1	1	1	1
Order ref.	**73506001.19M**	**73506001.19V**	**73506002.19M**	**73506002.19V**	**73506003.19M**	**73506003.19V**
Final installation [WU]	0.0	0.0	0.0	0.0	0.0	0.0

Protective strip for SLF R



- Protective strip for installation on the rear of the SLF-R
- To additionnally even out system components installed rotated which are operated from the rear
- Incl. protective strip with 2 cover caps incl. adhesive strips for fixing



System height [mm]	400		450		500	
Dimensions W x D x H [mm]	29 x 10 x 400		29 x 10 x 450		29 x 10 x 500	
Weight [kg]	0.09		0.10		0.11	
Order ref.	**70209040.97M**	**70209040.97V**	**70209045.97M**	**70209045.97V**	**70209050.97M**	**70209050.97V**
Final installation [WU]	0.0					

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	29 x 10 x 550		29 x 10 x 600		29 x 10 x 650	
Weight [kg]	0.12		0.13		0.14	
Order ref.	**70209055.97M**	**70209055.97V**	**70209060.97M**	**70209060.97V**	**70209065.97M**	**70209065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	29 x 10 x 700		29 x 10 x 750		29 x 10 x 800	
Weight [kg]	0.15		0.16		0.17	
Order ref.	**70209070.97M**	**70209070.97V**	**70209075.97M**	**70209075.97V**	**70209080.97M**	**70209080.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	29 x 10 x 850		29 x 10 x 900		29 x 10 x 950	
Weight [kg]	0.18		0.19		0.20	
Order ref.	**70209085.97M**	**70209085.97V**	**70209090.97M**	**70209090.97V**	**70209095.97M**	**70209095.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	29 x 10 x 1000		29 x 10 x 1100		29 x 10 x 1200	
Weight [kg]	0.21		0.23		0.25	
Order ref.	**70209100.97M**	**70209100.97V**	**70209110.97M**	**70209110.97V**	**70209120.97M**	**70209120.97V**
Final installation [WU]	0.0					

SLF top/bottom (stepped)



- Combined with a front and rear end-frame profile to create a complete end-frame
- Attached to the front and rear end-frame profile with 5 screws

Version	SLF /2/3		SLF /3/4	
Dimensions W x D x H [mm]	30 x 376 x 102		30 x 488 x 102	
Weight [kg]	0.24		0.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**80833637.19M**	**80833637.19V**	**80833638.19M**	**80833638.19V**
Final installation [WU]	0.0			


SLF foot




- System depths 2, 3, 4
- For mounting the SLF-profiles

System depth [mm]	/ 2		/ 3		/ 4	
Dimensions W x D x H [mm]	30 x 264 x 47		30 x 376 x 47		30 x 488 x 47	
Weight [kg]	0.17		0.23		0.29	
Order ref.	**80833471.19M**	**80833471.19V**	**80833472.19M**	**80833472.19V**	**80833473.19M**	**80833473.19V**
Final installation [WU]	0.0					

SLF V/H




- Single fastener end-frame foot in connection with an end-frame profile at the front or an end-frame profile at the rear to set up an individual profile rack
- Anthracite grey



Version	SLF/V		SLF/H	
Dimensions W x D x H [mm]	30 x 100 x 47			
Weight [kg]	0.07			
Order ref.	**80833482.19M**	**80833482.19V**	**80833483.19M**	**80833483.19V**
Final installation [WU]	0.0			

Base unit side panels SLF



- Deflector plates for SLF end-frames for the secure storing of loads in the floor storage compartment
- For SLF
- System depths 2, 3, 4
- Height 300 mm

System depth [mm]	/2	/3	/4
System height [mm]	300		
Dimensions W x D x H [mm]	24 x 264 x 294	24 x 376 x 294	24 x 488 x 294
Weight [kg]	0.16	0.26	0.36
Assembled/packed	Packed		
Order ref.	**73502004.98V**	**73502005.98V**	**73502006.98V**
Final installation [WU]	0.0		

SLF grip



- System depths 2, 3, 4
- As a handle with coat hook
- SLF upstand
- Protective function

System depth [mm]	/ 2		/ 3		/ 4	
Dimensions W x D x H [mm]	35 x 264 x 50		35 x 376 x 50		35 x 488 x 50	
Weight [kg]	0.18		0.23		0.34	
Order ref.	**80833476.19M**	**80833476.19V**	**80833477.19M**	**80833477.19V**	**80833478.19M**	**80833478.19V**
Final installation [WU]	0.0					

SLF plus F FrontLash -oo-



- Extension of design depth at the front of end-frames
- Simple realisation of front steps
- Depth 112 mm
- Profile heights from 400 mm to 1800 mm in 100 mm increments
- Plastic covers



System height [mm]	400		500		600	
Dimensions W x D x H [mm]	30 x 114 x 386		30 x 114 x 486		30 x 114 x 586	
Weight [kg]	0.94		1.14		1.34	
Order ref.	**70206040.97M**	**70206040.97V**	**70206050.97M**	**70206050.97V**	**70206060.97M**	**70206060.97V**
Final installation [WU]	0.0					

System height [mm]	700		800		900	
Dimensions W x D x H [mm]	30 x 114 x 686		30 x 114 x 786		30 x 114 x 886	
Weight [kg]	1.54		1.73		1.93	
Order ref.	**70206070.97M**	**70206070.97V**	**70206080.97M**	**70206080.97V**	**70206090.97M**	**70206090.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	30 x 114 x 986		30 x 114 x 1086		30 x 114 x 1186	
Weight [kg]	2.13		2.33		2.53	
Order ref.	**70206100.97M**	**70206100.97V**	**70206110.97M**	**70206110.97V**	**70206120.97M**	**70206120.97V**
Final installation [WU]	0.0					

System height [mm]	1.300		1.400		1.500	
Dimensions W x D x H [mm]	30 x 114 x 1286		30 x 114 x 1386		30 x 114 x 1486	
Weight [kg]	2.73		2.93		3.13	
Order ref.	**70206130.97M**	**70206130.97V**	**70206140.97M**	**70206140.97V**	**70206150.97M**	**70206150.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	1.600		1.700		1.800	
Dimensions W x D x H [mm]	30 x 114 x 1586		30 x 114 x 1686		30 x 114 x 1786	
Weight [kg]	3.33		3.53		3.73	
Order ref.	**70206160.97M**	**70206160.97V**	**70206170.97M**	**70206170.97V**	**70206180.97M**	**70206180.97V**
Final installation [WU]	0.0					

SLF plus R



- Extension of design depth at the rear of end-frames
- Simple realisation of depth steps
- Slot system for secure installation in the vehicle
- Depth 112 mm
- Profile heights from 250 mm to 1800 mm
- Plastic covers



System height [mm]	250		300		350	
Dimensions W x D x H [mm]	30 x 114 x 236		30 x 114 x 286		30 x 114 x 336	
Weight [kg]	0.67		0.77		0.86	
Order ref.	**70204025.97M**	**70204025.97V**	**70204030.97M**	**70204030.97V**	**70204035.97M**	**70204035.97V**
Final installation [WU]	0.0					

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	30 x 114 x 386		30 x 114 x 436		30 x 114 x 486	
Weight [kg]	0.97		1.07		1.17	
Order ref.	**70204040.97M**	**70204040.97V**	**70204045.97M**	**70204045.97V**	**70204050.97M**	**70204050.97V**
Final installation [WU]	0.0					

End-frame profiles

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	30 x 114 x 536		30 x 114 x 586		30 x 114 x 636	
Weight [kg]	1.32		1.37		1.47	
Order ref.	**70204055.97M**	**70204055.97V**	**70204060.97M**	**70204060.97V**	**70204065.97M**	**70204065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	30 x 114 x 686		30 x 114 x 736		30 x 114 x 786	
Weight [kg]	1.56		1.67		1.77	
Order ref.	**70204070.97M**	**70204070.97V**	**70204075.97M**	**70204075.97V**	**70204080.97M**	**70204080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	30 x 114 x 836		30 x 114 x 886		30 x 114 x 936	
Weight [kg]	1.87		1.97		2.07	
Order ref.	**70204085.97M**	**70204085.97V**	**70204090.97M**	**70204090.97V**	**70204095.97M**	**70204095.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	30 x 114 x 986		30 x 114 x 1086		30 x 114 x 1186	
Weight [kg]	2.17		2.37		2.57	
Order ref.	**70204100.97M**	**70204100.97V**	**70204110.97M**	**70204110.97V**	**70204120.97M**	**70204120.97V**
Final installation [WU]	0.0					

System height [mm]	1.300		1.400		1.500	
Dimensions W x D x H [mm]	30 x 114 x 1286		30 x 114 x 1386		30 x 114 x 1486	
Weight [kg]	2.77		2.97		3.17	
Order ref.	**70204130.97M**	**70204130.97V**	**70204140.97M**	**70204140.97V**	**70204150.97M**	**70204150.97V**
Final installation [WU]	0.0					

System height [mm]	1.600		1.700		1.800	
Dimensions W x D x H [mm]	30 x 114 x 1586		30 x 114 x 1686		30 x 114 x 1786	
Weight [kg]	3.37		3.57		3.77	
Order ref.	**70204160.97M**	**70204160.97V**	**70204170.97M**	**70204170.97V**	**70204180.97M**	**70204180.97V**
Final installation [WU]	0.0					

Protective strip for SLF plus R



- Protective strip for installation on the rear of the SLF-R
- To additionnally even out system components installed rotated which are operated from the rear
- Incl. protective strip with 2 cover caps incl. adhesive strips for fixing

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	29 x 10 x 400		29 x 10 x 450		29 x 10 x 500	
Weight [kg]	0.09		0.10		0.11	
Order ref.	**70209040.97M**	**70209040.97V**	**70209045.97M**	**70209045.97V**	**70209050.97M**	**70209050.97V**
Final installation [WU]	0.0					

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	29 x 10 x 550		29 x 10 x 600		29 x 10 x 650	
Weight [kg]	0.12		0.13		0.14	
Order ref.	**70209055.97M**	**70209055.97V**	**70209060.97M**	**70209060.97V**	**70209065.97M**	**70209065.97V**
Final installation [WU]	0.0					

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	29 x 10 x 700		29 x 10 x 750		29 x 10 x 800	
Weight [kg]	0.15		0.16		0.17	
Order ref.	**70209070.97M**	**70209070.97V**	**70209075.97M**	**70209075.97V**	**70209080.97M**	**70209080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	29 x 10 x 850		29 x 10 x 900		29 x 10 x 950	
Weight [kg]	0.18		0.19		0.20	
Order ref.	**70209085.97M**	**70209085.97V**	**70209090.97M**	**70209090.97V**	**70209095.97M**	**70209095.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	29 x 10 x 1000		29 x 10 x 1100		29 x 10 x 1200	
Weight [kg]	0.21		0.23		0.25	
Order ref.	**70209100.97M**	**70209100.97V**	**70209110.97M**	**70209110.97V**	**70209120.97M**	**70209120.97V**
Final installation [WU]	0.0					

SLF/2 panel



- For closing the SLF end-frame
- Heights from 100 mm to 1800 mm
- System depth 2
- With perfo hole pattern

System depth [mm]	/2					
System height [mm]	100		150		200	
Dimensions W x D x H [mm]	1 x 264 x 84		1 x 264 x 134		1 x 264 x 184	
Weight [kg]	0.04		0.06		0.08	
Order ref.	**73802010.97M**	**73802010.97V**	**73802015.97M**	**73802015.97V**	**73802020.97M**	**73802020.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	250		300		350	
Dimensions W x D x H [mm]	1 x 264 x 234		1 x 264 x 284		1 x 264 x 334	
Weight [kg]	0.11		0.13		0.15	
Order ref.	**73802025.97M**	**73802025.97V**	**73802030.97M**	**73802030.97V**	**73802035.97M**	**73802035.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	400		450		500	
Dimensions W x D x H [mm]	1 x 264 x 384		1 x 264 x 434		1 x 264 x 484	
Weight [kg]	0.17		0.19		0.22	
Order ref.	**73802040.97M**	**73802040.97V**	**73802045.97M**	**73802045.97V**	**73802050.97M**	**73802050.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/2					
System height [mm]	550		600		650	
Dimensions W x D x H [mm]	1 x 264 x 534		1 x 264 x 584		1 x 264 x 634	
Weight [kg]	0.24		0.26		0.28	
Order ref.	**73802055.97M**	**73802055.97V**	**73802060.97M**	**73802060.97V**	**73802065.97M**	**73802065.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	700		750		800	
Dimensions W x D x H [mm]	1 x 264 x 684		1 x 264 x 734		1 x 264 x 784	
Weight [kg]	0.31		0.33		0.35	
Order ref.	**73802070.97M**	**73802070.97V**	**73802075.97M**	**73802075.97V**	**73802080.97M**	**73802080.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	850		900		950	
Dimensions W x D x H [mm]	1 x 264 x 834		1 x 264 x 884		1 x 264 x 934	
Weight [kg]	0.37		0.39		0.42	
Order ref.	**73802085.97M**	**73802085.97V**	**73802090.97M**	**73802090.97V**	**73802095.97M**	**73802095.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	1 x 264 x 984		1 x 264 x 1034		1 x 264 x 1084	
Weight [kg]	0.44		0.48			
Order ref.	**73802100.97M**	**73802100.97V**	**73802105.97M**	**73802105.97V**	**73802110.97M**	**73802110.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	1 x 264 x 1134		1 x 264 x 1184		1 x 264 x 1284	
Weight [kg]	0.53				0.57	
Order ref.	**73802115.97M**	**73802115.97V**	**73802120.97M**	**73802120.97V**	**73802130.97M**	**73802130.97V**
Final installation [WU]	0.0					

System depth [mm]	/2					
System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	1 x 264 x 1384		1 x 264 x 1484		1 x 264 x 1584	
Weight [kg]	0.62		0.66		0.71	
Order ref.	**73802140.97M**	**73802140.97V**	**73802150.97M**	**73802150.97V**	**73802160.97M**	**73802160.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/2			
System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	1 x 264 x 1684		1 x 264 x 1784	
Weight [kg]	0.75		0.79	
Order ref.	**73802170.97M**	**73802170.97V**	**73802180.97M**	**73802180.97V**
Final installation [WU]	0.0			

SLF/3 panel



- For closing the SLF end-frame
- Heights from 100 mm to 1800 mm
- System depth 3
- With perfo hole pattern

System depth [mm]	/3					
System height [mm]	100		150		200	
Dimensions W x D x H [mm]	1 x 376 x 84		1 x 376 x 134		1 x 376 x 184	
Weight [kg]	0.06		0.10		0.13	
Order ref.	**73803010.97M**	**73803010.97V**	**73803015.97M**	**73803015.97V**	**73803020.97M**	**73803020.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	250		300		350	
Dimensions W x D x H [mm]	1 x 376 x 234		1 x 376 x 284		1 x 376 x 334	
Weight [kg]	0.18		0.21		0.24	
Order ref.	**73803025.97M**	**73803025.97V**	**73803030.97M**	**73803030.97V**	**73803035.97M**	**73803035.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	400		450		500	
Dimensions W x D x H [mm]	1 x 376 x 384		1 x 376 x 434		1 x 376 x 484	
Weight [kg]	0.28		0.31		0.35	
Order ref.	**73803040.97M**	**73803040.97V**	**73803045.97M**	**73803045.97V**	**73803050.97M**	**73803050.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/3					
System height [mm]	550		600		650	
Dimensions W x D x H [mm]	1 x 376 x 534		1 x 376 x 584		1 x 376 x 634	
Weight [kg]	0.38		0.42		0.46	
Order ref.	**73803055.97M**	**73803055.97V**	**73803060.97M**	**73803060.97V**	**73803065.97M**	**73803065.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	700		750		800	
Dimensions W x D x H [mm]	1 x 376 x 684		1 x 376 x 734		1 x 376 x 784	
Weight [kg]	0.50		0.53		0.56	
Order ref.	**73803070.97M**	**73803070.97V**	**73803075.97M**	**73803075.97V**	**73803080.97M**	**73803080.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	850		900		950	
Dimensions W x D x H [mm]	1 x 376 x 834		1 x 376 x 884		1 x 376 x 934	
Weight [kg]	0.60		0.64		0.67	
Order ref.	**73803085.97M**	**73803085.97V**	**73803090.97M**	**73803090.97V**	**73803095.97M**	**73803095.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	1 x 376 x 984		1 x 376 x 1034		1 x 376 x 1084	
Weight [kg]	0.71		0.78			
Order ref.	**73803100.97M**	**73803100.97V**	**73803105.97M**	**73803105.97V**	**73803110.97M**	**73803110.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	1 x 376 x 1134		1 x 376 x 1184		1 x 376 x 1284	
Weight [kg]	0.85				0.92	
Order ref.	**73803115.97M**	**73803115.97V**	**73803120.97M**	**73803120.97V**	**73803130.97M**	**73803130.97V**
Final installation [WU]	0.0					

System depth [mm]	/3					
System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	1 x 376 x 1384		1 x 376 x 1484		1 x 376 x 1584	
Weight [kg]	0.99		1.06		1.14	
Order ref.	**73803140.97M**	**73803140.97V**	**73803150.97M**	**73803150.97V**	**73803160.97M**	**73803160.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/3			
System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	1 x 376 x 1684		1 x 376 x 1784	
Weight [kg]	1.20		1.28	
Order ref.	**73803170.97M**	**73803170.97V**	**73803180.97M**	**73803180.97V**
Final installation [WU]	0.0			

SLF/4 panel



- For closing the SLF end-frame
- Heights from 100 mm to 1800 mm
- System depth 4
- With perfo hole pattern

System depth [mm]	/4					
System height [mm]	100		150		200	
Dimensions W x D x H [mm]	1 x 488 x 84		1 x 488 x 134		1 x 488 x 184	
Weight [kg]	0.09		0.15		0.19	
Order ref.	**73804010.97M**	**73804010.97V**	**73804015.97M**	**73804015.97V**	**73804020.97M**	**73804020.97V**
Final installation [WU]	0.0					

System depth [mm]	/4					
System height [mm]	250		300		350	
Dimensions W x D x H [mm]	1 x 488 x 234		1 x 488 x 284		1 x 488 x 334	
Weight [kg]	0.25		0.31		0.35	
Order ref.	**73804025.97M**	**73804025.97V**	**73804030.97M**	**73804030.97V**	**73804035.97M**	**73804035.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/4					
System height [mm]	400		450		500	
Dimensions W x D x H [mm]	1 x 488 x 384		1 x 488 x 434		1 x 488 x 484	
Weight [kg]	0.40		0.45		0.51	
Order ref.	**73804040.97M**	**73804040.97V**	**73804045.97M**	**73804045.97V**	**73804050.97M**	**73804050.97V**
Final installation [WU]	0.0					

System depth [mm]	/4					
System height [mm]	550		600		650	
Dimensions W x D x H [mm]	1 x 488 x 534		1 x 488 x 584		1 x 488 x 634	
Weight [kg]	0.56		0.61		0.66	
Order ref.	**73804055.97M**	**73804055.97V**	**73804060.97M**	**73804060.97V**	**73804065.97M**	**73804065.97V**
Final installation [WU]	0.0					

System depth [mm]	/4					
System height [mm]	700		750		800	
Dimensions W x D x H [mm]	1 x 488 x 684		1 x 488 x 734		1 x 488 x 784	
Weight [kg]	0.72		0.77		0.82	
Order ref.	**73804070.97M**	**73804070.97V**	**73804075.97M**	**73804075.97V**	**73804080.97M**	**73804080.97V**
Final installation [WU]	0.0					

System depth [mm]	/4					
System height [mm]	850		900		950	
Dimensions W x D x H [mm]	1 x 488 x 834		1 x 488 x 884		1 x 488 x 934	
Weight [kg]	0.87		0.92		0.97	
Order ref.	**73804085.97M**	**73804085.97V**	**73804090.97M**	**73804090.97V**	**73804095.97M**	**73804095.97V**
Final installation [WU]	0.0					

System depth [mm]	/4					
System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	1 x 488 x 984		1 x 488 x 1034		1 x 488 x 1084	
Weight [kg]	1.03		1.12		1.13	
Order ref.	**73804100.97M**	**73804100.97V**	**73804105.97M**	**73804105.97V**	**73804110.97M**	**73804110.97V**
Final installation [WU]	0.0					


System depth [mm]	/4					
System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	1 x 488 x 1134		1 x 488 x 1184		1 x 488 x 1284	
Weight [kg]	1.23				1.34	
Order ref.	**73804115.97M**	**73804115.97V**	**73804120.97M**	**73804120.97V**	**73804130.97M**	**73804130.97V**
Final installation [WU]	0.0					

End-frame central blanking panel

System depth [mm]	/4					
System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	1 x 488 x 1384		1 x 488 x 1484		1 x 488 x 1584	
Weight [kg]	1.44		1.54		1.65	
Order ref.	**73804140.97M**	**73804140.97V**	**73804150.97M**	**73804150.97V**	**73804160.97M**	**73804160.97V**
Final installation [WU]	0.0					

System depth [mm]	/4			
System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	1 x 488 x 1684		1 x 488 x 1784	
Weight [kg]	1.74		1.86	
Order ref.	**73804170.97M**	**73804170.97V**	**73804180.97M**	**73804180.97V**
Final installation [WU]	0.0			

Panel support strut SLF



- For fixing the central blanking panel with cut-out
- For reinforcing the central blanking panel when lightweight accessories up to 2 kg are attached
- Anthracite grey RAL 7016

System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	12 x 264 x 40		12 x 376 x 40		12 x 488 x 40	
Weight [kg]	0.06		0.10		0.13	
Order ref.	**80833535.19M**	**80833535.19V**	**80833536.19M**	**80833536.19V**	**80833537.19M**	**80833537.19V**
Final installation [WU]	0.0					

Panel support strut SLF



- For reinforcing the central blanking panel when heavy accessories weighing 2 kg or more or the folding worktop are attached
- Sheet steel, zinc-plated

System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	12 x 264 x 35		12 x 376 x 35		12 x 488 x 35	
Weight [kg]	0.23		0.35		0.48	
Order ref.	**73502036.51M**	**73502036.51V**	**73502037.51M**	**73502037.51V**	**73502038.51M**	**73502038.51V**
Final installation [WU]	0.0					

Support strut fixing brackets for SLF panel




- Support strut fixing brackets for installation on the SLF support strut
- 2 support strut fixing brackets are used per SLF support strut
- Sheet steel, zinc-plated



Dimensions W x D x H [mm]	45 x 40 x 1	
Weight [kg]	0.03	
Order ref.	**73502032.51M**	**73502032.51V**
Final installation [WU]	0.0	

SLF connector



- Panel for connecting the end-frame profiles
- Pack of 4
- Type A: for connection of the SLF end-frame profiles behind one another during installation where the backs are placed against one another
- The SLF connectors are secured via the fixing holes in the side of the end-frame profiles using standard GEFU screws

Version	Type A
Dimensions W x D x H [mm]	74 x 1 x 50
Weight [kg]	0.12
Pack of	4
Assembled/packed	Packed
Order ref.	**73510008.19V**
Final installation [WU]	0.0

SLF connector



- Panel for connecting the end-frame profiles
- Pack of 4
- Type B: for connection of the SLF end-frame profiles on top of one another or to the underfloor module
- The SLF connectors are secured via the fixing holes in the side of the end-frame profiles using standard GEFU screws

Version	Type B
Dimensions W x D x H [mm]	92 x 3 x 47
Weight [kg]	0.38
Pack of	4
Assembled/packed	Packed
Order ref.	**73510059.51V**
Final installation [WU]	0.0

3


SLF Dog-leg reinforcing bracket



- From T2 to T4 or T3 to T5

Dimensions W x D x H [mm]	221 x 221 x 28	
Weight [kg]	0.37	
Assembled/packed	Assembled	Packed
Order ref.	**73502066.19M**	**73502066.19V**
Final installation [WU]	0.0	

SLF wheel arch reinforcing plate



- Reinforcement plate for installation on the side of the SLF-profile to produce a wheel arch cut-out
- When the reinforcement plate is used, the wheel arch can be cut out later
- There must be always be a stability component (shelf, L-Profile set) above the reinforcement plate
- Installation is possible both on the left and right

System depth [mm]	/2			
System height [mm]	400		500	
Dimensions W x D x H [mm]	2 x 264 x 400		2 x 264 x 500	
Weight [kg]	0.86		1.01	
Order ref.	**73508030.19M**	**73508030.19V**	**73508031.19M**	**73508031.19V**
Final installation [WU]	3.0			

System depth [mm]	/3			
System height [mm]	400		500	
Dimensions W x D x H [mm]	2 x 376 x 400		2 x 376 x 500	
Weight [kg]	1.00		1.16	
Order ref.	**73508032.19M**	**73508032.19V**	**73508033.19M**	**73508033.19V**
Final installation [WU]	3.0			

3

SLF cover



- Heights from 100 mm to 1800 mm
- For covering the fixing holes on the side of the SLF F
- The use of this part is compulsory on all SLF

System height [mm]	100		150		200	
Dimensions W x D x H [mm]	1 x 47 x 86		1 x 47 x 136		1 x 47 x 186	
Weight [kg]	0.01		0.02			
Order ref.	**70205010.97M**	**70205010.97V**	**70205015.97M**	**70205015.97V**	**70205020.97M**	**70205020.97V**
Final installation [WU]	0.0					

System height [mm]	250		300		350	
Dimensions W x D x H [mm]	1 x 47 x 236		1 x 47 x 286		1 x 47 x 336	
Weight [kg]	0.03		0.04			
Order ref.	**70205025.97M**	**70205025.97V**	**70205030.97M**	**70205030.97V**	**70205035.97M**	**70205035.97V**
Final installation [WU]	0.0					

System height [mm]	400		450		500	
Dimensions W x D x H [mm]	1 x 47 x 386		1 x 47 x 436		1 x 47 x 486	
Weight [kg]	0.05				0.06	
Order ref.	**70205040.97M**	**70205040.97V**	**70205045.97M**	**70205045.97V**	**70205050.97M**	**70205050.97V**
Final installation [WU]	0.0					

System height [mm]	550		600		650	
Dimensions W x D x H [mm]	1 x 47 x 536		1 x 47 x 586		1 x 47 x 636	
Weight [kg]	0.07				0.08	
Order ref.	**70205055.97M**	**70205055.97V**	**70205060.97M**	**70205060.97V**	**70205065.97M**	**70205065.97V**
Final installation [WU]	0.0					

End-frame cover

System height [mm]	700		750		800	
Dimensions W x D x H [mm]	1 x 47 x 686		1 x 47 x 736		1 x 47 x 786	
Weight [kg]	0.09				0.10	
Order ref.	**70205070.97M**	**70205070.97V**	**70205075.97M**	**70205075.97V**	**70205080.97M**	**70205080.97V**
Final installation [WU]	0.0					

System height [mm]	850		900		950	
Dimensions W x D x H [mm]	1 x 47 x 836		1 x 47 x 886		1 x 47 x 936	
Weight [kg]	0.10		0.11		0.12	
Order ref.	**70205085.97M**	**70205085.97V**	**70205090.97M**	**70205090.97V**	**70205095.97M**	**70205095.97V**
Final installation [WU]	0.0					


System height [mm]	1.000		1.050		1.100	
Dimensions W x D x H [mm]	1 x 47 x 986		1 x 47 x 1036		1 x 47 x 1086	
Weight [kg]	0.12		0.13		0.14	
Order ref.	**70205100.97M**	**70205100.97V**	**70205105.97M**	**70205105.97V**	**70205110.97M**	**70205110.97V**
Final installation [WU]	0.0					

System height [mm]	1.150		1.200		1.300	
Dimensions W x D x H [mm]	1 x 47 x 1136		1 x 47 x 1186		1 x 47 x 1286	
Weight [kg]	0.14		0.15		0.16	
Order ref.	**70205115.97M**	**70205115.97V**	**70205120.97M**	**70205120.97V**	**70205130.97M**	**70205130.97V**
Final installation [WU]	0.0					

System height [mm]	1.400		1.500		1.600	
Dimensions W x D x H [mm]	1 x 47 x 1386		1 x 47 x 1486		1 x 47 x 1586	
Weight [kg]	0.17		0.19		0.20	
Order ref.	**70205140.97M**	**70205140.97V**	**70205150.97M**	**70205150.97V**	**70205160.97M**	**70205160.97V**
Final installation [WU]	0.0					

System height [mm]	1.700		1.800	
Dimensions W x D x H [mm]	1 x 47 x 1686		1 x 47 x 1786	
Weight [kg]	0.21		0.22	
Order ref.	**70205170.97M**	**70205170.97V**	**70205180.97M**	**70205180.97V**
Final installation [WU]	0.0			

SLF cover



- Blanking panel used between front and rear profiles
- In width -3, -4, -5, -9

System width [mm]	-3					
System height [mm]	50		75		100	
Dimensions W x D x H [mm]	366 x 24 x 50		366 x 24 x 75		366 x 24 x 100	
Weight [kg]	0.10		0.12		0.14	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106037.97M**	**72106037.97V**	**72106051.97M**	**72106051.97V**	**72106001.97M**	**72106001.97V**
Final installation [WU]	0.0					

System width [mm]	-3					
System height [mm]	200		250		300	
Dimensions W x D x H [mm]	366 x 24 x 200		366 x 24 x 250		366 x 24 x 300	
Weight [kg]	0.24		0.29		0.34	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106002.97M**	**72106002.97V**	**72106003.97M**	**72106003.97V**	**72106004.97M**	**72106004.97V**
Final installation [WU]	0.0					

System width [mm]	-3					
System height [mm]	350		400		450	
Dimensions W x D x H [mm]	366 x 24 x 350		366 x 24 x 400		366 x 24 x 450	
Weight [kg]	0.38		0.43		0.48	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106005.97M**	**72106005.97V**	**72106006.97M**	**72106006.97V**	**72106007.97M**	**72106007.97V**
Final installation [WU]	0.0					

End-frame cover

System width [mm]	-3	
System height [mm]	500	
Dimensions W x D x H [mm]	366 x 24 x 500	
Weight [kg]	0.50	
Assembled/packed	Packed	Assembled
Order ref.	**72106008.97M**	**72106008.97V**
Final installation [WU]	0.0	

System width [mm]	-4					
System height [mm]	50		75		100	
Dimensions W x D x H [mm]	478 x 24 x 50		478 x 24 x 75		478 x 24 x 100	
Weight [kg]	0.12		0.14		0.20	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106038.97M**	**72106038.97V**	**72106052.97M**	**72106052.97V**	**72106009.97M**	**72106009.97V**
Final installation [WU]	0.0					

System width [mm]	-4					
System height [mm]	200		250		300	
Dimensions W x D x H [mm]	478 x 24 x 200		478 x 24 x 250		478 x 24 x 300	
Weight [kg]	0.32		0.38		0.44	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106010.97M**	**72106010.97V**	**72106011.97M**	**72106011.97V**	**72106012.97M**	**72106012.97V**
Final installation [WU]	0.0					

System width [mm]	-4					
System height [mm]	350		400		450	
Dimensions W x D x H [mm]	478 x 24 x 350		478 x 24 x 400		478 x 24 x 450	
Weight [kg]	0.51		0.57		0.63	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106013.97M**	**72106013.97V**	**72106014.97M**	**72106014.97V**	**72106015.97M**	**72106015.97V**
Final installation [WU]	0.0					

System width [mm]	-4	
System height [mm]	500	
Dimensions W x D x H [mm]	478 x 24 x 500	
Weight [kg]	0.69	
Assembled/packed	Assembled	Packed
Order ref.	**72106016.97M**	**72106016.97V**
Final installation [WU]	0.0	

End-frame cover

System width [mm]	-5					
System height [mm]	50		75		100	
Dimensions W x D x H [mm]	590 x 24 x 50		590 x 24 x 75		590 x 24 x 100	
Weight [kg]	0.15		0.19		0.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106039.97M**	**72106039.97V**	**72106053.97M**	**72106053.97V**	**72106017.97M**	**72106017.97V**
Final installation [WU]	0.0					

System width [mm]	-5					
System height [mm]	200		250		300	
Dimensions W x D x H [mm]	590 x 24 x 200		590 x 24 x 250		590 x 24 x 300	
Weight [kg]	0.40		0.47		0.55	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106018.97M**	**72106018.97V**	**72106019.97M**	**72106019.97V**	**72106020.97M**	**72106020.97V**
Final installation [WU]	0.0					

System width [mm]	-5					
System height [mm]	350		400		450	
Dimensions W x D x H [mm]	590 x 24 x 350		590 x 24 x 400		590 x 24 x 450	
Weight [kg]	0.63		0.68		0.78	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106021.97M**	**72106021.97V**	**72106022.97M**	**72106022.97V**	**72106023.97M**	**72106023.97V**
Final installation [WU]	0.0					

System width [mm]	-5	
System height [mm]	500	
Dimensions W x D x H [mm]	590 x 24 x 500	
Weight [kg]	0.86	
Assembled/packed	Assembled	Packed
Order ref.	**72106024.97M**	**72106024.97V**
Final installation [WU]	0.0	

System width [mm]	-7					
System height [mm]	50		75		100	
Dimensions W x D x H [mm]	814 x 24 x 50		814 x 24 x 75		814 x 24 x 100	
Weight [kg]	0.22		0.27		0.32	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106042.97M**	**72106042.97V**	**72106054.97M**	**72106054.97V**	**72106043.97M**	**72106043.97V**
Final installation [WU]	0.0					

End-frame cover

System width [mm]	-7					
System height [mm]	200		250		300	
Dimensions W x D x H [mm]	814 x 24 x 200		814 x 24 x 250		814 x 24 x 300	
Weight [kg]	0.54		0.65		0.78	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106044.97M**	**72106044.97V**	**72106045.97M**	**72106045.97V**	**72106046.97M**	**72106046.97V**
Final installation [WU]	0.0					

System width [mm]	-7					
System height [mm]	350		400		450	
Dimensions W x D x H [mm]	814 x 24 x 350		814 x 24 x 400		814 x 24 x 450	
Weight [kg]	0.86		0.97		1.08	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106047.97M**	**72106047.97V**	**72106048.97M**	**72106048.97V**	**72106049.97M**	**72106049.97V**
Final installation [WU]	0.0					

System width [mm]	-7	
System height [mm]	500	
Dimensions W x D x H [mm]	814 x 24 x 500	
Weight [kg]	1.19	
Assembled/packed	Assembled	Packed
Order ref.	**72106050.97M**	**72106050.97V**
Final installation [WU]	0.0	

System width [mm]	-9					
System height [mm]	50		75		100	
Dimensions W x D x H [mm]	1038 x 24 x 50		1038 x 24 x 75		1038 x 24 x 100	
Weight [kg]	0.28		0.35		0.43	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106040.97M**	**72106040.97V**	**72106055.97M**	**72106055.97V**	**72106025.97M**	**72106025.97V**
Final installation [WU]	0.0					


System width [mm]	-9					
System height [mm]	200		250		300	
Dimensions W x D x H [mm]	1038 x 24 x 200		1038 x 24 x 250		1038 x 24 x 300	
Weight [kg]	0.71		0.84		0.98	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106026.97M**	**72106026.97V**	**72106027.97M**	**72106027.97V**	**72106028.97M**	**72106028.97V**
Final installation [WU]	0.0					

End-frame profiles

System width [mm]	-9					
System height [mm]	350		400		450	
Dimensions W x D x H [mm]	1038 x 24 x 350		1038 x 24 x 400		1038 x 24 x 450	
Weight [kg]	1.12		1.26		1.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106029.97M**	**72106029.97V**	**72106030.97M**	**72106030.97V**	**72106031.97M**	**72106031.97V**
Final installation [WU]	0.0					

System width [mm]	-9	
System height [mm]	500	
Dimensions W x D x H [mm]	1038 x 24 x 500	
Weight [kg]	1.53	
Assembled/packed	Assembled	Packed
Order ref.	**72106032.97M**	**72106032.97V**
Final installation [WU]	0.0	


Fixing bracket SLF cover



- For additional stabilisation of the blanking panels for system field
- Various versions for drop-front shelf, shelf trays and bottBox shelf
- Required for width 5 and 9
- Fixing bracket, zinc-plated

Version	For drop-front shelf, shelf tray, bottBox shelf		For L-Profile		For L-Profile set	
Dimensions W x D x H [mm]	25 x 47 x 21		25 x 50 x 17		25 x 50 x 51	
Weight [kg]	0.02		0.03		0.01	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502017.51M**	**73502017.51V**	**73502018.51M**	**73502018.51V**	**73502019.51M**	**73502019.51V**
Final installation [WU]	0.0					

Base unit side panels SLF-C




- For rotated rack profile at lower floor-level
- Used for additional reinforcement of the rotated end-frame profile at floor level
- Natural aluminium

System width [mm]	-3		-4	
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	14 x 376 x 242		14 x 488 x 242	
Weight [kg]	0.25		0.33	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502030.98M**	**73502030.98V**	**73502031.98M**	**73502031.98V**
Final installation [WU]	0.0			

SLF C



- Profile heights from 400 mm to 1500 mm in 100 mm increments
- For mounting system components in 25 mm height increments
- T-slot for mounting single lashing eye FrontLash -oo- and C-Lash T-slot



System height [mm]	400		500		600	
Dimensions W x D x H [mm]	35 x 50 x 386		35 x 50 x 486		35 x 50 x 586	
Weight [kg]	0.47		0.56		0.68	
Order ref.	**70203040.97M**	**70203040.97V**	**70203050.97M**	**70203050.97V**	**70203060.97M**	**70203060.97V**
Final installation [WU]	0.0					

System height [mm]	700		800		900	
Dimensions W x D x H [mm]	35 x 50 x 686		35 x 50 x 786		35 x 50 x 886	
Weight [kg]	0.80		0.91		1.03	
Order ref.	**70203070.97M**	**70203070.97V**	**70203080.97M**	**70203080.97V**	**70203090.97M**	**70203090.97V**
Final installation [WU]	0.0					


System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	35 x 50 x 986		35 x 50 x 1086		35 x 50 x 1186	
Weight [kg]	1.14		1.26		1.36	
Order ref.	**70203100.97M**	**70203100.97V**	**70203110.97M**	**70203110.97V**	**70203120.97M**	**70203120.97V**
Final installation [WU]	0.0					

System height [mm]	1.300		1.400		1.500	
Dimensions W x D x H [mm]	35 x 50 x 1286		35 x 50 x 1386		35 x 50 x 1486	
Weight [kg]	1.56		1.68		1.80	
Order ref.	**70203130.97M**	**70203130.97V**	**70203140.97M**	**70203140.97V**	**70203150.97M**	**70203150.97V**
Final installation [WU]	0.0					

SLF C FrontLash -oo-



- Profile heights from 400 mm to 1500 mm
- With FrontLash -oo- Airline system
- For mounting system components in 25 mm height increments



System height [mm]	400		500		600	
Dimensions W x D x H [mm]	35 x 50 x 386		35 x 50 x 486		35 x 50 x 586	
Weight [kg]	0.44		0.55		0.66	
Order ref.	**70213040.97M**	**70213040.97V**	**70213050.97M**	**70213050.97V**	**70213060.97M**	**70213060.97V**
Final installation [WU]	0.0					


System height [mm]	700		800		900	
Dimensions W x D x H [mm]	35 x 50 x 686		35 x 50 x 786		35 x 50 x 886	
Weight [kg]	0.78		0.89		1.01	
Order ref.	**70213070.97M**	**70213070.97V**	**70213080.97M**	**70213080.97V**	**70213090.97M**	**70213090.97V**
Final installation [WU]	0.0					

System height [mm]	1.000		1.100		1.200	
Dimensions W x D x H [mm]	35 x 50 x 986		35 x 50 x 1086		35 x 50 x 1186	
Weight [kg]	1.11		1.23		1.33	
Order ref.	**70213100.97M**	**70213100.97V**	**70213110.97M**	**70213110.97V**	**70213120.97M**	**70213120.97V**
Final installation [WU]	0.0					

System height [mm]	1.300		1.400		1.500	
Dimensions W x D x H [mm]	35 x 50 x 1286		35 x 50 x 1386		35 x 50 x 1486	
Weight [kg]	1.45		1.56		1.69	
Order ref.	**70213130.97M**	**70213130.97V**	**70213140.97M**	**70213140.97V**	**70213150.97M**	**70213150.97V**
Final installation [WU]	0.0					

Rotated end-frame profiles


SLF C



- System depths 3, 4
- For mounting the SLF C-Profiles
- Anodised aluminium

System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	50 x 376 x 47		50 x 488 x 47	
Weight [kg]	0.25		0.31	
Order ref.	**80833474.19M**	**80833474.19V**	**80833475.19M**	**80833475.19V**
Final installation [WU]	0.0			

bott vario V-Box with folding rule




- System depths 3, 4
- Drop-front compartment for storing folding rule, writing materials or other small parts



System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	48 x 376 x 100		48 x 488 x 100	
Weight [kg]	0.28		0.37	
Order ref.	**72106035.19M**	**72106035.19V**	**72106036.19M**	**72106036.19V**
Final installation [WU]	0.0			

bott vario V-Box with bott utility knife




- System depths 3, 4
- Drop-front compartment for storing folding rule, writing materials or other small parts



System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	48 x 376 x 100		48 x 488 x 100	
Weight [kg]	0.29		0.38	
Order ref.	**72106056.19M**	**72106056.19V**	**72106057.19M**	**72106057.19V**
Final installation [WU]	0.0			

bott vario3 V-Box with inspection lamp



- System depths 3, 4
- Drop-front compartment for storing folding rule, writing materials or other small parts




System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	48 x 376 x 100		48 x 488 x 100	
Weight [kg]	0.37		0.46	
Order ref.	**72106058.19M**	**72106058.19V**	**72106059.19M**	**72106059.19V**
Final installation [WU]	0.0			

End-frame foot for rotated cabinet

3

SLF C cover




- System depths 3, 4
- For mounting the SLF C-Profiles
- Anodised aluminium



System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	38 x 376 x 50		38 x 488 x 50	
Weight [kg]	0.10		0.13	
Order ref.	**72106033.97M**	**72106033.97V**	**72106034.97M**	**72106034.97V**
Final installation [WU]	0.0			


Spacer for SLF end-frame foot



- Spacer for depth traverse for the installation of the drop-front shelf, bottBox shelf or shelf tray on a profile rack
- Material plastic PBT GB15

Dimensions W x D x H [mm]	30 x 30 x 29	
Weight [kg]	0.02	
Order ref.	**80833527.19M**	**80833527.19V**
Final installation [WU]	0.0	


Gusset plate-set



- Set - one each left and right version
- For the optimised stabilisation of shelving bays
- Flexible screwing in the slot system of SLF R and SLF plus R
- Riveting through existing perforation in the system components

Dimensions W x D x H [mm]	200 x 10 x 172	
Weight [kg]	0.40	
Order ref.	**73502016.51M**	**73502016.51V**
Final installation [WU]	0.0	

Gusset plate



- Left and right versions
- For the optimised stabilisation of shelving bays
- Flexible screwing in the slot system of SLF R and SLF plus R
- Riveting through existing perforation in the system components
- Type A+B normal version left + right
- Type C+D when a system component is next to a depth extension SLF plus R left + right


Version	for SLF (A)	
Dimensions W x D x H [mm]	200 x 10 x 172	
Weight [kg]	0.19	
Assembled/packed	Assembled	Packed
Order ref.	**73502008.51M**	**73502008.51V**
Final installation [WU]	0.0	

Version	for SLF (B)	
Dimensions W x D x H [mm]	200 x 10 x 172	
Weight [kg]	0.19	
Assembled/packed	Assembled	Packed
Order ref.	**73502009.51M**	**73502009.51V**
Final installation [WU]	0.0	

Version	for SLF plus (C)	
Dimensions W x D x H [mm]	190 x 35 x 170	
Weight [kg]	0.24	
Assembled/packed	Assembled	Packed
Order ref.	**73502010.51M**	**73502010.51V**
Final installation [WU]	0.0	

Version	for SLF plus (D)	
Dimensions W x D x H [mm]	190 x 35 x 170	
Weight [kg]	0.24	
Assembled/packed	Assembled	Packed
Order ref.	**73502011.51M**	**73502011.51V**
Final installation [WU]	0.0	

Rear panel



- Rear panel system for closing the shelf rear
- Screwed and riveted to end-frame or system component using holes provided
- Height of the rear panel can be shortened in increments of 100 mm
- For single use per system width
- Width 2 to 10

System width [mm]	-2					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	254 x 1 x 500		254 x 1 x 800		254 x 1 x 1200	
Weight [kg]	0.32		0.52		0.78	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503001.98M**	**73503001.98V**	**73503008.98M**	**73503008.98V**	**73503015.98M**	**73503015.98V**
Final installation [WU]	0.0					

System width [mm]	-3					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	366 x 1 x 500		366 x 1 x 800		366 x 1 x 1200	
Weight [kg]	0.51		0.82		1.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503029.98M**	**73503029.98V**	**73503030.98M**	**73503030.98V**	**73503031.98M**	**73503031.98V**
Final installation [WU]	0.0					

System width [mm]	-4					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	478 x 1 x 500		478 x 1 x 800		478 x 1 x 1200	
Weight [kg]	0.66		1.06		1.59	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503002.98M**	**73503002.98V**	**73503009.98M**	**73503009.98V**	**73503016.98M**	**73503016.98V**
Final installation [WU]	1.0	0.0				

Rear panels

System width [mm]	-5					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	590 x 1 x 500		590 x 1 x 800		590 x 1 x 1200	
Weight [kg]	0.83		1.33		2.02	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503003.98M**	**73503003.98V**	**73503010.98M**	**73503010.98V**	**73503017.98M**	**73503017.98V**
Final installation [WU]	1.0	0.0				

System width [mm]	-7					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	814 x 1 x 500		814 x 1 x 800		814 x 1 x 1200	
Weight [kg]	1.17		1.88		2.83	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503004.98M**	**73503004.98V**	**73503011.98M**	**73503011.98V**	**73503018.98M**	**73503018.98V**
Final installation [WU]	0.0					

System width [mm]	-8					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	926 x 1 x 500		926 x 1 x 800		926 x 1 x 1200	
Weight [kg]	1.33		2.16		3.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503005.98M**	**73503005.98V**	**73503012.98M**	**73503012.98V**	**73503019.98M**	**73503019.98V**
Final installation [WU]	0.0					

System width [mm]	-9					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	1038 x 1 x 500		1038 x 1 x 800		1038 x 1 x 1200	
Weight [kg]	1.51		2.43		3.66	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503006.98M**	**73503006.98V**	**73503013.98M**	**73503013.98V**	**73503020.98M**	**73503020.98V**
Final installation [WU]	0.0					

System width [mm]	-10					
System height [mm]	500		800		1200	
Dimensions W x D x H [mm]	1150 x 1 x 500		1150 x 1 x 800		1150 x 1 x 1200	
Weight [kg]	1.68		2.71		4.07	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503007.98M**	**73503007.98V**	**73503014.98M**	**73503014.98V**	**73503021.98M**	**73503021.98V**
Final installation [WU]	0.0					

Support strut SLF-C



- For installation behind the rotated end-frame profile (SLF C inner behind the SLF cover blanking panel)
- For holding heavy accessories
- Sheet steel, zinc-plated

System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	22 x 376 x 47		22 x 488 x 47	
Weight [kg]	0.29		0.39	
Order ref.	**73502074.51M**	**73502074.51V**	**73502075.51M**	**73502075.51V**
Final installation [WU]	0.0			

Rear panel support




- For installation between the profiles
- Strut is used for fixing rear panels
- Zinc-plated

System width [mm]	-7		-8	
Dimensions W x D x H [mm]	814 x 50 x 24		926 x 50 x 24	
Weight [kg]	0.60		0.68	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103040.51M**	**72103040.51V**	**72103041.51M**	**72103041.51V**
Final installation [WU]	0.0			

System width [mm]	-9		-10	
Dimensions W x D x H [mm]	1038 x 50 x 24		1150 x 50 x 24	
Weight [kg]	0.76		1.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103042.51M**	**72103042.51V**	**72103043.51M**	**72103043.51V**
Final installation [WU]	0.0			

Rear panel-plus



- Rear panel-plus for blanking additional depth
- Can be doubled back 100/112/100 mm




System width [mm]	-2		-4		-5	
Dimensions W x D x H [mm]	254 x 1 x 358		478 x 1 x 358		590 x 1 x 358	
Weight [kg]	0.23		0.48		0.60	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503022.98M**	**73503022.98V**	**73503023.98M**	**73503023.98V**	**73503024.98M**	**73503024.98V**
Final installation [WU]	0.0					

System width [mm]	-7		-8		-9	
Dimensions W x D x H [mm]	814 x 1 x 358		926 x 1 x 358		1038 x 1 x 358	
Weight [kg]	0.84		0.96		1.08	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73503025.98M**	**73503025.98V**	**73503026.98M**	**73503026.98V**	**73503027.98M**	**73503027.98V**
Final installation [WU]	0.0					

System width [mm]	-10	
Dimensions W x D x H [mm]	1150 x 1 x 358	
Weight [kg]	1.21	
Assembled/packed	Assembled	Packed
Order ref.	**73503028.98M**	**73503028.98V**
Final installation [WU]	0.0	

SLF increase




- For the secure stowing of the load in shelves, box sliding shelves and drop-front shelves
- Installation on the SLF in depth 2+R, depth 3, depth 3+R and depth 4
- Improvement of load restraint by increasing the height on the top component
- Painted steel RAL 7016

Version	Left		Right	
Dimensions W x D x H [mm]	35 x 376 x 180			
Weight [kg]	1.20			
Order ref.	**63506001.19M**	**63506001.19V**	**63506002.19M**	**63506002.19V**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	35 x 488 x 180			
Weight [kg]	1.50			
Order ref.	**63506003.19M**	**63506003.19V**	**63506004.19M**	**63506004.19V**
Final installation [WU]	0.0			

L-Profile



- High-strength anodised aluminium profile – very good surface protection
- Height 50 mm
- T-slot for mounting single lashing eye FrontLash -oo- and C-Lash

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.28		0.45		0.59	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102001.19M**	**72102001.19V**	**72102002.19M**	**72102002.19V**	**72102003.19M**	**72102003.19V**
Final installation [WU]	0.0					

System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	0.72		0.91		1.01	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102004.19M**	**72102004.19V**	**72102005.19M**	**72102005.19V**	**72102006.19M**	**72102006.19V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	1.15		1.29		1.42	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102007.19M**	**72102007.19V**	**72102008.19M**	**72102008.19V**	**72102009.19M**	**72102009.19V**
Final installation [WU]	0.0					

SLF connector set for L-Profile set

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	1.56		1.69		1.82	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102010.19M**	**72102010.19V**	**72102011.19M**	**72102011.19V**	**72102012.19M**	**72102012.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1538 x 85 x 50	
Weight [kg]	1.96	
Assembled/packed	Assembled	Packed
Order ref.	**72102026.19M**	**72102026.19V**
Final installation [WU]	0.0	

SLF connector set for L-Profile set



- For installation under an L-Profile set
- Thanks to the SLF connector being installed directly under the L-Profile set, a further rack profile can be mounted directly to the L-Profile set
- Zinc-plated




Dimensions W x D x H [mm]	50 x 41 x 76	
Weight [kg]	0.17	
Assembled/packed	Assembled	Packed
Order ref.	**73510054.51M**	**73510054.51V**
Final installation [WU]	0.0	

L-Profile FrontLash -oo-



- High-strength anodised aluminium profile – very good surface protection
- With FrontLash -oo- Airline system
- Floor bracket height 50 m



System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.28		0.44		0.57	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112001.19M**	**72112001.19V**	**72112002.19M**	**72112002.19V**	**72112003.19M**	**72112003.19V**
Final installation [WU]	0.0					

System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	0.70		0.89		0.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112004.19M**	**72112004.19V**	**72112005.19M**	**72112005.19V**	**72112006.19M**	**72112006.19V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	1.13		1.27		1.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112007.19M**	**72112007.19V**	**72112008.19M**	**72112008.19V**	**72112009.19M**	**72112009.19V**
Final installation [WU]	0.0					

Stiffening bracket for L-Profile set

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	1.54		1.67		1.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112010.19M**	**72112010.19V**	**72112011.19M**	**72112011.19V**	**72112012.19M**	**72112012.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1538 x 85 x 50	
Weight [kg]	1.94	
Assembled/packed	Assembled	Packed
Order ref.	**72112026.19M**	**72112026.19V**
Final installation [WU]	0.0	

Stiffening bracket for L-Profile set




- For installation of the L-Profile set on the SLF-plus profile
- Adapter is required if an L-Profile set is installed on one rotated rack profile (SLF C) and an SLF-plus is installed on the other side
- Painted steel



Version	SLF type A		SLF type B	
Dimensions W x D x H [mm]	221 x 78 x 109			
Weight [kg]	0.63			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502068.19M**	**73502068.19V**	**73502069.19M**	**73502069.19V**
Final installation [WU]	0.0			

Drop-front S



- High-strength anodised aluminium profile – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front extrusion has an elegant cover cap at both ends
- Continuous handle form along the full width of the drop-front extrusion
- Can be installed above L-/LX-Profile or in the rotated SLF C end-frame
- Height of drop-front S: 75 mm

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 35 x 100		366 x 35 x 100		478 x 35 x 100	
Weight [kg]	0.15		0.25		0.36	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105001.19M**	**72105001.19V**	**72105002.19M**	**72105002.19V**	**72105003.19M**	**72105003.19V**
Final installation [WU]	0.0					


System width [mm]	-5		-7		-8	
Dimensions W x D x H [mm]	590 x 35 x 100		814 x 35 x 100		926 x 35 x 100	
Weight [kg]	0.45		0.66		0.77	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105004.19M**	**72105004.19V**	**72105006.19M**	**72105006.19V**	**72105007.19M**	**72105007.19V**
Final installation [WU]	0.0					

System width [mm]	-9		-10		-11	
Dimensions W x D x H [mm]	1038 x 35 x 100		1150 x 35 x 100		1262 x 35 x 100	
Weight [kg]	0.86		0.96		1.06	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105008.19M**	**72105008.19V**	**72105009.19M**	**72105009.19V**	**72105010.19M**	**72105010.19V**
Final installation [WU]	0.0					

System width [mm]	-12		-13		-14	
Dimensions W x D x H [mm]	1374 x 35 x 100		1486 x 35 x 100		1538 x 35 x 75	
Weight [kg]	1.16		1.26		1.35	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105011.19M**	**72105011.19V**	**72105012.19M**	**72105012.19V**	**72105037.19M**	**72105037.19V**
Final installation [WU]	0.0					

3

Drop-front M



- High-strength anodised aluminium profile – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front extrusion has an elegant cover cap at both ends
- Continuous handle form along the full width of the drop-front extrusion
- Can be installed above L-/LX-Profile or in the rotated SLF C end-frame
- Height of drop-front M: 125 mm

System width [mm]	-2		-3		-4
Dimensions W x D x H [mm]	254 x 35 x 125		366 x 35 x 125		478 x 35 x 125
Weight [kg]	0.18		0.31		0.43
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**72105013.19M**	**72105013.19V**	**72105014.19M**	**72105014.19V**	**72105015.19V**
Final installation [WU]	0.0				

System width [mm]	-5		-7		-8	
Dimensions W x D x H [mm]	590 x 35 x 125		814 x 35 x 125		926 x 35 x 125	
Weight [kg]	0.57		0.82		0.94	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105016.19M**	**72105016.19V**	**72105018.19M**	**72105018.19V**	**72105019.19M**	**72105019.19V**
Final installation [WU]	0.0					

System width [mm]	-9		-10		-11	
Dimensions W x D x H [mm]	1038 x 35 x 125		1150 x 35 x 125		1262 x 35 x 125	
Weight [kg]	1.07		1.19		1.32	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105020.19M**	**72105020.19V**	**72105021.19M**	**72105021.19V**	**72105022.19M**	**72105022.19V**
Final installation [WU]	0.0					

System width [mm]	-12		-13		-14	
Dimensions W x D x H [mm]	1374 x 35 x 125		1486 x 35 x 125		1538 x 35 x 125	
Weight [kg]	1.44		1.56		1.69	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105023.19M**	**72105023.19V**	**72105024.19M**	**72105024.19V**	**72105038.19M**	**72105038.19V**
Final installation [WU]	0.0					

Drop-front L



- High-strength anodised aluminium profile – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front extrusion has an elegant cover cap at both ends
- Continuous handle form along the full width of the drop-front extrusion
- Can be installed above L-/LX-Profile or in the rotated SLF C end-frame
- Height of drop-front L: 175 mm

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 35 x 175		366 x 35 x 175		478 x 35 x 175	
Weight [kg]	0.22		0.38		0.55	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105025.19M**	**72105025.19V**	**72105026.19M**	**72105026.19V**	**72105027.19M**	**72105027.19V**
Final installation [WU]	0.0					

System width [mm]	-5		-7		-8	
Dimensions W x D x H [mm]	590 x 35 x 175		814 x 35 x 175		926 x 35 x 175	
Weight [kg]	0.70		1.02		1.18	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105028.19M**	**72105028.19V**	**72105030.19M**	**72105030.19V**	**72105031.19M**	**72105031.19V**
Final installation [WU]	0.0					

System width [mm]	-9		-10		-11	
Dimensions W x D x H [mm]	1038 x 35 x 175		1150 x 35 x 175		1262 x 35 x 175	
Weight [kg]	1.33		1.50		1.66	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105032.19M**	**72105032.19V**	**72105033.19M**	**72105033.19V**	**72105034.19M**	**72105034.19V**
Final installation [WU]	0.0					


System width [mm]	-12		-13		-14	
Dimensions W x D x H [mm]	1374 x 35 x 175		1486 x 35 x 175		1538 x 35 x 175	
Weight [kg]	1.82		1.99		2.15	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72105035.19M**	**72105035.19V**	**72105036.19M**	**72105036.19V**	**72105039.19M**	**72105039.19V**
Final installation [WU]	0.0					

3

LX-Profile



- High-strength anodised aluminium profile – very good surface protection
- Height 100 mm




System width [mm]	-2		-4		-5	
Dimensions W x D x H [mm]	254 x 85 x 100		478 x 85 x 100		590 x 85 x 100	
Weight [kg]	0.41		0.78		0.96	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72104001.19M**	**72104001.19V**	**72104003.19M**	**72104003.19V**	**72104004.19M**	**72104004.19V**
Final installation [WU]	0.0					

System width [mm]	-7		-8		-9	
Dimensions W x D x H [mm]	814 x 85 x 100		926 x 85 x 100		1038 x 85 x 100	
Weight [kg]	1.32		1.50		1.68	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72104006.19M**	**72104006.19V**	**72104007.19M**	**72104007.19V**	**72104008.19M**	**72104008.19V**
Final installation [WU]	0.0					

System width [mm]	-10		-11		-12	
Dimensions W x D x H [mm]	1150 x 85 x 100		1262 x 85 x 100		1374 x 85 x 100	
Weight [kg]	1.86		2.04		2.23	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72104009.19M**	**72104009.19V**	**72104010.19M**	**72104010.19V**	**72104011.19M**	**72104011.19V**
Final installation [WU]	0.0					

System width [mm]	-13		-14	
Dimensions W x D x H [mm]	1486 x 85 x 100		1538 x 85 x 100	
Weight [kg]	2.41		2.59	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72104012.19M**	**72104012.19V**	**72104013.19M**	**72104013.19V**
Final installation [WU]	0.0			

L-Profile set support leg




- For supporting the L-Profile set
- Necessary for width B12-B14
- Can be screwed to L- or LX-Profile
- Height 325 mm – 525 mm
- Material: Powder-coated sheet steel RAL 7016

Dimensions W x D x H [mm]	35 x 25 x 200		35 x 25 x 325	
Weight [kg]	0.46		0.67	
Order ref.	**71425003.19M**	**71425003.19V**	**71425002.19M**	**71425002.19V**
Final installation [WU]	0.0			

LX-Profile FrontLash -oo-



- High-strength anodised aluminium profile – very good surface protection
- Height 100 mm
- With FrontLash -oo- Airline system



System width [mm]	-2		-4		-5	
Dimensions W x D x H [mm]	254 x 85 x 100		478 x 85 x 100		590 x 85 x 100	
Weight [kg]	0.40		0.80		0.95	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72114001.19M**	**72114001.19V**	**72114003.19M**	**72114003.19V**	**72114004.19M**	**72114004.19V**
Final installation [WU]	0.0					

L-Profile set support leg

System width [mm]	-7		-8		-9	
Dimensions W x D x H [mm]	814 x 85 x 100		926 x 85 x 100		1038 x 85 x 100	
Weight [kg]	1.32		1.49		1.67	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72114006.19V**	**72114006.19M**	**72114007.19M**	**72114007.19V**	**72114008.19M**	**72114008.19V**
Final installation [WU]	0.0					

System width [mm]	-10		-11		-12	
Dimensions W x D x H [mm]	1150 x 85 x 100		1262 x 85 x 100		1374 x 85 x 100	
Weight [kg]	1.85		2.04		2.22	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72114009.19M**	**72114009.19V**	**72114010.19M**	**72114010.19V**	**72114011.19M**	**72114011.19V**
Final installation [WU]	0.0					

System width [mm]	-13		-14	
Dimensions W x D x H [mm]	1486 x 85 x 100		1538 x 85 x 100	
Weight [kg]	2.40			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72114012.19M**	**72114012.19V**	**72114013.19M**	**72114013.19V**
Final installation [WU]	0.0			


L-Profile set support leg adapter



- For fixing the L-Profile support leg directly to the vehicle floor without L-Profile/LX-Profile
- Fixing is by means of 4x Euro screws directly in the wood of the vehicle floor
- Possibility for fixing L-Profile support leg without L-Profile or LX-Profile

Dimensions W x D x H [mm]	72 x 75 x 77	
Weight [kg]	0.09	
Order ref.	**71425004.19M**	**71425004.19V**
Final installation [WU]	0.0	1.0

Floor fixing bracket



- For fixing the floor bracket/upstand element lashing on the vehicle floor if the width is greater than/equal to B8
- Fixing bracket is attached using standard GEFU screws

Dimensions W x D x H [mm]	113 x 80 x 11
Weight [kg]	0.07
Pack of	1
Order ref.	**73502033.51V**
Final installation [WU]	0.5

L-Profile set



- High-strength anodised aluminium profile – very good surface protection
- Height 50 mm
- For dividing sections
- End-frames can be screwed on directly in the 112 mm width increment
- L-Profile set comprising L-Profile front and tilted cross profile on the rear
- T-slot for mounting single lashing eye FrontLash -oo- and C-Lash

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.57		0.92		1.20	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102013.19M**	**72102013.19V**	**72102014.19M**	**72102014.19V**	**72102015.19M**	**72102015.19V**
Final installation [WU]	0.0					


System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	1.49		1.87		2.09	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102016.19M**	**72102016.19V**	**72102017.19M**	**72102017.19V**	**72102018.19M**	**72102018.19V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	2.39		2.69		2.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102019.19M**	**72102019.19V**	**72102020.19M**	**72102020.19V**	**72102021.19M**	**72102021.19V**
Final installation [WU]	0.0					

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	3.27		3.57		3.86	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102022.19M**	**72102022.19V**	**72102023.19M**	**72102023.19V**	**72102024.19M**	**72102024.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1538 x 85 x 50	
Weight [kg]	4.14	
Assembled/packed	Assembled	Packed
Order ref.	**72102025.19M**	**72102025.19V**
Final installation [WU]	0.0	

Adapter SLF-plus



- For installation of the L-Profile set on the SLF-plus profile
- Adapter is required if an L-Profile set is installed on one rotated rack profile (SLF C) and an SLF-plus is installed on the other side
- Painted steel

Version	Adapter SLF-plus left		Adapter SLF-plus right	
Dimensions W x D x H [mm]	22 x 107 x 47			
Weight [kg]	0.11			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502063.51M**	**73502063.51V**	**73502064.51M**	**73502064.51V**
Final installation [WU]	0.0			

3

L-Profile C



- High-strength anodised aluminium profile – very good surface protection
- Height 50 mm
- For installation between end-frame profiles, rotated within the shelving bay
- T-slot for mounting single lashing eye FrontLash -oo- and C-Lash

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.28		0.45		0.59	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102027.19M**	**72102027.19V**	**72102028.19M**	**72102028.19V**	**72102029.19M**	**72102029.19V**
Final installation [WU]	0.0					


System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	0.72		0.91		1.01	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102030.19M**	**72102030.19V**	**72102031.19M**	**72102031.19V**	**72102032.19M**	**72102032.19V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	1.15		1.29		1.42	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102033.19M**	**72102033.19V**	**72102034.19M**	**72102034.19V**	**72102035.19M**	**72102035.19V**
Final installation [WU]	0.0					

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	1.56		1.69		1.82	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72102036.19M**	**72102036.19V**	**72102037.19M**	**72102037.19V**	**72102038.19M**	**72102038.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1598 x 85 x 50	
Weight [kg]	1.96	
Assembled/packed	Assembled	Packed
Order ref.	**72102039.19M**	**72102039.19V**
Final installation [WU]	0.0	

L-Profile C FrontLash -oo-



- High-strength anodised aluminium profile – very good surface protection
- With FrontLash -oo- Airline system
- Height 50 mm
- For installation between end-frame profiles, rotated within the shelving bay
- End-frames can be screwed on directly in the 112 mm width increment
- L-Profile set FrontLash -oo- comprising L-Profile FrontLash -oo- on the front and tilted cross profile on the rear

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.28		0.44		0.57	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112027.19M**	**72112027.19V**	**72112028.19M**	**72112028.19V**	**72112029.19M**	**72112029.19V**
Final installation [WU]	0.0					

System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	0.70		0.89		0.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112030.19M**	**72112030.19V**	**72112031.19M**	**72112031.19V**	**72112032.19M**	**72112032.19V**
Final installation [WU]	0.0					


L-Profile C FrontLash -oo-

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	1.13		1.27		1.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112033.19M**	**72112033.19V**	**72112034.19M**	**72112034.19V**	**72112035.19M**	**72112035.19V**
Final installation [WU]	0.0					

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	1.54		1.67		1.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112036.19M**	**72112036.19V**	**72112037.19M**	**72112037.19V**	**72112038.19M**	**72112038.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1598 x 85 x 50	
Weight [kg]	1.94	
Assembled/packed	Assembled	Packed
Order ref.	**72112039.19M**	**72112039.19V**
Final installation [WU]	0.0	

L-Profile set FrontLash -oo-



- High-strength anodised aluminium profile – very good surface protection
- With FrontLash -oo- Airline system
- Height 50 mm
- For dividing sections
- End-frames can be screwed on directly in the 112 mm width increment
- L-Profile set comprising L-Profile front and tilted cross profile on the rear

System width [mm]	-2		-3		-4	
Dimensions W x D x H [mm]	254 x 85 x 50		366 x 85 x 50		478 x 85 x 50	
Weight [kg]	0.57		0.91		1.18	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112013.19M**	**72112013.19V**	**72112014.19M**	**72112014.19V**	**72112015.19M**	**72112015.19V**
Final installation [WU]	0.0					

System width [mm]	-5		-6		-7	
Dimensions W x D x H [mm]	590 x 85 x 50		702 x 85 x 50		814 x 85 x 50	
Weight [kg]	1.47		1.85		2.07	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112016.19M**	**72112016.19V**	**72112017.19M**	**72112017.19V**	**72112018.19M**	**72112018.19V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 85 x 50		1038 x 85 x 50		1150 x 85 x 50	
Weight [kg]	2.37		2.67		2.97	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112019.19M**	**72112019.19V**	**72112020.19M**	**72112020.19V**	**72112021.19M**	**72112021.19V**
Final installation [WU]	0.0					

L-Profile set FrontLash -oo-

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 85 x 50		1374 x 85 x 50		1486 x 85 x 50	
Weight [kg]	3.25		3.55		3.84	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72112022.19M**	**72112022.19V**	**72112023.19M**	**72112023.19V**	**72112024.19M**	**72112024.19V**
Final installation [WU]	0.0					

System width [mm]	-14	
Dimensions W x D x H [mm]	1598 x 85 x 50	
Weight [kg]	4.30	
Assembled/packed	Assembled	Packed
Order ref.	**72112025.19M**	**72112025.19V**
Final installation [WU]	0.0	

Rear panel support



- For installation between the profiles
- Strut is used for fixing rear panels
- Zinc-plated

System width [mm]	-7		-8	
Dimensions W x D x H [mm]	814 x 50 x 24		926 x 50 x 24	
Weight [kg]	0.60		0.68	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103040.51M**	**72103040.51V**	**72103041.51M**	**72103041.51V**
Final installation [WU]	0.0			


System width [mm]	-9		-10	
Dimensions W x D x H [mm]	1038 x 50 x 24		1150 x 50 x 24	
Weight [kg]	0.76		1.05	
Assembled/packed	Assembled	Packed		Assembled
Order ref.	**72103042.51M**	**72103042.51V**	**72103043.51V**	**72103043.51M**
Final installation [WU]	0.0			

System width [mm]	-11		-12	
Dimensions W x D x H [mm]	1262 x 50 x 24		1374 x 50 x 24	
Weight [kg]	1.15		1.26	
Order ref.	**72103044.51M**	**72103044.51V**	**72103045.51M**	**72103045.51V**
Final installation [WU]	1.0			

System width [mm]	-13		-14	
Dimensions W x D x H [mm]	1486 x 50 x 24		1598 x 50 x 24	
Weight [kg]	1.36		1.47	
Order ref.	**72103046.51M**	**72103046.51V**	**72103047.51M**	**72103047.51V**
Final installation [WU]	0.0	1.0		

3


End-frame top cap for L-Profile set



- L-Profile set transition piece for installation of a profile rack on an L-Profile set

Dimensions W x D x H [mm]	29 x 22 x 9	
Weight [kg]	0.07	
Order ref.	**80833481.19M**	**80833481.19V**
Final installation [WU]	0.0	

Shelf for L-Profile set



- Shelf for installation on the L-Profile set
- Shelf is screwed tightly to the profile set
- For the universal storage and fixing of cargo or units etc.
- Material: Wooden flooring panel thickness 12 mm
- System width 9 for 2 end-frames behind one another 5 + 4
- Load capacity of the shelf 80 kg

System width [mm]	-4			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	478 x 352 x 12		478 x 464 x 12	
Weight [kg]	1.20		1.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201001.22M**	**71201001.22V**	**71201010.22M**	**71201010.22V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	590 x 352 x 12		590 x 464 x 12	
Weight [kg]	1.50		2.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201002.22M**	**71201002.22V**	**71201011.22M**	**71201011.22V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	814 x 376 x 12	814 x 352 x 12	814 x 464 x 12	
Weight [kg]	2.20		2.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201003.22M**	**71201003.22V**	**71201012.22M**	**71201012.22V**
Final installation [WU]	0.0			

System width [mm]	-8				
System depth [mm]	/ 3		/ 4		/ 9
Dimensions W x D x H [mm]	926 x 352 x 12		926 x 464 x 12		926 x 1088 x 12
Weight [kg]	2.50		3.20		7.52
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**71201004.22M**	**71201004.22V**	**71201013.22M**	**71201013.22V**	**71201055.22V**
Final installation [WU]	0.0				

Shelf for L-Profile set

System width [mm]	-9				
System depth [mm]	/ 3		/ 4		/ 9
Dimensions W x D x H [mm]	1038 x 352 x 12		1038 x 464 x 12		1038 x 1088 x 12
Weight [kg]	2.80		3.60		8.49
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**71201005.22M**	**71201005.22V**	**71201014.22M**	**71201014.22V**	**71201056.22V**
Final installation [WU]	0.0				


System width [mm]	-10				
System depth [mm]	/ 3		/ 4		/ 9
Dimensions W x D x H [mm]	1150 x 352 x 12		1150 x 464 x 12		1150 x 1088 x 12
Weight [kg]	3.10		4.00		9.47
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**71201006.22M**	**71201006.22V**	**71201015.22M**	**71201015.22V**	**71201057.22V**
Final installation [WU]	0.0				

System width [mm]	-11			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	1262 x 352 x 12		1262 x 464 x 12	
Weight [kg]	3.40		4.40	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201007.22M**	**71201007.22V**	**71201016.22M**	**71201016.22V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	1374 x 352 x 12		1374 x 464 x 12	1374 x 488 x 12
Weight [kg]	3.70		4.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201008.22M**	**71201008.22V**	**71201017.22M**	**71201017.22V**
Final installation [WU]	0.0			

System width [mm]	-13			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	1486 x 352 x 12		1486 x 464 x 12	
Weight [kg]	4.00		5.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201009.22M**	**71201009.22V**	**71201018.22M**	**71201018.22V**
Final installation [WU]	0.0			

Shelf spacer



- Spacers installed on top of L-Profile set but beneath wooden shelf in order to create a system height increase of 25 mm
- Fixings included


System width [mm]	-4		-5		-7	
Dimensions W x D x H [mm]	478 x 99 x 12		590 x 99 x 12		814 x 99 x 12	
Weight [kg]	0.66		0.84		1.20	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201063.22M**	**71201063.22V**	**71201064.22M**	**71201064.22V**	**71201065.22M**	**71201065.22V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 99 x 12		1038 x 99 x 12		1150 x 99 x 12	
Weight [kg]	1.40		1.56		1.74	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201066.22M**	**71201066.22V**	**71201067.22M**	**71201067.22V**	**71201068.22M**	**71201068.22V**
Final installation [WU]	0.0					

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 99 x 12		1374 x 99 x 12		1486 x 99 x 12	
Weight [kg]	1.92		2.10		2.30	
Assembled/packed		Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201069.22M**	**71201069.22V**	**71201070.22M**	**71201070.22V**	**71201071.22M**	**71201071.22V**
Final installation [WU]	0.0					

3

Closing panel



- To close the unit above and below drawers and hinged doors
- Made of anodised aluminium
- Overall height 25mm

System width [mm]	-2					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	254 x 264 x 24		254 x 376 x 24		254 x 488 x 24	
Weight [kg]	0.24		0.33		0.41	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101029.97M**	**72101029.97V**	**72101026.97M**	**72101026.97V**	**72101027.97M**	**72101027.97V**
Final installation [WU]	0.0					

System width [mm]	-3	
System depth [mm]	/4	
Dimensions W x D x H [mm]	366 x 488 x 24	
Weight [kg]	0.64	
Assembled/packed	Assembled	Packed
Order ref.	**72101035.97M**	**72101035.97V**
Final installation [WU]	0.0	

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 24		478 x 376 x 24	
Weight [kg]	0.47		0.65	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101030.97M**	**72101030.97V**	**72101001.97M**	**72101001.97V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 24		478 x 600 x 24	
Weight [kg]	0.82		0.98	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101007.97M**	**72101007.97V**	**72101013.97M**	**72101013.97V**
Final installation [WU]	0.0			

Closing panel

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 24		590 x 376 x 24	
Weight [kg]	0.60		0.81	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101031.97M**	**72101031.97V**	**72101002.97M**	**72101002.97V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 24		590 x 600 x 24	
Weight [kg]	1.01		1.21	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101008.97M**	**72101008.97V**	**72101014.97M**	**72101014.97V**
Final installation [WU]	0.0			

System width [mm]	-7					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	814 x 376 x 24		814 x 488 x 24		814 x 600 x 24	
Weight [kg]	1.10		1.39		1.75	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101003.97M**	**72101003.97V**	**72101009.97M**	**72101009.97V**	**72101036.97M**	**72101036.97V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	926 x 376 x 24		926 x 488 x 24		926 x 600 x 24	
Weight [kg]	1.26		1.58		1.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101004.97M**	**72101004.97V**	**72101010.97M**	**72101010.97V**	**72101037.97M**	**72101037.97V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	1038 x 376 x 24		1038 x 488 x 24		1038 x 600 x 24	
Weight [kg]	1.41		2.78		3.17	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101005.97M**	**72101005.97V**	**72101011.97M**	**72101011.97V**	**72101015.97M**	**72101015.97V**
Final installation [WU]	0.0					

Closing panel

System width [mm]	-10					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	1150 x 376 x 24		1150 x 488 x 24		1150 x 600 x 24	
Weight [kg]	1.56		3.07		3.55	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101006.97M**	**72101006.97V**	**72101012.97M**	**72101012.97V**	**72101016.97M**	**72101016.97V**
Final installation [WU]	0.0					

Hinged door



- Sturdy double-walled version made of anodised aluminium
- Snap lock with key for added security – door latches automatically when closed
- perfo perforated door lining for fixing accessories in place
- Doors can be swung open by 180° – for optimum work space in the vehicle
- 4 heights: 400 / 500 / 900 / 1200 mm
- Optional clothes rail with 4 clothes hooks

System width [mm]	-2			
System height [mm]	400		500	
Dimensions W x D x H [mm]	254 x 25 x 400		254 x 25 x 500	
Weight [kg]	0.84		0.97	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501001.97M**	**72501001.97V**	**72501002.97M**	**72501002.97V**
Final installation [WU]	0.0			

System width [mm]	-2			
System height [mm]	900		1200	
Dimensions W x D x H [mm]	254 x 25 x 900		254 x 25 x 1200	
Weight [kg]	1.49		1.89	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501003.97M**	**72501003.97V**	**72501004.97M**	**72501004.97V**
Final installation [WU]	0.0			

System width [mm]	-4			
System height [mm]	400		500	
Dimensions W x D x H [mm]	478 x 25 x 400		478 x 25 x 500	
Weight [kg]	1.32		1.57	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501005.97M**	**72501005.97V**	**72501006.97M**	**72501006.97V**
Final installation [WU]	0.0			

System width [mm]	-4			
System height [mm]	900		1200	
Dimensions W x D x H [mm]	478 x 25 x 900		478 x 25 x 1200	
Weight [kg]	2.61		3.39	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501007.97M**	**72501007.97V**	**72501008.97M**	**72501008.97V**
Final installation [WU]	0.0			

Clothes rail with hooks

System width [mm]	-5			
System height [mm]	400		500	
Dimensions W x D x H [mm]	590 x 25 x 400		590 x 25 x 500	
Weight [kg]	1.56		1.88	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501009.97M**	**72501009.97V**	**72501010.97M**	**72501010.97V**
Final installation [WU]	0.0			

System width [mm]	-5			
System height [mm]	900		1200	
Dimensions W x D x H [mm]	590 x 25 x 900		590 x 25 x 1200	
Weight [kg]	3.17		4.14	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72501011.97M**	**72501011.97V**	**72501012.97M**	**72501012.97V**
Final installation [WU]	0.0			


Clothes rail with hooks



- Consists of 2 plastic holders, one plastic-coated steel tube and 4 hooks
- Black/zinc-plated hooks

Dimensions W x D x H [mm]	520 x 26 x 55
Weight [kg]	0.32
Order ref.	**73003001.10V**
Final installation [WU]	0.0

Shelf for hinged door



- For installation behind a hinged door
- Shelf incl. support pins
- Shelf can be adjusted in 25 mm height increments
- Load capacity per shelf: 20 kg

System width [mm]	-2			
System depth [mm]	/ 2		/ 3	
Dimensions W x D x H [mm]	254 x 264 x 40		254 x 376 x 40	
Weight [kg]	0.09		0.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101032.98M**	**72101032.98V**	**72101017.98M**	**72101017.98V**
Final installation [WU]	0.0			

System width [mm]	-2			
System depth [mm]	/ 4		/ 5	
Dimensions W x D x H [mm]	254 x 488 x 40		254 x 600 x 40	
Weight [kg]	0.38		0.47	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101018.98M**	**72101018.98V**	**72101019.98M**	**72101019.98V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/ 2		/ 3	
Dimensions W x D x H [mm]	478 x 264 x 40		478 x 376 x 40	
Weight [kg]	0.18		0.57	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101033.98M**	**72101033.98V**	**72101020.98M**	**72101020.98V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/ 4		/ 5	
Dimensions W x D x H [mm]	478 x 488 x 40		478 x 600 x 40	
Weight [kg]	0.74		0.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101021.98M**	**72101021.98V**	**72101022.98M**	**72101022.98V**
Final installation [WU]	0.0			

Shelf for hinged door

System width [mm]	-5			
System depth [mm]	/ 2		/ 3	
Dimensions W x D x H [mm]	590 x 264 x 40		590 x 376 x 40	
Weight [kg]	0.23		0.71	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101034.98M**	**72101034.98V**	**72101023.98M**	**72101023.98V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/ 4		/ 5	
Dimensions W x D x H [mm]	590 x 488 x 40		590 x 600 x 40	
Weight [kg]	0.91		1.11	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72101024.98M**	**72101024.98V**	**72101025.98M**	**72101025.98V**
Final installation [WU]	0.0			

Roller shutter compartment



- Roller shutter system for closing the entire surface of fronts in the shelf
- No obstructions to work space in front of the shelf thanks to space-saving roll-up mechanism
- Straight forward operation thanks to additional recessed handle strip in the centre area
- 2 heights: 500 mm and 900 mm

System width [mm]	-5			
System depth [mm]	/ 3			
System height [mm]	500		900	
Dimensions W x D x H [mm]	590 x 376 x 500		590 x 376 x 900	
Weight [kg]	2.98		3.94	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505001.97M**	**72505001.97V**	**72505003.97M**	**72505003.97V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/ 4			
System height [mm]	500		900	
Dimensions W x D x H [mm]	590 x 488 x 500		590 x 488 x 900	
Weight [kg]	3.46		4.32	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505002.97M**	**72505002.97V**	**72505004.97M**	**72505004.97V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/ 3			
System height [mm]	500		900	
Dimensions W x D x H [mm]	1038 x 376 x 500		1038 x 376 x 900	
Weight [kg]	4.80		6.34	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505005.97M**	**72505005.97V**	**72505007.97M**	**72505007.97V**
Final installation [WU]	0.0			


Roller shutter compartment

System width [mm]	-9			
System depth [mm]	/ 4			
System height [mm]	500		900	
Dimensions W x D x H [mm]	1038 x 488 x 500		1038 x 488 x 900	
Weight [kg]	5.28		6.82	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505006.97M**	**72505006.97V**	**72505008.97M**	**72505008.97V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/ 3			
System height [mm]	500		900	
Dimensions W x D x H [mm]	1150 x 376 x 500		1150 x 376 x 900	
Weight [kg]	5.28		6.91	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505009.97M**	**72505009.97V**	**72505011.97M**	**72505011.97V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/ 4			
System height [mm]	500		900	
Dimensions W x D x H [mm]	1150 x 488 x 500		1150 x 488 x 900	
Weight [kg]	5.66		7.39	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505010.97M**	**72505010.97V**	**72505012.97M**	**72505012.97V**
Final installation [WU]	0.0			

Roller shutter shelf



- Shelf for roller shutter

System width [mm]	-5			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	590 x 376 x 74		590 x 488 x 74	
Weight [kg]	1.05		1.32	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505013.98M**	**72505013.98V**	**72505014.98M**	**72505014.98V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	1038 x 376 x 74		1038 x 488 x 74	
Weight [kg]	1.80		2.25	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505015.98M**	**72505015.98V**	**72505016.98M**	**72505016.98V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/ 3		/ 4	
Dimensions W x D x H [mm]	1150 x 376 x 74		1150 x 488 x 74	
Weight [kg]	2.02		2.52	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72505017.98M**	**72505017.98V**	**72505018.98M**	**72505018.98V**
Final installation [WU]	0.0			

3

Base unit drawer



- Drawer with reduced depth for installation in front of the wheel arch at floor level
- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawer with full extension rails – thus optimum access to stored goods
- Drawer height 300/350 mm, 260 mm drawer pan with anti-slip mat
- Can be used in connection with L- or LX-Profile
- Double-sided steel safety lock
- Load capacity of the floor compartment drawers 50 kg


System width [mm]	-9			
System depth [mm]	/ 3			
System height [mm]	300		350	
Internal dimensions [mm]	937 x 155 x 260			
Usable area [m²]	0.1450			
Weight [kg]	7.78		7.97	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509022.19M**	**70509022.19V**	**70509020.19M**	**70509020.19V**

System width [mm]	-9			
System depth [mm]	/ 4			
System height [mm]	300		350	
Internal dimensions [mm]	937 x 255 x 260			
Usable area [m²]	0.2390			
Weight [kg]	8.83		9.02	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509023.19M**	**70509023.19V**	**70509021.19M**	**70509021.19V**

System width [mm]	-10			
System depth [mm]	/ 3			
System height [mm]	300		350	
Internal dimensions [mm]	1049 x 155 x 260			
Usable area [m²]	0.1630			
Weight [kg]	8.26		8.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510018.19M**	**70510018.19V**	**70510016.19M**	**70510016.19V**

System width [mm]	-10			
System depth [mm]	/ 4			
System height [mm]	300		350	
Internal dimensions [mm]	1049 x 255 x 260			
Usable area [m²]	0.2680			
Weight [kg]	9.31		9.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510019.19M**	**70510019.19V**	**70510017.19M**	**70510017.19V**

Drawers width 3 depth 4-12



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – thus optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional lock for locking
- Double-sided steel safety lock
- Load capacity of the drawers width 366/3 = 70 kg, width 1384/12 = 50 kg

System width [mm]	-3					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	266 x 415 x 75		266 x 415 x 125			
Usable drawer dimensions W x D [mm]	250 x 400					
Usable area [m²]	0.1100					
Weight [kg]	2.78		2.98		3.17	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503001.19M**	**70503001.19V**	**70503002.19M**	**70503002.19V**	**70503003.19M**	**70503003.19V**

System width [mm]	-3			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	266 x 415 x 125			
Usable drawer dimensions W x D [mm]	250 x 400			
Usable area [m²]	0.1100			
Weight [kg]	3.74		3.84	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503004.19M**	**70503004.19V**	**70503005.19M**	**70503005.19V**

Drawers

System width [mm]	-3					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	266 x 515 x 75		266 x 515 x 125			
Usable drawer dimensions W x D [mm]	250 x 500					
Usable area [m²]	0.1370					
Weight [kg]	4.32		4.70		4.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503006.19M**	**70503006.19V**	**70503007.19M**	**70503007.19V**	**70503008.19M**	**70503008.19V**

System width [mm]	-3			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	266 x 515 x 125			
Usable drawer dimensions W x D [mm]	250 x 500			
Usable area [m²]	0.1370			
Weight [kg]	5.38		5.47	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503009.19M**	**70503009.19V**	**70503010.19M**	**70503010.19V**

System width [mm]	-3					
System depth [mm]	/7					
System height [mm]	100		150		200	
Internal dimensions [mm]	266 x 715 x 75		266 x 715 x 125			
Usable drawer dimensions W x D [mm]	250 x 700					
Usable area [m²]	0.1900					
Weight [kg]	6.10		6.50		6.70	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503016.19M**	**70503016.19V**	**70503017.19M**	**70503017.19V**	**70503018.19M**	**70503018.19V**

System width [mm]	-3			
System depth [mm]	/7			
System height [mm]	300		350	
Internal dimensions [mm]	266 x 715 x 125			
Usable drawer dimensions W x D [mm]	250 x 700			
Usable area [m²]	0.1900			
Weight [kg]	7.20		7.40	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503019.19M**	**70503019.19V**	**70503020.19M**	**70503020.19V**


System width [mm]	-3					
System depth [mm]	/9					
System height [mm]	100		150		200	
Internal dimensions [mm]	266 x 965 x 75		266 x 965 x 125			
Usable drawer dimensions W x D [mm]	250 x 950					
Usable area [m²]	0.2570					
Weight [kg]	7.87		8.16		8.35	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503011.19M**	**70503011.19V**	**70503012.19M**	**70503012.19V**	**70503013.19M**	**70503013.19V**

System width [mm]	-3			
System depth [mm]	/9			
System height [mm]	300		350	
Internal dimensions [mm]	266 x 965 x 125			
Usable drawer dimensions W x D [mm]	250 x 950			
Usable area [m²]	0.2570			
Weight [kg]	8.83		9.02	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503014.19M**	**70503014.19V**	**70503015.19M**	**70503015.19V**

System width [mm]	-3					
System depth [mm]	/12					
System height [mm]	100		150		200	
Internal dimensions [mm]	266 x 1.315 x 75		266 x 1.315 x 125			
Usable area [m²]	0.0000					
Weight [kg]	10.80		11.50		11.70	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503021.19M**	**70503021.19V**	**70503022.19M**	**70503022.19V**	**70503023.19M**	**70503023.19V**

System width [mm]	-3			
System depth [mm]	/12			
System height [mm]	300		350	
Dimensions W x D x H [mm]	366 x 1384 x 300		366 x 1384 x 350	
Weight [kg]	12.40		13.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70503024.19M**	**70503024.19V**	**70503025.19M**	**70503025.19V**
Final installation [WU]	0.0			


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm


System width [mm]	-3	
Dimensions W x D x H [mm]	366 x 37 x 25	
Weight [kg]	0.19	
Assembled/packed	Assembled	Packed
Order ref.	**73505007.19M**	**73505007.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes






System width [mm]	-3	-3
System depth [mm]	/4	/4
Dimensions W x D [mm]	366 x 488	366 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	4	4
Quantity of small parts storage boxes 50 x 75 [mm]	4	12
Quantity of small parts storage boxes 75 x 75 [mm]		4
Quantity of small parts storage boxes 75 x 150 [mm]		2
Quantity of small parts storage boxes 100 x 150 [mm]	2	
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020038.16V**	**73020039.16V**







System width [mm]	-3	-3
System depth [mm]	/5	/5
Dimensions W x D [mm]	366 x 600	366 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	8	8
Quantity of small parts storage boxes 50 x 75 [mm]	8	10
Quantity of small parts storage boxes 75 x 75 [mm]		4
Quantity of small parts storage boxes 75 x 150 [mm]		4
Quantity of small parts storage boxes 100 x 150 [mm]	2	
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020040.16V**	**73020041.16V**


Drawer dividers






System width [mm]	-3	-3
System depth [mm]	/7	/7
Dimensions W x D [mm]	366 x 824	366 x 824
Quantity of small parts storage boxes 50 x 50 [mm]	4	4
Quantity of small parts storage boxes 50 x 75 [mm]	4	20
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]		4
Quantity of small parts storage boxes 100 x 150 [mm]	4	
Quantity of small parts storage boxes 150 x 300 [mm]	2	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020105.16V**	**73020106.16V**






System width [mm]	-3	-3
System depth [mm]	/7	/7
Dimensions W x D [mm]	478 x 824	478 x 824
Quantity of small parts storage boxes 50 x 50 [mm]	8	8
Quantity of small parts storage boxes 50 x 75 [mm]	4	12
Quantity of small parts storage boxes 75 x 75 [mm]		16
Quantity of small parts storage boxes 75 x 150 [mm]		8
Quantity of small parts storage boxes 100 x 150 [mm]	8	
Quantity of small parts storage boxes 150 x 300 [mm]	2	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020107.16V**	**73020108.16V**


Drawer dividers






System width [mm]	-3	-3
System depth [mm]	/9	/9
Dimensions W x D [mm]	366 x 1048	366 x 1048
Quantity of small parts storage boxes 50 x 50 [mm]	8	14
Quantity of small parts storage boxes 50 x 75 [mm]	8	18
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	5	8
Quantity of small parts storage boxes 100 x 150 [mm]	1	
Quantity of small parts storage boxes 150 x 300 [mm]	2	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020042.16V**	**73020043.16V**


Divider kit







System width [mm]	-3			
System depth [mm]	/4		/5	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	366 x 488		366 x 600	
Quantity of dividers	1	2	1	2
Quantity of cross dividers	2	3	2	
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020044.19V**	**73020045.19V**	**73020046.19V**	**73020047.19V**

Drawer dividers






System width [mm]	-3		-4	
System depth [mm]	/7			
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	366 x 824		478 x 824	
Quantity of dividers	4			
Quantity of cross dividers	4			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020101.19V**	**73020102.19V**	**73020103.19V**	**73020104.19V**



System width [mm]	-3	
System depth [mm]	/9	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	366 x 1048	
Quantity of dividers	4	
Quantity of cross dividers	4	
Height of cross dividers [mm]	75	125
Order ref.	**73020048.19V**	**73020049.19V**

Drawers width 4 depth 3-12



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional drawer lock with key for added security
- Double-sided steel safety lock
- Load capacity of the drawers width 478/4 up to depth 1048/9 = 70 kg - depth 1384/12 = 50 kg

System width [mm]	-4					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 315 x 75		378 x 315 x 125			
Usable drawer dimensions W x D [mm]	350 x 300					
Usable area [m²]	0.1190					
Weight [kg]	2.50		2.88		3.07	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504001.19M**	**70504001.19V**	**70504002.19M**	**70504002.19V**	**70504003.19M**	**70504003.19V**

System width [mm]	-4			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	378 x 315 x 125			
Usable drawer dimensions W x D [mm]	350 x 300			
Usable area [m²]	0.1190			
Weight [kg]	3.84		4.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504004.19M**	**70504004.19V**	**70504005.19M**	**70504005.19V**

Drawers

System width [mm]	-4					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 415 x 75		378 x 415 x 125			
Usable drawer dimensions W x D [mm]	350 x 400					
Usable area [m²]	0.1570					
Weight [kg]	3.07		3.46		3.65	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504006.19M**	**70504006.19V**	**70504007.19M**	**70504007.19V**	**70504008.19M**	**70504008.19V**

System width [mm]	-4			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	378 x 415 x 125			
Usable drawer dimensions W x D [mm]	350 x 400			
Usable area [m²]	0.1570			
Weight [kg]	4.42		4.61	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504009.19M**	**70504009.19V**	**70504010.19M**	**70504010.19V**

System width [mm]	-4					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 515 x 75		378 x 515 x 125			
Usable drawer dimensions W x D [mm]	350 x 500					
Usable area [m²]	0.1950					
Weight [kg]	4.80		5.09		5.28	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504011.19M**	**70504011.19V**	**70504012.19M**	**70504012.19V**	**70504013.19M**	**70504013.19V**

System width [mm]	-4			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	378 x 515 x 125			
Usable drawer dimensions W x D [mm]	350 x 500			
Usable area [m²]	0.1950			
Weight [kg]	6.05		6.24	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504014.19M**	**70504014.19V**	**70504015.19M**	**70504015.19V**

System width [mm]	-4					
System depth [mm]	/7					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 824 x 75	379 x 824 x 75	380 x 824 x 125			
Usable drawer dimensions W x D [mm]	350 x 700					
Usable area [m²]	0.2700					
Weight [kg]	6.60		7.10		7.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504025.19M**	**70504025.19V**	**70504026.19M**	**70504026.19V**	**70504027.19M**	**70504027.19V**

System width [mm]	-4			
System depth [mm]	/7			
System height [mm]	300		350	
Internal dimensions [mm]	380 x 824 x 125			
Usable drawer dimensions W x D [mm]	350 x 700			
Usable area [m²]	0.2700			
Weight [kg]	8.10		8.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504028.19M**	**70504028.19V**	**70504029.19M**	**70504029.19V**


System width [mm]	-4					
System depth [mm]	/9					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 965 x 75		378 x 965 x 125	379 x 965 x 125	380 x 965 x 125	381 x 965 x 125
Usable drawer dimensions W x D [mm]	350 x 950					
Usable area [m²]	0.3650					
Weight [kg]	8.26		8.93		9.12	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504016.19M**	**70504016.19V**	**70504017.19M**	**70504017.19V**	**70504018.19M**	**70504018.19V**

System width [mm]	-4			
System depth [mm]	/9			
System height [mm]	300		350	
Internal dimensions [mm]	382 x 965 x 125	383 x 965 x 125	384 x 965 x 125	385 x 965 x 125
Usable drawer dimensions W x D [mm]	350 x 950			
Usable area [m²]	0.3650			
Weight [kg]	9.79		9.98	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504019.19M**	**70504019.19V**	**70504020.19M**	**70504020.19V**

System width [mm]	-4					
System depth [mm]	/12					
System height [mm]	100		150		200	
Internal dimensions [mm]	378 x 1315 x 75		378 x 1315 x 125			
Usable drawer dimensions W x D [mm]	350 x 1300					
Usable area [m²]	0.4970					
Weight [kg]	10.94		11.62		11.81	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504021.19M**	**70504021.19V**	**70504022.19M**	**70504022.19V**	**70504023.19M**	**70504023.19V**

System width [mm]	-4			
System depth [mm]	/12			
System height [mm]	300		350	
Internal dimensions [mm]	378 x 1315 x 125			
Usable drawer dimensions W x D [mm]	350 x 1300			
Usable area [m²]	0.4970		0.5000	
Weight [kg]	12.48		13.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70504024.19M**	**70504024.19V**	**70504030.19M**	**70504030.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm


System width [mm]	-4	
Dimensions W x D x H [mm]	478 x 37 x 25	
Weight [kg]	0.26	
Assembled/packed	Assembled	Packed
Order ref.	**73505001.19M**	**73505001.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes






System width [mm]	-4	-4
System depth [mm]	/3	/3
Dimensions W x D [mm]	478 x 376	478 x 376
Quantity of small parts storage boxes 50 x 75 [mm]		4
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]		4
Quantity of small parts storage boxes 100 x 150 [mm]	4	
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020001.16V**	**73020002.16V**







System width [mm]	-4	-4
System depth [mm]	/4	/4
Dimensions W x D [mm]	478 x 488	478 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	8	2
Quantity of small parts storage boxes 50 x 75 [mm]	4	12
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]		4
Quantity of small parts storage boxes 100 x 150 [mm]	4	
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020003.16V**	**73020004.16V**


Drawer dividers






System width [mm]	-4	-4
System depth [mm]	/5	/5
Dimensions W x D [mm]	478 x 600	478 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	4	4
Quantity of small parts storage boxes 50 x 75 [mm]	2	8
Quantity of small parts storage boxes 75 x 75 [mm]		12
Quantity of small parts storage boxes 75 x 150 [mm]	2	6
Quantity of small parts storage boxes 100 x 150 [mm]	6	6
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020005.16V**	**73020006.16V**







System width [mm]	-4	-4
System depth [mm]	/9	/12
Dimensions W x D [mm]	478 x 1048	478 x 1348
Quantity of small parts storage boxes 50 x 50 [mm]	1	2
Quantity of small parts storage boxes 50 x 75 [mm]	16	24
Quantity of small parts storage boxes 75 x 75 [mm]	8	8
Quantity of small parts storage boxes 75 x 150 [mm]	4	4
Quantity of small parts storage boxes 150 x 150 [mm]	4	6
Quantity of small parts storage boxes 150 x 300 [mm]	2	3
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020007.16V**	**73020008.16V**


Divider kit






System width [mm]	-4			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	478 x 376		478 x 488	
Quantity of dividers	2			
Quantity of cross dividers	3			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020050.19V**	**73020051.19V**	**73020052.19V**	**73020053.19V**





System width [mm]	-4			
System depth [mm]	/5		/9	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	478 x 600		478 x 1048	
Quantity of dividers	2	4		
Quantity of cross dividers	3		4	
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020054.19V**	**73020055.19V**	**73020056.19V**	**73020057.19V**



System width [mm]	-4	
System depth [mm]	/12	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	478 x 1384	
Quantity of dividers	6	
Quantity of cross dividers	8	
Height of cross dividers [mm]	75	125
Order ref.	**73020058.19V**	**73020059.19V**


Custom tool shape cut-outs made by hand



- Clear arrangement of tools, unique definition of storage locations and contents, missing parts are spotted immediately, cut-outs can be precisely made with the aid of the cutter set in a few simple steps
- Material: Base: XPE 33, thickness 5 mm Inlay: PE 30, thickness 22 mm
- Colour: Base: red Inlay: black
- Properties: PE 30 laminated, heat-resistant up to 112 °C, non-combustible, resistant to oils, petrol and detergents, environmentally friendly

System width [mm]	-4	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	478 x 376 x 27	478 x 488 x 27
Weight [kg]	0.16	0.21
Order ref.	**73017001.10V**	**73017002.10V**
Final installation [WU]	0.0	

Drawer width 5 depth 3-12



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional lock for locking
- Double-sided steel safety lock
- Load capacity of the drawers width 590/5 up to depth 1048/9 = 70 kg - depth 1384/12 = 50 kg

System width [mm]	-5					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 315 x 75		490 x 315 x 125			
Usable drawer dimensions W x D [mm]	475 x 300					
Usable area [m²]	0.1540					
Weight [kg]	2.78		3.17		3.46	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505001.19M**	**70505001.19V**	**70505002.19M**	**70505002.19V**	**70505003.19M**	**70505003.19V**

System width [mm]	-5			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 315 x 125			
Usable drawer dimensions W x D [mm]	475 x 300			
Usable area [m²]	0.1540			
Weight [kg]	4.32		4.61	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505004.19M**	**70505004.19V**	**70505005.19M**	**70505005.19V**

Drawers

System width [mm]	-5					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 415 x 75		490 x 415 x 125			
Usable drawer dimensions W x D [mm]	475 x 300	475 x 400				
Usable area [m²]	0.2030					
Weight [kg]	3.46		3.84		4.03	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505006.19M**	**70505006.19V**	**70505007.19M**	**70505007.19V**	**70505008.19M**	**70505008.19V**

System width [mm]	-5			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 415 x 125			
Usable drawer dimensions W x D [mm]	475 x 400			
Usable area [m²]	0.2030			
Weight [kg]	4.90		5.18	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505009.19M**	**70505009.19V**	**70505010.19M**	**70505010.19V**

System width [mm]	-5					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 515 x 75		490 x 515 x 125			
Usable drawer dimensions W x D [mm]	475 x 500					
Usable area [m²]	0.2520					
Weight [kg]	5.09		5.57		5.76	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505011.19M**	**70505011.19V**	**70505012.19M**	**70505012.19V**	**70505013.19M**	**70505013.19V**

System width [mm]	-5			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 515 x 125			
Usable drawer dimensions W x D [mm]	475 x 500			
Usable area [m²]	0.2520			
Weight [kg]	6.72		7.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505014.19M**	**70505014.19V**	**70505015.19M**	**70505015.19V**

System width [mm]	-5					
System depth [mm]	/7					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 715 x 75		490 x 715 x 125			
Usable drawer dimensions W x D [mm]	490 x 715					
Usable area [m²]	0.3500					
Weight [kg]	7.20		7.80		8.00	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505026.19M**	**70505026.19V**	**70505027.19M**	**70505027.19V**	**70505028.19M**	**70505028.19V**

System width [mm]	-5			
System depth [mm]	/7			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 715 x 125			
Usable drawer dimensions W x D [mm]	490 x 715			
Usable area [m²]	0.3500			
Weight [kg]	8.90		9.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505029.19M**	**70505029.19V**	**70505030.19M**	**70505030.19V**


System width [mm]	-5					
System depth [mm]	/9					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 965 x 75		490 x 965 x 125			
Usable drawer dimensions W x D [mm]	475 x 950					
Usable area [m²]	0.4730					
Weight [kg]	8.93		9.50		9.79	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505016.19M**	**70505016.19V**	**70505017.19M**	**70505017.19V**	**70505018.19M**	**70505018.19V**

System width [mm]	-5			
System depth [mm]	/9			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 965 x 125			
Usable drawer dimensions W x D [mm]	475 x 950			
Usable area [m²]	0.4730		0.5000	
Weight [kg]	10.75		11.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505019.19M**	**70505019.19V**	**70505024.19M**	**70505024.19V**

System width [mm]	-5					
System depth [mm]	/12					
System height [mm]	100		150		200	
Internal dimensions [mm]	490 x 1315 x 75		490 x 1315 x 125			
Usable drawer dimensions W x D [mm]	475 x 1300					
Usable area [m²]	0.6440					
Weight [kg]	11.62		12.38		12.58	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505020.19M**	**70505020.19V**	**70505021.19M**	**70505021.19V**	**70505022.19M**	**70505022.19V**

System width [mm]	-5			
System depth [mm]	/12			
System height [mm]	300		350	
Internal dimensions [mm]	490 x 1315 x 125			
Usable drawer dimensions W x D [mm]	475 x 1300			
Usable area [m²]	0.6440		0.5000	
Weight [kg]	13.54		14.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70505023.19M**	**70505023.19V**	**70505025.19M**	**70505025.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm


System width [mm]	-5	
Dimensions W x D x H [mm]	590 x 37 x 25	
Weight [kg]	0.33	
Assembled/packed	Assembled	Packed
Order ref.	**73505002.19M**	**73505002.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes






System width [mm]	-5	-5
System depth [mm]	/3	/3
Dimensions W x D [mm]	590 x 376	590 x 376
Quantity of small parts storage boxes 50 x 50 [mm]		12
Quantity of small parts storage boxes 50 x 75 [mm]	8	12
Quantity of small parts storage boxes 75 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020009.16V**	**73020010.16V**







System width [mm]	-5	-5
System depth [mm]	/4	/4
Dimensions W x D [mm]	590 x 488	590 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	4	16
Quantity of small parts storage boxes 50 x 75 [mm]	10	18
Quantity of small parts storage boxes 75 x 75 [mm]	2	
Quantity of small parts storage boxes 75 x 150 [mm]	2	2
Quantity of small parts storage boxes 100 x 150 [mm]	2	1
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	1	
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020011.16V**	**73020012.16V**

Drawer dividers






System width [mm]	-5	-5
System depth [mm]	/5	/5
Dimensions W x D [mm]	590 x 600	590 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	10	20
Quantity of small parts storage boxes 50 x 75 [mm]	17	21
Quantity of small parts storage boxes 75 x 75 [mm]	2	
Quantity of small parts storage boxes 75 x 150 [mm]	6	3
Quantity of small parts storage boxes 100 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	
Front height of drawer [mm]		100
Box height [mm]	68	68
Order ref.	**73020013.16V**	**73020014.16V**




System width [mm]	-5
System depth [mm]	/7
Dimensions W x D [mm]	590 x 824
Quantity of small parts storage boxes 50 x 50 [mm]	10
Quantity of small parts storage boxes 50 x 75 [mm]	17
Quantity of small parts storage boxes 75 x 75 [mm]	2
Quantity of small parts storage boxes 75 x 150 [mm]	6
Quantity of small parts storage boxes 100 x 150 [mm]	2
Quantity of small parts storage boxes 150 x 150 [mm]	2
Quantity of small parts storage boxes 150 x 300 [mm]	2
Box height [mm]	68
Order ref.	**73020113.16V**

Drawer dividers




System width [mm]	-5
System depth [mm]	/9
Dimensions W x D [mm]	590 x 1048
Quantity of small parts storage boxes 50 x 50 [mm]	2
Quantity of small parts storage boxes 50 x 75 [mm]	29
Quantity of small parts storage boxes 75 x 150 [mm]	6
Quantity of small parts storage boxes 100 x 150 [mm]	6
Quantity of small parts storage boxes 150 x 150 [mm]	2
Quantity of small parts storage boxes 150 x 300 [mm]	2
Front height of drawer [mm]	100
Box height [mm]	68
Order ref.	**73020015.16V**




System width [mm]	-5
System depth [mm]	/12
Dimensions W x D [mm]	590 x 1384
Quantity of small parts storage boxes 50 x 50 [mm]	4
Quantity of small parts storage boxes 50 x 75 [mm]	42
Quantity of small parts storage boxes 75 x 150 [mm]	8
Quantity of small parts storage boxes 100 x 150 [mm]	6
Quantity of small parts storage boxes 150 x 150 [mm]	4
Quantity of small parts storage boxes 150 x 300 [mm]	4
Front height of drawer [mm]	100
Box height [mm]	68
Order ref.	**73020016.16V**


Drawer dividers


Divider kit






System width [mm]	-5			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	590 x 376		590 x 488	
Quantity of dividers	3			
Quantity of cross dividers	4		5	4
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020060.19V**	**73020061.19V**	**73020062.19V**	**73020063.19V**






System width [mm]	-5			
System depth [mm]	/5		/7	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	590 x 600		590 x 824	
Quantity of dividers	3		4	
Quantity of cross dividers	4			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020064.19V**	**73020065.19V**	**73020111.19V**	**73020112.19V**

Drawer dividers



System width [mm]	-5	
System depth [mm]	/9	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	590 x 1048	
Quantity of dividers	4	
Quantity of cross dividers	4	
Height of cross dividers [mm]	75	125
Order ref.	**73020066.19V**	**73020067.19V**



System width [mm]	-5	
System depth [mm]	/12	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	590 x 1384	
Quantity of dividers	6	
Quantity of cross dividers	8	
Height of cross dividers [mm]	75	125
Order ref.	**73020068.19V**	**73020069.19V**

3

Custom tool shape cut-outs made by hand



- Clear arrangement of tools, unique definition of storage locations and contents, missing parts are spotted immediately, cut-outs can be precisely made with the aid of the cutter set in a few simple steps
- Material: Base: XPE 33, thickness 5 mm Inlay: PE 30, thickness 22 mm
- Colour: Base: red Inlay: black
- Properties: PE 30 laminated, heat-resistant up to 112 °C, non-combustible, resistant to oils, petrol and detergents, environmentally friendly

System width [mm]	-5	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	590 x 376 x 27	590 x 488 x 27
Weight [kg]	0.21	0.27
Order ref.	**73017003.10V**	**73017004.10V**
Final installation [WU]	0.0	

Drawer width 7 depth 3-5



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional drawer lock with key for added security
- Double-sided steel safety lock
- Load capacity of the drawers width 814/7 up to depth 590/5 = 70 kg

System width [mm]	-7					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	714 x 315 x 75		714 x 315 x 125			
Usable drawer dimensions W x D [mm]	700 x 300					
Usable area [m²]	0.2250					
Weight [kg]	3.65		4.13		4.51	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507001.19M**	**70507001.19V**	**70507002.19M**	**70507002.19V**	**70507003.19M**	**70507003.19V**

System width [mm]	-7			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	714 x 315 x 125			
Usable drawer dimensions W x D [mm]	700 x 300			
Usable area [m²]	0.2250			
Weight [kg]	5.76		6.14	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507004.19M**	**70507004.19V**	**70507005.19M**	**70507005.19V**

Drawers

System width [mm]	-7					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	714 x 415 x 75		714 x 415 x 125			
Usable drawer dimensions W x D [mm]	700 x 400					
Usable area [m²]	0.2960					
Weight [kg]	4.32		4.90		5.28	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507006.19M**	**70507006.19V**	**70507007.19M**	**70507007.19V**	**70507008.19M**	**70507008.19V**

System width [mm]	-7			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	714 x 415 x 125			
Usable drawer dimensions W x D [mm]	700 x 400			
Usable area [m²]	0.2960			
Weight [kg]	6.53		6.91	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507009.19M**	**70507009.19V**	**70507010.19M**	**70507010.19V**

System width [mm]	-7					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	714 x 515 x 75		714 x 515 x 125			
Usable drawer dimensions W x D [mm]	700 x 500					
Usable area [m²]	0.3700					
Weight [kg]	5.20		5.90		6.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507011.19M**	**70507011.19V**	**70507012.19M**	**70507012.19V**	**70507013.19M**	**70507013.19V**

System width [mm]	-7			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	714 x 515 x 125			
Usable drawer dimensions W x D [mm]	700 x 500			
Usable area [m²]	0.3700			
Weight [kg]	7.60		8.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70507014.19M**	**70507014.19V**	**70507015.19M**	**70507015.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm


System width [mm]	-7	
Dimensions W x D x H [mm]	814 x 37 x 25	
Weight [kg]	0.46	
Assembled/packed	Assembled	Packed
Order ref.	**73505003.19M**	**73505003.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes







System width [mm]	-7	-7
System depth [mm]	/3	/3
Dimensions W x D [mm]	814 x 376	814 x 376
Quantity of small parts storage boxes 50 x 50 [mm]		12
Quantity of small parts storage boxes 50 x 75 [mm]	8	12
Quantity of small parts storage boxes 75 x 75 [mm]		4
Quantity of small parts storage boxes 75 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020017.16V**	**73020018.16V**






System width [mm]	-7	-7
System depth [mm]	/4	/4
Dimensions W x D [mm]	814 x 488	814 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	4	16
Quantity of small parts storage boxes 50 x 75 [mm]	12	20
Quantity of small parts storage boxes 75 x 75 [mm]		4
Quantity of small parts storage boxes 75 x 150 [mm]	4	2
Quantity of small parts storage boxes 100 x 150 [mm]	3	2
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020019.16V**	**73020020.16V**







System width [mm]	-7	-7
System depth [mm]	/5	/5
Dimensions W x D [mm]	814 x 600	814 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	8	20
Quantity of small parts storage boxes 50 x 75 [mm]	10	22
Quantity of small parts storage boxes 75 x 75 [mm]		6
Quantity of small parts storage boxes 75 x 150 [mm]	6	3
Quantity of small parts storage boxes 100 x 150 [mm]	6	4
Quantity of small parts storage boxes 150 x 150 [mm]	2	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020093.16V**	**73020094.16V**

Divider kit





System width [mm]	-7			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	814 x 376		814 x 488	
Quantity of dividers	4			
Quantity of cross dividers	8			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020070.19V**	**73020071.19V**	**73020072.19V**	**73020073.19V**



System width [mm]	-7	
System depth [mm]	/5	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	814 x 600	
Quantity of dividers	4	
Quantity of cross dividers	8	
Height of cross dividers [mm]	75	125
Order ref.	**73020097.19V**	**73020098.19V**

Drawers width 8 depth 3-5



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional drawer lock with key for added security
- Double-sided steel safety lock
- Load capacity of the drawers width 926/8 up to depth 590/5 = 70 kg

System width [mm]	-8					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	826 x 315 x 75		826 x 315 x 125			
Usable drawer dimensions W x D [mm]	800 x 300					
Usable area [m²]	0.2600					
Weight [kg]	3.94		4.61		4.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508001.19M**	**70508001.19V**	**70508002.19M**	**70508002.19V**	**70508003.19M**	**70508003.19V**

System width [mm]	-8			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	826 x 315 x 125			
Usable drawer dimensions W x D [mm]	800 x 300			
Usable area [m²]	0.2600			
Weight [kg]	6.43		6.91	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508004.19M**	**70508004.19V**	**70508005.19M**	**70508005.19V**

System width [mm]	-8					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	826 x 415 x 75		826 x 415 x 125			
Usable drawer dimensions W x D [mm]	800 x 400					
Usable area [m²]	0.3430					
Weight [kg]	4.70		5.38		5.76	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508006.19M**	**70508006.19V**	**70508007.19M**	**70508007.19V**	**70508008.19M**	**70508008.19V**

System width [mm]	-8			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	826 x 415 x 125			
Usable drawer dimensions W x D [mm]	800 x 400			
Usable area [m²]	0.3430			
Weight [kg]	7.20		7.68	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508009.19M**	**70508009.19V**	**70508010.19M**	**70508010.19V**

System width [mm]	-8					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	826 x 515 x 75		826 x 515 x 125			
Usable drawer dimensions W x D [mm]	800 x 500					
Usable area [m²]	0.4300					
Weight [kg]	5.70		6.40		6.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508011.19M**	**70508011.19V**	**70508012.19M**	**70508012.19V**	**70508013.19M**	**70508013.19V**

System width [mm]	-8			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	826 x 515 x 125			
Usable drawer dimensions W x D [mm]	800 x 500			
Usable area [m²]	0.4300			
Weight [kg]	8.30		8.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508014.19M**	**70508014.19V**	**70508015.19M**	**70508015.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm


System width [mm]	-8	
Dimensions W x D x H [mm]	926 x 37 x 25	
Weight [kg]	0.53	
Assembled/packed	Assembled	Packed
Order ref.	**73505004.19V**	**73505004.19M**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes






System width [mm]	-8	-8
System depth [mm]	/3	/3
Dimensions W x D [mm]	926 x 376	926 x 376
Quantity of small parts storage boxes 50 x 50 [mm]		6
Quantity of small parts storage boxes 50 x 75 [mm]	4	12
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	4	4
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020021.16V**	**73020022.16V**






System width [mm]	-8	-8
System depth [mm]	/4	/4
Dimensions W x D [mm]	926 x 488	926 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	2	8
Quantity of small parts storage boxes 50 x 75 [mm]	8	24
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	4	4
Quantity of small parts storage boxes 100 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020023.16V**	**73020024.16V**


Drawer dividers







System width [mm]	-8	-8
System depth [mm]	/4	/4
Dimensions W x D [mm]	926 x 600	926 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	4	10
Quantity of small parts storage boxes 50 x 75 [mm]	12	24
Quantity of small parts storage boxes 75 x 75 [mm]		12
Quantity of small parts storage boxes 75 x 150 [mm]	4	6
Quantity of small parts storage boxes 100 x 150 [mm]	8	4
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020095.16V**	**73020096.16V**

Divider kit





System width [mm]	-8			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	926 x 376		926 x 488	
Quantity of dividers	4			
Quantity of cross dividers	8			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020074.19V**	**73020075.19V**	**73020076.19V**	**73020077.19V**



System width [mm]	-8	
System depth [mm]	/5	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	926 x 600	
Quantity of dividers	4	
Quantity of cross dividers	8	
Height of cross dividers [mm]	75	125
Order ref.	**73020099.19V**	**73020100.19V**

Safe drawer with armoured lock



- The drawer is secured by an armoured locking bar from ABUS
- The safe drawers are available in widths 8 / 9 / 10 and depths 4 / 5 and heights 150 mm / 200 mm / 300 mm
- To prevent theft

System width [mm]	-8					
System depth [mm]	/4					
System height [mm]	150		200		300	
Internal dimensions [mm]	826 x 415 x 125					
Usable drawer dimensions W x D [mm]	800 x 400					
Usable area [m²]	0.3430					
Weight [kg]	9.64		10.07		11.54	
Assembled/packed	Assembled	Packed	Assembled	Packed		
Order ref.	**70508016.19M**	**70508016.19V**	**70508022.19M**	**70508022.19V**	**70508018.19M**	**70508018.19V**

System width [mm]	-8					
System depth [mm]	/5					
System height [mm]	150		200		300	
Internal dimensions [mm]	826 x 515 x 125					
Usable drawer dimensions W x D [mm]	800 x 500					
Usable area [m²]	0.4250					
Weight [kg]	10.44		10.87		12.34	
Assembled/packed			Assembled	Packed		
Order ref.	**70508019.19M**	**70508019.19V**	**70508023.19M**	**70508023.19V**	**70508021.19M**	**70508021.19V**

3

Drawers width 9 depth 3-9



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional drawer lock with key for added security
- Double-sided steel safety lock
- Load capacity of the drawers width 1038/9 up to depth 590/5 = 70 kg - depth 1048/9 = 50 kg

System width [mm]	-9					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	938 x 315 x 75		938 x 315 x 125			
Usable drawer dimensions W x D [mm]	925 x 300					
Usable area [m²]	0.2960					
Weight [kg]	4.32		4.99		5.47	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509001.19M**	**70509001.19V**	**70509002.19M**	**70509002.19V**	**70509003.19M**	**70509003.19V**

System width [mm]	-9			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	938 x 315 x 125			
Usable drawer dimensions W x D [mm]	925 x 300			
Usable area [m²]	0.2960			
Weight [kg]	7.01		7.49	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509004.19M**	**70509004.19V**	**70509005.19M**	**70509005.19V**

System width [mm]	-9					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	938 x 415 x 75		938 x 415 x 125			
Usable drawer dimensions W x D [mm]	925 x 400					
Usable area [m²]	0.3890					
Weight [kg]	5.09		5.86		6.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509006.19M**	**70509006.19V**	**70509007.19M**	**70509007.19V**	**70509008.19M**	**70509008.19V**

System width [mm]	-9			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	938 x 415 x 125			
Usable drawer dimensions W x D [mm]	925 x 400			
Usable area [m²]	0.3890			
Weight [kg]	7.87		8.35	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509009.19M**	**70509009.19V**	**70509010.19M**	**70509010.19V**

System width [mm]	-9					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	938 x 515 x 75		938 x 515 x 125			
Usable drawer dimensions W x D [mm]	925 x 500					
Usable area [m²]	0.4830					
Weight [kg]	7.01		7.78		8.26	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509011.19M**	**70509011.19V**	**70509012.19M**	**70509012.19V**	**70509013.19M**	**70509013.19V**

System width [mm]	-9			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	938 x 515 x 125			
Usable drawer dimensions W x D [mm]	925 x 500			
Usable area [m²]	0.4830			
Weight [kg]	9.89		10.37	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509014.19M**	**70509014.19V**	**70509015.19M**	**70509015.19V**

Drawers

System width [mm]	-9			
System depth [mm]	/7			
System height [mm]	100		150	
Internal dimensions [mm]	938 x 715 x 75		938 x 715 x 125	
Usable drawer dimensions W x D [mm]	938 x 715			
Usable area [m²]	0.6710			
Weight [kg]	9.30		10.10	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509024.19M**	**70509024.19V**	**70509025.19M**	**70509025.19V**

System width [mm]	-9			
System depth [mm]	/7			
System height [mm]	200		300	
Internal dimensions [mm]	938 x 715 x 125			
Usable drawer dimensions W x D [mm]	938 x 715			
Usable area [m²]	0.6710			
Weight [kg]	10.60		12.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509026.19M**	**70509026.19V**	**70509027.19M**	**70509027.19V**

System width [mm]	-9			
System depth [mm]	/9			
System height [mm]	100		150	
Internal dimensions [mm]	938 x 965 x 75		938 x 965 x 125	
Usable drawer dimensions W x D [mm]	925 x 950			
Usable area [m²]	0.9050			
Weight [kg]	16.99		18.53	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509016.19M**	**70509016.19V**	**70509017.19M**	**70509017.19V**

System width [mm]	-9			
System depth [mm]	/9			
System height [mm]	200		300	
Internal dimensions [mm]	938 x 965 x 125			
Usable drawer dimensions W x D [mm]	925 x 950			
Usable area [m²]	0.9050			
Weight [kg]	19.01		20.64	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509018.19M**	**70509018.19V**	**70509019.19M**	**70509019.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm

System width [mm]	-9	
Dimensions W x D x H [mm]	1038 x 37 x 25	
Weight [kg]	0.60	
Assembled/packed	Assembled	Packed
Order ref.	**73505005.19M**	**73505005.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes







System width [mm]	-9	-9
System depth [mm]	/3	/3
Dimensions W x D [mm]	1038 x 376	1038 x 376
Quantity of small parts storage boxes 50 x 50 [mm]		12
Quantity of small parts storage boxes 50 x 75 [mm]	8	12
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	2	6
Quantity of small parts storage boxes 150 x 150 [mm]	6	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020025.16V**	**73020026.16V**


Drawers






System width [mm]	-9	-9
System depth [mm]	/4	/4
Dimensions W x D [mm]	1038 x 488	1038 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	4	16
Quantity of small parts storage boxes 50 x 75 [mm]	10	16
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	2	6
Quantity of small parts storage boxes 100 x 150 [mm]	5	2
Quantity of small parts storage boxes 150 x 150 [mm]	6	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020027.16V**	**73020028.16V**






System width [mm]	-9	-9
System depth [mm]	/5	/5
Dimensions W x D [mm]	1038 x 600	1038 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	2	20
Quantity of small parts storage boxes 50 x 75 [mm]	13	40
Quantity of small parts storage boxes 75 x 75 [mm]		8
Quantity of small parts storage boxes 75 x 150 [mm]	3	6
Quantity of small parts storage boxes 100 x 150 [mm]	10	4
Quantity of small parts storage boxes 150 x 150 [mm]	6	2
Quantity of small parts storage boxes 150 x 300 [mm]	2	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020029.16V**	**73020030.16V**


Drawer dividers






System width [mm]	-9	-9
System depth [mm]	/7	/9
Dimensions W x D [mm]	1038 x 824	1038 x 1048
Quantity of small parts storage boxes 50 x 50 [mm]	10	2
Quantity of small parts storage boxes 50 x 75 [mm]	17	25
Quantity of small parts storage boxes 75 x 75 [mm]	6	12
Quantity of small parts storage boxes 75 x 150 [mm]	8	10
Quantity of small parts storage boxes 100 x 150 [mm]	5	10
Quantity of small parts storage boxes 150 x 150 [mm]	8	12
Quantity of small parts storage boxes 150 x 300 [mm]	4	4
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020114.16V**	**73020031.16V**


Divider kit







System width [mm]	-9			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	1038 x 376		1038 x 488	
Quantity of dividers	5			
Quantity of cross dividers	9			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020078.19V**	**73020079.19V**	**73020080.19V**	**73020081.19V**

Drawer dividers





System width [mm]	-9			
System depth [mm]	/5		/7	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	1038 x 600		1038 x 824	
Quantity of dividers	5		4	8
Quantity of cross dividers	4			8
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020082.19V**	**73020083.19V**	**73020109.19V**	**73020110.19V**



System width [mm]	-9	
System depth [mm]	/9	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	1038 x 1048	
Quantity of dividers	9	
Quantity of cross dividers	8	
Height of cross dividers [mm]	75	125
Order ref.	**73020084.19V**	**73020085.19V**

Custom tool shape cut-outs made by hand



- Clear arrangement of tools, unique definition of storage locations and contents, missing parts are spotted immediately, cut-outs can be precisely made with the aid of the cutter set in a few simple steps
- Material: Base: XPE 33, thickness 5 mm Inlay: PE 30, thickness 22 mm
- Colour: Base: red Inlay: black
- Properties: PE 30 laminated, heat-resistant up to 112 °C, non-combustible, resistant to oils, petrol and detergents, environmentally friendly

System width [mm]	-9	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	1038 x 376 x 27	1038 x 488 x 27
Weight [kg]	0.39	0.52
Order ref.	**73017005.10V**	**73017006.10V**
Final installation [WU]	0.0	

Safe drawer with armoured lock




- The drawer is secured by an armoured locking bar from ABUS
- The safe drawers are available in widths 8 / 9 / 10 and depths 4 / 5 and heights 150 mm / 200 mm / 300 mm
- To prevent theft

System width [mm]	-9					
System depth [mm]	/4					
System height [mm]	150		200		300	
Internal dimensions [mm]	938 x 415 x 125					
Usable drawer dimensions W x D [mm]	925 x 400					
Usable area [m²]	0.3890					
Weight [kg]	10.14		10.63		12.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509028.19M**	**70509028.19V**	**70509034.19M**	**70509034.19V**	**70509030.19M**	**70509030.19V**

System width [mm]	-9					
System depth [mm]	/5					
System height [mm]	150		200		300	
Internal dimensions [mm]	938 x 515 x 125					
Usable drawer dimensions W x D [mm]	925 x 500					
Usable area [m²]	0.4830					
Weight [kg]	12.14		10.63		14.34	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70509031.19M**	**70509031.19V**	**70509035.19M**	**70509035.19V**	**70509033.19M**	**70509033.19V**

Drawers width 10 depth 3-5



- Front panel made of anodised aluminium profile – sturdy and optimum surface protection
- Drawers with full extension rails – for optimum access to stored goods
- Height 300 and 350 mm incl. front extension
- Drawer pan extension heights with front height 100 mm = 75 mm, front height from 150 mm = 125 mm
- Drawers incl. anti-slip mat for additional protection of the load
- Optional drawer lock with key for added security
- Load capacity of the drawers width 1038/10 up to depth 590/5 = 70 kg

System width [mm]	-10					
System depth [mm]	/3					
System height [mm]	100		150		200	
Internal dimensions [mm]	1050 x 315 x 75		1050 x 315 x 125			
Usable drawer dimensions W x D [mm]	1025 x 300					
Usable area [m²]	0.3310					
Weight [kg]	4.61		5.38		5.86	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510001.19M**	**70510001.19V**	**70510002.19M**	**70510002.19V**	**70510003.19M**	**70510003.19V**

System width [mm]	-10			
System depth [mm]	/3			
System height [mm]	300		350	
Internal dimensions [mm]	1050 x 315 x 125			
Usable drawer dimensions W x D [mm]	1025 x 300			
Usable area [m²]	0.3310			
Weight [kg]	7.68		5.38	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510004.19M**	**70510004.19V**	**70510005.19M**	**70510005.19V**

Drawers

System width [mm]	-10					
System depth [mm]	/4					
System height [mm]	100		150		200	
Internal dimensions [mm]	1050 x 415 x 75		1050 x 415 x 125			
Usable drawer dimensions W x D [mm]	1025 x 400					
Usable area [m²]	0.4360					
Weight [kg]	5.47		6.24		6.82	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510006.19M**	**70510006.19V**	**70510007.19M**	**70510007.19V**	**70510008.19M**	**70510008.19V**

System width [mm]	-10			
System depth [mm]	/4			
System height [mm]	300		350	
Internal dimensions [mm]	1050 x 415 x 125			
Usable drawer dimensions W x D [mm]	1025 x 400			
Usable area [m²]	0.4360			
Weight [kg]	8.54		9.12	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510009.19M**	**70510009.19V**	**70510010.19M**	**70510010.19V**

System width [mm]	-10					
System depth [mm]	/5					
System height [mm]	100		150		200	
Internal dimensions [mm]	1050 x 515 x 75		1050 x 515 x 125			
Usable drawer dimensions W x D [mm]	1025 x 500					
Usable area [m²]	0.5410					
Weight [kg]	7.39		8.26		8.74	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510011.19M**	**70510011.19V**	**70510012.19M**	**70510012.19V**	**70510013.19M**	**70510013.19V**

System width [mm]	-10			
System depth [mm]	/5			
System height [mm]	300		350	
Internal dimensions [mm]	1050 x 515 x 125			
Usable drawer dimensions W x D [mm]	1025 x 500			
Usable area [m²]	0.5410			
Weight [kg]	10.46		11.04	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510014.19M**	**70510014.19V**	**70510015.19M**	**70510015.19V**


Drawer front extension




- Front extension made of anodised aluminium profile for optional fitting to the standard front heights
- Height 25 mm
- The following front heights can be produced with the extensions: 100 + 25 = 125 mm, 150 + 25 = 175 mm, 200 + 25 = 225 mm

System width [mm]	-10	
Dimensions W x D x H [mm]	1150 x 37 x 25	
Weight [kg]	0.66	
Assembled/packed	Assembled	Packed
Order ref.	**73505006.19M**	**73505006.19V**
Final installation [WU]	0.0	


Divider kit with small parts storage boxes






System width [mm]	-10	-10
System depth [mm]	/3	/3
Dimensions W x D [mm]	1150 x 376	1150 x 376
Quantity of small parts storage boxes 50 x 50 [mm]		6
Quantity of small parts storage boxes 50 x 75 [mm]	4	12
Quantity of small parts storage boxes 75 x 75 [mm]	4	8
Quantity of small parts storage boxes 75 x 150 [mm]	4	6
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	3	1
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020032.16V**	**73020033.16V**






System width [mm]	-10	-10
System depth [mm]	/4	/4
Dimensions W x D [mm]	1150 x 488	1150 x 488
Quantity of small parts storage boxes 50 x 50 [mm]	2	8
Quantity of small parts storage boxes 50 x 75 [mm]	10	26
Quantity of small parts storage boxes 75 x 75 [mm]	4	8
Quantity of small parts storage boxes 75 x 150 [mm]	4	6
Quantity of small parts storage boxes 100 x 150 [mm]	5	3
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	3	2
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020034.16V**	**73020035.16V**


Drawer dividers






System width [mm]	-10	-10
System depth [mm]	/5	/5
Dimensions W x D [mm]	1150 x 600	1150 x 600
Quantity of small parts storage boxes 50 x 50 [mm]	1	10
Quantity of small parts storage boxes 50 x 75 [mm]	9	25
Quantity of small parts storage boxes 75 x 75 [mm]	6	12
Quantity of small parts storage boxes 75 x 150 [mm]	6	9
Quantity of small parts storage boxes 100 x 150 [mm]	10	6
Quantity of small parts storage boxes 150 x 150 [mm]	4	2
Quantity of small parts storage boxes 150 x 300 [mm]	3	2
Front height of drawer [mm]	100	100
Box height [mm]	68	68
Order ref.	**73020036.16V**	**73020037.16V**


Divider kit






System width [mm]	-10			
System depth [mm]	/3		/4	
Front height of drawer [mm]	100	150	100	150
Dimensions W x D [mm]	1150 x 376		1150 x 488	
Quantity of dividers	6			
Quantity of cross dividers	11			
Height of cross dividers [mm]	75	125	75	125
Order ref.	**73020086.19V**	**73020087.19V**	**73020088.19V**	**73020089.19V**

Drawer dividers



System width [mm]	-10	
System depth [mm]	/5	
Front height of drawer [mm]	100	150
Dimensions W x D [mm]	1150 x 600	
Quantity of dividers	6	
Quantity of cross dividers	11	
Height of cross dividers [mm]	75	125
Order ref.	**73020090.19V**	**73020091.19V**

Custom tool shape cut-outs made by hand



- Clear arrangement of tools, unique definition of storage locations and contents, missing parts are spotted immediately, cut-outs can be precisely made with the aid of the cutter set in a few simple steps
- Material: Base: XPE 33, thickness 5 mm Inlay: PE 30, thickness 22 mm
- Colour: Base: red Inlay: black
- Properties: PE 30 laminated, heat-resistant up to 112 °C, non-combustible, resistant to oils, petrol and detergents, environmentally friendly

System width [mm]	-10	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	1150 x 376 x 27	1150 x 488 x 27
Weight [kg]	0.44	0.58
Order ref.	**73017007.10V**	**73017008.10V**
Final installation [WU]	0.0	

Safe drawer with armoured lock




- The drawer is secured by an armoured locking bar from ABUS
- The safe drawers are available in widths 8 / 9 / 10 and depths 4 / 5 and heights 150 mm / 200 mm / 300 mm
- To prevent theft

System width [mm]	-10					
System depth [mm]	/4					
System height [mm]	150		200		300	
Internal dimensions [mm]	1050 x 415 x 125					
Usable drawer dimensions W x D [mm]	925 x 400					
Usable area [m²]	0.4360					
Weight [kg]	10.54		11.09		12.94	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510020.19M**	**70510020.19V**	**70510026.19M**	**70510026.19V**	**70510022.19M**	**70510022.19V**

System width [mm]	-10					
System depth [mm]	/5					
System height [mm]	150		200		300	
Internal dimensions [mm]	1050 x 515 x 125					
Usable drawer dimensions W x D [mm]	1025 x 500					
Usable area [m²]	0.5410					
Weight [kg]	12.64		13.19		14.94	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**70510023.19M**	**70510023.19V**	**70510027.19M**	**70510027.19V**	**70510025.19M**	**70510025.19V**

Drawer with Systainer³ XXL 237 and 337



- Drawer with anti-slip mat and Systainer³ XXL 237 or 337
- Load capacity 70 kg
- Anodised aluminium / RAL 7016 anthracite grey

Version	For holding Systainer³ XXL 237		For holding Systainer³ XXL 337	
System width [mm]	-8			
System depth [mm]	/3			
System height [mm]	100			
Internal dimensions [mm]	812 x 308 x 83			
Usable drawer dimensions W x D [mm]	812 x 308			
Usable area [m²]	0.2500			
Weight [kg]	7.74		8.43	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70508024.19M**	**70508024.19V**	**70508025.19M**	**70508025.19V**

Hinged drawer blocking mechanism



- Prevents a drawer from closing independently
- Hinged drawer blocking mechanism for mounting on the side of the drawer pan at the back
- Universal mounting above or below the telescopic runner, mounting above the telescopic runner from drawer height 150mm +
- Hinged drawer blocking mechanism is rotated manually to block the drawer
- Incl. assembly instructions with printed drilling template

Dimensions W x D x H [mm]	10 x 60 x 20
Weight [kg]	0.03
Order ref.	**73508040.10V**
Final installation [WU]	1.0

Drawer lock



- 2 keys included
- galvanised

Version	for drawers	
Dimensions W x D x H [mm]	13 x 13 x 33	
Weight [kg]	0.03	
Order ref.	**62602001.51M**	**62602001.51V**
Final installation [WU]	0.0	

Customising foam inserts by hand



- 3 Cutters with protective covers 1x width 20 mm, 1x width 50 mm, 1x semicircular, 20 x 20 x 80 mm
- Incl. cutter knife
- Folding rule

Dimensions W x D x H [mm]	225 x 170 x 45
Weight [kg]	0.37
Order ref.	**13017001.10V**
Final installation [WU]	0.0

Custom tool shape cut-outs made by hand for drawers



- Clear arrangement of tools, unique definition of storage locations and contents, missing parts are spotted immediately, cut-outs can be precisely made with the aid of the cutter set in a few simple steps
- Material: Base: XPE 33, thickness 5 mm Inlay: PE 30, thickness 22 mm
- Colour: Base: red Inlay: black
- Properties: PE 30 laminated, heat-resistant up to 112 °C, non-combustible, resistant to oils, petrol and detergents, environmentally friendly

Dimensions W x D x H [mm]	505 x 233 x 27
Weight [kg]	0.16
Order ref.	**73017009.10V**
Final installation [WU]	0.0

Storage shelf for drawers



- Suspended tray that sits on the sides of the drawer pan
- To create a second level
- Removable

Version	For width		
System width [mm]	-3	-4	-5
Dimensions W x D x H [mm]	366 x 238 x 36	478 x 238 x 36	590 x 238 x 36
Weight [kg]	0.28	0.36	0.47
Assembled/packed	Packed		
Order ref.	**72533166.98V**	**72533167.98V**	**72533168.98V**
Final installation [WU]	0.0		

Version	For depth		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	238 x 376 x 44	238 x 488 x 44	238 x 600 x 44
Weight [kg]	0.32	0.41	0.50
Assembled/packed	Packed		
Order ref.	**72533169.98V**	**72533170.98V**	**72533171.98V**
Final installation [WU]	0.0		

3

Small part storage box kit for drawer storage tray



- For vario3 drawer storage shelf with drawer widhts -3, -4, -5 and mininum 175 mm front height
- Optimal fit for drawer width -5, some small part storage boxes for drawer widths -3 and -4 are obsolete
- Small part storage box height 68 mm
- PS, RAL 7035 light grey

Dimensions W x D [mm]	475 x 225
Quantity of small parts storage boxes 50 x 75 [mm]	6
Quantity of small parts storage boxes 75 x 75 [mm]	9
Quantity of small parts storage boxes 75 x 150 [mm]	3
Box height [mm]	68
Order ref.	**73020118.16V**

Desk panel for drawers



- Foldable thanks to hinges on the drawer body
- Can be used from drawer width -3, system depth /4 and drawer height 100mm
- Can be used from drawer width -5, system depth /4 and drawer height 150mm
- Opening angle approx. 100°
- Can also be used for deeper (depth >/4) and wider (width >-4) drawers
- Drawer below remains fully operable
- Natural aluminium / painted steel anthracite grey

System width [mm]	-3	-4	-5
System depth [mm]	/4		
Dimensions W x D x H [mm]	290 x 432 x 10	402 x 432 x 10	514 x 432 x 10
Weight [kg]	0.78	0.86	0.94
Order ref.	**73508068.98V**	**73508069.98V**	**73508070.98V**
Final installation [WU]	1.0		

System width [mm]	> -5	
System depth [mm]	/4	
Dimensions W x D x H [mm]	514 x 432 x 10	
Weight [kg]	1.84	1.94
Order ref.	**73508071.98V**	**73508072.98V**
Final installation [WU]	2.0	

Anti-slip mat for drawers



- For storing sensitive parts
- Thickness 2.5 mm
- Pack of 5
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-3				
System depth [mm]	/4	/5	/7	/9	/12
Dimensions W x D x H [mm]	366 x 488 x 3	366 x 600 x 3	366 x 824 x 3	366 x 1048 x 3	366 x 1384 x 3
Weight [kg]	0.35	0.40	0.55	0.80	1.10
Assembled/packed	Packed				
Order ref.	**71301009.19V**	**71301010.19V**	**71301135.19V**	**71301011.19V**	**71301142.19V**
Final installation [WU]	0.0				

System width [mm]	-4		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	478 x 376 x 3	478 x 488 x 3	478 x 600 x 3
Weight [kg]	0.35	0.50	0.60
Assembled/packed	Packed		
Order ref.	**71301012.19V**	**71301013.19V**	**71301014.19V**
Final installation [WU]	0.0		

System width [mm]	-4		
System depth [mm]	/7	/9	/12
Dimensions W x D x H [mm]	478 x 824 x 3	478 x 1048 x 3	478 x 1384 x 3
Weight [kg]	0.80	1.10	1.55
Assembled/packed	Packed		
Order ref.	**71301136.19V**	**71301015.19V**	**71301016.19V**
Final installation [WU]	0.0		

System width [mm]	-5		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	590 x 376 x 3	590 x 488 x 3	590 x 600 x 3
Weight [kg]	0.45	0.60	0.75
Assembled/packed	Packed		
Order ref.	**71301017.19V**	**71301018.19V**	**71301019.19V**
Final installation [WU]	0.0		

Anti-slip mats for drawers

System width [mm]	-5		
System depth [mm]	/7	/9	/12
Dimensions W x D x H [mm]	590 x 824 x 3	590 x 1048 x 3	590 x 1384 x 3
Weight [kg]	1.05	1.45	2.00
Assembled/packed		Packed	
Order ref.	**71301137.19V**	**71301020.19V**	**71301021.19V**
Final installation [WU]	0.0		

System width [mm]	-7		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	814 x 376 x 3	814 x 488 x 3	814 x 600 x 3
Weight [kg]	0.70	0.90	1.10
Assembled/packed	Packed		
Order ref.	**71301022.19V**	**71301023.19V**	**71301130.19V**
Final installation [WU]	0.0		

System width [mm]	-8		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	926 x 376 x 3	926 x 488 x 3	926 x 600 x 3
Weight [kg]	0.80	1.05	1.30
Assembled/packed	Packed		
Order ref.	**71301024.19V**	**71301025.19V**	**71301131.19V**
Final installation [WU]	0.0		

System width [mm]	-9		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	1038 x 376 x 3	1038 x 488 x 3	1038 x 600 x 3
Weight [kg]	0.90	1.20	1.50
Assembled/packed	Packed		
Order ref.	**71301026.19V**	**71301027.19V**	**71301028.19V**
Final installation [WU]	0.0		

System width [mm]	-9	
System depth [mm]	/7	/9
Dimensions W x D x H [mm]	1038 x 824 x 3	1038 x 1048 x 3
Weight [kg]	2.10	2.80
Assembled/packed		Packed
Order ref.	**71301138.19V**	**71301029.19V**
Final installation [WU]	0.0	

Small parts storage boxes for drawers

System width [mm]	-10		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	1150 x 376 x 3	1150 x 488 x 3	1150 x 600 x 3
Weight [kg]	1.00	1.35	1.65
Assembled/packed	Packed		
Order ref.	**71301030.19V**	**71301031.19V**	**71301032.19V**
Final installation [WU]	0.0		

Small parts storage boxes - pack of 10



- pack of 10

Dimensions W x D x H [mm]	50 x 50 x 68	75 x 50 x 68	75 x 75 x 68	75 x 150 x 68
Weight [kg]	0.22	0.28	0.37	0.60
Pack of	10			
Order ref.	**73510009.16**	**73510010.16**	**73510011.16**	**73510012.16**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	100 x 150 x 68	150 x 150 x 68	300 x 150 x 68
Weight [kg]	0.72	0.93	1.58
Pack of	10		
Order ref.	**73510013.16**	**73510014.16**	**73510015.16**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	50 x 100 x 68	100 x 100 x 68	100 x 350 x 68
Weight [kg]	0.40	0.50	1.60
Pack of	10		
Order ref.	**73510255.16**	**73510256.16**	**73510257.16**
Final installation [WU]	0.0		


Label clip for small parts storage boxes



- 40 Label clips made of transparent plastic
- Ideally matched to label printer with 12 mm height

Version	Labelling kit
Dimensions W x D x H [mm]	39 x 1 x 13
Weight [kg]	0.20
Pack of	40
Order ref.	**72522039.90V**
Final installation [WU]	0.0


Dividers for drawers 75 mm height



- Natural aluminium
- Height 75 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	30 x 376 x 75	30 x 488 x 75	30 x 600 x 75
Weight [kg]	0.16	0.21	0.60
Pack of	2		
Assembled/packed	Packed		
Order ref.	**73001024.19V**	**73001026.19V**	**73001028.19V**
Final installation [WU]	0.0		


Dividers for drawers 125 mm height



- Natural aluminium
- Height 125 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	30 x 376 x 125	30 x 488 x 125	30 x 600 x 125
Weight [kg]	0.27	0.34	1.00
Pack of	2		
Assembled/packed	Packed		
Order ref.	**73001025.19V**	**73001027.19V**	**73001029.19V**
Final installation [WU]	0.0		


Cross dividers for drawers 125 mm height



- Natural aluminium
- Height 125 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

For drawers		Width 346 mm	Width 468 mm	Width 916 mm
System width [mm]	-3	-4	-5	-9
Dimensions W x D x H [mm]	366 x 30 x 125	478 x 30 x 125	590 x 30 x 125	1038 x 30 x 125
Weight [kg]	0.23	0.32	0.96	1.77
Pack of	2			
Assembled/packed	Packed			
Order ref.	**73001009.19V**	**73001011.19V**	**73001013.19V**	**73001018.19V**
Final installation [WU]	0.0			


Cross dividers for drawers 75 mm height



- Natural aluminium
- Height 75 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

For drawers		Width 346 mm	Width 468 mm	Width 916 mm
System width [mm]	-3	-4	-5	-9
Dimensions W x D x H [mm]	366 x 30 x 75	478 x 30 x 75	590 x 30 x 75	1038 x 30 x 75
Weight [kg]	0.14	0.18	0.58	1.08
Pack of	2			
Assembled/packed	Packed			
Order ref.	**73001008.19V**	**73001010.19V**	**73001012.19V**	**73001017.19V**
Final installation [WU]	0.0			


Dividers for drawers 300 mm height



- Anodised aluminium
- Height 300 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

For drawers		Front height 300 mm	
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	30 x 376 x 300	30 x 488 x 300	30 x 600 x 300
Weight [kg]	1.22	1.63	2.01
Pack of	2		
Assembled/packed	Packed		
Order ref.	**73001014.19V**	**73001015.19V**	**73001016.19V**
Final installation [WU]	0.0		

Cross dividers for drawers 68 mm height



- Natural aluminium
- Height 68 mm
- Pack of 2
- Incl. 2 cross divider holders and 1 divider holder that snap into place
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	92 x 1 x 68	117 x 1 x 68	142 x 1 x 68	192 x 1 x 68
Weight [kg]	0.04	0.06		0.08
Pack of	2			
Assembled/packed	Packed			
Order ref.	**73002001.19V**	**73002002.19V**	**73002003.19V**	**73002004.19V**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	92 x 1 x 118	117 x 1 x 118	142 x 1 x 118	192 x 1 x 118
Weight [kg]	0.06	0.08	0.10	0.13
Pack of	2			
Assembled/packed	Packed			
Order ref.	**73002005.19V**	**73002006.19V**	**73002007.19V**	**73002008.19V**
Final installation [WU]	0.0			

Cartridge insert for drawers



- Cartridge insert for drawers
- From a drawer height of 150 mm
- Width 100 mm, therefore several cartridge inserts are required to equip the entire drawer width
- Max. 5 cartridges per insert with max. Ø of 53 mm
- In drawers with the system depth / 4 and / 5, the cartridge inserts can also be inserted crosswise in the drawer to compensate for the remaining drawer depth

Dimensions W x D x H [mm]	100 x 300 x 120
Weight [kg]	0.08
Order ref.	**73511012.19V**
Final installation [WU]	0.0

Spray can insert for drawers



- Spray can attachment for drawers
- From a drawer height of 150 mm
- Width 100 mm, therefore several cartridge inserts are required to equip the entire drawer width
- Max. 3 cartridges per insert with max. Ø of 73 mm
- In drawers with the system depth / 4 and / 5, the nozzle inserts can also be inserted transversely in the drawer to compensate for the remaining drawer depth

Dimensions W x D x H [mm]	100 x 300 x 120
Weight [kg]	0.08
Order ref.	**73511011.19V**
Final installation [WU]	0.0

Nozzle insert for drawers



- Nozzle insert for drawers
- For drawer heights of 100 mm or 125 mm
- Max. 30 Düsen mit max. Ø von 22 mm
- In drawers with the system depth / 4 and / 5, the nozzle inserts can also be inserted transversely in the drawer to compensate for the remaining drawer depth

Dimensions W x D x H [mm]	100 x 300 x 69
Weight [kg]	0.06
Order ref.	**73511019.19V**
Final installation [WU]	0.0

Drawer pan extension

Drawer pan extension for 300 mm and 350 mm drawers



- For installation on the drawer pan
- Body height 260 mm
- From drawer height 300 mm
- For improved storage of taller parts
- Natural aluminium

System width [mm]	-3			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	366 x 488 x 135		366 x 600 x 135	
Weight [kg]	0.48		0.56	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505008.98M**	**73505008.98V**	**73505009.98M**	**73505009.98V**
Final installation [WU]	0.0			

System width [mm]	-3			
System depth [mm]	/7		/9	
Dimensions W x D x H [mm]	366 x 824 x 135		366 x 1048 x 135	
Weight [kg]	0.78		0.94	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505034.98M**	**73505034.98V**	**73505010.98M**	**73505010.98V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	478 x 376 x 135		478 x 488 x 135	
Weight [kg]	0.44		0.52	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505011.98M**	**73505011.98V**	**73505012.98M**	**73505012.98V**
Final installation [WU]	0.0			

Drawer pan extension

System width [mm]	-4			
System depth [mm]	/5		/7	
Dimensions W x D x H [mm]	478 x 600 x 135		478 x 824 x 135	
Weight [kg]	0.60		0.82	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505013.98M**	**73505013.98V**	**73505035.98M**	**73505035.98V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/9		/12	
Dimensions W x D x H [mm]	478 x 1048 x 135		478 x 1384 x 135	
Weight [kg]	0.98		1.27	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505014.98M**	**73505014.98V**	**73505015.98M**	**73505015.98V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	590 x 376 x 135		590 x 488 x 135	
Weight [kg]	0.49		0.57	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505016.98M**	**73505016.98V**	**73505017.98M**	**73505017.98V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/5		/7	
Dimensions W x D x H [mm]	590 x 600 x 135		590 x 824 x 135	
Weight [kg]	0.64		0.84	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505018.98M**	**73505018.98V**	**73505036.98M**	**73505036.98V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/9		/12	
Dimensions W x D x H [mm]	590 x 1048 x 135		590 x 1384 x 135	
Weight [kg]	1.03		1.32	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505019.98M**	**73505019.98V**	**73505020.98M**	**73505020.98V**
Final installation [WU]	0.0			

Drawer pan extension

System width [mm]	-7					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	814 x 376 x 135		814 x 488 x 135		814 x 600 x 135	
Weight [kg]	0.59		0.66		0.77	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505021.98M**	**73505021.98V**	**73505022.98M**	**73505022.98V**	**73505032.98M**	**73505032.98V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	926 x 376 x 135		926 x 488 x 135		926 x 600 x 135	
Weight [kg]	0.63		0.71		0.82	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505023.98M**	**73505023.98V**	**73505024.98M**	**73505024.98V**	**73505033.98M**	**73505033.98V**
Final installation [WU]	0.0					


System width [mm]	-9			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1038 x 376 x 135		1038 x 488 x 135	
Weight [kg]	0.68		0.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505025.98M**	**73505025.98V**	**73505026.98M**	**73505026.98V**
Final installation [WU]	0.0			

System width [mm]	-9					
System depth [mm]	/5		/7		/9	
Dimensions W x D x H [mm]	1038 x 600 x 135		1038 x 824 x 135		1038 x 1048 x 135	
Weight [kg]	0.84		1.04		1.22	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505027.98M**	**73505027.98V**	**73505037.98M**	**73505037.98V**	**73505028.98M**	**73505028.98V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	1150 x 376 x 135		1150 x 488 x 135		1150 x 600 x 135	
Weight [kg]	0.72		0.80		0.87	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73505029.98M**	**73505029.98V**	**73505030.98M**	**73505030.98V**	**73505031.98M**	**73505031.98V**
Final installation [WU]	0.0					

3

TopLash-Profile for drawers



- Can be used for drawer height 100 mm
- Only suitable for drawers with nothing directly above them
- Minimum overall height from 150 mm
- The quantity and type of lashing strap is controlled via PX5, up to system width -7 (814 mm) 2 lashing straps are assigned, from system width -8 (926 mm) 3 lashing straps. Up to system depth /5 (600 mm) the lashing strap length 1000 mm is assigned, from system depth /7 (824 mm) the lashing strap length 2500 mm.
- Setting up a pull-out with TopLash function
- Can be retrofitted to drawers
- Suitable for all drawer pans

System width [mm]	-3		-4		-5	
Dimensions W x D x H [mm]	366 x 37 x 25		478 x 37 x 25		590 x 37 x 25	
Weight [kg]	0.37		0.52		0.67	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610053.19M**	**72610053.19V**	**72610054.19M**	**72610054.19V**	**72610055.19M**	**72610055.19V**
Final installation [WU]	0.0					

System width [mm]	-7		-8		-9	
Dimensions W x D x H [mm]	814 x 37 x 25		926 x 37 x 25		1038 x 37 x 25	
Weight [kg]	0.97		1.12		1.26	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610056.19M**	**72610056.19V**	**72610057.19M**	**72610057.19V**	**72610058.19M**	**72610058.19V**
Final installation [WU]	0.0					

System width [mm]	-10	
Dimensions W x D x H [mm]	1150 x 37 x 25	
Weight [kg]	1.41	
Assembled/packed	Assembled	Packed
Order ref.	**72610059.19M**	**72610059.19V**
Final installation [WU]	0.0	

Adapter for rotated drawers



- For installation of telescopic slides on rotated end-frame profiles
- Adapter is used to install telescopic slides at the rear left and right on the end-frame profile with a rotated drawer (drawer pulled out in direction of travel)
- Material: Natural aluminium or galvanised



Version	Aluminium		Galvanised	
Dimensions W x D x H [mm]	23 x 18 x 65			
Weight [kg]	0.02		0.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502023.98M**	**73502023.98V**	**73502023.51M**	**73502023.51V**
Final installation [WU]	0.0			

Version	Aluminium		Galvanised	
Dimensions W x D x H [mm]	23 x 18 x 65			
Weight [kg]	0.02		0.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502023.98M**	**73502023.98V**	**73502023.51M**	**73502023.51V**
Final installation [WU]	0.0			


Adapter for rotated drawers



- For installation of telescopic slides on rotated end-frame profiles
- Adapter is used to install the telescopic drawer slide at the front left (corner profile) on the rotated end-frame profile (drawer pulled out towards the centre aisle in the vehicle)
- Material: Natural aluminium or galvanised

Version	Aluminium		Galvanised	
Dimensions W x D x H [mm]	14 x 18 x 65			
Weight [kg]	0.01		0.02	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502024.98M**	**73502024.98V**	**73502024.51M**	**73502024.51V**
Final installation [WU]	0.0			

varioSlide S with anti-slip mat



- Runs on plastic guide rails
- Ergonomic wide pull-out handle
- Simple operation of the drawer
- Height 75 mm
- Overall height with guide rails 100 mm
- Load capacity of the varioSlide drawers 20 kg

System width [mm]	-2		-3	
System depth [mm]	/3			
Dimensions W x D x H [mm]	254 x 376 x 83		366 x 376 x 83	
Weight [kg]	0.57		0.75	
Order ref.	**72513001.19M**	**72513001.19V**	**72513002.19M**	**72513002.19V**
Final installation [WU]	0.0			

varioSlide L with anti-slip mat



- Runs on plastic guide rails
- Hybrid drawer made of powder-coated aluminium and plastic
- Ergonomic, wide pull-out handle for simple drawer operation with the possibility of subdivision with optional dividers, incl. anti-slip mat as additional load protection
- Height 185 mm
- Overall height with guide rails 200 mm
- Load capacity of the varioSlide drawers 20 kg


System width [mm]	-2		-3	
System depth [mm]	/3			
Dimensions W x D x H [mm]	254 x 376 x 185		366 x 376 x 185	
Weight [kg]	1.02		1.30	
Order ref.	**72512001.19M**	**72512001.19V**	**72512002.19M**	**72512002.19V**
Final installation [WU]	0.0			

System width [mm]	-4		-5	
System depth [mm]	/3			
Dimensions W x D x H [mm]	478 x 376 x 185		590 x 376 x 185	
Weight [kg]	1.63		1.93	
Order ref.	**72512003.19M**	**72512003.19V**	**72512004.19M**	**72512004.19V**
Final installation [WU]	0.0			

System width [mm]	-7		-8	
System depth [mm]	/3			
Dimensions W x D x H [mm]	814 x 376 x 185		926 x 376 x 185	
Weight [kg]	2.43		2.81	
Order ref.	**72512005.19M**	**72512005.19V**	**72512006.19M**	**72512006.19V**
Final installation [WU]	0.0			

System width [mm]	-9		-10	
System depth [mm]	/3			
Dimensions W x D x H [mm]	1038 x 376 x 185		1150 x 376 x 185	
Weight [kg]	3.11		3.40	
Order ref.	**72512007.19M**	**72512007.19V**	**72512008.19M**	**72512008.19V**
Final installation [WU]	0.0			

Divider for varioSlide



- Used to subdivide varioSlide H2
- Material: Natural aluminium

Dimensions W x D x H [mm]	1 x 376 x 160
Weight [kg]	0.17
Order ref.	**73001021.98V**
Final installation [WU]	0.0

Anti-slip mat for varioSlide - pack of 5




- For storing sensitive parts
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-2	-3	-4	-5
System depth [mm]	/3			
Dimensions W x D x H [mm]	254 x 376 x 3	366 x 376 x 3	478 x 376 x 3	590 x 376 x 3
Weight [kg]	0.15	0.25	0.35	0.45
Order ref.	**71301102.19V**	**71301103.19V**	**71301104.19V**	**71301105.19V**
Final installation [WU]	0.0			

System width [mm]	-7	-8	-9	-10
System depth [mm]	/3			
Dimensions W x D x H [mm]	814 x 376 x 3	926 x 376 x 3	1038 x 376 x 3	1150 x 376 x 3
Weight [kg]	0.70	0.80	0.95	1.05
Order ref.	**71301106.19V**	**71301107.19V**	**71301119.19V**	**71301120.19V**
Final installation [WU]	0.0			


Guide rail set



- For holding all systainer³ products (Systainer³ / Organizer / Toolbox) as well as further bott accessories (varioCase / varioSlide / vario-Cart)
- Suitable for bott vario3 van racking and bott cubio case cabinets
- Load capacity: max. 20 kg
- Included: 1x guide rail left + 1x guide rail right

System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	23 x 376 x 47		23 x 488 x 47	
Weight [kg]	0.24		0.31	
Order ref.	**72522007.19M**	**72522007.19V**	**72522008.19M**	**72522008.19V**
Final installation [WU]	0.0			

Narrow storage drawer



- Retractable / removable storage drawer for system width 142-1
- For storing cans, bottles or other slim objects
- Incl. sliding base made of aluminium
- Width 142-1
- 3 depths 264/2 376/3 488/4
- Height 100 mm
- Load capacity of the storage drawers 5 kg

System width [mm]	-1					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	142 x 264 x 100		142 x 376 x 100		142 x 478 x 100	
Weight [kg]	0.62		0.82		1.01	
Order ref.	**70501001.19M**	**70501001.19V**	**70501002.19M**	**70501002.19V**	**70501003.19M**	**70501003.19V**
Final installation [WU]	0.0					


varioCart



- Wire basket retractable / removable on plastic guide rails
- Welded wires and powder-coated RAL 7016
- For the storage of pipe fittings, hoses etc.
- Good ventilation of the stored goods
- Basket height 270 mm / overall height with guide rails 300 mm
- Widths: 4, 5, 9
- Load capacity of the varioCart baskets 20 kg

System width [mm]	-4		-5		-9	
Dimensions W x D x H [mm]	478 x 356 x 270		590 x 356 x 270		1038 x 356 x 270	
Weight [kg]	2.02		2.30		3.55	
Order ref.	**72508001.19M**	**72508001.19V**	**72508002.19M**	**72508002.19V**	**72508003.19M**	**72508003.19V**
Final installation [WU]	0.0					

Shelf depth 1



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat
- Shelf is only fixed flush at the front on the SLF
- Load capacity of the shelves 80 kg

System width [mm]	-4		-5		-7	
System depth [mm]	/1					
Dimensions W x D x H [mm]	478 x 152 x 100		590 x 152 x 100		814 x 152 x 100	
Weight [kg]	0.61		0.75		1.11	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533255.97M**	**72533255.97V**	**72533256.97M**	**72533256.97V**	**72533257.97M**	**72533257.97V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
System depth [mm]	/1					
Dimensions W x D x H [mm]	926 x 152 x 100		1038 x 152 x 100		1150 x 152 x 100	
Weight [kg]	1.21		1.36		1.51	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533260.97M**	**72533260.97V**	**72533261.97M**	**72533261.97V**	**72533262.97M**	**72533262.97V**
Final installation [WU]	0.0					

Shelf



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat
- Widths: 2, 4, 5
- Depths: 2, 3, 4
- Load capacity of the shelves 80 kg

System width [mm]	-2			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	254 x 376 x 100		254 x 488 x 100	
Weight [kg]	0.60		0.71	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533014.97M**	**72533014.97V**	**72533029.97M**	**72533029.97V**
Final installation [WU]	0.0			

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	478 x 264 x 100		478 x 376 x 100		478 x 488 x 100	
Weight [kg]	0.81		1.03		1.24	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533005.97M**	**72533005.97V**	**72533015.97M**	**72533015.97V**	**72533030.97M**	**72533030.97V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	590 x 264 x 100		590 x 376 x 100		590 x 488 x 100	
Weight [kg]	0.98		1.24		1.50	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533006.97M**	**72533006.97V**	**72533016.97M**	**72533016.97V**	**72533031.97M**	**72533031.97V**
Final installation [WU]	0.0					

3

Shelf with dividers



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat
- Widths: 7, 8, 9
- Depths: 2, 3, 4
- Load capacity of the shelves 80 kg

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100		814 x 488 x 100	
Weight [kg]	1.42		1.78		2.14	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533007.97M**	**72533007.97V**	**72533017.97M**	**72533017.97V**	**72533032.97M**	**72533032.97V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	926 x 264 x 100		926 x 376 x 100		926 x 488 x 100	
Weight [kg]	1.58		2.00		2.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533008.97M**	**72533008.97V**	**72533018.97M**	**72533018.97V**	**72533033.97M**	**72533033.97V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1038 x 264 x 100		1038 x 376 x 100		1038 x 488 x 100	
Weight [kg]	1.77		2.21		2.65	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533009.97M**	**72533009.97V**	**72533019.97M**	**72533019.97V**	**72533034.97M**	**72533034.97V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1150 x 264 x 100		1150 x 376 x 100		1150 x 488 x 100	
Weight [kg]	2.02		2.53		3.04	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533010.97M**	**72533010.97V**	**72533020.97M**	**72533020.97V**	**72533035.97M**	**72533035.97V**
Final installation [WU]	0.0					

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 100		1262 x 376 x 100		1262 x 488 x 100	
Weight [kg]	2.20		2.75		3.29	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533011.97M**	**72533011.97V**	**72533021.97M**	**72533021.97V**	**72533036.97M**	**72533036.97V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 100		1374 x 376 x 100		1374 x 488 x 100	
Weight [kg]	2.38		2.97		3.55	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533012.97M**	**72533012.97V**	**72533022.97M**	**72533022.97V**	**72533037.97M**	**72533037.97V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 100		1486 x 376 x 100		1486 x 488 x 100	
Weight [kg]	2.54		3.19		3.81	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533013.97M**	**72533013.97V**	**72533023.97M**	**72533023.97V**	**72533038.97M**	**72533038.97V**
Final installation [WU]	0.0					

Shelf FrontLash -oo-




- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf front with FrontLash -oo- Airline system
- Shelf height 100 mm with shouldered front height 60 mm
- Incl. anti-slip mat
- Widths: 2, 4, 5
- Depths: 2, 3, 4
- Mounting option for LED lighting
- Load capacity of the shelves 80 kg

System width [mm]	-2			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	254 x 376 x 114		254 x 488 x 114	
Weight [kg]	0.73		0.86	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533052.97M**	**72533052.97V**	**72533067.97M**	**72533067.97V**
Final installation [WU]	0.0			

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	478 x 264 x 114		478 x 376 x 114		478 x 488 x 114	
Weight [kg]	1.11		1.32		1.55	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533043.97M**	**72533043.97V**	**72533053.97M**	**72533053.97V**	**72533068.97M**	**72533068.97V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	590 x 264 x 114		590 x 376 x 114		590 x 488 x 114	
Weight [kg]	1.37		1.62		1.88	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533044.97M**	**72533044.97V**	**72533054.97M**	**72533054.97V**	**72533069.97M**	**72533069.97V**
Final installation [WU]	0.0					

Shelf FrontLash -oo- with dividers



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf front with FrontLash -oo- Airline system
- Shelf height 100 mm with shouldered front height 60 mm
- Incl. anti-slip mat and divider
- Widths: 7, 8, 9
- Depths: 2, 3, 4
- Mounting option for LED lighting
- Load capacity of the shelves 80 kg

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	814 x 264 x 114		814 x 376 x 114		814 x 488 x 114	
Weight [kg]	1.89		2.33		2.69	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533045.97M**	**72533045.97V**	**72533055.97M**	**72533055.97V**	**72533070.97M**	**72533070.97V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	926 x 264 x 114		926 x 376 x 114		926 x 488 x 114	
Weight [kg]	2.22		2.63		3.02	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533046.97M**	**72533046.97V**	**72533056.97M**	**72533056.97V**	**72533071.97M**	**72533071.97V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1038 x 264 x 114		1038 x 376 x 114		1038 x 488 x 114	
Weight [kg]	2.48		2.92		3.36	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533047.97M**	**72533047.97V**	**72533057.97M**	**72533057.97V**	**72533072.97M**	**72533072.97V**
Final installation [WU]	0.0					

Shelves


System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1150 x 264 x 114		1150 x 376 x 114		1150 x 488 x 114	
Weight [kg]	2.81		3.33		3.84	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533048.97M**	**72533048.97V**	**72533058.97V**	**72533058.97M**	**72533073.97M**	**72533073.97V**
Final installation [WU]	0.0					

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 114		1262 x 376 x 114		1262 x 488 x 114	
Weight [kg]	3.07		3.63		4.18	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533049.97M**	**72533049.97V**	**72533059.97M**	**72533059.97V**	**72533074.97M**	**72533074.97V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 114		1374 x 376 x 114		1374 x 488 x 114	
Weight [kg]	3.33		3.93		4.51	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533050.97M**	**72533050.97V**	**72533060.97M**	**72533060.97V**	**72533075.97M**	**72533075.97V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 114		1486 x 376 x 114		1486 x 488 x 114	
Weight [kg]	3.58		4.22		4.85	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533051.97M**	**72533051.97V**	**72533061.97M**	**72533061.97V**	**72533076.97M**	**72533076.97V**
Final installation [WU]	0.0					

Shelf TopLash -C- with lashing straps



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied with T-slot
- Shelf with TopLash -C- and lashing strap
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat
- Widths: 2, 4, 5
- Depths: 2, 3, 4
- Mounting option for LED lighting
- Load capacity of the shelves 80 kg

System width [mm]	-2			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	254 x 376 x 114		254 x 488 x 114	
Quantity of lashing straps	1			
Weight [kg]	0.83		1.10	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533090.97M**	**72533090.97V**	**72533105.97M**	**72533105.97V**
Final installation [WU]	0.0			

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	478 x 264 x 114		478 x 376 x 114		478 x 488 x 114	
Quantity of lashing straps	1					
Weight [kg]	1.31		1.52		1.74	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533081.97M**	**72533081.97V**	**72533091.97M**	**72533091.97V**	**72533106.97M**	**72533106.97V**
Final installation [WU]	0.0					

Shelves

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	590 x 264 x 114		590 x 376 x 114		590 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	1.61		1.87		2.12	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533082.97M**	**72533082.97V**	**72533092.97M**	**72533092.97V**	**72533107.97M**	**72533107.97V**
Final installation [WU]	0.0					

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	814 x 264 x 114		814 x 376 x 114		814 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	2.24		2.68		3.03	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533083.97M**	**72533083.97V**	**72533093.97M**	**72533093.97V**	**72533108.97M**	**72533108.97V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	926 x 264 x 114		926 x 376 x 114		926 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	2.61		3.02		3.43	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533084.97M**	**72533084.97V**	**72533094.97M**	**72533094.97V**	**72533109.97M**	**72533109.97V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1038 x 264 x 114		1038 x 376 x 114		1038 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	2.93		3.37		3.81	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533085.97M**	**72533085.97V**	**72533095.97M**	**72533095.97V**	**72533110.97M**	**72533110.97V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1150 x 264 x 114		1150 x 376 x 114		1150 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.31		3.83		4.34	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533086.97M**	**72533086.97V**	**72533096.97M**	**72533096.97V**	**72533111.97M**	**72533111.97V**
Final installation [WU]	0.0					


System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 114		1262 x 376 x 114		1262 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.63		4.18		4.72	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533087.97M**	**72533087.97V**	**72533097.97M**	**72533097.97V**	**72533112.97M**	**72533112.97V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 114		1374 x 376 x 114		1374 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.94		4.53		5.12	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533088.97M**	**72533088.97V**	**72533098.97M**	**72533098.97V**	**72533113.97M**	**72533113.97V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 114		1486 x 376 x 114		1486 x 488 x 114	
Quantity of lashing straps	4					
Weight [kg]	4.24		4.88		5.50	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533089.97M**	**72533089.97V**	**72533099.97M**	**72533099.97V**	**72533114.97M**	**72533114.97V**
Final installation [WU]	0.0					

3

Shelf FullLash -C-/-oo- with lashing straps



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf front with FrontLash -oo- Airline system
- Shelf with TopLash -C- and lashing strap
- Shelf height 100 mm with shouldered front height 60 mm
- Incl. anti-slip mat
- Widths: 2, 4, 5
- Depths: 2, 3, 4
- Mounting option for LED lighting
- Load capacity of the shelves 80 kg

System width [mm]	-2			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	254 x 376 x 114		254 x 488 x 114	
Quantity of lashing straps	1			
Weight [kg]	0.82		1.09	
Assembled/packed	Packed		Assembled	Packed
Order ref.	**72533128.97M**	**72533128.97V**	**72533143.97M**	**72533143.97V**
Final installation [WU]	0.0			

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	478 x 264 x 114		478 x 376 x 114		478 x 488 x 114	
Quantity of lashing straps	1					
Weight [kg]	1.30		1.52		1.73	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533119.97M**	**72533119.97V**	**72533129.97M**	**72533129.97V**	**72533144.97M**	**72533144.97V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	590 x 264 x 114		590 x 376 x 114		590 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	1.60		1.86		2.11	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533120.97M**	**72533120.97V**	**72533130.97M**	**72533130.97V**	**72533145.97M**	**72533145.97V**
Final installation [WU]	0.0					

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	814 x 264 x 114		814 x 376 x 114		814 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	2.23		2.66		3.02	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533121.97M**	**72533121.97V**	**72533131.97M**	**72533131.97V**	**72533146.97M**	**72533146.97V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	926 x 264 x 114		926 x 376 x 114		926 x 488 x 114	
Quantity of lashing straps	2					
Weight [kg]	2.60		3.00		3.41	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533122.97M**	**72533122.97V**	**72533132.97M**	**72533132.97V**	**72533147.97M**	**72533147.97V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1038 x 264 x 114		1038 x 376 x 114		1038 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	2.91		3.36		3.79	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533123.97M**	**72533123.97V**	**72533133.97M**	**72533133.97V**	**72533148.97M**	**72533148.97V**
Final installation [WU]	0.0					

Shelves

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1150 x 264 x 114		1150 x 376 x 114		1150 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.29		3.81		4.32	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533124.97M**	**72533124.97V**	**72533134.97M**	**72533134.97V**	**72533149.97M**	**72533149.97V**
Final installation [WU]	0.0					

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 114		1262 x 376 x 114		1262 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.61		4.16		4.70	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533125.97M**	**72533125.97V**	**72533135.97M**	**72533135.97V**	**72533150.97M**	**72533150.97V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 114		1374 x 376 x 114		1374 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	3.92		4.50		5.09	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533126.97M**	**72533126.97V**	**72533136.97M**	**72533136.97V**	**72533151.97M**	**72533151.97V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 114		1486 x 376 x 114		1486 x 488 x 114	
Quantity of lashing straps	4					
Weight [kg]	4.21		4.86		5.48	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533127.97M**	**72533127.97V**	**72533137.97M**	**72533137.97V**	**72533152.97M**	**72533152.97V**
Final installation [WU]	0.0					

System width [mm]	-14					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1598 x 264 x 114		1598 x 376 x 114		1598 x 488 x 114	
Quantity of lashing straps	4					
Weight [kg]	4.51		5.68		7.14	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533161.97M**	**72533161.97V**	**72533138.97M**	**72533138.97V**	**72533254.97M**	**72533254.97V**
Final installation [WU]	0.0					


System width [mm]	-15			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1710 x 264 x 114		1710 x 376 x 114	
Quantity of lashing straps	4			
Weight [kg]	4.82		6.07	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533162.97M**	**72533162.97V**	**72533139.97M**	**72533139.97V**
Final installation [WU]	0.0			

System width [mm]	-16			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1822 x 264 x 114		1822 x 376 x 114	
Quantity of lashing straps	5			
Weight [kg]	5.09		6.44	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533163.97M**	**72533163.97V**	**72533140.97M**	**72533140.97V**
Final installation [WU]	0.0			

System width [mm]	-17			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1934 x 264 x 114		1934 x 376 x 114	
Quantity of lashing straps	5			
Weight [kg]	5.41		6.83	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533164.97M**	**72533164.97V**	**72533141.97M**	**72533141.97V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	2046 x 264 x 114		2046 x 376 x 114	
Quantity of lashing straps	5			
Weight [kg]	5.72		7.20	
Assembled/packed	Packed		Assembled	Packed
Order ref.	**72533165.97M**	**72533165.97V**	**72533142.97M**	**72533142.97V**
Final installation [WU]	0.0			


Shelf FullLash -C-/-oo- with lashing straps and mat variable



- Multi-part, telescopic shelf made of aluminium
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf front with FrontLash -oo- Airline system
- Additional shelf front and shelf rear with TopLash -C- profile on the top
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat and C-Lash lashing straps
- Delivered packed – shelf front and rear TopLash -C- shelf profile supplied to suit longest variant and must be cut to size as required
- Width variable from 2144 mm – 4002 mm / depth 376/3
- Maximum self-supporting width 13
- Mounting option for LED lighting
- Load capacity of the shelves 80 kg

System width [mm]	2144-4002	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	0 x 376 x 100	0 x 488 x 100
Quantity of lashing straps	6	
Weight [kg]	18.91	21.20
Assembled/packed	Packed	
Order ref.	**72118003.97V**	**72118004.97V**
Final installation [WU]	0.0	5.0

Anti-slip mat for shelves variable



- For storing sensitive parts
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

Version	For shelf variable
Dimensions W x D x H [mm]	4002 x 376 x 3
Weight [kg]	0.86
Order ref.	**71301108.19V**
Final installation [WU]	0.0

Anti-slip mat for shelves



- For storing sensitive parts
- Pack of 5
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-2	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	264 x 376 x 3	264 x 488 x 3
Weight [kg]	0.20	0.25
Assembled/packed	Packed	
Order ref.	**71301033.19V**	**71301034.19V**
Final installation [WU]	0.0	

System width [mm]	-4			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	478 x 264 x 3	478 x 376 x 3	478 x 488 x 3	478 x 600 x 3
Weight [kg]	0.30	0.45	0.55	0.70
Assembled/packed	Packed			
Order ref.	**71301035.19V**	**71301036.19V**	**71301037.19V**	**71301038.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	590 x 264 x 3	590 x 376 x 3	590 x 488 x 3	590 x 600 x 3
Weight [kg]	0.35	0.55	0.75	0.90
Assembled/packed	Packed			
Order ref.	**71301039.19V**	**71301040.19V**	**71301041.19V**	**71301042.19V**
Final installation [WU]	0.0			

Shelves

System width [mm]	-7			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	814 x 264 x 3	814 x 376 x 3	814 x 488 x 3	
Weight [kg]	0.55	0.80	1.05	1.30
Assembled/packed	Packed			
Order ref.	**71301043.19V**	**71301044.19V**	**71301045.19V**	**71301132.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	926 x 264 x 3	926 x 376 x 3	926 x 488 x 3	926 x 600 x 3
Weight [kg]	0.60	0.90	1.20	0.01
Assembled/packed	Packed			
Order ref.	**71301046.19V**	**71301047.19V**	**71301048.19V**	**71301128.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1038 x 264 x 3	1038 x 376 x 3	1038 x 488 x 3	1038 x 600 x 3
Weight [kg]	0.70	1.05	1.35	1.70
Assembled/packed	Packed			
Order ref.	**71301049.19V**	**71301050.19V**	**71301051.19V**	**71301052.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1150 x 264 x 3	1150 x 376 x 3	1150 x 488 x 3	1150 x 600 x 3
Weight [kg]	0.80	1.15	1.55	1.90
Assembled/packed	Packed			
Order ref.	**71301053.19V**	**71301054.19V**	**71301055.19V**	**71301056.19V**
Final installation [WU]	0.0			

System width [mm]	-11		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1262 x 264 x 3	1262 x 376 x 3	1262 x 488 x 3
Weight [kg]	0.85	1.30	1.70
Assembled/packed	Packed		
Order ref.	**71301057.19V**	**71301058.19V**	**71301059.19V**
Final installation [WU]	0.0		

System width [mm]	-12		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1374 x 264 x 3	1374 x 376 x 3	1374 x 488 x 3
Weight [kg]	0.95	1.40	1.85
Assembled/packed	Packed		
Order ref.	**71301060.19V**	**71301061.19V**	**71301062.19V**
Final installation [WU]	0.0		

System width [mm]	-13		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1486 x 264 x 3	1486 x 376 x 3	1486 x 488 x 3
Weight [kg]	1.05	1.50	2.00
Assembled/packed	Packed		
Order ref.	**71301063.19V**	**71301064.19V**	**71301065.19V**
Final installation [WU]	0.0		

System width [mm]	-14
System depth [mm]	/3
Dimensions W x D x H [mm]	1598 x 376 x 3
Weight [kg]	1.65
Assembled/packed	Packed
Order ref.	**71301066.19V**
Final installation [WU]	0.0


System width [mm]	-15
System depth [mm]	/3
Dimensions W x D x H [mm]	1710 x 376 x 3
Weight [kg]	1.75
Assembled/packed	Packed
Order ref.	**71301067.19V**
Final installation [WU]	0.0

System width [mm]	-16
System depth [mm]	/3
Dimensions W x D x H [mm]	1822 x 376 x 3
Weight [kg]	1.90
Assembled/packed	Packed
Order ref.	**71301068.19V**
Final installation [WU]	0.0

System width [mm]	-17
System depth [mm]	/3
Dimensions W x D x H [mm]	1934 x 376 x 3
Weight [kg]	2.00
Assembled/packed	Packed
Order ref.	**71301069.19V**
Final installation [WU]	0.0

System width [mm]	-18
System depth [mm]	/3
Dimensions W x D x H [mm]	2046 x 376 x 3
Weight [kg]	2.15
Assembled/packed	Packed
Order ref.	**71301070.19V**
Final installation [WU]	0.0


Upstand element for shelves



- For tray FrontLash -oo- and tray TopLash
- Serves to close trays at the side and as an upstand element for overhang trays
- Is screwed to the FrontLash profile at the front and the rear panel of the shelf at the rear
- Available in system depths 2 and 3
- Painted steel anthracite grey RAL 7016

Version	Left	Right	Left	Right
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	17 x 263 x 103		17 x 375 x 103	
Weight [kg]	0.23		0.32	
Order ref.	**73508073.19V**	**73508074.19V**	**73508075.19V**	**73508076.19V**
Final installation [WU]	0.5			


End-frame top cap for shelf



- Shelf adapter piece used when installing a shelf directly onto an end-frame, the adapter piece is installed on the transition from the end-frame to the tray

Dimensions W x D x H [mm]	29 x 22 x 15	
Weight [kg]	0.00	
Assembled/packed	Assembled	Packed
Order ref.	**80833480.19M**	**80833480.19V**
Final installation [WU]	0.0	


Dividers for shelves



- Natural aluminium
- Height 100 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	30 x 264 x 100	30 x 376 x 100	30 x 488 x 100
Weight [kg]	0.16	0.21	0.27
Pack of	2		
Assembled/packed	Packed		
Order ref.	**73001001.19V**	**73001002.19V**	**73001003.19V**
Final installation [WU]	0.0		


Dividers for shelves 200 mm height



- Anodised aluminium
- Height 200 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/2	/3
Dimensions W x D x H [mm]	30 x 264 x 200	30 x 376 x 200
Weight [kg]	0.34	0.48
Pack of	2	
Assembled/packed	Packed	
Order ref.	**73001022.19V**	**73001023.19V**
Final installation [WU]	0.0	


Dividers for drop-front/shelf/roller shutter 75 mm height



- Natural aluminium
- Height 75 mm
- Pack of 2
- Incl. 2 divider holders that snap into place
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	30 x 264 x 75	30 x 376 x 75	30 x 488 x 75	30 x 600 x 75
Weight [kg]	0.15	0.22	0.29	0.36
Pack of	2			
Assembled/packed	Packed			
Order ref.	**73001004.19V**	**73001005.19V**	**73001006.19V**	**73001007.19V**
Final installation [WU]	0.0			


Variable shelf with divider



- Shelf /3 and /4 with variable length 2098-4002 mm
- With anti-slip mat and 2 dividers
- Anodised aluminium

Version	Variable shelf /3	Variable shelf /4
Dimensions W x D x H [mm]	0 x 366 x 100	0 x 478 x 100
Weight [kg]	13.50	16.50
Order ref.	**72118005.19V**	**72118006.19V**
Final installation [WU]	3.0	6.0

Divider for variable shelf



- Divider for variable shelves
- Incl. plastic divider bracket per divider
- Divider with material thicker at the upper edge and ridge on both sides on the lower edge
- Material of divider natural aluminium, divider bracket plastic, anthracite grey
- Pack of 2

Dimensions W x D x H [mm]	30 x 376 x 100	30 x 488 x 100
Weight [kg]	0.34	0.44
Order ref.	**73001036.19V**	**73001037.19V**
Final installation [WU]	0.0	

Storage shelf



- Designed to be placed on the body of the shelf
- Can be used for depth 3
- Can be freely moved across the width
- Not applicable in combination with the TopLash profile
- Aluminium

Dimensions W x D x H [mm]	402 x 376 x 38
Weight [kg]	0.28
Order ref.	**72533263.98V**
Final installation [WU]	0.0

Inclined fixings shelf with dividers




- For storing small parts and consumables using last-in first-out method
- For installation between the end-frame profiles
- With 4 dividers for division
- Depending on requirements, further dividers can be installed for the practical storage of items and objects

System width [mm]	-8			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	926 x 376 x 200		926 x 488 x 250	
Weight [kg]	2.79		3.15	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122001.97M**	**72122001.97V**	**72122002.97M**	**72122002.97V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1038 x 376 x 200		1038 x 488 x 250	
Weight [kg]	3.25		3.66	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122003.97M**	**72122003.97V**	**72122004.97M**	**72122004.97V**
Final installation [WU]	0.0			

Divider for inclined fixings shelf



- Natural aluminium
- Height 100 mm
- Pack of 2
- Incl. 2 divider brackets for snapping into place Colour: anthracite grey (RAL 7016)

Version	Inclined fixings shelf /3	Inclined fixings shelf /4
Dimensions W x D x H [mm]	12 x 376 x 92	12 x 488 x 92
Weight [kg]	0.33	0.41
Pack quantity	2	2
Order ref.	**73001032.19V**	**73001033.19V**
Final installation [WU]	0.0	0.0

Inclined storage shelf with dividers



- For installation between the end-frame profiles
- Depending on requirements, further dividers can be installed for the practical storage of items and objects
- Simple and fast storage of various materials

System width [mm]	-4		-5	
System depth [mm]	/3			
Dimensions W x D x H [mm]	478 x 376 x 125		590 x 376 x 125	
Weight [kg]	1.41		1.67	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122005.19M**	**72122005.19V**	**72122006.19M**	**72122006.19V**
Final installation [WU]	0.0			

System width [mm]	-7		-8	
System depth [mm]	/3			
Dimensions W x D x H [mm]	814 x 376 x 125		923 x 376 x 125	
Weight [kg]	2.20		2.47	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122007.19M**	**72122007.19V**	**72122008.19M**	**72122008.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1038 x 376 x 125		1038 x 488 x 150	
Weight [kg]	2.74		3.22	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122009.19M**	**72122009.19V**	**72122024.19M**	**72122024.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1150 x 376 x 125		1150 x 488 x 150	
Weight [kg]	3.03		3.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122010.19M**	**72122010.19V**	**72122025.19M**	**72122025.19V**
Final installation [WU]	0.0			

System width [mm]	-11		-12	
System depth [mm]	/3			
Dimensions W x D x H [mm]	1262 x 376 x 125		1374 x 376 x 125	
Weight [kg]	4.64		5.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72122011.19M**	**72122011.19V**	**72122012.19M**	**72122012.19V**
Final installation [WU]	0.0			

System width [mm]	-13	
System depth [mm]	/3	
Dimensions W x D x H [mm]	1486 x 376 x 125	
Weight [kg]	5.43	
Assembled/packed	Assembled	Packed
Order ref.	**72122013.19M**	**72122013.19V**
Final installation [WU]	0.0	

Version	Inclined storage shelf -5/4 for Milwaukee Packout™	Inclined storage shelf -5/4 for Milwaukee Packout
Dimensions W x D x H [mm]	590 x 488 x 150	
Weight [kg]	1.72	
Assembled/packed	Assembled	Packed
Order ref.	**72122035.98M**	**72122035.98V**
Final installation [WU]	0.0	


Divider for inclined storage shelf



- Natural aluminium
- Height 100 mm
- Pack of 2
- Incl. 2 divider brackets for snapping into place

Version	Inclined storage shelf /3	Divider inclined storage shelf /4
Dimensions W x D x H [mm]	12 x 376 x 92	12 x 488 x 92
Weight [kg]	0.14	0.22
Pack quantity	2	
Order ref.	**73001034.19V**	**73001038.19V**
Final installation [WU]	0.0	0.0

Anti-slip mat for inclined storage shelf




- For storing sensitive parts
- Thickness 2.5 mm
- Self-adhesive with 2-part protective film
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating on both sides
- Anti-slip, dimensionally stable, liquid-tight, resistant to oil and grease, washable up to 60°
- Colour: anthracite

System width [mm]	-4	-5	-7
System depth [mm]	/3		
Dimensions W x D x H [mm]	409 x 305 x 3	521 x 305 x 3	745 x 305 x 3
Weight [kg]	0.08	0.10	0.14
Order ref.	**71301143.19V**	**71301144.19V**	**71301145.19V**
Final installation [WU]	0.5		

System width [mm]	-8	-9	-10
System depth [mm]	/3		
Dimensions W x D x H [mm]	857 x 305 x 3	969 x 305 x 3	1081 x 305 x 3
Weight [kg]	0.16	0.19	0.21
Order ref.	**71301146.19V**	**71301147.19V**	**71301148.19V**
Final installation [WU]	0.5		

System width [mm]	-11	-12
System depth [mm]	/3	
Dimensions W x D x H [mm]	1193 x 305 x 3	1305 x 305 x 3
Weight [kg]	0.22	0.25
Order ref.	**71301149.19V**	**71301150.19V**
Final installation [WU]	0.5	

Shelf tray



- Sturdy aluminium base with aluminium cross-profiles and T-slot
- Cargo can be removed easily thanks to low front lip
- With anti-slip mat
- Width: 4, 5
- Depths: 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 100		478 x 376 x 100	
Weight [kg]	1.22		1.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113001.19M**	**72113001.19V**	**72113002.19M**	**72113002.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 100		478 x 600 x 100	
Weight [kg]	1.67		1.93	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113003.19M**	**72113003.19V**	**72113004.19M**	**72113004.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 100		590 x 376 x 100	
Weight [kg]	1.49		1.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113005.19M**	**72113005.19V**	**72113006.19M**	**72113006.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 100		590 x 600 x 100	
Weight [kg]	2.03		2.34	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113007.19M**	**72113007.19V**	**72113008.19M**	**72113008.19V**
Final installation [WU]	0.0			

3

Shelf tray with dividers



- Sturdy aluminium base with aluminium cross-profiles and T-slot
- Cargo can be removed easily thanks to low front lip
- With anti-slip mat and divider
- Widths: 7, 8, 9
- Depths 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100	
Weight [kg]	2.05		2.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113009.19M**	**72113009.19V**	**72113010.19M**	**72113010.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 100		814 x 600 x 100	
Weight [kg]	2.76		3.22	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113011.19M**	**72113011.19V**	**72113129.19M**	**72113129.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 100		926 x 376 x 100	
Weight [kg]	2.32		2.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113012.19M**	**72113012.19V**	**72113013.19M**	**72113013.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 100		926 x 600 x 100	
Weight [kg]	3.18		3.59	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113014.19M**	**72113014.19V**	**72113064.19M**	**72113064.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 100		1038 x 376 x 100	
Weight [kg]	2.59		3.08	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113015.19M**	**72113015.19V**	**72113016.19M**	**72113016.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 100		1038 x 600 x 100	
Weight [kg]	3.54		5.09	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113017.19M**	**72113017.19V**	**72113018.19M**	**72113018.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 100		1150 x 376 x 100	
Weight [kg]	2.93		3.48	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113019.19M**	**72113019.19V**	**72113020.19M**	**72113020.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 100		1150 x 600 x 100	
Weight [kg]	4.02		5.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113021.19M**	**72113021.19V**	**72113022.19M**	**72113022.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 100		1262 x 376 x 100		1262 x 488 x 100	
Weight [kg]	3.20		5.12		5.68	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113023.19M**	**72113023.19V**	**72113024.19M**	**72113024.19V**	**72113025.19M**	**72113025.19V**
Final installation [WU]	0.0					

Shelf trays

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 100		1374 x 376 x 100		1374 x 488 x 100	
Weight [kg]	3.47		5.53		6.15	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113026.19M**	**72113026.19V**	**72113027.19M**	**72113027.19V**	**72113028.19M**	**72113028.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 100		1486 x 376 x 100		1486 x 488 x 100	
Weight [kg]	3.73		5.97		6.65	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113029.19M**	**72113029.19V**	**72113030.19M**	**72113030.19V**	**72113031.19M**	**72113031.19V**
Final installation [WU]	0.0					

Shelf tray FrontLash -oo-



- Sturdy aluminium base with aluminium cross-profiles
- Cargo can be removed easily thanks to low loading edge
- Profile with FrontLash -oo- Airline system
- With anti-slip mat
- Widths: 4, 5
- Depths 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 100		478 x 376 x 100	
Weight [kg]	1.21		1.44	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113032.19M**	**72113032.19V**	**72113033.19M**	**72113033.19V**
Final installation [WU]	0.0			

Shelf trays


System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 100		478 x 600 x 100	
Weight [kg]	1.67		1.92	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113034.19M**	**72113034.19V**	**72113035.19M**	**72113035.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 100		590 x 376 x 100	
Weight [kg]	1.48		1.75	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113036.19M**	**72113036.19V**	**72113037.19M**	**72113037.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 100		590 x 600 x 100	
Weight [kg]	2.02		2.34	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113038.19M**	**72113038.19V**	**72113039.19M**	**72113039.19V**
Final installation [WU]	0.0			

3

Shelf tray FrontLash -oo- with dividers



- Sturdy aluminium base with aluminium cross-profiles
- Cargo can be removed easily thanks to low front lip
- Profile with FrontLash -oo- Airline system
- With anti-slip mat and divider
- Widths: 8, 9, 10
- Depths 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100	
Weight [kg]	2.04		2.44	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113040.19M**	**72113040.19V**	**72113041.19M**	**72113041.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 100		814 x 600 x 100	
Weight [kg]	2.76		3.21	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113042.19M**	**72113042.19V**	**72113130.19M**	**72113130.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 100		926 x 376 x 100	
Weight [kg]	2.31		2.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113043.19M**	**72113043.19V**	**72113044.19M**	**72113044.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 100		926 x 600 x 100	
Weight [kg]	3.17		3.58	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113045.19M**	**72113045.19V**	**72113063.19M**	**72113063.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 100		1038 x 376 x 100	
Weight [kg]	2.58		3.07	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113046.19M**	**72113046.19V**	**72113047.19M**	**72113047.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 100		1038 x 600 x 100	
Weight [kg]	3.53		5.08	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113048.19M**	**72113048.19V**	**72113049.19M**	**72113049.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 100		1150 x 376 x 100	
Weight [kg]	2.91		3.46	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113050.19M**	**72113050.19V**	**72113051.19M**	**72113051.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 100		1150 x 600 x 100	
Weight [kg]	4.01		5.78	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113052.19M**	**72113052.19V**	**72113053.19M**	**72113053.19V**
Final installation [WU]	0.0			


System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 100		1262 x 376 x 100		1262 x 488 x 100	
Weight [kg]	3.18		5.10		5.67	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113054.19M**	**72113054.19V**	**72113055.19M**	**72113055.19V**	**72113056.19M**	**72113056.19V**
Final installation [WU]	0.0					

Shelf trays

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 100		1374 x 376 x 100		1374 x 488 x 100	
Weight [kg]	3.46		5.52		6.14	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113057.19M**	**72113057.19V**	**72113058.19M**	**72113058.19V**	**72113059.19M**	**72113059.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 100		1486 x 376 x 100		1486 x 488 x 100	
Weight [kg]	3.72		5.96		6.64	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113060.19M**	**72113060.19V**	**72113061.19M**	**72113061.19V**	**72113062.19M**	**72113062.19V**
Final installation [WU]	0.0					

Shelf tray TopLash -C- with lashing straps



- Sturdy aluminium base with aluminium cross-profiles
- Cargo can be removed easily thanks to low front lip
- Shelf with TopLash -C- and lashing strap
- With anti-slip mat
- Widths: 4, 5, 7, 8, 9, 10, 11, 12, 13
- Depths 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 114		478 x 376 x 114	
Weight [kg]	1.50		1.70	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113065.19M**	**72113065.19V**	**72113066.19M**	**72113066.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 114		478 x 600 x 114	
Weight [kg]	1.90		2.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113067.19M**	**72113067.19V**	**72113068.19M**	**72113068.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 114		590 x 376 x 114	
Weight [kg]	1.90		2.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113069.19M**	**72113069.19V**	**72113070.19M**	**72113070.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 114		590 x 600 x 114	
Weight [kg]	2.50		2.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113071.19M**	**72113071.19V**	**72113072.19M**	**72113072.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 114		814 x 376 x 114	
Weight [kg]	2.60		2.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113073.19M**	**72113073.19V**	**72113074.19M**	**72113074.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 114		814 x 600 x 114	
Weight [kg]	3.30		3.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113075.19M**	**72113075.19V**	**72113131.19M**	**72113131.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 114		926 x 376 x 114	
Weight [kg]	2.90		3.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113076.19M**	**72113076.19V**	**72113077.19M**	**72113077.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 114		926 x 600 x 114	
Weight [kg]	3.70		4.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113078.19M**	**72113078.19V**	**72113079.19M**	**72113079.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 114		1038 x 376 x 114	
Weight [kg]	3.30		3.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113080.19M**	**72113080.19V**	**72113081.19M**	**72113081.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 114		1038 x 600 x 114	
Weight [kg]	4.20		5.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113082.19M**	**72113082.19V**	**72113083.19M**	**72113083.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 114		1150 x 376 x 114	
Weight [kg]	3.70		4.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113084.19M**	**72113084.19V**	**72113085.19M**	**72113085.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 114		1150 x 600 x 114	
Weight [kg]	4.70		6.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113086.19M**	**72113086.19V**	**72113087.19M**	**72113087.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 114		1262 x 376 x 114		1262 x 488 x 114	
Weight [kg]	4.00		5.90		6.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113088.19M**	**72113088.19V**	**72113089.19M**	**72113089.19V**	**72113090.19M**	**72113090.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 114		1374 x 376 x 114		1374 x 488 x 114	
Weight [kg]	4.40		6.50		7.10	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113091.19M**	**72113091.19V**	**72113092.19M**	**72113092.19V**	**72113093.19M**	**72113093.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 114		1486 x 376 x 114		1486 x 488 x 114	
Weight [kg]	4.70		7.00		7.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113094.19M**	**72113094.19V**	**72113095.19M**	**72113095.19V**	**72113096.19M**	**72113096.19V**
Final installation [WU]	0.0					

Shelf tray FullLash -C-/-oo- with lashing straps



- Sturdy aluminium base with aluminium cross-profiles
- Cargo can be removed easily thanks to low front lip
- Shelf front with FrontLash -oo- Airline system
- Shelf with TopLash -C- and lashing strap
- With anti-slip mat
- Widths: 4, 5, 6, 7, 8, 10, 11
- Depths 2, 3, 4, 5
- Mounting option for LED lighting
- Load capacity of the shelf trays 70 kg

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 114		478 x 376 x 114	
Quantity of lashing straps	1			
Weight [kg]	1.50		1.70	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113097.19M**	**72113097.19V**	**72113098.19M**	**72113098.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 114		478 x 600 x 114	
Quantity of lashing straps	1			
Weight [kg]	1.90		2.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113099.19M**	**72113099.19V**	**72113100.19M**	**72113100.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 114		590 x 376 x 114	
Quantity of lashing straps	2			
Weight [kg]	1.90		2.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113101.19M**	**72113101.19V**	**72113102.19M**	**72113102.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 114		590 x 600 x 114	
Quantity of lashing straps	2			
Weight [kg]	2.50		2.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113103.19M**	**72113103.19V**	**72113104.19M**	**72113104.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 114		814 x 376 x 114	
Quantity of lashing straps	2			
Weight [kg]	2.60		2.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113105.19M**	**72113105.19V**	**72113106.19M**	**72113106.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 114		814 x 600 x 114	
Quantity of lashing straps	2			
Weight [kg]	3.30		3.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113107.19M**	**72113107.19V**	**72113132.19M**	**72113132.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 114		926 x 376 x 114	
Quantity of lashing straps	2			
Weight [kg]	2.90		3.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113108.19M**	**72113108.19V**	**72113109.19M**	**72113109.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 114		926 x 600 x 114	
Quantity of lashing straps	2			
Weight [kg]	3.70		4.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113110.19M**	**72113110.19V**	**72113111.19M**	**72113111.19V**
Final installation [WU]	0.0			

Shelf trays

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 114		1038 x 376 x 114	
Quantity of lashing straps	3			
Weight [kg]	3.30		3.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113112.19M**	**72113112.19V**	**72113113.19M**	**72113113.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 114		1038 x 600 x 114	
Quantity of lashing straps	3			
Weight [kg]	4.20		5.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113114.19M**	**72113114.19V**	**72113115.19M**	**72113115.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 114		1150 x 376 x 114	
Quantity of lashing straps	3			
Weight [kg]	3.70		4.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113116.19M**	**72113116.19V**	**72113117.19M**	**72113117.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 114		1150 x 600 x 114	
Quantity of lashing straps	3			
Weight [kg]	4.70		6.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113118.19M**	**72113118.19V**	**72113119.19M**	**72113119.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 114		1262 x 376 x 114		1262 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	4.00		5.90		6.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113120.19M**	**72113120.19V**	**72113121.19M**	**72113121.19V**	**72113122.19M**	**72113122.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 114		1374 x 376 x 114		1374 x 488 x 114	
Quantity of lashing straps	3					
Weight [kg]	4.40		6.50		7.10	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113123.19M**	**72113123.19V**	**72113124.19M**	**72113124.19V**	**72113125.19M**	**72113125.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 114		1486 x 376 x 114		1486 x 488 x 114	
Quantity of lashing straps	4					
Weight [kg]	4.70		7.00		7.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72113126.19M**	**72113126.19V**	**72113127.19M**	**72113127.19V**	**72113128.19M**	**72113128.19V**
Final installation [WU]	0.0					

Anti-slip mat for shelf trays



- For storing sensitive parts
- Pack of 5
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-2	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	264 x 376 x 3	264 x 488 x 3
Weight [kg]	0.20	0.25
Assembled/packed	Packed	
Order ref.	**71301033.19V**	**71301034.19V**
Final installation [WU]	0.0	

Shelf trays

System width [mm]	-4			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	478 x 264 x 3	478 x 376 x 3	478 x 488 x 3	478 x 600 x 3
Weight [kg]	0.30	0.45	0.55	0.70
Assembled/packed	Packed			
Order ref.	**71301035.19V**	**71301036.19V**	**71301037.19V**	**71301038.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	590 x 264 x 3	590 x 376 x 3	590 x 488 x 3	590 x 600 x 3
Weight [kg]	0.35	0.55	0.75	0.90
Assembled/packed	Packed			
Order ref.	**71301039.19V**	**71301040.19V**	**71301041.19V**	**71301042.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	814 x 264 x 3	814 x 376 x 3	814 x 488 x 3	
Weight [kg]	0.55	0.80	1.05	1.30
Assembled/packed	Packed			
Order ref.	**71301043.19V**	**71301044.19V**	**71301045.19V**	**71301132.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	926 x 264 x 3	926 x 376 x 3	926 x 488 x 3	926 x 600 x 3
Weight [kg]	0.60	0.90	1.20	0.01
Assembled/packed	Packed			
Order ref.	**71301046.19V**	**71301047.19V**	**71301048.19V**	**71301128.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1038 x 264 x 3	1038 x 376 x 3	1038 x 488 x 3	1038 x 600 x 3
Weight [kg]	0.70	1.05	1.35	1.70
Assembled/packed	Packed			
Order ref.	**71301049.19V**	**71301050.19V**	**71301051.19V**	**71301052.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1150 x 264 x 3	1150 x 376 x 3	1150 x 488 x 3	1150 x 600 x 3
Weight [kg]	0.80	1.15	1.55	1.90
Assembled/packed	Packed			
Order ref.	**71301053.19V**	**71301054.19V**	**71301055.19V**	**71301056.19V**
Final installation [WU]	0.0			

System width [mm]	-11		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1262 x 264 x 3	1262 x 376 x 3	1262 x 488 x 3
Weight [kg]	0.85	1.30	1.70
Assembled/packed	Packed		
Order ref.	**71301057.19V**	**71301058.19V**	**71301059.19V**
Final installation [WU]	0.0		

System width [mm]	-12		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1374 x 264 x 3	1374 x 376 x 3	1374 x 488 x 3
Weight [kg]	0.95	1.40	1.85
Assembled/packed	Packed		
Order ref.	**71301060.19V**	**71301061.19V**	**71301062.19V**
Final installation [WU]	0.0		

System width [mm]	-13		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1486 x 264 x 3	1486 x 376 x 3	1486 x 488 x 3
Weight [kg]	1.05	1.50	2.00
Assembled/packed	Packed		
Order ref.	**71301063.19V**	**71301064.19V**	**71301065.19V**
Final installation [WU]	0.0		

System width [mm]	-14
System depth [mm]	/3
Dimensions W x D x H [mm]	1598 x 376 x 3
Weight [kg]	1.65
Assembled/packed	Packed
Order ref.	**71301066.19V**
Final installation [WU]	0.0

Shelf trays


System width [mm]	-15
System depth [mm]	/3
Dimensions W x D x H [mm]	1710 x 376 x 3
Weight [kg]	1.75
Assembled/packed	Packed
Order ref.	**71301067.19V**
Final installation [WU]	0.0

System width [mm]	-16
System depth [mm]	/3
Dimensions W x D x H [mm]	1822 x 376 x 3
Weight [kg]	1.90
Assembled/packed	Packed
Order ref.	**71301068.19V**
Final installation [WU]	0.0

System width [mm]	-17
System depth [mm]	/3
Dimensions W x D x H [mm]	1934 x 376 x 3
Weight [kg]	2.00
Assembled/packed	Packed
Order ref.	**71301069.19V**
Final installation [WU]	0.0

System width [mm]	-18
System depth [mm]	/3
Dimensions W x D x H [mm]	2046 x 376 x 3
Weight [kg]	2.15
Assembled/packed	Packed
Order ref.	**71301070.19V**
Final installation [WU]	0.0

Sump shelf with drip tray and load restraint kit -oo-



- All corners seam-welded so that leaking liquids are collected
- Incl. removable perforated insert for dry storage and easy cleaning
- Incl. lashing rail with Airline system -oo-
- Shelf height 165 mm with low front height 60 mm
- Widths: 4, 5, 9
- Depth 3, 4 (same shelf with depth adapter)
- Load capacity of the sump shelves 80 kg
- Incl. lashing strap with fitting and ratchet

System width [mm]	-4	
System depth [mm]	/3	
Dimensions W x D x H [mm]	478 x 376 x 165	
Weight [kg]	2.46	
Assembled/packed	Assembled	Packed
Order ref.	**72116001.97M**	**72116001.97V**
Final installation [WU]	0.0	

System width [mm]	-5	
System depth [mm]	/3	
Dimensions W x D x H [mm]	590 x 376 x 165	
Weight [kg]	3.00	
Assembled/packed	Assembled	Packed
Order ref.	**72116003.97M**	**72116003.97V**
Final installation [WU]	0.0	

System width [mm]	-7			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	814 x 376 x 165		814 x 488 x 165	
Weight [kg]	4.57		5.22	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72116009.97M**	**72116009.97V**	**72116010.97M**	**72116010.97V**
Final installation [WU]	0.0			

Sump shelf

System width [mm]	-8			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	926 x 376 x 165		926 x 488 x 165	
Weight [kg]	4.81		5.69	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72116007.97M**	**72116007.97V**	**72116008.97M**	**72116008.97V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1038 x 376 x 165		1038 x 488 x 165	
Weight [kg]	5.11		6.31	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72116005.97M**	**72116005.97V**	**72116006.97M**	**72116006.97V**
Final installation [WU]	0.0			

Adapter set for sump shelf



- For attaching to a sump shelf
- The sump shelf can be installed in the next deeper system depth by attaching an adapter set to the rear of the sump shelf
- Natural aluminium

Dimensions W x D x H [mm]	28 x 90 x 159	
Weight [kg]	0.28	
Order ref.	**73502072.98M**	**73502072.98V**
Final installation [WU]	0.0	

Load restraint kit -oo-



- For securing loads in the shelving bay on the shelf or in the floor area
- 3-sided bott lashing rail with Airline profile – very good possibilities for attaching the lashing straps
- Lashing rails with edge protection for additional protection of the load
- Rail system height-adjustable in 25 mm steps
- Rear cross lashing rail can be moved gradually forwards – and can thus also be used in the area of the wheel arch
- Widths: 4, 5, 7, 8, 9, 10, 11, 12, 13
- Depths: 2, 3, 4

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	478 x 264 x 59		478 x 376 x 59		478 x 488 x 59	
Weight [kg]	1.60		1.70		1.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610001.19M**	**72610001.19V**	**72610007.19M**	**72610007.19V**	**72610013.19M**	**72610013.19V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	590 x 264 x 59		590 x 376 x 59		590 x 488 x 59	
Weight [kg]	1.80		1.89		2.18	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610002.19M**	**72610002.19V**	**72610008.19M**	**72610008.19V**	**72610014.19M**	**72610014.19V**
Final installation [WU]	0.0					

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	814 x 264 x 59		814 x 376 x 59		814 x 488 x 59	
Weight [kg]	2.18		2.28		2.56	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610003.19M**	**72610003.19V**	**72610009.19M**	**72610009.19V**	**72610015.19M**	**72610015.19V**
Final installation [WU]	0.0					

Load restraint kit

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	926 x 264 x 59		926 x 376 x 59		926 x 488 x 59	
Weight [kg]	2.33		2.43		2.72	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610004.19M**	**72610004.19V**	**72610010.19M**	**72610010.19V**	**72610016.19M**	**72610016.19V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1038 x 264 x 59		1038 x 376 x 59		1038 x 488 x 59	
Weight [kg]	2.54		2.64		2.93	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610005.19M**	**72610005.19V**	**72610011.19M**	**72610011.19V**	**72610017.19M**	**72610017.19V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1150 x 264 x 59		1150 x 376 x 59		1150 x 488 x 59	
Weight [kg]	2.70		2.79		3.08	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610006.19M**	**72610006.19V**	**72610012.19M**	**72610012.19V**	**72610018.19M**	**72610018.19V**
Final installation [WU]	0.0					


System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 59		1262 x 376 x 59		1262 x 488 x 59	
Weight [kg]	2.80		2.90		3.19	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610019.19M**	**72610019.19V**	**72610022.19M**	**72610022.19V**	**72610025.19M**	**72610025.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 59		1374 x 376 x 59		1374 x 488 x 59	
Weight [kg]	2.89		2.99		3.27	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610020.19M**	**72610020.19V**	**72610023.19M**	**72610023.19V**	**72610026.19M**	**72610026.19V**
Final installation [WU]	0.0					

Corner shelf + shelf profile

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 59		1486 x 376 x 59		1486 x 488 x 59	
Weight [kg]	2.99		3.08		3.37	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610021.19M**	**72610021.19V**	**72610024.19M**	**72610024.19V**	**72610027.19M**	**72610027.19V**
Final installation [WU]	0.0					


Corner shelf W3xD3 with anti-slip mat



- Shelf made of aluminium with base reinforced by corrugation
- Incl. anti-slip mat
- Shelf height 100 mm with low front height 60 mm
- For the 90° connection of 2 shelving bays with depth 3
- Installation of an additional support leg is essential!
- Load capacity of the corner shelf 80 kg

Version	Corner shelf W3xD3	Corner closing panel	Support leg for corner shelf
Dimensions W x D x H [mm]	376 x 376 x 100	273 x 20 x 60	80 x 50 x 1500
Weight [kg]	1.60	0.10	0.77
Order ref.	**72533001.97V**	**72533159.97V**	**72533160.98V**
Final installation [WU]	0.0		

Shelf profile TopLash -C-



- Shelf profile TopLash -C- for setting up an additional lashing function on a shelf
- Shelf profile TopLash -C- rear
- 15 widths: 2-18
- Cover caps
- Anodised aluminium

System width [mm]	-2	-4	-5
Dimensions W x D x H [mm]	254 x 17 x 32	478 x 17 x 32	590 x 17 x 32
Weight [kg]	0.09	0.19	0.25
Assembled/packed	Packed		
Order ref.	**07902689.97V**	**07902691.97V**	**07902692.97V**
Final installation [WU]	0.0		


System width [mm]	-7	-8	-9
Dimensions W x D x H [mm]	814 x 17 x 32	926 x 17 x 32	1038 x 17 x 32
Weight [kg]	0.35	0.41	0.46
Assembled/packed	Packed		
Order ref.	**07902694.97V**	**07902695.97V**	**07902696.97V**
Final installation [WU]	0.0		

System width [mm]	-10	-11	-12
Dimensions W x D x H [mm]	1150 x 17 x 32	1262 x 17 x 32	1374 x 17 x 32
Weight [kg]	0.51	0.57	0.62
Assembled/packed	Packed		
Order ref.	**07902697.97V**	**07902698.97V**	**07902699.97V**
Final installation [WU]	0.0		

System width [mm]	-13	-14	-15
Dimensions W x D x H [mm]	1486 x 17 x 32	1598 x 17 x 32	1710 x 17 x 32
Weight [kg]	0.67	0.72	0.78
Assembled/packed	Packed		
Order ref.	**07902700.97V**	**07902701.97V**	**07902702.97V**
Final installation [WU]	0.0		

System width [mm]	-16	-17	-18
Dimensions W x D x H [mm]	1822 x 17 x 32	1934 x 17 x 32	2046 x 17 x 32
Weight [kg]	0.83	0.88	0.94
Assembled/packed	Packed		
Order ref.	**07902703.97V**	**07902704.97V**	**07902705.97V**
Final installation [WU]	0.0		

Drop-front shelf S with narrow boxes



- Sturdy aluminium base with aluminium cross-profiles
- Additional support is necessary from width 14
- Drop-fronts made of high-strength anodised aluminium profiles – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front shelf with continuous handle strip
- Drop-front shelves swivel down fully – providing very good access thanks to level front lip
- Drop-front height 75 mm
- Load capacity of the drop-front shelves 70 kg
- Narrow bottBoxes
- Mounting option for LED lighting

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x M2X		3x M3X		3x M4X	
Dimensions W x D x H [mm]	478 x 264 x 195		478 x 376 x 195		478 x 488 x 195	
Weight [kg]	2.40		2.78		3.36	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108140.19M**	**72108140.19V**	**72108094.19M**	**72108094.19V**	**72108112.19M**	**72108112.19V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x M2X		3x M3X		3x M4X	
Dimensions W x D x H [mm]	590 x 264 x 195		590 x 376 x 195		590 x 488 x 195	
Weight [kg]	2.69		3.07		3.65	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108141.19M**	**72108141.19V**	**72108096.19M**	**72108096.19V**	**72108114.19M**	**72108114.19V**
Final installation [WU]	0.0					

Drop-front shelves

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	5x M2X		5x M3X		5x M4X	
Dimensions W x D x H [mm]	814 x 264 x 195		814 x 376 x 195		814 x 488 x 195	
Weight [kg]	4.03		4.70		5.66	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108142.19M**	**72108142.19V**	**72108098.19M**	**72108098.19V**	**72108116.19M**	**72108116.19V**
Final installation [WU]	0.0					

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	6x M2X		6x M3X		6x M4X	
Dimensions W x D x H [mm]	926 x 264 x 195		926 x 376 x 195		926 x 488 x 195	
Weight [kg]	4.70		5.38		6.53	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108143.19M**	**72108143.19V**	**72108100.19M**	**72108100.19V**	**72108118.19M**	**72108118.19V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	6x M2X		6x M3X		6x M4X	
Dimensions W x D x H [mm]	1038 x 264 x 195		1038 x 376 x 195		1038 x 488 x 195	
Weight [kg]	5.28		6.14		7.49	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108144.19M**	**72108144.19V**	**72108102.19M**	**72108102.19V**	**72108120.19M**	**72108120.19V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	8x M2X		8x M3X		8x M4X	
Dimensions W x D x H [mm]	1150 x 264 x 195		1150 x 376 x 195		1150 x 488 x 195	
Weight [kg]	5.95		6.91		8.35	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108145.19M**	**72108145.19V**	**72108104.19M**	**72108104.19V**	**72108122.19M**	**72108122.19V**
Final installation [WU]	0.0					

Drop-front shelves

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	9x M2X		9x M3X		9x M4X	
Dimensions W x D x H [mm]	1262 x 264 x 195		1262 x 376 x 195		1262 x 488 x 195	
Weight [kg]	6.62		7.68		9.41	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108146.19M**	**72108146.19V**	**72108106.19M**	**72108106.19V**	**72108124.19M**	**72108124.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	9x M2X		9x M3X		9x M4X	
Dimensions W x D x H [mm]	1374 x 264 x 195		1374 x 376 x 195		1374 x 488 x 195	
Weight [kg]	6.91		8.06		9.79	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108147.19M**	**72108147.19V**	**72108108.19M**	**72108108.19V**	**72108126.19M**	**72108126.19V**
Final installation [WU]	0.0					

System width [mm]	-13			
System depth [mm]	/2		/3	
Quantity of bottBoxes	10x M2X		10x M3X	
Dimensions W x D x H [mm]	1486 x 264 x 195		1486 x 376 x 195	
Weight [kg]	7.58		8.74	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108148.19M**	**72108148.19V**	**72108110.19M**	**72108110.19V**
Final installation [WU]	0.0			

System width [mm]	-13			
System depth [mm]	/4		/3	
Quantity of bottBoxes	10x M4X		5x L3X	
Dimensions W x D x H [mm]	1486 x 488 x 195		1486 x 376 x 195	
Weight [kg]	10.66		7.87	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108128.19M**	**72108128.19V**	**72108111.19M**	**72108111.19V**
Final installation [WU]	0.0			

Drop-front shelves

System width [mm]	-14			
System depth [mm]	/2		/3	
Quantity of bottBoxes	11x M2X		11x M3X	
Dimensions W x D x H [mm]	1598 x 264 x 195		1598 x 376 x 195	
Weight [kg]	8.26		11.81	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108149.19M**	**72108149.19V**	**72108150.19M**	**72108150.19V**
Final installation [WU]	0.0			


System width [mm]	-15			
System depth [mm]	/2		/3	
Quantity of bottBoxes	12x M2X		12x M3X	
Dimensions W x D x H [mm]	1710 x 264 x 195		1710 x 376 x 195	
Weight [kg]	8.83		12.77	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108152.19M**	**72108152.19V**	**72108153.19M**	**72108153.19V**
Final installation [WU]	0.0			

System width [mm]	-16			
System depth [mm]	/2		/3	
Quantity of bottBoxes	13x M2X		13x M3X	
Dimensions W x D x H [mm]	1822 x 264 x 195		1822 x 376 x 195	
Weight [kg]	9.50		13.73	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108155.19M**	**72108155.19V**	**72108156.19M**	**72108156.19V**
Final installation [WU]	0.0			

System width [mm]	-17			
System depth [mm]	/2		/3	
Quantity of bottBoxes	14x M2X		14x M3X	
Dimensions W x D x H [mm]	1934 x 264 x 195		1934 x 376 x 195	
Weight [kg]	10.18		14.69	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108158.19M**	**72108158.19V**	**72108159.19M**	**72108159.19V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Quantity of bottBoxes	15x M2X		15x M3X	
Dimensions W x D x H [mm]	2046 x 264 x 195		2046 x 376 x 195	
Weight [kg]	10.85		15.65	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108161.19M**	**72108161.19V**	**72108162.19M**	**72108162.19V**
Final installation [WU]	0.0			

Drop-front shelf S with wide bottBoxes



- Sturdy aluminium base with aluminium cross-profiles
- Additional support is necessary from width 14
- Drop-fronts made of high-strength anodised aluminium profiles – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front shelf with continuous handle strip
- Drop-front shelves swivel down fully – providing very good access thanks to level loading edge
- Drop-front height 75 mm
- Load capacity of the drop-front shelves 70 kg
- Wide bottBoxes
- Mounting option for LED lighting

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	1x L2X		1x L3X		1x L4X	
Dimensions W x D x H [mm]	478 x 264 x 195		478 x 376 x 195		478 x 488 x 195	
Weight [kg]	1.96		2.21		2.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108228.19M**	**72108228.19V**	**72108095.19M**	**72108095.19V**	**72108113.19M**	**72108113.19V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	1x M2X, 1x L2X		1x M3X, 1x L3X		1x M4X, 1x L4X	
Dimensions W x D x H [mm]	590 x 264 x 195		590 x 376 x 195		590 x 488 x 195	
Weight [kg]	2.63		2.50		3.26	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108229.19M**	**72108229.19V**	**72108097.19M**	**72108097.19V**	**72108115.19M**	**72108115.19V**
Final installation [WU]	0.0					

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	1x M2X, 2x L2X		1x M3X, 2x L3X		1x M4X, 2x L4X	
Dimensions W x D x H [mm]	814 x 264 x 195		814 x 376 x 195		814 x 488 x 195	
Weight [kg]	3.82		4.32		4.90	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108230.19M**	**72108230.19V**	**72108099.19M**	**72108099.19V**	**72108117.19M**	**72108117.19V**
Final installation [WU]	0.0					

Drop-front shelves

System width [mm]	-6			
System depth [mm]	/3			
Quantity of bottBoxes	4x M3X		2x M3X, 1x L3X	
Dimensions W x D x H [mm]	702 x 376 x 195			
Weight [kg]	4.28		4.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108250.19M**	**72108250.19V**	**72108251.19M**	**72108251.19V**
Final installation [WU]	0.0			

System width [mm]	-6			
System depth [mm]	/4			
Quantity of bottBoxes	4x M3X		2x M4X, 1x L4X	
Dimensions W x D x H [mm]	702 x 488 x 195			
Weight [kg]	5.09		4.77	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108252.19M**	**72108252.19V**	**72108253.19M**	**72108253.19V**
Final installation [WU]	0.0			

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x L2X		3x L3X		3x L4X	
Dimensions W x D x H [mm]	926 x 264 x 195		926 x 376 x 195		926 x 488 x 195	
Weight [kg]	4.33		4.80		5.38	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108231.19M**	**72108231.19V**	**72108101.19M**	**72108101.19V**	**72108119.19M**	**72108119.19V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x L2X		3x L3X		3x L4X	
Dimensions W x D x H [mm]	1038 x 264 x 195		1038 x 376 x 195		1038 x 488 x 195	
Weight [kg]	5.01		5.57		6.34	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108232.19M**	**72108232.19V**	**72108103.19M**	**72108103.19V**	**72108121.19M**	**72108121.19V**
Final installation [WU]	0.0					

System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	4x L2X		4x L3X		4x L4X	
Dimensions W x D x H [mm]	1150 x 264 x 195		1150 x 376 x 195		1150 x 488 x 195	
Weight [kg]	5.51		6.14		6.82	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108233.19M**	**72108233.19V**	**72108105.19M**	**72108105.19V**	**72108123.19M**	**72108123.19V**
Final installation [WU]	0.0					

Drop-front shelves

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	4x L2X		4x L3X		4x L4X	
Dimensions W x D x H [mm]	1262 x 264 x 195		1262 x 376 x 195		1262 x 488 x 195	
Weight [kg]	5.86		6.53		7.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108234.19M**	**72108234.19V**	**72108107.19M**	**72108107.19V**	**72108125.19M**	**72108125.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	1x M2X, 4x L2X		1x M4X, 4x L4X			
Dimensions W x D x H [mm]	1374 x 264 x 195		1374 x 376 x 195		1374 x 488 x 195	
Weight [kg]	6.53		7.30		8.26	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108235.19M**	**72108235.19V**	**72108109.19M**	**72108109.19V**	**72108127.19M**	**72108127.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	5x L2X		5x L3X		5x L4X	
Dimensions W x D x H [mm]	1486 x 264 x 195		1486 x 376 x 195		1486 x 488 x 195	
Weight [kg]	7.04		7.87		8.74	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108236.19M**	**72108236.19V**	**72108111.19M**	**72108111.19V**	**72108129.19M**	**72108129.19V**
Final installation [WU]	0.0					

System width [mm]	-14			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 5x L2X		1x M3X, 5x L3X	
Dimensions W x D x H [mm]	1598 x 264 x 195		1598 x 376 x 195	
Weight [kg]	7.71		10.75	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108237.19M**	**72108237.19V**	**72108151.19M**	**72108151.19V**
Final installation [WU]	0.0			

System width [mm]	-15			
System depth [mm]	/2		/3	
Quantity of bottBoxes	6x L2X		6x L3X	
Dimensions W x D x H [mm]	1710 x 264 x 195		1710 x 376 x 195	
Weight [kg]	8.23		11.42	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108238.19M**	**72108238.19V**	**72108154.19M**	**72108154.19V**
Final installation [WU]	0.0			

Drop-front shelves


System width [mm]	-16			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 6x L2X		1x M3X, 6x L3X	
Dimensions W x D x H [mm]	1822 x 264 x 195		1822 x 376 x 195	
Weight [kg]	8.90		12.38	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108239.19M**	**72108239.19V**	**72108157.19M**	**72108157.19V**
Final installation [WU]	0.0			

System width [mm]	-17			
System depth [mm]	/2		/3	
Quantity of bottBoxes	7x L2X		7x L3X	
Dimensions W x D x H [mm]	1934 x 264 x 195		1934 x 376 x 195	
Weight [kg]	9.41		13.15	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108240.19M**	**72108240.19V**	**72108160.19M**	**72108160.19V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 7x L2X		1x M3X, 7x L3X	
Dimensions W x D x H [mm]	2046 x 264 x 195		2046 x 376 x 195	
Weight [kg]	10.08		14.11	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108241.19M**	**72108241.19V**	**72108163.19M**	**72108163.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

Drop-front shelf S with anti-slip mat



- Sturdy aluminium base with aluminium cross-profiles
- Drop-fronts made of high-strength anodised aluminium profiles – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front shelf with continuous handle strip
- Drop-front shelves swivel down fully – providing very good access thanks to level front lip
- Drop-front height 75 mm
- Load capacity of the drop-front shelves 70 kg
- Mounting option for LED lighting

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 100		478 x 376 x 100	
Weight [kg]	1.42		1.65	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108001.19M**	**72108001.19V**	**72108010.19M**	**72108010.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 100		478 x 600 x 100	
Weight [kg]	1.88		2.10	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108019.19M**	**72108019.19V**	**72108028.19M**	**72108028.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 100		590 x 376 x 100	
Weight [kg]	1.76		2.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108002.19M**	**72108002.19V**	**72108011.19M**	**72108011.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 100		590 x 600 x 100	
Weight [kg]	2.30		2.57	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108020.19M**	**72108020.19V**	**72108029.19M**	**72108029.19V**
Final installation [WU]	0.0			

System width [mm]	-6			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	702 x 376 x 100		702 x 488 x 100	
Weight [kg]	2.53		2.86	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108244.19M**	**72108244.19V**	**72108245.19M**	**72108245.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100	
Weight [kg]	2.44		2.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108003.19M**	**72108003.19V**	**72108012.19M**	**72108012.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100	
Weight [kg]	2.44		2.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108003.19M**	**72108003.19V**	**72108012.19M**	**72108012.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 100		814 x 600 x 100	
Weight [kg]	3.18		3.70	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108021.19M**	**72108021.19V**	**72108224.19M**	**72108224.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 100		926 x 376 x 100	
Weight [kg]	2.77		3.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108004.19M**	**72108004.19V**	**72108013.19M**	**72108013.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 100		926 x 600 x 100	
Weight [kg]	3.61		0.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108022.19M**	**72108022.19V**	**72108164.19M**	**72108164.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 100		1038 x 376 x 100	
Weight [kg]	3.12		3.58	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108005.19M**	**72108005.19V**	**72108014.19M**	**72108014.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 100		1038 x 600 x 100	
Weight [kg]	4.05		4.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108023.19M**	**72108023.19V**	**72108030.19M**	**72108030.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 100		1150 x 376 x 100	
Weight [kg]	3.45		3.96	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108006.19M**	**72108006.19V**	**72108015.19M**	**72108015.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 100		1150 x 600 x 100	
Weight [kg]	4.47		4.97	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108024.19M**	**72108024.19V**	**72108031.19M**	**72108031.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 100		1262 x 376 x 100		1262 x 488 x 100	
Weight [kg]	3.78		4.34		4.91	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108007.19M**	**72108007.19V**	**72108016.19M**	**72108016.19V**	**72108025.19M**	**72108025.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 100		1374 x 376 x 100		1374 x 488 x 100	
Weight [kg]	4.12		4.72		5.34	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108008.19M**	**72108008.19V**	**72108017.19M**	**72108017.19V**	**72108026.19M**	**72108026.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 100		1486 x 376 x 100		1486 x 488 x 100	
Weight [kg]	4.45		5.12		5.78	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108009.19M**	**72108009.19V**	**72108018.19M**	**72108018.19V**	**72108027.19M**	**72108027.19V**
Final installation [WU]	0.0					

Drop-front shelves with anti-slip mat

System width [mm]	-14			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1538 x 264 x 100		1598 x 376 x 100	
Weight [kg]	4.79		5.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108130.19M**	**72108130.19V**	**72108135.19M**	**72108135.19V**
Final installation [WU]	0.0			

System width [mm]	-15			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1650 x 264 x 100		1650 x 376 x 100	
Weight [kg]	5.14		5.88	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108131.19M**	**72108131.19V**	**72108136.19M**	**72108136.19V**
Final installation [WU]	0.0			

System width [mm]	-16			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1762 x 264 x 100		1762 x 376 x 100	
Weight [kg]	5.47		6.26	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108132.19M**	**72108132.19V**	**72108137.19M**	**72108137.19V**
Final installation [WU]	0.0			


System width [mm]	-17			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1874 x 264 x 100		1874 x 376 x 100	
Weight [kg]	5.81		6.64	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108133.19M**	**72108133.19V**	**72108138.19M**	**72108138.19V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1986 x 264 x 100		1986 x 376 x 100	
Weight [kg]	6.14		7.03	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108134.19M**	**72108134.19V**	**72108139.19M**	**72108139.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

3

Drop-front shelf M with anti-slip mat



- Sturdy aluminium base with aluminium cross-profiles
- Drop-fronts made of high-strength anodised aluminium profiles – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front shelf with continuous handle strip
- Drop-front shelves swivel down fully – providing very good access thanks to level front lip
- Drop-front height 125 mm
- Load capacity of the drop-front shelves 70 kg
- Mounting option for LED lighting

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 125		478 x 376 x 125	
Weight [kg]	1.51		1.74	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108032.19M**	**72108032.19V**	**72108041.19M**	**72108041.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 125		478 x 600 x 125	
Weight [kg]	1.98		2.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108050.19M**	**72108050.19V**	**72108059.19M**	**72108059.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 125		590 x 376 x 125	
Weight [kg]	1.88		2.16	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108033.19M**	**72108033.19V**	**72108042.19M**	**72108042.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 125		590 x 600 x 125	
Weight [kg]	2.44		2.71	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108051.19M**	**72108051.19V**	**72108060.19M**	**72108060.19V**
Final installation [WU]	0.0			

System width [mm]	-6			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	702 x 376 x 125		702 x 488 x 125	
Weight [kg]	2.67		3.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108246.19M**	**72108246.19V**	**72108247.19M**	**72108247.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 125		814 x 376 x 125	
Weight [kg]	2.60		2.98	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108034.19M**	**72108034.19V**	**72108043.19M**	**72108043.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 125		814 x 376 x 125	
Weight [kg]	2.60		2.98	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108034.19M**	**72108034.19V**	**72108043.19M**	**72108043.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 125		814 x 600 x 125	
Weight [kg]	3.35		3.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108052.19M**	**72108052.19V**	**72108225.19M**	**72108225.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 125		926 x 376 x 125	
Weight [kg]	2.96		3.38	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108035.19M**	**72108035.19V**	**72108044.19M**	**72108044.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 125		926 x 600 x 125	
Weight [kg]	3.80		0.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108053.19M**	**72108053.19V**	**72108165.19M**	**72108165.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 125		1038 x 376 x 125	
Weight [kg]	3.32		3.79	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108036.19M**	**72108036.19V**	**72108045.19M**	**72108045.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 125		1038 x 600 x 125	
Weight [kg]	4.27		4.72	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108054.19M**	**72108054.19V**	**72108061.19M**	**72108061.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 125		1150 x 376 x 125	
Weight [kg]	3.69		4.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108037.19M**	**72108037.19V**	**72108046.19M**	**72108046.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 125		1150 x 600 x 125	
Weight [kg]	4.72		5.22	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108055.19M**	**72108055.19V**	**72108062.19M**	**72108062.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 125		1262 x 376 x 125		1262 x 488 x 125	
Weight [kg]	4.04		4.61		5.17	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108038.19M**	**72108038.19V**	**72108047.19M**	**72108047.19V**	**72108056.19M**	**72108056.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 125		1374 x 376 x 125		1374 x 488 x 125	
Weight [kg]	4.41		5.02		5.64	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108039.19M**	**72108039.19V**	**72108048.19M**	**72108048.19V**	**72108057.19M**	**72108057.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 125		1486 x 376 x 125		1486 x 488 x 125	
Weight [kg]	4.77		5.43		6.10	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108040.19M**	**72108040.19V**	**72108049.19M**	**72108049.19V**	**72108058.19M**	**72108058.19V**
Final installation [WU]	0.0					

System width [mm]	-14			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1598 x 264 x 125		1598 x 376 x 125	
Weight [kg]	5.35		6.09	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108167.19M**	**72108167.19V**	**72108168.19M**	**72108168.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-15			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1710 x 264 x 125		1710 x 376 x 125	
Weight [kg]	5.73		6.52	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108171.19M**	**72108171.19V**	**72108172.19M**	**72108172.19V**
Final installation [WU]	0.0			

System width [mm]	-16			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1822 x 264 x 125		1822 x 376 x 125	
Weight [kg]	6.11		6.95	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108175.19M**	**72108175.19V**	**72108176.19M**	**72108176.19V**
Final installation [WU]	0.0			

System width [mm]	-17			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1934 x 264 x 125		1934 x 376 x 125	
Weight [kg]	6.49		7.38	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108179.19M**	**72108179.19V**	**72108180.19M**	**72108180.19V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	2046 x 264 x 125		2046 x 376 x 125	
Weight [kg]	6.87		7.81	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108183.19M**	**72108183.19V**	**72108184.19M**	**72108184.19V**
Final installation [WU]	0.0			

System width [mm]	-20	
System depth [mm]	/3	
Dimensions W x D x H [mm]	2270 x 376 x 125	
Weight [kg]	8.69	
Assembled/packed	Assembled	Packed
Order ref.	**72108227.19M**	**72108227.19V**
Final installation [WU]	0.0	

Drop-front shelf L with anti-slip mat



- Sturdy aluminium base with aluminium cross-profiles
- Drop-fronts made of high-strength anodised aluminium profiles – very good surface protection
- Interlocking 4-point safety lock when closed
- Drop-front shelf with continuous handle strip
- Drop-front shelves swivel down fully – providing very good access thanks to level front lip
- Drop-front height 175 mm
- Load capacity of the drop-front shelves 175 kg
- Mounting option for LED lighting

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 175		478 x 376 x 175	
Weight [kg]	1.62		1.85	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108063.19M**	**72108063.19V**	**72108072.19M**	**72108072.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 175		478 x 600 x 175	
Weight [kg]	2.05		2.31	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108081.19M**	**72108081.19V**	**72108090.19M**	**72108090.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 175		590 x 376 x 175	
Weight [kg]	2.02		2.29	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108064.19M**	**72108064.19V**	**72108073.19M**	**72108073.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 175		590 x 600 x 175	
Weight [kg]	2.52		2.84	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108082.19M**	**72108082.19V**	**72108091.19M**	**72108091.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-6			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	702 x 376 x 175		702 x 488 x 175	
Weight [kg]	2.85		3.18	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108248.19M**	**72108248.19V**	**72108249.19M**	**72108249.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 175		814 x 376 x 175	
Weight [kg]	2.80		3.18	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108065.19M**	**72108065.19V**	**72108074.19M**	**72108074.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 175		814 x 600 x 175	
Weight [kg]	3.49		4.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108083.19M**	**72108083.19V**	**72108226.19M**	**72108226.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 175		926 x 376 x 175	
Weight [kg]	3.20		3.62	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108066.19M**	**72108066.19V**	**72108075.19M**	**72108075.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 175		926 x 600 x 175	
Weight [kg]	3.97		0.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108084.19M**	**72108084.19V**	**72108166.19M**	**72108166.19V**
Final installation [WU]	0.0			

Drop-front shelves with anti-slip mat

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 175		1038 x 376 x 175	
Weight [kg]	3.59		4.06	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108067.19M**	**72108067.19V**	**72108076.19M**	**72108076.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 175		1038 x 600 x 175	
Weight [kg]	4.46		4.99	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108085.19M**	**72108085.19V**	**72108092.19M**	**72108092.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 175		1150 x 376 x 175	
Weight [kg]	3.99		4.51	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108068.19M**	**72108068.19V**	**72108077.19M**	**72108077.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 175		1150 x 600 x 175	
Weight [kg]	4.94		5.53	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108086.19M**	**72108086.19V**	**72108093.19M**	**72108093.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 175		1262 x 376 x 175		1262 x 488 x 175	
Weight [kg]	4.39		4.95		5.43	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108069.19M**	**72108069.19V**	**72108078.19M**	**72108078.19V**	**72108087.19M**	**72108087.19V**
Final installation [WU]	0.0					

Drop-front shelves with anti-slip mat

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 175		1374 x 376 x 175		1374 x 488 x 175	
Weight [kg]	4.79		5.40		5.91	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108070.19M**	**72108070.19V**	**72108079.19M**	**72108079.19V**	**72108088.19M**	**72108088.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 175		1486 x 376 x 175		1486 x 488 x 175	
Weight [kg]	5.19		5.86		6.41	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108071.19M**	**72108071.19V**	**72108080.19M**	**72108080.19V**	**72108089.19M**	**72108089.19V**
Final installation [WU]	0.0					

System width [mm]	-14			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1598 x 264 x 175		1598 x 376 x 175	
Weight [kg]	5.83		6.57	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108169.19M**	**72108169.19V**	**72108170.19M**	**72108170.19V**
Final installation [WU]	0.0			

System width [mm]	-15			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1710 x 264 x 175		1710 x 376 x 175	
Weight [kg]	6.25		7.04	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108173.19M**	**72108173.19V**	**72108174.19M**	**72108174.19V**
Final installation [WU]	0.0			

System width [mm]	-16			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1822 x 264 x 175		1822 x 376 x 175	
Weight [kg]	6.67		7.51	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108177.19M**	**72108177.19V**	**72108178.19M**	**72108178.19V**
Final installation [WU]	0.0			

Anti-slip mat for drop-front shelves

System width [mm]	-17			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1934 x 264 x 175		1934 x 376 x 175	
Weight [kg]	7.09		7.98	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108181.19M**	**72108181.19V**	**72108182.19M**	**72108182.19V**
Final installation [WU]	0.0			

System width [mm]	-18			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	2046 x 264 x 175		2046 x 376 x 175	
Weight [kg]	7.51		8.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72108185.19M**	**72108185.19V**	**72108186.19M**	**72108186.19V**
Final installation [WU]	0.0			

Anti-slip mat for drop-front shelf - pack of 5



- For storing sensitive parts
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Self-adhesive, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-4	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	409 x 195 x 3	409 x 305 x 3
Weight [kg]	0.25	0.40
Assembled/packed	Packed	
Order ref.	**71301071.19V**	**71301072.19V**
Final installation [WU]	0.0	

Anti-slip mat for drop-front shelves

System width [mm]	-8	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	857 x 195 x 3	857 x 305 x 3
Weight [kg]	0.50	0.80
Assembled/packed	Packed	
Order ref.	**71301082.19V**	**71301083.19V**
Final installation [WU]	0.0	

System width [mm]	-8	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	857 x 415 x 3	857 x 525 x 3
Weight [kg]	1.10	1.40
Assembled/packed	Packed	
Order ref.	**71301084.19V**	**71301129.19V**
Final installation [WU]	0.0	

System width [mm]	-9	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	969 x 195 x 3	969 x 305 x 3
Weight [kg]	0.60	0.95
Assembled/packed	Packed	
Order ref.	**71301085.19V**	**71301086.19V**
Final installation [WU]	0.0	

System width [mm]	-9	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	969 x 415 x 3	969 x 525 x 3
Weight [kg]	1.25	1.60
Assembled/packed	Packed	
Order ref.	**71301087.19V**	**71301088.19V**
Final installation [WU]	0.0	

System width [mm]	-10	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1081 x 195 x 3	1081 x 305 x 3
Weight [kg]	0.70	1.05
Assembled/packed	Packed	
Order ref.	**71301089.19V**	**71301090.19V**
Final installation [WU]	0.0	

Anti-slip mat for drop-front shelves

System width [mm]	-4	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	409 x 415 x 3	409 x 525 x 3
Weight [kg]	0.55	0.65
Assembled/packed	Packed	
Order ref.	**71301073.19V**	**71301074.19V**
Final installation [WU]	0.0	

System width [mm]	-5	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	521 x 195 x 3	521 x 305 x 3
Weight [kg]	0.30	0.50
Assembled/packed	Packed	
Order ref.	**71301075.19V**	**71301076.19V**
Final installation [WU]	0.0	

System width [mm]	-5	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	521 x 415 x 3	521 x 525 x 3
Weight [kg]	0.70	0.85
Assembled/packed	Packed	
Order ref.	**71301077.19V**	**71301078.19V**
Final installation [WU]	0.0	

System width [mm]	-7	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	745 x 195 x 3	745 x 305 x 3
Weight [kg]	0.45	0.70
Assembled/packed	Packed	
Order ref.	**71301079.19V**	**71301080.19V**
Final installation [WU]	0.0	

System width [mm]	-7	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	745 x 415 x 3	745 x 525 x 3
Weight [kg]	0.95	1.20
Assembled/packed	Packed	
Order ref.	**71301081.19V**	**71301133.19V**
Final installation [WU]	0.0	

Anti-slip mat for drop-front shelves

System width [mm]	-10	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	1081 x 415 x 3	1081 x 525 x 3
Weight [kg]	1.40	1.75
Assembled/packed	Packed	
Order ref.	**71301091.19V**	**71301092.19V**
Final installation [WU]	0.0	

System width [mm]	-11		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1193 x 195 x 3	1193 x 305 x 3	1193 x 415 x 3
Weight [kg]	0.70	1.10	1.55
Assembled/packed	Packed		
Order ref.	**71301093.19V**	**71301094.19V**	**71301095.19V**
Final installation [WU]	0.0		

System width [mm]	-12		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1305 x 195 x 3	1305 x 305 x 3	1305 x 415 x 3
Weight [kg]	0.80	1.25	1.70
Assembled/packed	Packed		
Order ref.	**71301096.19V**	**71301097.19V**	**71301098.19V**
Final installation [WU]	0.0		

System width [mm]	-13		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1417 x 195 x 3	1417 x 305 x 3	1417 x 415 x 3
Weight [kg]	0.85	1.35	1.85
Assembled/packed	Packed		
Order ref.	**71301099.19V**	**71301100.19V**	**71301101.19V**
Final installation [WU]	0.0		

System width [mm]	-14	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1529 x 195 x 3	1529 x 305 x 3
Weight [kg]	0.95	1.45
Assembled/packed	Packed	
Order ref.	**71301109.19V**	**71301110.19V**
Final installation [WU]	0.0	

Anti-slip mat for drop-front shelves

System width [mm]	-15	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1641 x 195 x 3	1641 x 305 x 3
Weight [kg]	1.00	1.50
Assembled/packed	Packed	
Order ref.	**71301111.19V**	**71301112.19V**
Final installation [WU]	0.0	

System width [mm]	-16	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1753 x 195 x 3	1753 x 305 x 3
Weight [kg]	1.05	1.65
Assembled/packed	Packed	
Order ref.	**71301113.19V**	**71301114.19V**
Final installation [WU]	0.0	

System width [mm]	-17	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1865 x 195 x 3	1865 x 305 x 3
Weight [kg]	1.10	1.75
Assembled/packed	Packed	
Order ref.	**71301115.19V**	**71301116.19V**
Final installation [WU]	0.0	

System width [mm]	-18	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1977 x 195 x 3	1977 x 305 x 3
Weight [kg]	1.20	1.85
Assembled/packed	Packed	
Order ref.	**71301117.19V**	**71301118.19V**
Final installation [WU]	0.0	

Storage shelf divider holder




- Allows dimensionally stable plastic dividers to be added to storage shelves
- Used to subdivide the drop-front shelf in increments of 70 mm
- For storing cable rings, cable reels, files etc.
- For use on drop-front shelf with drop-front
- Material: Sheet steel, zinc-plated

System width [mm]	-4		-5		-7	
Dimensions W x D x H [mm]	478 x 30 x 50		590 x 30 x 50		814 x 30 x 50	
Weight [kg]	0.45		0.56		0.77	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72119001.51M**	**72119001.51V**	**72119002.51M**	**72119002.51V**	**72119003.51M**	**72119003.51V**
Final installation [WU]	0.0					

System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	926 x 30 x 50		1038 x 30 x 50		1150 x 30 x 50	
Weight [kg]	0.86		0.97		1.08	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72119004.51M**	**72119004.51V**	**72119005.51M**	**72119005.51V**	**72119006.51M**	**72119006.51V**
Final installation [WU]	0.0					

System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1262 x 30 x 50		1374 x 30 x 50		1486 x 30 x 50	
Weight [kg]	1.18		1.29		1.38	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72119007.51M**	**72119007.51V**	**72119008.51M**	**72119008.51V**	**72119009.51M**	**72119009.51V**
Final installation [WU]	0.0					


Divider for storage shelf



- Dimensionally stable dividers made of plastic, fixed to the drop-front shelf with screws
- Cross beam set necessary for fixing
- Used to subdivide the drop-front shelf in increments of 70mm

System depth [mm]	/2	/3
Dimensions W x D x H [mm]	12 x 264 x 266	12 x 376 x 366
Weight [kg]	0.50	0.94
Order ref.	**73001019.10V**	**73001020.10V**
Final installation [WU]	0.0	

Eurobox shelf



- Sturdy aluminium base with aluminium cross-profiles and T-slot
- With euroboxes in different dimensions
- Euroboxes held in place by guide discs fixed to the shelf
- Load capacity of the eurobox shelf 70 kg
- Mounting option for LED lighting

System width [mm]	-7			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 1x 300 x 400 x 120		1x 300 x 400 x 235	
Dimensions W x D x H [mm]	814 x 376 x 150		814 x 376 x 265	
Weight [kg]	3.30		3.43	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115001.19M**	**72115001.19V**	**72115002.19M**	**72115002.19V**
Final installation [WU]	0.0			

Storage shelf accessories

System width [mm]	-7			
System depth [mm]	/4			
Quantity of Euroboxes	2x 300 x 400 x 175		2x 300 x 400 x 320	
Dimensions W x D x H [mm]	814 x 488 x 205		814 x 488 x 350	
Weight [kg]	4.38		5.61	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115003.19M**	**72115003.19V**	**72115004.19M**	**72115004.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/3			
Quantity of Euroboxes	2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	926 x 376 x 150		926 x 376 x 265	
Weight [kg]	3.88		4.74	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115005.19M**	**72115005.19V**	**72115006.19M**	**72115006.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4			
Quantity of Euroboxes	2x 300 x 400 x 175		2x 300 x 400 x 320	
Dimensions W x D x H [mm]	926 x 488 x 205		926 x 488 x 350	
Weight [kg]	4.70		5.93	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115007.19M**	**72115007.19V**	**72115008.19M**	**72115008.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3			
Quantity of Euroboxes	2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1038 x 376 x 150		1038 x 376 x 265	
Weight [kg]	4.19		5.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115009.19M**	**72115009.19V**	**72115010.19M**	**72115010.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4			
Quantity of Euroboxes	3x 300 x 400 x 175		3x 300 x 400 x 320	
Dimensions W x D x H [mm]	1038 x 488 x 205		1038 x 488 x 350	
Weight [kg]	5.98		7.85	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115011.19M**	**72115011.19V**	**72115012.19M**	**72115012.19V**
Final installation [WU]	0.0			

Storage shelf accessories

System width [mm]	-10			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1150 x 376 x 150		1150 x 376 x 265	
Weight [kg]	4.90		5.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115013.19M**	**72115013.19V**	**72115014.19M**	**72115014.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/4			
Quantity of Euroboxes	3x 300 x 400 x 175		3x 300 x 400 x 320	
Dimensions W x D x H [mm]	1150 x 488 x 205		1150 x 488 x 350	
Weight [kg]	6.31		8.16	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115015.19M**	**72115015.19V**	**72115016.19M**	**72115016.19V**
Final installation [WU]	0.0			


System width [mm]	-11			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1262 x 376 x 150		1262 x 376 x 265	
Weight [kg]	6.47		7.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115017.19M**	**72115017.19V**	**72115018.19M**	**72115018.19V**
Final installation [WU]	0.0			

System width [mm]	-11			
System depth [mm]	/4			
Quantity of Euroboxes	3x 300 x 400 x 175		3x 300 x 400 x 320	
Dimensions W x D x H [mm]	1262 x 488 x 205		1262 x 488 x 350	
Weight [kg]	8.03		9.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115019.19M**	**72115019.19V**	**72115020.19M**	**72115020.19V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/3			
Quantity of Euroboxes	3x 300 x 400 x 120		3x 300 x 400 x 235	4x 300 x 400 x 235
Dimensions W x D x H [mm]	1374 x 376 x 150		1374 x 376 x 265	
Weight [kg]	7.15		8.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115021.19M**	**72115021.19V**	**72115022.19M**	**72115022.19V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/4			
Quantity of Euroboxes	4x 300 x 400 x 175		4x 300 x 400 x 320	
Dimensions W x D x H [mm]	1374 x 488 x 205		1374 x 488 x 350	
Weight [kg]	9.28		11.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115023.19M**	**72115023.19V**	**72115024.19M**	**72115024.19V**
Final installation [WU]	0.0			

Eurobox shelf FrontLash -oo-



- Sturdy aluminium base with aluminium cross-profiles
- Profile with FrontLash -oo- Airline system
- With euroboxes in different dimensions
- Euroboxes held in place by guide discs fixed to the shelf
- Load capacity of the eurobox shelf 70 kg
- Mounting option for LED lighting

System width [mm]	-7			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 1x 300 x 400 x 120		1x 300 x 400 x 235	
Dimensions W x D x H [mm]	814 x 376 x 150		814 x 376 x 265	
Weight [kg]	3.30		3.42	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115025.19M**	**72115025.19V**	**72115026.19M**	**72115026.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4			
Quantity of Euroboxes	2x 300 x 400 x 175		2x 300 x 400 x 320	
Dimensions W x D x H [mm]	814 x 488 x 205		814 x 488 x 350	
Weight [kg]	4.37		5.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115027.19M**	**72115027.19V**	**72115028.19M**	**72115028.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/3			
Quantity of Euroboxes	2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	926 x 376 x 150		926 x 376 x 265	
Weight [kg]	3.88		4.74	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115029.19M**	**72115029.19V**	**72115030.19M**	**72115030.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4			
Quantity of Euroboxes	2x 300 x 400 x 175		2x 300 x 400 x 320	
Dimensions W x D x H [mm]	926 x 488 x 205		926 x 488 x 350	
Weight [kg]	4.70		5.93	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115031.19M**	**72115031.19V**	**72115032.19M**	**72115032.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3			
Quantity of Euroboxes	2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1038 x 376 x 150		1038 x 376 x 265	
Weight [kg]	4.18		5.05	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115033.19M**	**72115033.19V**	**72115034.19M**	**72115034.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4			
Quantity of Euroboxes	3x 300 x 400 x 175		3x 300 x 400 x 320	
Dimensions W x D x H [mm]	1038 x 488 x 205		1038 x 488 x 350	
Weight [kg]	5.98		7.85	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115035.19M**	**72115035.19V**	**72115036.19M**	**72115036.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1150 x 376 x 150		1150 x 376 x 265	
Weight [kg]	4.89		5.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115037.19M**	**72115037.19V**	**72115038.19M**	**72115038.19V**
Final installation [WU]	0.0			

Eurobox shelves

System width [mm]	-10			
System depth [mm]	/4			
Quantity of Euroboxes	300 x 400 x 175		300 x 400 x 320	
Dimensions W x D x H [mm]	1150 x 488 x 205		1150 x 488 x 350	
Weight [kg]	6.31		8.16	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115039.19M**	**72115039.19V**	**72115040.19M**	**72115040.19V**
Final installation [WU]	0.0			


System width [mm]	-11			
System depth [mm]	/3			
Quantity of Euroboxes	1x 200 x 300 x 120 und 2x 300 x 400 x 120		2x 300 x 400 x 235	
Dimensions W x D x H [mm]	1262 x 376 x 150		1262 x 376 x 265	
Weight [kg]	6.47		7.04	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115041.19M**	**72115041.19V**	**72115042.19M**	**72115042.19V**
Final installation [WU]	0.0			

System width [mm]	-11			
System depth [mm]	/4			
Quantity of Euroboxes	3x 300 x 400 x 175		3x 300 x 400 x 320	
Dimensions W x D x H [mm]	1262 x 488 x 205		1262 x 488 x 350	
Weight [kg]	8.02		9.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115043.19M**	**72115043.19V**	**72115044.19M**	**72115044.19V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/3			
Quantity of Euroboxes	3x 300 x 400 x 120		3x 300 x 400 x 235	
Dimensions W x D x H [mm]	1374 x 376 x 150		1374 x 376 x 265	
Weight [kg]	7.15		8.45	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115045.19M**	**72115045.19V**	**72115046.19M**	**72115046.19V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/4			
Quantity of Euroboxes	4x 300 x 400 x 175		4x 300 x 400 x 320	
Dimensions W x D x H [mm]	1374 x 488 x 205		1374 x 488 x 350	
Weight [kg]	9.28		11.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72115047.19M**	**72115047.19V**	**72115048.19M**	**72115048.19V**
Final installation [WU]	0.0			

Eurobox support rail kit



- Frame bracket pair for mounting one eurobox with base area 400 x 300 mm
- Boxes secured during transport
- Easy box removal
- Load capacity of the eurobox support 20 kg

Version	SLF-F		SLF-C	SLF-C
System width [mm]	-4		-3	
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	40 x 376 x 47		40 x 456 x 30	
Weight [kg]	0.55		0.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103019.19M**	**72103019.19V**	**72103036.19M**	**72103036.19V**
Final installation [WU]	0.0			


Support for Eurobox



- For the secure storage of a eurobox 400x600mm
- For installation between the end-frame profiles
- The mounting frame for eurobox with system width -4 (478mm) can be installed in the following system depths: System depth /2+ depth extension, /3, /3 rotated, /3+ depth extension, /4, /4 rotated, /4+ depth extension
- Must always be installed on the SLF at the front and with the overhang to the rear
- Must be screwed in addition 4x with an overhang from 120mm to the rear
- Optional rotating latch, pack of 1, prevents the eurobox sliding out
- The rotating latch can be moved to the 2 existing positions or an additional rotating latch can be installed as an option
- Aluminium

Dimensions W x D x H [mm]	478 x 600 x 75	
Weight [kg]	2.10	
Order ref.	**72115049.98M**	**72115049.98V**
Final installation [WU]	0.0	

Rotating latch for support Eurobox



- Prevents the eurobox sliding out
- Can be moved to 2 existing positions
- An additional rotating latch can be installed as an option
- Pack of 1

Dimensions W x D x H [mm]	23 x 52 x 15
Weight [kg]	0.08
Order ref.	**73508059**
Final installation [WU]	0.0

bottBox shelf with narrow boxes



- Sturdy aluminium base with aluminium cross-profiles
- Pull-out system with bottBoxes, box width 130 mm
- Box slides prevent boxes from falling out during transport and operation
- Simple removal of the boxes from the pull-out system
- Overall height 200 mm
- Widths: 4, 5, 7, 8, 9, 10, 11, 12, 13
- Depths 2, 3, 4
- Load capacity of the bottBoxes shelves 50 kg
- Mounting option for LED lighting

System width [mm]	-4					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x M2X		3x M3X		3x M4X	
Dimensions W x D x H [mm]	478 x 264 x 195		478 x 376 x 195		478 x 488 x 195	
Weight [kg]	1.68		2.52		3.29	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111032.19M**	**72111032.19V**	**72111033.19M**	**72111033.19V**	**72111035.19M**	**72111035.19V**
Final installation [WU]	0.0					

System width [mm]	-5					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	3x M2X		3x M3X		3x M4X	
Dimensions W x D x H [mm]	590 x 264 x 195		590 x 376 x 195		590 x 488 x 195	
Weight [kg]	1.90		2.88		3.59	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111038.19M**	**72111038.19V**	**72111039.19M**	**72111039.19V**	**72111041.19M**	**72111041.19V**
Final installation [WU]	0.0					

System width [mm]	-7					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	5x M2X		5x M3X		5x M4X	
Dimensions W x D x H [mm]	814 x 264 x 195		814 x 376 x 195		814 x 488 x 195	
Weight [kg]	2.76		4.13		5.25	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111044.19M**	**72111044.19V**	**72111045.19M**	**72111045.19V**	**72111047.19M**	**72111047.19V**
Final installation [WU]	0.0					

Eurobox shelves

System width [mm]	-8					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	6x M2X		6x M3X		6x M4X	
Dimensions W x D x H [mm]	926 x 264 x 195		926 x 376 x 195		926 x 488 x 195	
Weight [kg]	3.23		4.85		6.17	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111049.19M**	**72111049.19V**	**72111050.19M**	**72111050.19V**	**72111052.19M**	**72111052.19V**
Final installation [WU]	0.0					

System width [mm]	-9					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	7x M2X		7x M3X		7x M4X	
Dimensions W x D x H [mm]	1038 x 264 x 195		1038 x 376 x 195		1038 x 488 x 195	
Weight [kg]	3.69		5.56		7.09	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111054.19M**	**72111054.19V**	**72111055.19M**	**72111055.19V**	**72111057.19M**	**72111057.19V**
Final installation [WU]	0.0					


System width [mm]	-10					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	8x M2X		8x M3X		8x M4X	
Dimensions W x D x H [mm]	1150 x 264 x 195		1150 x 376 x 195		1150 x 488 x 195	
Weight [kg]	4.12		6.35		8.07	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111060.19M**	**72111060.19V**	**72111061.19M**	**72111061.19V**	**72111063.19M**	**72111063.19V**
Final installation [WU]	0.0					

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	9x M2X		9x M3X		9x M4X	
Dimensions W x D x H [mm]	1262 x 264 x 195		1262 x 376 x 195		1262 x 488 x 195	
Weight [kg]	4.56		8.24		10.16	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111066.19M**	**72111066.19V**	**72111067.19M**	**72111067.19V**	**72111069.19M**	**72111069.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	9x M2X		9x M3X		9x M4X	
Dimensions W x D x H [mm]	1374 x 264 x 120	1374 x 264 x 195	1374 x 376 x 195		1374 x 488 x 195	
Weight [kg]	4.79		8.78		10.80	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111071.19M**	**72111071.19V**	**72111072.19M**	**72111072.19V**	**72111074.19M**	**72111074.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	10x M2X		10x M3X		10x M4X	
Dimensions W x D x H [mm]	1486 x 264 x 195		1486 x 376 x 195		1486 x 488 x 195	
Weight [kg]	5.20		9.42		11.60	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111076.19M**	**72111076.19V**	**72111077.19M**	**72111077.19V**	**72111079.19M**	**72111079.19V**
Final installation [WU]	0.0					

bottBox shelf with wide bottBoxes



- Sturdy aluminium base with aluminium cross-profiles
- Pull-out system for bottBoxes, box width 130 mm or 260 mm
- Box slides prevent boxes from falling out during transport and operation
- Simple removal of the boxes from the pull-out system
- Flat height 200 mm
- Widths: 4, 5, 7, 8, 9, 10, 11, 12, 13
- Depths 2, 3, 4, 5
- Load capacity of the bottBoxes shelves 50 kg
- Mounting option for LED lighting

System width [mm]	-4			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 1x L2X		1x M3X, 1x L3X	
Dimensions W x D x H [mm]	478 x 264 x 195		478 x 376 x 195	
Weight [kg]	1.92		2.33	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111085.19M**	**72111085.19V**	**72111034.19M**	**72111034.19V**
Final installation [WU]	0.0			

bottBox shelves

System width [mm]	-4			
System depth [mm]	/4		/5	
Quantity of bottBoxes	1x M4X, 1x L4X		1x M4X, 1x L5X	
Dimensions W x D x H [mm]	478 x 488 x 195		478 x 600 x 195	
Weight [kg]	2.91		3.24	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111036.19M**	**72111036.19V**	**72111037.19M**	**72111037.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 1x L2X		1x M3X, 1x L3X	
Dimensions W x D x H [mm]	590 x 264 x 195		590 x 376 x 195	
Weight [kg]	2.15		2.69	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111086.19M**	**72111086.19V**	**72111040.19M**	**72111040.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Quantity of bottBoxes	1x M4X, 1x L4X		1x M4X, 1x L5	
Dimensions W x D x H [mm]	590 x 488 x 195		590 x 600 x 195	
Weight [kg]	3.21		3.64	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111042.19M**	**72111042.19V**	**72111043.19M**	**72111043.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 2x L2X		1x M3X, 2x L3X	
Dimensions W x D x H [mm]	814 x 264 x 195		814 x 376 x 195	
Weight [kg]	3.10		3.76	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111087.19M**	**72111087.19V**	**72111046.19M**	**72111046.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Quantity of bottBoxes	1x M4X, 2x L4X		1x M4X, 2x L5X	
Dimensions W x D x H [mm]	814 x 488 x 195		814 x 600 x 195	
Weight [kg]	4.48		5.87	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111048.19M**	**72111048.19V**	**72111084.19M**	**72111084.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Quantity of bottBoxes	3x L2X		1x M3X, 2x L2X	
Dimensions W x D x H [mm]	926 x 264 x 195		926 x 376 x 195	
Weight [kg]	3.54		4.29	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111088.19M**	**72111088.19V**	**72111051.19M**	**72111051.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Quantity of bottBoxes	1x M4X, 2x L4X		3x L5X	
Dimensions W x D x H [mm]	926 x 488 x 195		926 x 600 x 195	
Weight [kg]	5.02		0.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111053.19M**	**72111053.19V**	**72111081.19M**	**72111081.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2		/3	
Quantity of bottBoxes	1x M2X, 3x L2X		1x M3X, 3x L3X	
Dimensions W x D x H [mm]	1038 x 264 x 195		1038 x 376 x 195	
Weight [kg]	4.13		5.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111089.19M**	**72111089.19V**	**72111056.19M**	**72111056.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Quantity of bottBoxes	1x M4X, 3x L4X		1x M4X, 3x L5X	
Dimensions W x D x H [mm]	1038 x 488 x 195		1038 x 600 x 195	
Weight [kg]	5.94		7.85	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111058.19M**	**72111058.19V**	**72111059.19M**	**72111059.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Quantity of bottBoxes	4x L2X		4x L3X	
Dimensions W x D x H [mm]	1150 x 264 x 195		1150 x 376 x 195	
Weight [kg]	4.53		5.62	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111090.19M**	**72111090.19V**	**72111062.19M**	**72111062.19V**
Final installation [WU]	0.0			

bottBox shelves

System width [mm]	-10			
System depth [mm]	/4		/5	
Quantity of bottBoxes	4x L4X		4x L5X	
Dimensions W x D x H [mm]	1150 x 488 x 195		1150 x 600 x 195	
Weight [kg]	6.54		8.84	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111064.19M**	**72111064.19V**	**72111065.19M**	**72111065.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	4x L2X		4x L3X		4x L4X	
Dimensions W x D x H [mm]	1262 x 264 x 195		1262 x 376 x 195		1262 x 488 x 195	
Weight [kg]	4.77		7.09		8.01	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111091.19M**	**72111091.19V**	**72111068.19M**	**72111068.19V**	**72111070.19M**	**72111070.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	1xM2X, 4x L2X		1x M3X, 4x L3X		1x M4X, 4x L4X	
Dimensions W x D x H [mm]	1374 x 264 x 195		1374 x 376 x 195		1374 x 488 x 195	
Weight [kg]	5.33		8.05		9.23	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111092.19M**	**72111092.19V**	**72111073.19M**	**72111073.19V**	**72111075.19M**	**72111075.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Quantity of bott-Boxes	5x L2X		5x L3X		5x L4X	
Dimensions W x D x H [mm]	1486 x 264 x 195		1486 x 376 x 195		1486 x 488 x 195	
Weight [kg]	5.72		8.51		9.63	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111093.19M**	**72111093.19V**	**72111078.19M**	**72111078.19V**	**72111080.19M**	**72111080.19V**
Final installation [WU]	0.0					

bottBox shelf



- Sturdy aluminium base with aluminium cross-profiles
- Box slides prevent boxes from falling out during transport and operation
- Simple removal of the boxes from the pull-out system
- Overall height 200 mm
- Widths: 4, 5, 7, 8, 9, 10, 11, 12, 13
- Depths 2, 3, 4, 5
- Load capacity of the bottBoxes shelves 50 kg
- Mounting option for LED lighting

System width [mm]	-4			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	478 x 264 x 100		478 x 376 x 100	
Weight [kg]	1.08		1.28	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111001.19M**	**72111001.19V**	**72111002.19M**	**72111002.19V**
Final installation [WU]	0.0			

System width [mm]	-4			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	478 x 488 x 100		478 x 600 x 100	
Weight [kg]	1.56		1.75	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111003.19M**	**72111003.19V**	**72111004.19M**	**72111004.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	590 x 264 x 100		590 x 376 x 100	
Weight [kg]	1.30		1.63	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111005.19M**	**72111005.19V**	**72111006.19M**	**72111006.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	590 x 488 x 100		590 x 600 x 100	
Weight [kg]	1.86		2.14	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111007.19M**	**72111007.19V**	**72111008.19M**	**72111008.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	814 x 264 x 100		814 x 376 x 100	
Weight [kg]	1.75		2.06	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111009.19M**	**72111009.19V**	**72111010.19M**	**72111010.19V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	814 x 488 x 100		814 x 600 x 100	
Weight [kg]	2.37		2.78	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111011.19M**	**72111011.19V**	**72111083.19M**	**72111083.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	926 x 264 x 100		926 x 376 x 100	
Weight [kg]	2.02		2.37	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111012.19M**	**72111012.19V**	**72111013.19M**	**72111013.19V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	926 x 488 x 100		926 x 600 x 100	
Weight [kg]	2.72		0.01	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111014.19M**	**72111014.19V**	**72111082.19M**	**72111082.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1038 x 264 x 100		1038 x 376 x 100	
Weight [kg]	2.28		2.68	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111015.19M**	**72111015.19V**	**72111016.19M**	**72111016.19V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1038 x 488 x 100		1038 x 600 x 100	
Weight [kg]	3.06		4.51	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111017.19M**	**72111017.19V**	**72111018.19M**	**72111018.19V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1150 x 264 x 100		1150 x 376 x 100	
Weight [kg]	2.51		3.04	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111019.19M**	**72111019.19V**	**72111020.19M**	**72111020.19V**
Final installation [WU]	0.0			


System width [mm]	-10			
System depth [mm]	/4		/5	
Dimensions W x D x H [mm]	1150 x 488 x 100		1150 x 600 x 100	
Weight [kg]	3.47		5.10	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111021.19M**	**72111021.19V**	**72111022.19M**	**72111022.19V**
Final installation [WU]	0.0			

System width [mm]	-11					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1262 x 264 x 100		1262 x 376 x 100		1262 x 488 x 100	
Weight [kg]	2.74		4.52		4.97	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111023.19M**	**72111023.19V**	**72111024.19M**	**72111024.19V**	**72111025.19M**	**72111025.19V**
Final installation [WU]	0.0					

System width [mm]	-12					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1374 x 264 x 100		1374 x 376 x 100		1374 x 488 x 100	
Weight [kg]	2.97		5.07		5.62	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111026.19M**	**72111026.19V**	**72111027.19M**	**72111027.19V**	**72111028.19M**	**72111028.19V**
Final installation [WU]	0.0					

System width [mm]	-13					
System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	1486 x 264 x 100		1486 x 376 x 100		1486 x 488 x 100	
Weight [kg]	3.19		5.29		5.84	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72111029.19M**	**72111029.19V**	**72111030.19M**	**72111030.19V**	**72111031.19M**	**72111031.19V**
Final installation [WU]	0.0					

Case stringer kit



- Consisting of 2 case stringers
- For installation between end-frame profiles, used for mounting or storing various pull-out components
- Load capacity: up to 45 kg


System width [mm]	-7		-8		-9	
Dimensions W x D x H [mm]	814 x 50 x 24		926 x 50 x 24		1038 x 50 x 24	
Weight [kg]	1.32		1.50		1.69	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103023.97M**	**72103023.97V**	**72103024.97M**	**72103024.97V**	**72103025.97M**	**72103025.97V**
Final installation [WU]	0.0					

System width [mm]	-10		-11	
Dimensions W x D x H [mm]	1150 x 50 x 24		1262 x 50 x 24	
Weight [kg]	2.28		2.52	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103026.97M**	**72103026.97V**	**72103027.97M**	**72103027.97V**
Final installation [WU]	0.0			

System width [mm]	-12		-13	
Dimensions W x D x H [mm]	1374 x 50 x 24		1486 x 50 x 24	
Weight [kg]	2.73		2.97	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103028.97M**	**72103028.97V**	**72103029.97M**	**72103029.97V**
Final installation [WU]	0.0			

Central tie bars for case stringers


Case stringer central tie bar



- For installation on the case stringers
- Fixing the central tie bar onto the case stringers creates case support beams
- Central tie bars for case stringers can be screwed in increments of 112 mm

System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	30 x 376 x 50		30 x 488 x 50	
Weight [kg]	0.38		0.46	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103030.19M**	**72103030.19V**	**72103031.19M**	**72103031.19V**
Final installation [WU]	0.0			

Case stringer for L-Profile set



- For installation on the L-Profile set
- By connecting the central tie bar for case stringers to the L-Profile set, the case systems, varioCase, varioSlide, varioCart, service case sliding shelves, Systainer³ and Systainer³ Organizer can be held in place
- Central tie bars for case stringers can be screwed in increments of 112 mm

System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	30 x 376 x 50		30 x 488 x 50	
Weight [kg]	0.45		0.55	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103037.19M**	**72103037.19V**	**72103038.19M**	**72103038.19V**
Final installation [WU]	0.0			

Central tie bars for case stringers

3


Adapter case stringers



- For installation between the case stringers
- When the adapter is installed, the case stringers can be screwed directly to the profile-end frame

System depth [mm]	/2		/3		/4	
Dimensions W x D x H [mm]	25 x 264 x 20		25 x 376 x 20		25 x 488 x 20	
Weight [kg]	0.13		0.19		0.29	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72103022.51M**	**72103022.51V**	**72103015.51M**	**72103015.51V**	**72103016.51M**	**72103016.51V**
Final installation [WU]	0.0					

Service case sliding shelf



- Service case sliding shelf for Systainer, varioCase and Systainer Organizer
- Cases from other suppliers can be positioned on the shelf surface using the fixing system
- Full extension slide - load capacity 25 kg for safe cover opening with all case types
- Optional blanking panel inlay for facing the shelf centre area and lock for locking

System width [mm]	-4			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	478 x 376 x 55		478 x 488 x 55	
Weight [kg]	1.60		1.75	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70561001.19M**	**70561001.19V**	**70561002.19M**	**70561002.19V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	590 x 376 x 55		590 x 488 x 55	
Weight [kg]	1.75		1.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**70561003.19M**	**70561003.19V**	**70561004.19M**	**70561004.19V**
Final installation [WU]	0.0			


Blanking panel inlay



- For installation in the centre area of the service case sliding shelf to close this area
- Suitable for service case sliding shelf -4/ 3, -4/ 4, -5/ 3, -5/ 4
- Material: Plastic PP
- RAL 7035 light grey

Dimensions W x D x H [mm]	236 x 253 x 4	
Weight [kg]	0.09	
Assembled/packed	Assembled	Packed
Order ref.	**71207001.95M**	**71207001.95V**
Final installation [WU]	0.0	


Service case sliding shelf lock



- For installation in a sliding shelf
- Comprising a lever lock cylinder, stator, cam and circlip
- Incl. 2 keys

Version	For sliding shelf	
Weight [kg]	0.02	
Assembled/packed	Assembled	Packed
Order ref.	**72602001.51M**	**72602001.51V**
Final installation [WU]	0.0	


Fixing kit



- Suitable for bott service case sliding shelf
- 4 pieces
- Material: Plastic PP
- Incl. 4x screws
- RAL 7016 anthracite grey

Dimensions W x D x H [mm]	16 x 16 x 18
Weight [kg]	0.02
Order ref.	**63510128.19V**
Final installation [WU]	0.0

Milwaukee Packout sliding shelf adaptor




- Adapter set for shelf for the secure stowing of Milwaukee PACKOUT™
- Painted steel

Dimensions W x D x H [mm]	142 x 390 x 50	
Weight [kg]	0.85	
Assembled/packed	Packed	Assembled
Order ref.	**72103053.19V**	**72103053.19M**
Final installation [WU]	0.0	

3

Worktop variable




- Worktops made of beech multiplex, panel thickness 20 mm
- Aluminium support bracket for side connection of the worktop to an end-frame
- Support bracket in the depths 3, 4, 5

System width [mm]	200 - 1250 x 376 x 20		1251 - 2500 x 376 x 20	
System depth [mm]	/3			
Weight [kg]	7.40		14.70	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201052.08M**	**71201052.08V**	**71201049.08M**	**71201049.08V**
Final installation [WU]	0.0			

System width [mm]	200 - 1250 x 488 x 20		1251 - 2500 x 488 x 20	
System depth [mm]	/4			
Weight [kg]	9.50		19.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201053.08M**	**71201053.08V**	**71201050.08M**	**71201050.08V**
Final installation [WU]	0.0			

System width [mm]	200 - 1250 x 600 x 20		1251 - 2500 x 600 x 20	
System depth [mm]	/5			
Weight [kg]	11.70		23.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201054.08M**	**71201054.08V**	**71201051.08M**	**71201051.08V**
Final installation [WU]	0.0			

Worktop



- Worktops made of beech multiplex, panel thickness 20 mm
- In different widths
- Depths: 3, 4, 5, variable panel widths up to 2500 mm for all depths
- Aluminium support bracket for side connection of the worktop to an end-frame
- Support bracket in the depths 3, 4, 5

System width [mm]	-4			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	508 x 381 x 20		508 x 493 x 20	
Weight [kg]	3.00		3.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201019.08M**	**71201019.08V**	**71201029.08M**	**71201029.08V**
Final installation [WU]	0.0			

System width [mm]	-5			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	620 x 381 x 20		620 x 493 x 20	
Weight [kg]	3.70		4.80	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201020.08M**	**71201020.08V**	**71201030.08M**	**71201030.08V**
Final installation [WU]	0.0			

System width [mm]	-7			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	844 x 381 x 20		844 x 493 x 20	
Weight [kg]	5.00		6.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201022.08M**	**71201022.08V**	**71201032.08M**	**71201032.08V**
Final installation [WU]	0.0			

System width [mm]	-8			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	956 x 381 x 20		956 x 493 x 20	
Weight [kg]	5.70		7.30	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201023.08M**	**71201023.08V**	**71201033.08M**	**71201033.08V**
Final installation [WU]	0.0			

System width [mm]	-9			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1068 x 381 x 20		1068 x 493 x 20	
Weight [kg]	6.30		8.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201024.08M**	**71201024.08V**	**71201034.08M**	**71201034.08V**
Final installation [WU]	0.0			

System width [mm]	-10			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1180 x 381 x 20		1180 x 493 x 20	
Weight [kg]	7.00		9.00	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201025.08M**	**71201025.08V**	**71201035.08M**	**71201035.08V**
Final installation [WU]	0.0			

System width [mm]	-11			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1292 x 381 x 20		1262 x 488 x 20	
Weight [kg]	7.60		9.90	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201026.08M**	**71201026.08V**	**71201036.08M**	**71201036.08V**
Final installation [WU]	0.0			

System width [mm]	-12			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1404 x 381 x 20		1404 x 493 x 20	
Weight [kg]	8.30		10.70	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201027.08M**	**71201027.08V**	**71201037.08M**	**71201037.08V**
Final installation [WU]	0.0			

System width [mm]	-13			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1516 x 381 x 20		1516 x 493 x 20	
Weight [kg]	8.90		11.60	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201028.08M**	**71201028.08V**	**71201038.08M**	**71201038.08V**
Final installation [WU]	0.0			

System width [mm]	-14			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	1628 x 381 x 20		1628 x 493 x 20	
Weight [kg]	9.60		12.50	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71201060.08M**	**71201060.08V**	**71201061.08M**	**71201061.08V**
Final installation [WU]	0.0			

Swivel-out desk



- For installation between 2 L-Profiles
- Can be swivelled forward out of the shelf, suitable for system width 11 to 13 and for system depth /2 and 3
- Material: Chipboard in accordance with EN309/EN312 Top side/ underside: melamine-coated according to DIN 68765 Edges: 2 mm all-round ABS light grey 2 mm R2 Colour: light grey Coating characteristics: normal abrasion resistance; moderately scratch- and impact-resistant, insensitive to staining by Group 1 and 2 substances in accordance with DIN 53799 (e.g. acetone, alcohol, white spirit, nail polish remover, organic solvents) Fire resistance class: D-s2, d0 as per EN 13986 (previously: B2), Emission class: E1 (E05)

Dimensions W x D x H [mm]	1068 x 370 x 20	
Weight [kg]	6.60	
Assembled/packed	Assembled	Packed
Order ref.	**71220045.01M**	**71220045.01V**
Final installation [WU]	0.0	

Pull-out writing surface



- For installation between SLF and SLF C
- Floor area 350x340 mm / 462x340 mm
- Operation through "push function" and defined intervention in the worktop, stop position in extended state
- All system components can be installed directly above and below
- Overall height 25mm
- Lock in inserted state through magnet holder with push function, thus secure locking during transport
- Desk panel with smooth surface (possible to write on a single sheet of paper with a ballpoint pen)

System width [mm]	-4		-5		-7	
System depth [mm]	/4					
Dimensions W x D x H [mm]	478 x 488 x 24		590 x 488 x 24		814 x 488 x 24	
Weight [kg]	4.36		5.32		6.52	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72120001.19M**	**72120001.19V**	**72120002.19M**	**72120002.19V**	**72120003.19M**	**72120003.19V**
Final installation [WU]	0.0	1.0	0.0	1.0	0.0	1.0

Pull-out writing surface

System width [mm]	-8		-9	
System depth [mm]	/4			
Dimensions W x D x H [mm]	926 x 488 x 24		1038 x 488 x 24	
Weight [kg]	6.93		7.73	
Assembled/packed	Packed	Assembled		Packed
Order ref.	**72120004.19V**	**72120004.19M**	**72120005.19M**	**72120005.19V**
Final installation [WU]	1.0	0.0		1.0


Pull-out writing surface - Rotated installation



- For installation between two SLF
- Base area 350x340 mm / 462x340 mm
- Push to open, then pull out. Detent holds worktop open once fully extended
- Can be installed directly above or below other system components
- Overall height 25 mm
- Magnet used to secure writing surface in closed position during transport
- Desk panel with smooth surface (possible to write on a single sheet of paper with a ballpoint pen)
- 90° and 180° rotated installation possible

System width [mm]	-4					
System depth [mm]	/5		/7		/9	
Dimensions W x D x H [mm]	478 x 600 x 24		478 x 824 x 24		478 x 1048 x 24	
Weight [kg]	4.91		6.06		6.95	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72120006.19M**	**72120006.19V**	**72120007.19M**	**72120007.19V**	**72120008.19M**	**72120008.19V**
Final installation [WU]	0.0	1.0	0.0	1.0	0.0	1.0


Support bracket for worktop



- Natural aluminium
- Height 24 mm
- Width 30 mm

System depth [mm]	/3		/4		/5	
Dimensions W x D x H [mm]	30 x 376 x 23		30 x 488 x 23		30 x 600 x 23	
Weight [kg]	0.40		0.54		0.65	
Pack of	2					
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73502001.51M**	**73502001.51V**	**73502002.51M**	**73502002.51V**	**73502003.51M**	**73502003.51V**
Final installation [WU]	0.0					

Worktop upstand



- Worktop upstand made of beech multiplex
- Worktop upstand in different widths
- Lateral worktop upstand only available in length but can be used for all system depths

Version	Rear					
System width [mm]	-4		-5		-7	
Dimensions W x D x H [mm]	508 x 20 x 30		620 x 20 x 30		844 x 20 x 30	
Weight [kg]	0.21		0.25		0.35	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71203003.08M**	**71203003.08V**	**71203004.08M**	**71203004.08V**	**71203005.08M**	**71203005.08V**
Final installation [WU]	0.0					

Worktops

Version	Rear					
System width [mm]	-8		-9		-10	
Dimensions W x D x H [mm]	956 x 20 x 30		1068 x 20 x 30		1180 x 20 x 30	
Weight [kg]	0.38		0.43		0.48	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71203006.08M**	**71203006.08V**	**71203007.08M**	**71203007.08V**	**71203008.08M**	**71203008.08V**
Final installation [WU]	0.0					

Version	Rear					
System width [mm]	-11		-12		-13	
Dimensions W x D x H [mm]	1292 x 20 x 30		1404 x 20 x 30		1486 x 20 x 30	
Weight [kg]	0.52		0.57		0.60	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71203009.08M**	**71203009.08V**	**71203010.08M**	**71203010.08V**	**71203001.08M**	**71203001.08V**
Final installation [WU]	0.0					

Version	at the side	
System depth [mm]	/3	/3
Dimensions W x D x H [mm]	20 x 376 x 30	
Weight [kg]	0.13	
Assembled/packed	Assembled	Packed
Order ref.	**71203002.08M**	**71203002.08V**
Final installation [WU]	0.0	

Long item storage incl. brackets and end caps




- Sturdy, thick-walled plastic pipe with 110 mm diameter for storing long parts
- Incl. locking cap with easy-to-operate bayonet lock and fixed end cap on the opposite side
- Can be installed either using pipe clamps in the T-slot of the SLF-profiles or universally
- Pipe lengths – 800 mm (only variant with pipe clamps) / 2100 mm / 3100 mm
- Load capacity of the long item storages 20 kg

Version	L 800 mm, 2 brackets and end caps		L 2100 mm, 2 brackets and end caps		L 3100 mm, 3 brackets and end caps
Ø [mm]	110				
Length [mm]	800		2100		3100
Weight [kg]	2.69		5.95		8.54
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**72107001.19M**	**72107001.19V**	**72107002.19M**	**72107002.19V**	**72107003.19V**
Final installation [WU]	0.0				

Version	2 Brackets and end caps – variable up to 800 mm		2 Brackets and end caps – variable up to 2100 mm		3 Brackets and end caps – variable up to 3100 mm
Ø [mm]	110				
Weight [kg]	2.78		6.05		6.30
Assembled/packed	Assembled	Packed	Assembled	Packed	
Order ref.	**72107020.19M**	**72107020.19V**	**72107021.19M**	**72107021.19V**	**72107022.19V**
Final installation [WU]	0.0				


Bracket for long item storage



- For installation between the end frame profiles
- For mounting and fixing the long item storage
- Natural aluminium

System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	24 x 264 x 132		24 x 376 x 132	
Weight [kg]	0.29		0.34	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107009.98M**	**72107009.98V**	**72107010.98M**	**72107010.98V**
Final installation [WU]	0.0			


Long item storage with end caps



- Sturdy, thick-walled plastic pipe with 110 mm diameter for storing long parts
- Incl. locking cap with easy-to-operate bayonet lock and fixed end cap on the opposite end
- Pipe lengths 2100 mm / 3100 mm
- Load capacity of the long item storages 20 kg

Version	With lock		
Ø [mm]	110		
Length [mm]	2100		3100
Weight [kg]	5.57		8.35
Assembled/packed	Assembled	Packed	
Order ref.	**72107004.19M**	**72107004.19V**	**72107005.19V**
Final installation [WU]	0.0		2.0

Modular panel for tool storage



- For producing the pipe opening for tool storage in the end-frame
- Modular panels made of anodised aluminium for insertion between the SLF profiles of the end-frames
- Can be installed on the right or left module side as required
- The outlet heights of the tubes can be changed by rotating the modular panels through 180°
- Overall height 200 mm
- Incl. SLF support struts for connection to the adjacent SLF panel
- 2 Depths: 264/2 376/3

Version	1x Ø 75 mm		3x Ø 75 mm	
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1 x 264 x 186		1 x 376 x 186	
Weight [kg]	0.19		0.36	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107015.19M**	**72107015.19V**	**72107016.19M**	**72107016.19V**
Final installation [WU]	0.0			

Retrieval system for long item storage



- For optional use in the pipe for long item storage
- By pulling on a cord connected to an internal sliding disc, parts can be easily retrieved
- During transport, parts can be clamped against the locking cover and thus be secured
- Excess cord can be wrapped around the locking cap and secured
- The outlet heights of the tubes can be changed by rotating the modular panels through 180°

Version	For long item storage Ø 110 mm
Weight [kg]	0.29
Assembled/packed	Packed
Order ref.	**72107017.90V**
Final installation [WU]	1.0

Tool storage with 2 holders




- Sturdy, thick-walled plastic pipe with 75 mm diameter for storage of shovel, broom, hydrant key etc.
- Can be installed either using pipe clamps in the T-slot of the SLF-profiles or universally
- 2 pipe lengths – 800 mm / 2100 mm
- Load capacity of the tool storages 20 kg

Version	2 Brackets			
Ø [mm]	75			
Length [mm]	800		2100	
Weight [kg]	1.06		2.02	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107006.19M**	**72107006.19V**	**72107007.19M**	**72107007.19V**
Final installation [WU]	0.0			

Version	2 support strut fixing brackets – variable up to 800 mm		2 support strut fixing brackets – variable up to 2100 mm	
Ø [mm]	75			
Weight [kg]	1.15		2.11	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107018.19M**	**72107018.19V**	**72107019.19M**	**72107019.19V**
Final installation [WU]	0.0			


Bracket for tool storage



- For installation between the end-frame profiles
- For mounting and fixing the tool storage
- Natural aluminium

Version	1x Ø 75 mm		3x Ø 75 mm	
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	24 x 264 x 98		24 x 376 x 98	
Weight [kg]	0.24		0.29	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107011.98M**	**72107011.98V**	**72107012.98M**	**72107012.98V**
Final installation [WU]	0.0			


Plastic pipe



- Sturdy, thick-walled plastic pipe with 75 mm diameter for long item storage
- Pipe length 2100 mm
- Load capacity of the tool storages 20 kg

Ø [mm]	75	
Length [mm]	2100	
Weight [kg]	1.63	
Assembled/packed	Assembled	Packed
Order ref.	**72107008.19M**	**72107008.19V**
Final installation [WU]	0.0	

Modular panel for long item storage



- For producing the pipe opening for tool storage in the end-frame
- Modular panels made of anodised aluminium for insertion between the SLF profiles of the end-frames
- Can be installed on the right or left module side as required
- The outlet heights of the tubes can be changed by rotating the modular panels through 180°
- Overall height 200 mm
- Incl. SLF support struts for connection to the adjacent SLF panel
- 2 Depths 264/2 376/3

Version	2x Ø 110 mm		3x Ø 110 mm	
System depth [mm]	/2		/3	
Dimensions W x D x H [mm]	1 x 264 x 186		1 x 376 x 186	
Weight [kg]	0.18		0.36	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72107013.19M**	**72107013.19V**	**72107014.19M**	**72107014.19V**
Final installation [WU]	0.0			

bott vario3 aufklappbare Schreibplatte



- To provide a temporary ergonomic writing surface in the load compartment of a stationary van
- With lateral bumper to protect passengers from injury. Must be installed while driving
- Including expert opinion from TÜV Süd pursuant to ECE R21
- Can be adjusted lengthwise when folded out to facilitate passengers to easily get in and out of the vehicle

Dimensions W x D x H [mm]	628 x 102 x 1485
Weight [kg]	28.00
Order ref.	**73508051.19V**
Final installation [WU]	12.0

Rear panel for Mobilbox




- Rear panel for Mobilbox
- Aluminium anodised

System width [mm]	-5	
System height [mm]	500	700
Dimensions W x D x H [mm]	586 x 25 x 481	586 x 25 x 681
Weight [kg]	1.25	1.75
Order ref.	**73503039.19M**	**73503038.19M**
Final installation [WU]	0.0	

System width [mm]	-7	
System height [mm]	500	700
Dimensions W x D x H [mm]	810 x 25 x 481	810 x 25 x 681
Weight [kg]	1.75	2.45
Order ref.	**73503037.19M**	**73503036.19M**
Final installation [WU]	0.0	

System width [mm]	-8		
System height [mm]	400	500	700
Dimensions W x D x H [mm]	922 x 25 x 396	922 x 25 x 481	922 x 25 x 681
Weight [kg]	1.60	1.95	2.70
Order ref.	**73503033.19M**	**73503035.19M**	**73503034.19M**
Final installation [WU]	0.0		


Floor attachment for glass frail



- For the installation of a vertical SLF profile in the floor rail
- The free-mounted pivot point enables flexible realisation of the required tilt angle
- Powder-coated sheet steel
- Kit incl. assembly fixing

Dimensions W x D x H [mm]	50 x 190 x 100
Weight [kg]	0.40
Assembled/packed	Packed
Order ref.	**73512001.19V**
Final installation [WU]	1.0


Floor attachment with boom for glass frail



- For the installation of a vertical SLF profile in the floor rail, with an additional SLF as horizontal overhead arm for setting down the goods to be transported
- The free-mounted pivot point enables flexible realisation of the required tilt angle
- Powder-coated sheet steel
- Kit incl. assembly fixing and adjustable foot

Dimensions W x D x H [mm]	50 x 253 x 100
Weight [kg]	0.66
Assembled/packed	Packed
Order ref.	**73512002.19V**
Final installation [WU]	1.0

Lashing rail holder for glass frail



- For the installation of a bott lashing rail on the vertical SLF profile
- The free-mounted pivot point enables flexible realisation of the required tilt angle
- Powder-coated sheet steel
- Kit incl. assembly fixing

Dimensions W x D x H [mm]	86 x 58 x 100
Weight [kg]	0.20
Assembled/packed	Packed
Order ref.	**73512003.19V**
Final installation [WU]	0.5


Shelf bracket for glass frail



- For installation of a long item top tray depth 2 behind the vertical SLF profile
- The free-mounted pivot point enables flexible realisation of the required tilt angle
- Powder-coated sheet steel
- Kit incl. assembly fixing

Dimensions W x D x H [mm]	47 x 268 x 79
Weight [kg]	0.40
Assembled/packed	Packed
Order ref.	**73512004.19V**
Final installation [WU]	1.0

Case holder -4 for glass frail



- Makes the mounting of systainer³, varioCase cases, varioSlide drawers or varioCart wire baskets between the vertical SLF profiles possible
- Powder-coated sheet steel
- Kit incl. assembly fixing

System width [mm]	-4	-5
Dimensions W x D x H [mm]	418 x 345 x 100	530 x 345 x 100
Weight [kg]	0.90	0.95
Order ref.	**73512005.19V**	**73512006.19V**
Final installation [WU]	1.0	

Fixing bracket for glass frail



- Is required for the installation of a long item or tool carrier on the glass rack
- Powder-coated sheet steel
- Pack of 6
- Kit incl. assembly fixing

Dimensions W x D x H [mm]	27 x 30 x 40
Weight [kg]	0.24
Pack of	6
Assembled/packed	Packed
Order ref.	**73512007.19V**
Final installation [WU]	0.5

04 bott vario3

bottBoxes and service cases



bottBoxes | Systainer³ | Systainer³ Organizer | Systainer³ Toolbox | varioCase

4

bottBox multi-packs



- Sturdy, durable shelf box made of polypropylene
- Easy to clean thanks to smooth inner sides
- bottBoxes of the same width are stackable
- Removable label clip for inserting a paper strip (H = 16 mm)
- Optional label clips in 3 further colours available for colour coding
- Ergonomic recessed grip at the front
- Additional grip at the back from size M3
- Strip at the back for suspension on louvred panels
- Integrated label holder (bank card format) located on the back from size M2
- Colour: anthracite grey (RAL 7016)



Version	M1	M2	M3	M4
Dimensions W x D x H [mm]	130 x 100 x 65	130 x 198 x 90	130 x 298 x 165	130 x 398 x 165
Weight [kg]	4.03	7.16	9.65	6.36
Pack of	48	36	24	12
Order ref.	**13022045.19**	**13022046.19**	**13022047.19**	**13022049.19**



Version	L3	L4	L5
Dimensions W x D x H [mm]	264 x 298 x 165	264 x 398 x 165	264 x 498 x 165
Weight [kg]	7.19	4.32	5.36
Pack of	12	6	6
Order ref.	**13022048.19**	**13022050.19**	**13022052.19**







Version	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	7.68	5.40	6.84
Pack of	24	12	12
Order ref.	**13022163.19**	**13022164.19**	**13022166.19**





Version	L3X	L4X
Dimensions W x D x H [mm]	264 x 339 x 165	264 x 451 x 165
Weight [kg]	3.96	4.98
Pack of	6	6
Order ref.	**13022165.19**	**13022167.19**

4

bottBox



- Sturdy, durable shelf box made of polypropylene
- Easy to clean thanks to smooth inner sides
- bottBoxes of the same width are stackable
- Removable label clip for inserting a paper strip (H = 16 mm)
- Optional label clips in 3 further colours available for colour coding
- Ergonomic recessed grip at the front
- Additional grip at the back from size M3
- Strip at the back for suspension in louvred panels
- Integrated label holder (bank card format) located on the back from size M2
- Colour: anthracite grey (RAL 7016)



Version	M1	M2	M3	M4
Dimensions W x D x H [mm]	130 x 100 x 65	130 x 198 x 90	130 x 298 x 165	130 x 398 x 165
Weight [kg]	0.09	0.20	0.45	0.53
Pack of	1	1	1	1
Order ref.	**13022010.19**	**13022011.19**	**13022012.19**	**13022014.19**



Version	L3	L4	L5
Dimensions W x D x H [mm]	264 x 298 x 165	264 x 398 x 165	264 x 498 x 165
Weight [kg]	0.60	0.72	0.89
Pack of	1	1	1
Order ref.	**13022013.19**	**13022015.19**	**13022017.19**





Version	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	0.32	0.45	0.57
Pack of	1	1	1
Order ref.	**13022158.19**	**13022159.19**	**13022161.19**





Version	L2X	L3X	L4X
Dimensions W x D x H [mm]	264 x 227 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	0.54	0.66	0.83
Pack of	1	1	1
Order ref.	**13022201.19**	**13022160.19**	**13022162.19**

4

bottBox ESD



- Sturdy, durable shelf box made of polypropylene
- Easy to clean thanks to smooth inner sides
- bottBoxes of the same width are stackable
- Removable label clip for inserting a paper strip (H = 16 mm)
- Optional label clips in 3 further colours available for colour coding
- Ergonomic recessed grip at the front
- Additional grip at the back from size M3
- Strip at the back for suspension in louvred panels
- Integrated label holder (bank card format) located on the back from size M2
- Colour: ESD version black





Version	M1	M2	M3
Dimensions W x D x H [mm]	130 x 100 x 65	130 x 198 x 90	130 x 298 x 165
Weight [kg]	0.09	0.22	0.45
Pack of	1	1	1
Order ref.	**13022010.72**	**13022011.72**	**13022012.72**





Version	M1	M2	M3
Dimensions W x D x H [mm]	130 x 100 x 65	130 x 198 x 90	130 x 298 x 165
Weight [kg]	4.51	8.06	10.85
Pack of	48	36	24
Order ref.	**13022045.72**	**13022046.72**	**13022047.72**

bottBox with window multi-packs



- Sturdy, durable plastic bin made of polypropylene
- Incl. transparent viewing window, thus turning the grab box into a storage box with the maximum amount of usable storage volume
- The viewing window may also be used to create a hopper, making ergonomic access in the front area of the box and maximum usable volume at the rear of the bottBox possible
- Easy to clean thanks to smooth inner sides
- bottBoxes of the same width are stackable
- Removable label clip for inserting a paper strip (H = 16 mm)
- Optional label clips in 3 further colours available for colour coding
- Ergonomic recessed grip at the front
- Additional grip at the back from size M3
- Strip at the back for suspension in louvred panels
- Integrated label holder (bank card format) located on the back from size M2
- Colour: anthracite grey (RAL 7016)







Version	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	8.16	5.64	7.20
Pack of	24	12	12
Order ref.	**13022173.19**	**13022174.19**	**13022176.19**





Version	L3X	L4X
Dimensions W x D x H [mm]	264 x 339 x 165	264 x 451 x 165
Weight [kg]	4.26	5.28
Pack of	6	6
Order ref.	**13022175.19**	**13022177.19**

4

bottBox with window



- Sturdy, durable plastic bin made of polypropylene
- Incl. transparent viewing window, thus turning the grab box into a storage box with the maximum amount of usable storage volume
- The viewing window may also be used to create a hopper, making ergonomic access in the front area of the box and maximum usable volume at the rear of the bottBox possible
- Easy to clean thanks to smooth inner sides
- bottBoxes of the same width are stackable
- Removable label clip for inserting a paper strip (H = 16 mm)
- Optional label clips in 3 further colours available for colour coding
- Ergonomic recessed grip at the front
- Additional grip at the back from size M3
- Strip at the back for suspension in louvred panels
- Integrated label holder (bank card format) located on the back from size M2
- Colour: anthracite grey (RAL 7016)






Version	M1	M2	M3	M4
Dimensions W x D x H [mm]	130 x 100 x 65	130 x 198 x 90	130 x 298 x 165	130 x 398 x 165
Weight [kg]	0.09	0.21	0.43	0.60
Order ref.	**13022037.19**	**13022038.19**	**13022039.19**	**13022041.19**




Version	L3	L5
Dimensions W x D x H [mm]	264 x 298 x 165	264 x 498 x 165
Weight [kg]	0.67	0.96
Pack of	1	1
Order ref.	**13022040.19**	**13022044.19**






Version	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	0.34	0.47	0.60
Pack of	1	1	1
Order ref.	**13022168.19**	**13022169.19**	**13022171.19**





Version	L2X	L3X	L4X
Dimensions W x D x H [mm]	264 x 227 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	0.47	0.71	0.88
Pack of	1	1	1
Order ref.	**13022202.19**	**13022170.19**	**13022172.19**


bottBox cross dividers



- For dividing the bottBoxes crossways from size M2
- Transparent polycarbonate (PC) makes it easier to see the contents of the rear part of the box
- Colour: transparent
- Pack of 6

For use with bottBox	M2	M2X, M3, M3X, M4, M4X	L3, L3X, L4, L4X, L5
Dimensions W x D x H [mm]	118 x 6 x 68	118 x 6 x 143	252 x 6 x 143
Weight [kg]	0.07	0.28	0.70
Pack of	6	6	6
Order ref.	**13022031**	**13022032**	**13022033**


bottBox viewing window



- For insertion on the front of the bottBox
- Turns the shelf box into a full-grade storage box with maximum usable storage volume
- Transparent polycarbonate (PC) makes it easier to see the contents of the box
- From size M2, the viewing window may also be used as a dispensing panel, thereby creating ergonomic access in the front area whilst retaining the maximum usable volume in the rear area
- Colour: transparent
- Pack of 6

For use with bottBox	M1, M2	M2X, M3, M3X, M4, M4X	L3, L3X, L4, L4X, L5
Dimensions W x D x H [mm]	118 x 12 x 27	118 x 12 x 88	252 x 12 x 88
Weight [kg]	0.06	0.19	0.40
Pack of	6	6	6
Order ref.	**13022028**	**13022029**	**13022030**

bottBox hinged lid



- For closing up bottBoxes
- Material: PC (Polycarbonate) / Colour: transparent

For use with bottBox	M3	M2
Dimensions W x D x H [mm]	117 x 276 x 4	117 x 192 x 4
Weight [kg]	0.54	0.36
Pack of	6	6
Order ref.	**13022185**	**13022184**

For use with bottBox	L3	L4	L5
Dimensions W x D x H [mm]	253 x 274 x 4	253 x 374 x 4	253 x 474 x 4
Weight [kg]	1.27	1.70	2.12
Pack of	6	6	6
Order ref.	**13022034**	**13022035**	**13022036**

bottBox labelling kit




- Document templates for sheets of labels are available free of charge at www.bott.de/downloads

Version	Labelling strips, pack of 36 (18 x 103 mm, 18x 236 mm)	Labelling strips 10 sheets DIN A4 landscape format, 12 strips per sheet, height 16 mm
Weight [kg]	0.06	0.10
Order ref.	**61020003**	**43020001**

4

bottBox label clip



- For colour coding the bottBoxes
- With groove for insertion of a paper strip (H = 16 mm)
- For clipping onto the bottBox body






For use with bottBox	M1, M2, M2X, M3, M3X, M4, M4X	M1, M2, M2X, M3, M3X, M4, M4X	M1, M2, M2X, M3, M3X, M4, M4X
Colour RAL	RAL 1023	RAL 5010	RAL 3001
Colour	Traffic yellow	Gentian blue	Signal red
Dimensions W x D x H [mm]	103 x 11 x 20	103 x 11 x 20	103 x 11 x 20
Weight [kg]	0.14	0.14	0.14
Pack of	36	36	36
Order ref.	**13022024.12**	**13022024.11**	**13022024.04**





For use with bottBox	L3, L3X, L4, L4X, L5	L3, L3X, L4, L4X, L5	L3, L3X, L4, L4X, L5
Colour RAL	RAL 1023	RAL 5010	RAL 3001
Colour	Traffic yellow	Gentian blue	Signal red
Dimensions W x D x H [mm]	237 x 11 x 20	237 x 11 x 20	237 x 11 x 20
Weight [kg]	0.36	0.36	0.36
Pack of	36	36	36
Order ref.	**13022026.12**	**13022026.11**	**13022026.04**

bottBox label clip



- For colour coding the bottBoxes
- With groove for insertion of a paper strip (H = 16 mm)
- For clipping onto the bottBox body





For use with bottBox	M1, M2, M2X, M3, M3X, M4, M4X	L3, L3X, L4, L4X, L5
Colour RAL	1023/5010/3001	1023/5010/3001
Colour	Traffic yellow/Gentian blue/Signal red	Traffic yellow/Gentian blue/Signal red
Dimensions W x D x H [mm]	103 x 11 x 20	237 x 11 x 20
Weight [kg]	0.14	0.36
Pack of	36	36
Order ref.	**13022025**	**13022027**

Aluminium transport cases



- Load capacity: 35 kg per handle
- Large-sized handles
- Snap lock for attaching padlocks
- Lid with stacking corners with guards
- Lid with rubber sealing profile on all sides
- Compatible with europallets





External dimensions [mm]	585 x 385 x 250	585 x 385 x 410
Internal dimensions [mm]	550 x 350 x 220	550 x 350 x 380
Weight [kg]	4.28	5.04
Volume [l]	42	73
Pack of	1	1
Order ref.	**02501001**	**02501002**







External dimensions [mm]	785 x 385 x 340	785 x 585 x 410	785 x 585 x 610
Internal dimensions [mm]	750 x 350 x 310	750 x 550 x 380	750 x 550 x 580
Weight [kg]	5.80	7.70	9.12
Volume [l]	81	156	239
Pack of	1	1	1
Order ref.	**02501003**	**02501004**	**02501005**

Euroboxes



- Resistant to numerous acids and alkalis
- Temperature resistance -20 °C to +60 °C, for a short time also up to +90 °C
- Material: Polypropylene
- Colour: anthracite grey





Width [mm]	200	400	400
Depth [mm]	300	300	300
Height [mm]	120	120	175
Weight [kg]	0.42	0.69	0.95
Pack of	1	1	1
Order ref.	**62510019.19V**	**62510013.19V**	**62510020.19V**





Width [mm]	400	400	600
Depth [mm]	300	300	400
Height [mm]	235	320	120
Weight [kg]	1.15	1.59	1.17
Pack of	1	1	1
Order ref.	**62510014.19V**	**62510015.19V**	**62510016.19V**

Euroboxes






Width [mm]	600	600
Depth [mm]	400	400
Height [mm]	175	220
Weight [kg]	1.46	1.67
Pack of	1	1
Order ref.	**62510021.19V**	**62510017.19V**






Width [mm]	600	1200
Depth [mm]	400	400
Height [mm]	320	171
Weight [kg]	2.52	3.60
Pack of	1	
Order ref.	**62510018.19V**	**62510036.**

Eurobox lids



- Resistant to numerous acids and alkalis
- Temperature resistance -20 °C to +60 °C, short-term up to +90 °C
- Material: polypropylene
- Colour: anthracite grey









Width [mm]	400	400	600	600
Depth [mm]	300	300	400	400
Height [mm]	27	27	27	27
Weight [kg]	0.39	1.17	0.76	2.28
Pack of	1	3	1	3
Order ref.	**12204066**	**12204064**	**12204067**	**12204065**

Systainer³ M empty case for custom configuration



- Practical and sturdy system case for the secure storage and transport of power tools, hand tools, small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ M 112	Systainer³ M 137	Systainer³ M 187
Version	Carry handle	Carry handle	Carry handle
Assembly	Empty	Empty	Empty
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 137	396 x 296 x 187
Weight [kg]	1.46	1.56	1.72
Order ref.	**72520003.19V**	**72520004.19V**	**72520005.19V**





Description	Systainer³ M 237	Systainer³ M 337	Systainer³ M 437
Version	Moulded finger grip	Moulded finger grip	Moulded finger grip
Assembly	Empty	Empty	Empty
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 337	396 x 296 x 437
Weight [kg]	1.96	2.46	2.98
Order ref.	**72520006.19V**	**72520007.19V**	**72520008.19V**

Systainer³ M 112 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Weight [kg]	1.40	1.40	1.40
Order ref.	**83000001**	**83000018**	**83000237**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Weight [kg]	1.40	1.40	1.40
Order ref.	**83000238**	**83000239**	**83000240**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Weight [kg]	1.40	1.40	1.40
Order ref.	**83000241**	**83000242**	**83000243**

Systainer³ M 137 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Weight [kg]	1.50	1.50	1.50
Order ref.	**83000002**	**83000019**	**83000244**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Weight [kg]	1.50	1.50	1.50
Order ref.	**83000245**	**83000246**	**83000247**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Weight [kg]	1.50	1.50	1.50
Order ref.	**83000248**	**83000249**	**83000251**

Systainer³ M 187 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Weight [kg]	1.69	1.69	1.69
Order ref.	**83000003**	**83000020**	**83000252**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Weight [kg]	1.69	1.69	1.69
Order ref.	**83000253**	**83000254**	**83000255**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Weight [kg]	1.69	1.69	1.69
Order ref.	**83000256**	**83000257**	**83000259**

Systainer³ M 237 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Weight [kg]	1.89	1.89	1.89
Order ref.	**83000004**	**83000021**	**83000260**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Weight [kg]	1.89	1.89	1.89
Order ref.	**83000261**	**83000262**	**83000263**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Weight [kg]	1.89	1.89	1.89
Order ref.	**83000264**	**83000265**	**83000267**

Systainer³ M 337 empty case colours



Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Weight [kg]	2.35	2.35	2.35
Order ref.	**83000005**	**83000022**	**83000250**



Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Weight [kg]	2.35	2.35	2.35
Order ref.	**83000258**	**83000266**	**83000268**



Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Weight [kg]	2.35	2.35	2.35
Order ref.	**83000269**	**83000270**	**83000271**

Systainer³ M 437 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Weight [kg]	2.89	2.89	2.89
Order ref.	**83000006**	**83000023**	**83000272**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Weight [kg]	2.89	2.89	2.89
Order ref.	**83000273**	**83000274**	**83000275**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Weight [kg]	2.89	2.89	2.89
Order ref.	**83000276**	**83000277**	**83000278**

Systainer³ M 112 empty case with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	128	128	128
Weight [kg]	1.40	1.40	1.40
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Order ref.	**83000001.DB**	**83000018.DB**	**83000237.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	128	128	128
Weight [kg]	1.40	1.40	1.40
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Order ref.	**83000238.DB**	**83000239.DB**	**83000240.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	128	128	128
Weight [kg]	1.40	1.40	1.40
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 112	396 x 296 x 112
Order ref.	**83000241.DB**	**83000242.DB**	**83000243.DB**

Systainer³ M 137 empty case with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	104	104	104
Weight [kg]	1.50	1.50	1.50
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Order ref.	**83000002.DB**	**83000019.DB**	**83000244.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	104	104	104
Weight [kg]	1.50	1.50	1.50
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Order ref.	**83000245.DB**	**83000246.DB**	**83000247.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	104	104	104
Weight [kg]	1.50	1.50	1.50
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 137	396 x 296 x 137
Order ref.	**83000248.DB**	**83000249.DB**	**83000251.DB**

Systainer³ M 187 empty case colours with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	72	72	72
Weight [kg]	1.69	1.69	1.69
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Order ref.	**83000003.DB**	**83000020.DB**	**83000252.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	72	72	72
Weight [kg]	1.69	1.69	1.69
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Order ref.	**83000253.DB**	**83000254.DB**	**83000255.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	72	72	72
Weight [kg]	1.69	1.69	1.69
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Order ref.	**83000256.DB**	**83000257.DB**	**83000259.DB**

Systainer³ M 237 empty case colours with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	56	56	56
Weight [kg]	1.89	1.89	1.89
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Order ref.	**83000004.DB**	**83000021.DB**	**83000260.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	56	56	56
Weight [kg]	1.89	1.89	1.89
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Order ref.	**83000261.DB**	**83000262.DB**	**83000263.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	56	56	56
Weight [kg]	1.89	1.89	1.89
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 237	396 x 296 x 237
Order ref.	**83000264.DB**	**83000265.DB**	**83000267.DB**

Systainer³ M 337 empty case colours with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	80	80	80
Weight [kg]	2.35	2.35	2.35
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Order ref.	**83000005.DB**	**83000022.DB**	**83000250.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	80	80	80
Weight [kg]	2.35	2.35	2.35
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Order ref.	**83000258.DB**	**83000266.DB**	**83000268.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	80	80	80
Weight [kg]	2.35	2.35	2.35
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 337	396 x 296 x 337
Order ref.	**83000269.DB**	**83000270.DB**	**83000271.DB**

Systainer³ M 437 empty case colours with company logo print





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour	Daffodil yellow RAL 1007, 1-colour
Pack of	64	64	64
Weight [kg]	2.89	2.89	2.89
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Order ref.	**83000006.DB**	**83000023.DB**	**83000272.DB**





Version	Deep orange RAL 2011, 1-colour	Carmine red RAL 3002, 1-colour	Sky blue RAL 5015, 1-coulour
Pack of	64	64	64
Weight [kg]	2.89	2.89	2.89
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Order ref.	**83000273.DB**	**83000274.DB**	**83000275.DB**





Version	Sapphire blue RAL 5003, 1-colour	Emerald green RAL 6001, 1-colour	Black RAL 9004, 1-colour
Pack of	64	64	64
Weight [kg]	2.89	2.89	2.89
Dimensions W x D x H [mm]	396 x 296 x 437	396 x 296 x 437	396 x 296 x 437
Order ref.	**83000276.DB**	**83000277.DB**	**83000278.DB**

4

Systainer³ M 112 with universal inlay



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with universal inlay with 10 differently sized compartments and lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS

Description	Systainer³ M 112
Version	Carry handle
Assembly	Universal inlay with 10 compartments
Dimensions W x D x H [mm]	396 x 296 x 112
Weight [kg]	1.70
Order ref.	**72520027.19V**

Systainer³ M 187 with boxes



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with 2 removable box trays with small parts storage boxes
- incl. EPP lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Case material: ABS
- Box tray material: powder-coated aluminium







Description	Systainer³ M 187	Systainer³ M 187	Systainer³ M 187
Version	Carry handle	Carry handle	Carry handle
Assembly	18 boxes	25 boxes	32 boxes
Dimensions W x D x H [mm]	396 x 296 x 187	396 x 296 x 187	396 x 296 x 187
Weight [kg]	3.58	3.66	3.78
Order ref.	**72520050.19V**	**72520058.19V**	**72520059.19V**

First Aid Systainer³ M 112



- Packed in accordance with DIN 13157 incl. divider kit and lid insert
- Body: anthracite grey RAL 7016, lid: anthracite grey RAL 7016 with green lid handle and logo printed in silver, T-LOC: anthracite grey RAL 7016 with green details
- Load capacity 20 kg

Dimensions W x D x H [mm]	396 x 296 x 112
Weight [kg]	2.27
Order ref.	**72520090.19V**

First aid refill kit according to DIN13157

Dimensions W x D x H [mm]	210 x 210 x 115
Weight [kg]	0.70
Order ref.	**73508080**
Final installation [WU]	0.0

Systainer³ M with compartment divider set



- Practical and sturdy system case for the secure storage and transport of hand tools, small parts and consumables
- Equipped with compartment divider set for the division of the case into up to 6 equally sized compartments
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ M 112	Systainer³ M 137	Systainer³ M 187
Version	Carry handle	Carry handle	Carry handle
Assembly	Compartment divider set Lid insert	Compartment divider set Lid insert	Compartment divider set Lid insert
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 137	396 x 296 x 187
Weight [kg]	1.40	1.55	1.65
Order ref.	**72520052.19V**	**72520053.19V**	**72520054.19V**







Description	Systainer³ M 237	Systainer³ M 337	Systainer³ M 437
Version	Moulded finger grip	Moulded finger grip	Moulded finger grip
Assembly	Compartment divider set	Compartment divider set	Compartment divider set
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 337	396 x 296 x 437
Weight [kg]	2.00	2.30	2.90
Order ref.	**72520047.19V**	**72520048.19V**	**72520049.19V**

Systainer³ M with die-cut foam insert



- Practical and sturdy system case for the secure storage and transport of hand tools, small parts and consumables
- Equipped with foam cushion, die-cut foam inserts (25mm pitch) and lid pad for designing individual inserts
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ M 112	Systainer³ M 137	Systainer³ M 187
Version	Carry handle	Carry handle	Carry handle
Assembly	1x foam cushion 1x die-cut foam insert 1x lid pad	1x foam cushion 1x die-cut foam insert 1x lid pad	1x foam cushion 3x die-cut foam insert 1x lid pad
Dimensions W x D x H [mm]	396 x 296 x 112	396 x 296 x 137	396 x 296 x 187
Weight [kg]	1.50	1.60	1.70
Order ref.	**72520038.19V**	**72520039.19V**	**72520040.19V**







Description	Systainer³ M 237	Systainer³ M 337	Systainer³ M 437
Version	Moulded finger grip	Moulded finger grip	Moulded finger grip
Assembly	1x foam cushion 5x die-cut foam insert 1x lid pad	1x foam cushion 5x die-cut foam insert 1x lid pad	1x foam cushion 5x die-cut foam insert 1x lid pad
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 337	396 x 296 x 437
Weight [kg]	2.00	2.30	2.90
Order ref.	**72520041.19V**	**72520042.19V**	**72520043.19V**

Systainer³ M with spray can insert



- Practical and sturdy system case for the secure storage and transport of spray cans
- Equipped with spray can insert made of EPP for 14 cans with max. diameter 69 mm
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ M 337	Systainer³ M 437
Version	Moulded finger grip	Moulded finger grip
Assembly	Spray can insert	Spray can insert
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 437
Weight [kg]	2.71	3.23
Order ref.	**72520029.19V**	**72520030.19V**

4

Systainer³ M with cartridge storage insert



- Practical and sturdy system case for the secure storage and transport of cartridges
- Equipped with cartridge storage insert made of EPP for 22 cartridges with max. diameter 51 mm and 15 cartridge nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ M 337	Systainer³ M 437
Version	Moulded finger grip	Moulded finger grip
Assembly	Cartridge storage insert	Cartridge storage insert
Dimensions W x D x H [mm]	396 x 296 x 337	396 x 296 x 437
Weight [kg]	2.35	2.95
Order ref.	**72520031.19V**	**72520032.19V**

Systainer³ with insulated insert



- Practical and sturdy system case for the secure storage and transport of temperature-sensitive contents
- Equipped with insulating EPP moulded parts in the lid and body
- Maintains the temperature for up to 24 hours
- Simple integration in bott vario3 van racking and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC : close, open, connect with just one twist
- Marking possibility thanks to 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ M 237	Systainer³ M 337	Systainer³ M 437
Version	Carry handle	Carry handle	Carry handle
Assembly	Insulating insert	Insulating insert	Insulating insert
Dimensions W x D x H [mm]	396 x 296 x 237	396 x 296 x 337	396 x 296 x 437
Weight [kg]	2.28	3.10	3.54
Order ref.	**72520086.19V**	**72520085.19V**	**72520087.19V**

4

Systainer³ M with suspension frame



- Practical and sturdy system case for the secure storage and transport of suspended files
- Equipped with suspension frame for suspended files and folders in accordance with DIN 821
- Incl. lid bag for office supplies
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS

Description	Systainer³ M 337
Version	Pull-out aid
Assembly	Suspension frame + lid bag
Dimensions W x D x H [mm]	396 x 296 x 337
Weight [kg]	2.91
Order ref.	**72520036.19V**

Systainer³ L empty case for custom configuration



- Practical and sturdy system case for the secure storage and transport of power tools, hand tools, small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ L 137	Systainer³ L 187	Systainer³ L 237
Version	Carry handle	Carry handle	Moulded finger grip
Assembly	Empty	Empty	Empty
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 187	508 x 296 x 237
Weight [kg]	2.06	2.26	2.54
Order ref.	**72520009.19V**	**72520010.19V**	**72520011.19V**

Systainer³ L 137 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 137
Weight [kg]	1.92	1.92
Order ref.	**83000007**	**83000024**

Systainer³ L 187 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Dimensions W x D x H [mm]	508 x 296 x 187	508 x 296 x 187
Weight [kg]	2.14	2.14
Order ref.	**83000008**	**83000025**





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Dimensions W x D x H [mm]	508 x 296 x 237	508 x 296 x 237
Weight [kg]	2.38	2.38
Order ref.	**83000009**	**83000026**

Systainer³ L 137 empty case colours with company logo print




Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Pack of	52	52
Weight [kg]	1.92	1.92
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 137
Order ref.	**83000007.DB**	**83000024.DB**

Systainer³ L 187 empty case colours with company logo print




Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Pack of	72	72
Weight [kg]	2.14	2.14
Dimensions W x D x H [mm]	508 x 296 x 187	508 x 296 x 187
Order ref.	**83000008.DB**	**83000025.DB**

Systainer³ L 237 empty case colours with company logo print




Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Pack of	72	72
Weight [kg]	2.38	2.38
Dimensions W x D x H [mm]	508 x 296 x 237	508 x 296 x 237
Order ref.	**83000009.DB**	**83000026.DB**

Systainer³ L 137 with universal insert



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with universal insert with 6 differently sized compartments and lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS

Description	Systainer³ L 137
Version	Carry handle
Assembly	Universal insert with 6 compartments
Dimensions W x D x H [mm]	508 x 296 x 137
Weight [kg]	2.00
Order ref.	**72520028.19V**

Systainer³ L 187 with boxes



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with 2 removable box trays with small parts storage boxes
- incl. EPP lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Case material: ABS
- Box tray material: powder-coated aluminium







Description	Systainer³ L 187	Systainer³ L 187	Systainer³ L 187
Version	Carry handle	Carry handle	Carry handle
Assembly	20 boxes	29 boxes	38 boxes
Dimensions W x D x H [mm]	508 x 296 x 187	508 x 296 x 187	508 x 296 x 187
Weight [kg]	4.58	4.70	4.84
Order ref.	**72520051.19V**	**72520060.19V**	**72520061.19V**

4

Systainer³ L with compartment divider set



- Practical and sturdy system case for the secure storage and transport of hand tools, small parts and consumables
- Equipped with compartment divider set for the division of the case into up to 6 equally sized compartments
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to nmoulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ L 137	Systainer³ L 187	Systainer³ L 237
Version	Carry handle	Carry handle	Moulded finger grip
Assembly	Compartment divider set Lid insert	Compartment divider set Lid insert	Compartment divider set
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 187	508 x 296 x 237
Weight [kg]	1.75	2.00	2.20
Order ref.	**72520055.19V**	**72520056.19V**	**72520057.19V**

Systainer³ L with die-cut foam insert



- Practical and sturdy system case for the secure storage and transport of hand tools, small parts and consumables
- Equipped with foam cushion, die-cut foam inserts (25mm pitch) and lid pad for designing individual inserts
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







Description	Systainer³ L 137	Systainer³ L 187	Systainer³ L 237
Version	Carry handle	Carry handle	Moulded finger grip
Assembly	1x foam cushion 1x die-cut foam insert 1x lid pad	1x foam cushion 3x die-cut foam insert 1x lid pad	1x foam cushion 5x die-cut foam insert 1x lid pad
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 187	508 x 296 x 237
Weight [kg]	1.85	2.05	3.24
Order ref.	**72520044.19V**	**72520045.19V**	**72520046.19V**

4

Systainer³ L with tool insert



- Practical and sturdy system case for the secure storage and transport of hand tools
- Equipped with tool insert and lid insert / lid bag
- The tool required can be found quickly thanks to the clear storage of the hand tools required
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- Marking possibility thanks to 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ L 187	Systainer³ L 237
Version	Carry handle	Pull-out aid
Assembly	Tool insert and lid bag	Tool insert and lid bag
Dimensions W x D x H [mm]	508 x 296 x 187	508 x 296 x 237
Weight [kg]	2.40	2.60
Order ref.	**72520034.19V**	**72520035.19V**

Systainer³ XXL empty case for custom configuration



- Practical and sturdy system case for the secure storage and transport of machines, hand tools, small parts and consumables
- Multifunctional T-LOC: close, open, connect with just one twist
- Marking possibility thanks to 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ XXL 237	Systainer³ XXL 337
Version	Carry handle	Carry handle
Assembly	Empty	Empty
Dimensions W x D x H [mm]	792 x 296 x 237	792 x 296 x 337
Weight [kg]	3.64	4.33
Order ref.	**72520088.19V**	**72520089.19V**

Systainer³ XXL 237 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Dimensions W x D x H [mm]	792 x 296 x 237	792 x 296 x 237
Weight [kg]	3.64	3.64
Order ref.	**83000016**	**83000033**


Systainer³ XXL 337 empty case colours





Version	Light grey RAL 7035, 1-colour	Anthracite RAL 7016, 1-colour
Dimensions W x D x H [mm]	792 x 296 x 337	792 x 296 x 337
Weight [kg]	4.33	4.33
Order ref.	**83000017**	**83000034**

Systainer³ XXL base shelf infill with securing strap



- Simple and flexible securing of objects in bott Systainer³ XXL
- Base shelf infill for bott Systainer³ XXL with two cam-buckle-straps
- Material: PP / grey

Dimensions W x D x H [mm]	750 x 269 x 4
Weight [kg]	0.50
Order ref.	**72520094.16V**
Final installation [WU]	0

Labelling kit



- For the clean and orderly labelling of the cases
- Reduces search times and increases efficiency
- Suitable for all systainer³ M and L
- For use in the integrated label holders on the front of the case
- Comprising 20 transparent cards and 2 labelling sheets with 10 paper cards each for tearing off

Description	Labelling kit
Dimensions W x D x H [mm]	86 x 1 x 54
Weight [kg]	0.09
Order ref.	**72522038**


Transport trolley with drawer



- Practical transport trolley for the convenient transport of systainer system cases
- Simple movement over steps thanks to large wheels
- Integrated drawer for stowing small parts (load capacity 5 kg)
- With adjustable safety strap
- Dolly and sack truck function
- Suitable for all cases with basic dimensions 400 x 300 mm
- Wheel diameter front: 75 mm
- Wheel diameter rear: 200 mm
- Load capacity 100 kg

Description	Transport trolley with drawer
Dimensions W x D x H [mm]	600 x 440 x 1100
Weight [kg]	6.50
Order ref.	**72522030.90V**

Systainer³ dolly




- For the fast and straightforward transport of several cases
- Suitable for all systainer³ M and L
- Optimum running and stability thanks to large wheels and wheel spacing
- Simple integration in bott vario3 in-vehicle equipment via moulded guide rail slots (width 5 / flat height 175mm)
- 4 swivel castors, front with 2x brake castors
- Wheel diameter: 100 mm
- Load capacity 100 kg
- Colour: anthracite grey



Description	Systainer³ dolly
Dimensions W x D x H [mm]	508 x 397 x 160
Weight [kg]	2.96
Order ref.	**72522029.19V**

Holder for Systainer³ dolly



- For the fast, simple and safe storage of the Systainer³ skateboard
- Noise reduced by rubber buffers
- For installation at the side on the bott vario3 SLF frames or perfo perforated panels
- Material: powder-coated aluminium(RAL 7016)

Version	Holder for Systainer³ dolly
Dimensions W x D x H [mm]	290 x 66 x 439
Net weight kg	0.68
Order ref.	**73508025.19V**
Final installation [WU]	2.0

Guide rail holder set for hand-held circular saws



- Used to install guide rails for hand-held circular saws
- Can be attached to the SLF T-nut, to lashing rails or to perfo panels
- With holder bracket on the left and right side, each fitted with adhesive tape
- For Festool, Bosch and Makita guide rails
- Painted steel RAL 7016

Dimensions W x D x H [mm]	85 x 36 x 189
Weight [kg]	0.70
Order ref.	**73508079.19V**
Final installation [WU]	1.0

Inserts for Systainer³ M





Description	Lid cushion	Die-cut foam insert	Lid bag
For case type	All Systainer³ M	All Systainer³ M	all Systainer³
Description	For optimum protection of the contents Cushions and protects objects that are transported in the case Mounting on the lid is by means of a small adhesive strip on the back Material: PUR soft foam Colour: anthracite grey	Die-cut foam insert with pre-cut cube pattern (15 x 15 mm) for customised adaptation to the contents Makes tailor-made protection possible for sensitive contents Material: PE hard foam Colour: anthracite grey	For the clear storage of various office materials such as pens, calling cards, writing pads and other utensils. incl. 4 screws for mounting on the lid
Dimensions W x D x H [mm]	365 x 225 x 25	373 x 274 x 25	378 x 245 x 20
Weight [kg]	0.06	0.07	0.19
Order ref.	**72522011**	**72522012**	**72522023**




Description	Suspension frame	Lid insert
For case type	Systainer³ M 337 / M 437	
Description	For suspending files and folders in accordance with DIN 821 For the clear storage of documents	For the clear storage of various office materials such as pens, calling cards, writing pads and other utensils Incl. 4 screws for mounting on the lid
Dimensions W x D x H [mm]	355 x 255 x 255	0 x 0 x 0
Weight [kg]	0.63	0.06
Order ref.	**72522022**	**72522027**






Description	Case trays with 18 boxes	Case trays with 25 boxes	Case trays with 32 boxes
Dimensions W x D x H [mm]	388 x 283 x 138	388 x 283 x 138	388 x 283 x 138
Weight [kg]	1.78	1.88	1.98
Order ref.	**73510261.19V**	**73510262.19V**	**73510263.19V**

Accessories for Systainer³ case systems



Description	Compartment divider set	Compartment divider set	Compartment divider set	Compartment divider set
For case type	Systainer³ M 112	Systainer³ + Toolbox M 137	Systainer³ + Toolbox M 187	Systainer³ + Toolbox M 237 / M 337 / M 437
Description	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey
Dimensions W x D x H [mm]	0 x 0 x 0	0 x 0 x 0	0 x 0 x 0	0 x 0 x 0
Weight [kg]	0.10	0.14	0.20	0.29
Order ref.	**72522031.95**	**72522032.95**	**72522033.95**	**72522034.95**




Description	Spray can insert	Cartridge storage insert
For case type	Systainer³ M 337 / M 437	Systainer³ M 337 / M 437
Description	For the safe and straightforward transport of spray cans For 14 cans with max. diameter 69 mm Incl. cut-out for holding spray cans with spray tube Material: EPP moulded foam Colour: black	For the safe and straightforward transport of cartridges For 22 cartridges with max. diameter 51 mm Incl. 15 cut-outs for holding cartridge tips Material: EPP moulded foam Colour: black
Dimensions W x D x H [mm]	386 x 283 x 140	385 x 283 x 125
Weight [kg]	0.25	0.25
Order ref.	**72522021**	**72522020**

Inserts for Systainer³ L







Description	Lid cushion	Die-cut foam insert	Tool holding insert
For case type	All Systainer³ L	All Systainer³ L	
Description	For optimum protection of the contents Cushions and protects objects that are transported in the case Mounting on the lid is by means of a small adhesive strip on the back Material: PUR soft foam Colour: anthracite grey	Die-cut foam insert with pre-cut cube pattern (15 x 15 mm) for customised adaptation to the contents Makes tailor-made protection possible for sensitive contents Material: PE hard foam Colour: anthracite grey	Tool insert with tool lid for the safe, clear and tidy storage of hand tools Tool insert with dividers and cross dividers for flexible subdivision Suitable for different hand tools such as pliers, screwdrivers etc. Tool insert material: EPP Tool lid material: polyethylene / polyester
Dimensions W x D x H [mm]	465 x 225 x 25	484 x 287 x 25	-
Weight [kg]	0.08	0.09	0.40
Order ref.	**72522015**	**72522016**	**72522019**





Description	Lid bag	
For case type	all Systainer³	
Description	For the clear storage of hand tools Incl. 6 screws for installation on the lid	For the clear storage of various office materials such as pens, calling cards, writing pads and other utensils Incl. 4 screws for mounting on the lid
Dimensions W x D x H [mm]	478 x 228 x 40	-
Weight [kg]	0.20	0.10
Order ref.	**72522017**	**72522028**


Accessories for Systainer³ case systems





Description	Case trays with 20 boxes	Case trays with 29 boxes	Case trays with 38 boxes
Dimensions W x D x H [mm]	500 x 283 x 138	500 x 283 x 138	500 x 283 x 138
Weight [kg]	2.20	2.34	2.48
Order ref.	**73510264.19V**	**73510265.19V**	**73510266.19V**





Description	Compartment divider set	Compartment divider set	Compartment divider set
For case type	Systainer³ + Toolbox L 137	Systainer³ + Toolbox L 187	Systainer³ + Toolbox L 237
Description	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey	For division of the case in 6 approximately equally sized compartments For clear organisation of tools and larger consumables Set comprising one longitudinal divider and 2 cross dividers An EPP lid insert is recommended in addition for systainers with a front carry handle Material: PP twin-wall sheet Colour: light grey
Dimensions W x D x H [mm]	0 x 0 x 0	0 x 0 x 0	0 x 0 x 0
Weight [kg]	0.16	0.22	0.31
Order ref.	**72522035.95**	**72522036.95**	**72522037.95**

4

Systainer³ Organizer empty case for custom configuration



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Transparent lid allows you to see the contents and minimises search times
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load capacity: 20 kg





Description	Systainer³ Organizer M 89	Systainer³ Organizer L 89
Assembly	Empty	Empty
Dimensions W x D x H [mm]	396 x 296 x 89	508 x 296 x 89
Weight [kg]	1.60	2.08
Order ref.	**72520001.19V**	**72520002.19V**

Systainer³ organizer with small parts storage boxes



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with small parts storage boxes
- Transparent lid allows you to see the contents and minimises search times
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load capacity: 20 kg






Description	Systainer³ Organizer M 89	Systainer³ Organizer M 89	Systainer³ Organizer M 89	Systainer³ Organizer M 89
Assembly	5 boxes	12 boxes	18 boxes	28 boxes
Dimensions W x D x H [mm]	396 x 296 x 89	396 x 296 x 89	396 x 296 x 89	396 x 296 x 89
Weight [kg]	1.98	2.05	2.39	2.51
Order ref.	**72520092.19V**	**72520021.19V**	**72520022.19V**	**72520023.19V**






Description	Systainer³ Organizer L 89	Systainer³ Organizer L 89	Systainer³ Organizer L 89	Systainer³ Organizer L 89
Assembly	7 boxes	13 boxes	20 boxes	33 boxes
Dimensions W x D x H [mm]	508 x 296 x 89	508 x 296 x 89	508 x 296 x 89	508 x 296 x 89
Weight [kg]	2.62	2.65	2.77	2.93
Order ref.	**72520093.19V**	**72520024.19V**	**72520025.19V**	**72520026.19V**

Divider kit with 7 boxes for Systainer³ Organizer M/L 89



- With 7 small parts storage boxes:
- 1 x 100x350x68
- 3 x 100x150x68
- 1 x 100x100x68
- 2 x 75x150x68

Dimensions W x D x H [mm]	450 x 250 x 64
Weight [kg]	0.50
Order ref.	**73020116.16V**

Systainer³ Organizer with nozzle insert and small parts storage boxes



- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Equipped with foam inlays and small parts storage boxes for the safe and clear storage of torch nozzles
- Transparent lid allows you to see the contents and minimises search times
- Simple integration in bott vario3 van racking and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect - with just one twist
- Marking possibility thanks to 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other systainer products
- Load capacity: 20 kg








Description	Systainer Organizer³ M 89	Systainer Organizer³ M 89	Systainer Organizer³ L 89
Assembly	Nozzle insert for 54 nozzles 2 boxes	Nozzle insert for 81 nozzles 4 boxes	Nozzle insert for 81 nozzles 2 boxes
Dimensions W x D x H [mm]	396 x 296 x 89	396 x 296 x 89	508 x 296 x 89
Weight [kg]	2.00	2.00	2.39
Order ref.	**72520082.19V**	**72520083.19V**	**72520084.19V**

Nozzle insert for Systainer³ Organizer M 89/L 89



- For equipping Systainer³ Organizer M 89 and L 89 empty case
- For the safe and clear storage of torch nozzles
- Comprises 3x nozzle insert for 81 nozzles and 6x small parts storage boxes
- Nozzle insert anthracite, small parts storage boxes plastic, light grey

Dimensions W x D x H [mm]	300 x 250 x 125
Weight [kg]	0.40
Order ref.	**73020115.19V**
Final installation [WU]	0.0

bott Systainer³ Organizer M89 lashing straps wtih fittings



- Ideal for vehicles with bott vario3 in-vehicle equipment with integrated lashing points and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way using the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1x Systainer³ Organizer M 89
- 2 x lashing strap 3.5 m with fitting and cam buckle
- 2 x lashing strap 3.5 m with fitting and ratchet
- 6x load restraint pad
- 6x strap protection pad
- Including important information on load restraint

Dimensions W x D x H [mm]	396 x 296 x 89
Weight [kg]	3.66
Order ref.	**72610038.19V**
Final installation [WU]	0.0

bott Systainer³ Organizer M89 lashing straps wtih hooks



- Ideal for vehicles with bott vario3 in-vehicle equipment with integrated lashing points and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way by means of the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1x Systainer³ Organizer M 89
- 2 x lashing strap 3.5 m with fitting -oo- and cam buckle
- 2 x lashing strap 3.5 m with fitting -oo- and ratchet
- 6x load restraint pad
- 6x strap protection pad
- 4x fittting with bott logo 500 daN
- Including important information on load restraint

Dimensions W x D x H [mm]	396 x 296 x 89
Weight [kg]	3.66
Order ref.	**72610039.19V**
Final installation [WU]	0.0

Systainer³ ToolBox



- Practical and sturdy carry box for the secure storage and transport of machines, hand tools, small parts and consumables
- No restriction of the storage space by a lid, therefore also suitable for transporting bulky goods
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to moulded guide rail slots
- Multifunctional T-LOC: close, open, connect with just one twist
- Marking possibility thanks to 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





Description	Systainer³ ToolBox M 137	Systainer³ ToolBox M 187	Systainer³ ToolBox M 237
Assembly	Empty	Empty	Empty
Dimensions W x D x H [mm]	396 x 296 x 137	396 x 296 x 187	396 x 296 x 237
Weight [kg]	1.30	1.56	1.70
Order ref.	**72520063.19V**	**72520064.19V**	**72520065.19V**





Description	Systainer³ ToolBox L 137	Systainer³ ToolBox L 187	Systainer³ ToolBox L 237
Assembly	Empty	Empty	Empty
Dimensions W x D x H [mm]	508 x 296 x 137	508 x 296 x 187	508 x 296 x 237
Weight [kg]	1.90	2.09	2.40
Order ref.	**72520068.19V**	**72520069.19V**	**72520070.19V**

bott Systainer³ ToolBag M



- With carry handle, adjustable shoulder strap and a velcro patch with Bott embroidery at the side
- Inside two 12-fold and two 4-fold tool pockets and a universal bag
- Labelling possible thanks to a card slot in standardised credit card format at the front
- Load capacity 20 kg
- Easy integration into bott vario3 van racking systems and bott workplace storage equipment thanks to lateral guide rail holders
- Material: Polyester

Dimensions W x D x H [mm]	400 x 300 x 370
Weight [kg]	3.66
Order ref.	**72520095.19V**
Final installation [WU]	0.0

varioCase M empty



- Lightweight and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





Description	varioCase M 84	varioCase M 135
Assembly	Empty	Empty
Dimensions W x D x H [mm]	396 x 337 x 84	396 x 337 x 135
Weight [kg]	1.39	1.64
Order ref.	**72511001.97V**	**72511003.97V**

varioCase M empty



- Sturdy and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





Description	varioCase M 84	varioCase M 135
Assembly	Empty	Empty
Dimensions W x D x H [mm]	396 x 337 x 84	396 x 337 x 135
Weight [kg]	2.75	3.16
Order ref.	**72511005.19V**	**72511007.19V**

varioCase M with dividers and cross dividers



- Lightweight and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





Description	varioCase M 84	varioCase M 135
Assembly	2x divider / 5x cross divider	2x divider / 5x cross divider
Dimensions W x D x H [mm]	396 x 337 x 84	396 x 337 x 135
Weight [kg]	1.82	2.34
Order ref.	**72511013.97V**	**72511015.97V**

varioCase M with dividers and cross dividers



- Sturdy and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





Description	varioCase M 84	varioCase M 135
Assembly	2x divider / 5x cross divider	2x divider / 5x cross divider
Dimensions W x D x H [mm]	396 x 337 x 84	396 x 337 x 135
Weight [kg]	3.18	3.86
Order ref.	**72511014.19V**	**72511016.19V**

varioCase M 84 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium









Description	varioCase M 84	varioCase M 84	varioCase M 84	varioCase M 84
Assembly	11 boxes	17 boxes	24 boxes	32 boxes
Dimensions W x D x H [mm]	396 x 337 x 84	396 x 337 x 84	396 x 337 x 84	396 x 337 x 84
Weight [kg]	1.93	1.99	2.12	2.20
Order ref.	**72511017.97V**	**72511018.97V**	**72511020.97V**	**72511021.97V**

varioCase M 84 with assortments of boxes



- Sturdy and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	396 x 337 x 84
Weight [kg]	3.34
Order ref.	**72511019.19V**
Final installation [WU]	0

varioCase M 135 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Ample storage space via integrated second storage level with box tray
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

Dimensions W x D x H [mm]	396 x 337 x 135
Weight [kg]	3.24
Order ref.	**72511022.97V**
Final installation [WU]	0

varioCase M 84 with nozzle insert



- Lightweight and high-quality service case equipped with nozzle insert and small parts storage boxes
- For the safe and clear storage of torch nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

Dimensions W x D x H [mm]	396 x 337 x 84
Weight [kg]	2.28
Order ref.	**72511029.97V**
Final installation [WU]	0

varioCase L empty



- Lightweight and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





Description	varioCase L 84	varioCase L 135
Assembly	Empty	Empty
Dimensions W x D x H [mm]	508 x 337 x 84	508 x 337 x 135
Weight [kg]	1.65	1.94
Order ref.	**72511002.97V**	**72511004.97V**

varioCase L empty



- Sturdy and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





Description	varioCase L 84	varioCase L 135
Assembly	Empty	Empty
Dimensions W x D x H [mm]	508 x 337 x 84	508 x 337 x 135
Weight [kg]	3.42	3.91
Order ref.	**72511006.19V**	**72511008.19V**

varioCase L with dividers and cross dividers



- Lightweight and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





Description	varioCase L 84	varioCase L 135
Assembly	3x divider / 6x cross divider	3x divider / 6x cross divider
Dimensions W x D x H [mm]	508 x 337 x 84	508 x 337 x 135
Weight [kg]	2.26	2.91
Order ref.	**72511009.97V**	**72511011.97V**

varioCase L with dividers and cross dividers



- Sturdy and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





Description	varioCase L 84	varioCase L 135
Assembly	3x divider / 6x cross divider	3x divider / 6x cross divider
Dimensions W x D x H [mm]	508 x 337 x 84	508 x 337 x 135
Weight [kg]	4.02	4.88
Order ref.	**72511010.19V**	**72511012.19V**

varioCase L 84 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium









Description	varioCase L 84	varioCase L 84	varioCase L 84	varioCase L 84
Assembly	12 boxes and tool compartment	17 boxes and tool compartment	24 boxes and tool compartment	32 boxes and tool compartment
Dimensions W x D x H [mm]	508 x 337 x 84	508 x 337 x 84	508 x 337 x 84	508 x 337 x 84
Weight [kg]	2.30	2.38	2.52	2.59
Order ref.	**72511023.97V**	**72511024.97V**	**72511026.97V**	**72511027.97V**

varioCase L 84 with assortments of boxes



- Sturdy and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	508 x 337 x 84
Weight [kg]	4.15
Order ref.	**72511025.19V**
Final installation [WU]	0

varioCase L 135 with assortmen ts of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Ample storage space thanks to second storage level with box tray
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

Dimensions W x D x H [mm]	508 x 337 x 135
Weight [kg]	3.88
Order ref.	**72511028.97V**
Final installation [WU]	0

varioCase L 84 with nozzle insert



- Lightweight and high-quality service case equipped with nozzle insert and small parts storage boxes
- For the safe and clear storage of oil burner nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via moulded guide rail slots
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

Dimensions W x D x H [mm]	508 x 337 x 84
Weight [kg]	2.68
Order ref.	**72511030.97V**
Final installation [WU]	0

05 bott vario3

Load restraint



Transport of long items | Transport of gas bottles | Ventilation

Load restraint pads with holder



- Load restraint kit for securing loaded goods
- Coefficient of friction in line with VDI guideline 2700 (DEKRA test certificate supplied)
- Flame resistant (fire class BfIS1 in accordance with EN 13501)
- Antislip, dimensionally stable, tear resistant, durable, waterproof, oil and fat resistant, washable up to 60°C
- Colour: anthracite grey (RAL 7016)
- Optionally available with anodised aluminium storage pocket (160 x 45 x 160 mm)



Version	incl. holder	-	Holder only
Dimensions W x D x H [mm]	160 x 45 x 160	152 x 152 x 5	160 x 45 x 160
Weight [kg]	0.60	0.20	0.21
Pack quantity	6	6	
Order ref.	**61302006.19V**	**61302007.19V**	**62530007.97V**
Final installation [WU]	0	0	0

Strap protection pads with holder



- Edge protection for the load, with openings for threading the lashing strap
- Coefficient of friction in line with VDI guideline 2700 (DEKRA test certificate supplied)
- Flame resistant (fire class Bfl-S1 in accordance with EN 13501)
- Anti-slip, dimensionally stable, tear resistant, robust, waterproof, resistant to oil and grease, washable up to 60°C
- Colour: anthracite grey (RAL 7016)
- Optionally available with anodised aluminium storage pocket (160 x 45 x 160 mm)




Version	Incl. holder		Holder only
Dimensions W x D x H [mm]	160 x 45 x 160	152 x 152 x 5	160 x 45 x 160
Weight [kg]	0.60	0.20	0.21
Pack quantity	6	6	
Order ref.	**61302009.19V**	**61302010.19V**	**62530007.97V**
Final installation [WU]	0	0	0

Load restraint mat with holder



- For securing loaded goods
- Coefficient of friction in line with VDI guideline 2700 (DEKRA test certificate supplied)
- Flame resistant (fire class BfIS1 in accordance with EN 13501)
- Antislip, dimensionally stable, tear resistant, durable, waterproof, oil and fat resistant, washable up to 60°C
- Colour: anthracite grey (RAL 7016)
- Optionally available with anodised aluminium storage pocket (114 x 114 x 500 mm)



Version	incl. holder	-	Incl. holder	-
Dimensions W x D x H [mm]	620 x 820 x 5	620 x 820 x 5	1220 x 820 x 5	1220 x 820 x 5
Net weight [kg]	1.50	0.70	2.10	1.30
Order ref.	**61302001.19V**	**61302002.19V**	**61302003.19V**	**61302004.19V**
Final installation [WU]	2	0	2	0

Floor mat



- Roll width 600 mm
- Anti-slip, dimensionally stable, tear-resistant, robust
- Colour: anthracite grey (RAL 7016)
- PES glass yarn fabric with PVC coating on both sides and additional interspersed PVC granulate

Length [mm]	2500	3300	10000
Weight [kg]	3.05	3.90	12.00
Order ref.	**11305066**	**11305067**	**11305041**
Final installation [WU]	1		


Load-restraint bulkhead



- For load restraint in a vehicle without a fitted OEM bulkhead
- Fixed by means of the two enclosed ratchet straps with hook ends
- The load-restraint bulkhead can be width-adjusted from 940 to 1600 mm depending on the vehicle type
- Incl. anti-slip mat, optional load restraint net made of belt webbing W 1440 x D 1300 mm
- Load capacity up to 300 daN
- 4x hook, 4x cam-buckle

Version	Load-restraint bulkhead	Load-securing net
Weight [kg]	24.60	1.65
Order ref.	**63003057.98V**	**62627014.19**
Final installation [WU]	4	0

Lashing rail with protective strip



- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- For straps with fitting
- Width 46 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- The green protective strip can be replaced by LED strips
- Incl. 2 end caps as protection


Rail length [mm]	425	525	750	825
Weight [kg]	0.40	0.50	0.61	0.78
Order ref.	**67901057.98V**	**67901058.98V**	**67901042.98V**	**67901059.98V**
Final installation [WU]	3			

Rail length [mm]	945	1075	1500	2000
Weight [kg]	0.83	1.00	1.30	1.72
Order ref.	**67901014.98V**	**67901060.98V**	**67901015.98V**	**67901016.98V**
Final installation [WU]	0	3	0	

Rail length [mm]	3000	varies, max. L 3000 mm available in 25 mm increments
Weight [kg]	2.58	0.87
Order ref.	**67901017.98V**	**67901018.98V**
Final installation [WU]	0	

Version	high
Weight [kg]	0.01
Order ref.	**85001138.19V**
Final installation [WU]	0

bott vario load securing rail plus




- Horizontal aluminium wall lashing rail with anti-rub strips and end caps for lateral assembly to the vehicle bows in the load compartment
- Wall lashing rail with airline lashing points in 25 mm increments and green anti-rub strips
- Replaces wall lashing rail variable item no. 07903374.17V
- Material: aluminium

Dimensions W x D x H [mm]	0 x 30 x 75
Weight [kg]	1.71
Order ref.	**67901078.19V**
Final installation [WU]	3.0

5

Lashing rail surface mounted




- For straps with fitting
- Width 65 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- Incl. 2 end caps as protection

Rail length [mm]	1000	1500	2000
Weight [kg]	0.80	1.30	1.70
Order ref.	**67901001.98V**	**67901002.98V**	**67901003.98V**
Final installation [WU]	0		

Rail length [mm]	3000	varies, max. L 3000 mm available in 25 mm increments
Weight [kg]	2.50	0.80
Order ref.	**67901004.98V**	**67901005.98V**
Final installation [WU]	0	

Version	End caps - pack of 2
Weight [kg]	0.01
Order ref.	**85001173.19V**
Final installation [WU]	0

Lashing rail half round with end cap




- For straps with fitting
- Width 50 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- Incl. 2 end caps as protection

Rail length [mm]	800	1000	1200	1500
Weight [kg]	0.60	0.80	1.00	1.10
Order ref.	**67901055.98V**	**67901008.98V**	**67901056.98V**	**67901009.98V**
Final installation [WU]	2	0	2	0

Rail length [mm]	2000	3000	varies, max. L 3000 mm available in 25 mm increments
Weight [kg]	1.50	2.30	0.80
Order ref.	**67901010.98V**	**67901011.98V**	**67901012.98V**
Final installation [WU]	0		

Version	End caps - pack of 2
Weight [kg]	0.01
Order ref.	**85001140.19V**
Final installation [WU]	0

Lashing rail raised 25 mm




- For straps with fitting
- Width 25 mm
- Strap attachment points every 25 mm
- Load bearing capacity up to 500 daN (depending on the type of fixing)
- Incl. 2 end caps as protection

Rail length [mm]	3000	varies, max. L 3000 mm available in 25 mm increments
Weight [kg]	1.10	0.37
Order ref.	**67901034.97V**	**67901039.97V**
Final installation [WU]	0	3

Version	End caps - pack of 2
Weight [kg]	0.01
Order ref.	**85001142.19V**
Final installation [WU]	0

Lashing rail recessed



- For retrofitting to an existing floor
- Width 46 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- Incl. 2 end caps as protection

Rail length [mm]	3000	varies, max. L 3000 mm available in 25 mm increments
Weight [kg]	2.19	0.73
Order ref.	**67901040.98**	**67901041.98**
Final installation [WU]	6	2

Version	End caps - pack of 2
Weight [kg]	0.01
Order ref.	**85001155**
Final installation [WU]	0

Lashing rail with protective strip and cam-buckle strap for gas bottles



- For the safe transport of compressed gas canisters
- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- Width 46 mm, attachment points every 25 mm
- Incl. end caps
- With rear fixing plate
- Version with ratchet strap 1000 mm, fixed end 130 mm, load capacity up to 500 daN

System depth [[mm]	/2		/3		/4	
Version	with 1 lashing rail and 1 ratchet strap					
Rail length [mm]	264		376		488	
Weight [kg]	0.67		0.72		0.86	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72615001.19M**	**72615001.19V**	**72615002.19M**	**72615002.19V**	**72615003.19M**	**72615003.19V**
Final installation [WU]	0					

Lashing rail with protective strip and cam-buckle strap



- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- Width 46 mm, attachment points every 25 mm
- Incl. end caps
- With rear fixing plate
- Version with cam-buckle strap 1000 mm, fixed end 130 mm, load capacity up to 150 daN

System depth [[mm]	/2		/3		/4	
Version	Cam-buckle strap					
Rail length [mm]	264		376		488	
Weight [kg]	0.43		0.48		0.62	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610043.19M**	**72610043.19V**	**72610044.19M**	**72610044.19V**	**72610045.19M**	**72610045.19V**
Final installation [WU]	0					

Lashing rail SLF-C



- For installation on the SLF C with a SLF Cover assembled
- With lashing rail SLF-C, an additional reinforcement plate must be fitted within the SLF Cover

System depth [[mm]	/3		/4	
Rail length [mm]	376		488	
Weight [kg]	0.54		0.73	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610051.19M**	**72610051.19V**	**72610052.19M**	**72610052.19V**
Final installation [WU]	0			

Lashing rail SLF-C with ratchet strap



- For the safe transport of compressed gas canisters
- Strap length 1000mm
- Load capacity up to 500 daN

System depth [[mm]	/3		/4	
Version	With 1 support rail and 1 ratchet strap / for SLF-C			
Rail length [mm]	376		488	
Weight [kg]	1.00		1.20	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72615007.19M**	**72615007.19V**	**72615008.19M**	**72615008.19V**
Final installation [WU]	0			

bott vario wall lashing rail



- Horizontal aluminium wall lashing rail with green protective profile covers to secure and protect load
- For lateral assembly to the vehicle bows in the load compartment
- With airline lashing points in 25mm increments
- Variable in length and available as multipack of 8 3000mm (see chapter 11)
- End caps for wall lashing rail pack of 50
- Aluminium

Version	Wall lashing rail	End caps - pack of 50
Dimensions W x D x H [mm]	0 x 30 x 75	18 x 33 x 75
Weight [kg]	1.71	0.50
Order ref.	**07903374.17V**	**73510349.19V**
Final installation [WU]	3.0	0.0

Lashing strap with automatic winder



- For quick and easy load restraint
- Variant without fixed length strap end must be bolted to in-vehicle equipment module
- Black strap
- Strap width 25 mm
- Strap length 2000 mm

Version	Hook – Hook	Fitting – to be bolted on	Fitting – Fitting	Fitting - to be bolted on, with lashing rail 1000 mm
Fixed end [mm]	200	–	200	-
Load capacity [daN]	125	125	125	125
Weight [kg]	0.70	0.70	0.75	1.50
Order ref.	**62626062.90**	**62626061.90**	**62626065.90**	**67901019.98V**
Final installation [WU]	0	0	0	0

Threaded fitting with star grip



- Suitable for lashing rails
- Clamping capacity 0 - 29 mm
- Load capacity up to 500 daN
- M8 thread

Dimensions W x D x H [mm]	45 x 25 x 50
Weight [kg]	0.06
Order ref.	**63003028.51V**
Final installation [WU]	0


Threaded fitting



- Suitable for lashing rails
- Load capacity = 500 daN
- M8 thread
- Pack quantity: 2 pieces

Version	Threaded fitting	Threaded fitting
Clamping area [mm]	0 - 5	0 - 20
Dimensions W x D x H [mm]	43 x 22 x 25	43 x 22 x 40
Weight [kg]	0.08	0.10
Pack quantity	2	2
Order ref.	**63003092.51V**	**63003027.51V**
Final installation [WU]	0	0

Ratchet strap with fitting




- bott branded strap in anthracite grey
- Suitable for lashing rails
- Strap width 25 mm
- Load capacity up to 500 daN



Strap length [mm]	1000	2500
Fixed end [mm]	130	130
Load capacity [daN]	500	500
Weight [kg]	0.55	0.64
Order ref.	**62626005.19V**	**62626006.19V**
Final installation [WU]	0	0

Strap length [mm]	2500	3500	5000
Fixed end [mm]	500	500	500
Load capacity [daN]	500	500	500
Weight [kg]	0.64	0.69	0.78
Order ref.	**62626049.19V**	**62626007.19V**	**62626008.19V**
Final installation [WU]	0	0	0


Version with load capacity up to 400 daN



- bott belt webbing in anthracite grey
- Suitable for lashing rails
- Webbing width 25 mm
- Load capacity up to 400 daN

Strap length [mm]	3000
Fixed end [mm]	130
Load capacity [daN]	400
Weight [kg]	0.36
Order ref.	**62626069.19V**
Final installation [WU]	0

Cam-buckle strap with fitting



- bott branded strap in anthracite grey
- Suitable for lashing rails
- Strap width 25 mm
- Load capacity up to 150 daN

Strap length [mm]	1000	2500	2500
Fixed end [mm]	130	130	500
Load capacity [daN]	150	150	150
Weight [kg]	0.21	0.26	0.26
Order ref.	**62626009.19V**	**62626010.19V**	**62626050.19V**
Final installation [WU]	0	0	0

Strap length [mm]	3500	5000
Fixed end [mm]	500	500
Load capacity [daN]	150	150
Weight [kg]	0.30	0.35
Order ref.	**62626011.19V**	**62626012.19V**
Final installation [WU]	0	0

Fitting



- Suitable for use with lashing rails / lashing plate
- Load capacity up to 500 daN

Dimensions W x D x H [mm]	43 x 26 x 65
Weight [kg]	0.05
Order ref.	**63003031.51V**
Final installation [WU]	0

Slot nut for Airline profile



- Sliding block for airline lashing rail with 2x M6 thread and 1x M8 thread
- Additional M8 thread in the sliding block for additional installation position for fixing different accessory materials to the airline lashing rail
- With screw and washer
- Zinc-plated

Execution	Slot-nut
Dimensions W x D x H [mm]	-
Weight [mm]	0.09
Pack quantity	2
Order ref.	**63510092**
Final installation [WU]	0

Aluminium lashing plate



- For straps with fitting
- Load capacity up to 150 daN

Dimensions W x D x H [mm]	45 x 45 x 10
Weight [kg]	0.02
Order ref.	**12626021**
Final installation [WU]	0

bott connector



- Suitable for bott lashing rails with green protective strip
- 2-piece
- Can be positioned in 25mm pitch
- Can be inserted into the lashing rail from the front
- 3x M8 thread
- Load capacity up to 500 daN
- Material: zinc-plated steel



Version	Slot nut and cover plate
Dimensions W x D x H [mm]	90 x 14 x 23
Weight [kg]	0.23
Pack quantity	2
Order ref.	**63510132.51**
Final installation [WU]	0


Recessed lashing eye



- Sheet steel, zinc-plated
- Flush-fitting
- Including fixing kit

Version	Lashing eye	Lashing eye
Load capacity [daN]	350	800
Dimensions W x D x H [mm]	104 x 70 x 12	145 x 100 x 17
Weight [kg]	0.28	0.57
Order ref.	**63003033.51V**	**63003034.51V**
Final installation [WU]	4	0

Recessed lashing eye



- Sheet steel, zinc-plated
- Flush-fitting
- Including fixing kit Lashing eye
- Zinc-plated steel with plastic edging
- Ø 100 mm
- Fixing kit included

Version	Lashing eye
Load capacity [daN]	200
Dimensions W x D x H [mm]	100 x 100 x 11
Weight [kg]	0.09
Order ref.	**63003037.51V**
Final installation [WU]	0

Traffic cone for locating lug incl. securing strap



- The locating lug is used for securing stacked cones in place
- The cones are stacked on top of one another, the locating lug is inserted and secured using the lashing strap looped through the base
- Diameter of the locating lug 30 mm
- Height of the locating lug 45 mm
- Lashing strap with screw plate and cam-buckle, length 2500 mm, fixed end 200 mm, locating lug without fixing kit

Dimensions W x D x H [mm]	60 x 45 x 60
Weight [kg]	0.30
Order ref.	**63510152.90V**
Final installation [WU]	2

Ratchet strap with hook ends



- bott branded strap in anthracite grey
- Universal hook for use with lashing eyes
- Strap width 25 mm

Strap length [mm]	3000	5000
Fixed end [mm]	130	500
Load capacity [daN]	400	650
Weight [kg]	0.38	0.90
Order ref.	**62626067.19V**	**62626033.19V**
Final installation [WU]	0	0

5

Ratchet strap with snap hook



- bott branded strap in anthracite grey
- Strap width 25 mm

Version	Ratchet	Ratchet	Ratchet
Strap length [mm]	2500	3500	5000
Fixed end [mm]	250	500	500
Load capacity [daN]	650	650	650
Dimensions W x D x H [mm]	2500 x 0 x 25	3500 x 0 x 25	5000 x 0 x 25
Weight [mm]	0.61	0.65	0.73
Order ref.	**62626075.19**	**62626076.19**	**62626077.19**
Final installation [WU]	0	0	0

Version	Cam-buckle	Cam-buckle	Cam-buckle
Strap length [mm]	2500	3500	5000
Fixed end [mm]	250	500	500
Load capacity [daN]	150	150	150
Dimensions W x D x H [mm]	2500 x 0 x 25	3500 x 0 x 25	5000 x 0 x 25
Weight [mm]	0.29	0.31	0.35
Order ref.	**62626081.19**	**62626082.19**	**62626083.19**
Final installation [WU]	0	0	0

Lashing strap with wide belt size and hook end



- bott branded lashing strap in anthracite grey
- Strap width 50 mm

Strap length [mm]	5000
Fixed end [mm]	500
Load capacity [daN]	750
Dimensions W x D x H [mm]	5000 x 0 x 50
Weight [mm]	1.10
Order ref.	**62626089.19**
Final installation [WU]	0

Lashing strap with wide belt size and snap hook



- bott branded lashing strap in anthracite grey
- Strap width 50 mm

Strap length [mm]	5000
Fixed end [mm]	500
Load capacity [daN]	750
Dimensions W x D x H [mm]	5000 x 0 x 50
Weight [mm]	1.15
Order ref.	**62626091.19**
Final installation [WU]	0

Ratchet strap



- bott branded strap in anthracite grey
- Strap width 25 mm

Strap length [mm]	1000	2500
Load capacity [daN]	1000	1000
Weight [kg]	0.36	0.47
Order ref.	**62626071.19**	**62626072.19**
Final installation [WU]	0	0

Cam-buckle strap



- bott branded strap in anthracite grey
- Strap width 25 mm

Strap length [mm]	1000	2500
Load capacity [daN]	300	300
Weight [kg]	0.08	0.13
Order ref.	**62626037.19V**	**62626039.19V**
Final installation [WU]	0	0

Cam-buckle strap with plastic hooks



- With cam buckle
- Colour: anthracite grey (RAL 7016)



Strap length [mm]	2500
Fixed end [mm]	500
Weight [kg]	0.18
Order ref.	**62626043.19V**
Final installation [WU]	0

bott vario strap set




- 4x strap with cam-buckle, length: 400 mm
- 2x lashing strap with fitting and cam-buckle, length: 2500 mm, fixed end: 130 mm
- Used for varioCar boot floor insert

Weight [mm]	0.67
Order ref.	**12626087.90V**
Final installation [WU]	0

5

Ratchet strap with flat hook ends



- bott belt webbing in anthracite grey
- For cargo restraint track
- Webbing width 25 mm

Strap length [mm]	3500
Fixed end [mm]	500
Load capacity [daN]	500
Weight [kg]	0.69
Order ref.	**62626022.19V**
Final installation [WU]	0

Single lashing point -oo- raised



- Makes quick and simple load restraint possible
- For installation on bott vario3 vehicle equipment, suitable for the T-slots on the SLF and many system components
- With perforation -oo- for lashing straps with fitting
- Single lashing eye - oo- for vertical or horizontal T-slots
- For use on end frame profiles, L-/LX-Profile or on profiles on shelves and shelf trays
- Further universal use through simple mounting in other suitable spots
- A suitable installation kit 73502076.51V must be ordered with it

Dimensions W x D x H [mm]	29 x 16 x 112
Weight [kg]	0.05
Order ref.	**72610028.19V**
Final installation [WU]	0


bott

C-Lash strap with single lashing eye raised



- Makes quick and simple load restraint possible
- For installation on bott vario3 van racking, at the side to the bott vario3 end frame
- Included:
- 1x lashing strap (-C-) with cam-buckle strap
- 2x single lashing eye (-C-) design
- bott belt webbing in anthracite grey
- Webbing width 25 mm

Version	Lashing strap C-Lash - surface mounted	Lashing strap C-Lash - surface mounted	Lashing strap C-Lash - surface mounted	Lashing strap C-Lash - surface mounted
Strap length [mm]	1000	1000	2500	2500
Fixed end [mm]	100	100	100	100
Load capacity [daN]	100	100	100	100
Dimensions W x D x H [mm]	1000 x 15 x 100	1000 x 15 x 100	2500 x 15 x 100	2500 x 15 x 100
Weight [mm]	0.13	0.13	0.16	0.16
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610034.19M**	**72610034.19V**	**72610035.19M**	**72610035.19V**
Final installation [WU]	0	0	0	0


C-Lash cam-buckle strap



- Makes quick and simple load restraint possible
- For installation on bott vario3 van racking, at the side to the bott vario3 end frame
- Included:
- 1x lashing strap (-C-) with cam-buckle strap
- 2x single lashing eye (-C-) design
- bott belt webbing in anthracite grey
- Webbing width 25 mm

Version	Lashing strap with C-Lash and cam-buckle	Lashing strap with C-Lash and cam-buckle	Lashing strap with C-Lash and cam-buckle
Strap length [mm]	700	1000	2500
Fixed end [mm]	100	100	100
Load capacity [daN]	100	100	100
Dimensions W x D x H [mm]	700 x 0 x 25	1000 x 0 x 25	2500 x 0 x 25
Weight [mm]	0.10	0.10	0.13
Order ref.	**62626099.19V**	**62626095.19V**	**62626096.19V**
Final installation [WU]	0	0	0


C-Lash strap with single lashing eye recessed



- Makes quick and simple load restraint possible
- For installation on bott vario3 van racking, at the side to the bott vario3 end frame
- Included:
- 1x lashing strap (-C-) with cam-buckle strap
- 2x single lashing eye (-C-) design
- bott belt webbing in anthracite grey
- Webbing width 25 mm

Version	Lashing strap C-Lash - mounted in T-slot	Lashing strap C-Lash - mounted in T-slot
Strap length [mm]	1000	2500
Fixed end [mm]	100	100
Load capacity [daN]	100	100
Dimensions W x D x H [mm]	1000 x 15 x 88	2500 x 15 x 88
Weight [mm]	0.12	0.15
Order ref.	**72610030.19V**	**72610031.19V**
Final installation [WU]	0	0

C-Lash strap with single lashing eye recessed for intermediate construction



- makes quick and flexible load restraint possible
- For mounting on bott vario3 vehicle equipment, on the bott vario3 end frame
- Includes:
- 1x lashing strap (-C-) with cam-buckle
- 2x single lashing point (-C-) surface mounted
- bott branded strap in anthracite grey
- Strap width 25 mm

Version	Lashing strap C-Lash - mounted between end frames	Lashing strap C-Lash - mounted between end frames	Lashing strap C-Lash - mounted between end frames	Lashing strap C-Lash - mounted between end frames
Strap length [mm]	1000	1000	2500	2500
Fixed end [mm]	100	100	100	100
Load capacity [daN]	100	100	100	100
Dimensions W x D x H [mm]	1000 x 15 x 100	1000 x 15 x 100	2500 x 15 x 100	2500 x 15 x 100
Weight [mm]	0.13	0.13	0.16	0.16
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72610041.17M**	**72610041.17V**	**72610042.17M**	**72610042.17V**
Final installation [WU]	0	0	0	0


Load restrain blanket



- For securing the load in the vehicle and on the flatbed
- Theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 200 daN
- Colour: anthracite grey

Version	4x cam buckle strap with flat hook ends	4x cam buckle strap with fitting	6x cam buckle strap with flat hook ends	6x cam buckle with fitting
Dimensions W x D [mm]	1250 x 730	1250 x 730	2290 x 1500	2290 x 1500
Weight [kg]	1.20	1.20	2.50	2.50
Order ref.	**62627010.19V**	**62627011.19V**	**62627012.19V**	**62627013.19V**
Final installation [WU]	0	0	0	0

Load restraint net



- Close-meshed knitted load-securing net
- Tested according to VDI 2700
- Mesh width 45 x 45 mm
- Load capacity up to 400 daN
- Cam-buckle strap around circumference

Version	4x hook	4x fitting	4x hook	4x fitting
Dimensions W x D [mm]	1250 x 730	1250 x 730	2290 x 1500	2290 x 1500
Weight [kg]	1.06	0.88	1.63	1.45
Order ref.	**62627006.19V**	**62627007.19V**	**62627008.19V**	**62627009.19V**
Final installation [WU]	0	0	0	0

Load restraint net



- Load restraint net made of bott belt webbing in anthracite grey
- Tested according to VDI 2700
- Mesh size 150 x 150 mm
- Load capacity up to 800 daN
- All-round ratchet strap

Version	4x hook
Dimensions W x D [mm]	3000 x 1900
Weight [kg]	3.70
Order ref.	**62627005.19V**
Final installation [WU]	0

Net hooks - pack of 7



- Net hook for installation on the drop side of the flatbed
- For fixing a cover net
- Pack of 7

Version	Net hooks - pack of 7
Dimensions W x D [mm]	39 x 21
Weight [kg]	0.23
Order ref.	**72610060.51V**
Final installation [WU]	5

5

perfo perforated panel for vehicle bulkhead



- Creates an even, vertical surface at the vehicle bulkhead
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- With perfo hole pattern for attaching hooks and accessories from the standard perfo accessory range
- With 4 fixing positions for the simple fastening of lashing rails
- Suitable adapter rails available on request

Dimensions W x D x H [mm]	478 x 25 x 250		478 x 25 x 400		478 x 25 x 900	
Weight [kg]	1.45		2.10		4.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508009.19M**	**73508009.19V**	**73508010.19M**	**73508010.19V**	**73508011.19M**	**73508011.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	590 x 25 x 250		590 x 25 x 400		590 x 25 x 900	
Weight [kg]	1.70		2.50		5.10	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508012.19M**	**73508012.19V**	**73508013.19M**	**73508013.19V**	**73508014.19M**	**73508014.19V**
Final installation [WU]	0	3	0	3	0	3


Dimensions W x D x H [mm]	814 x 25 x 250		814 x 25 x 400		814 x 25 x 900	
Weight [kg]	2.43		3.63		7.63	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508015.19M**	**73508015.19V**	**73508016.19M**	**73508016.19V**	**73508017.19M**	**73508017.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	926 x 25 x 250		926 x 25 x 400		926 x 25 x 900	
Weight [kg]	2.67		3.70		8.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508018.19M**	**73508018.19V**	**73508007.19M**	**73508007.19V**	**73508008.19M**	**73508008.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	1038 x 25 x 250		1038 x 25 x 400		1038 x 25 x 900	
Weight [kg]	2.92		4.30		9.10	
Assembled/packed	Assembled	Packed	Assembled	Packed		Packed
Order ref.	**73508019.19M**	**73508019.19V**	**73508002.19M**	**73508002.19V**	**73508003.19M**	**73508003.19V**
Final installation [WU]	0	3	0	3	0	

Dimensions W x D x H [mm]	1150 x 25 x 250		1150 x 25 x 400		1150 x 25 x 900	
Weight [kg]	3.18		4.72		9.85	
Assembled/packed	Assembled	Packed		Packed	Assembled	Packed
Order ref.	**73508020.19M**	**73508020.19V**	**73508021.19M**	**73508021.19V**	**73508022.19M**	**73508022.19V**
Final installation [WU]	0	3	0	3	0	3

Lashing rail with protective strip for perfo perforated panel



- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- For straps with fitting
- Width 46 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- The green protective strip can be replaced by LED strips
- Incl. 2 end caps as protection

Rail length [mm]	425	525	750	825
Weight [kg]	0.40	0.50	0.61	0.78
Order ref.	**67901057.98V**	**67901058.98V**	**67901042.98V**	**67901059.98V**
Final installation [WU]	3			

Rail length [mm]	945	1075	1125
Weight [kg]	0.83	1.00	0.93
Order ref.	**67901014.98V**	**67901060.98V**	**67901066.98V**
Final installation [WU]	0	3	

Box shelf with bottBoxes



- Aluminium box shelf
- Incl. bottBoxes M2
- Max. load capacity 30 kg

Suitable for	Fiat Ducato/Peugeot Boxer/Citroën Jumper L2/H2	Ford Transit L2/H2/H3-2014	Mercedes-Benz SprinterL2/H1/H2	Fiat Ducato/Peugeot Boxer/Citroën Jumper L2/H2	Renault Master/Nissan NV400/Opel Movano L2/H2
Quantity of bottBoxes	11	9	12	11	10
Dimensions W x D x H [mm]	1500 x 234 x 90	1290 x 234 x 90	1590 x 234 x 90	1500 x 234 x 90	1450 x 234 x 90
Weight [kg]	7.00	5.62	7.09	7.00	6.24
Order ref.	**62533382.19V**	**62533280.19V**	**62533276.19V**	**62533382.19V**	**62533278.19V**
Final installation [WU]	0				


Box shelf with bottBoxes for vehicle bulkhead



- For mounting directly on the vehicle bulkhead or on a perfo perforated panel
- Aluminium box tray
- Incl. 7x bottBox M1

Dimensions W x D x H [mm]	920 x 128 x 67
Weight [kg]	1.55
Order ref.	**62533403.19V**
Final installation [WU]	0


End-frame storage tray with anti-slip mat for transverse installation



- With anti-slip mat
- For installation on the outside of the SLF on 2 transverse vario3 shelves behind one another
- Max. load capacity 30 kg

Dimensions W x D x H [mm]	180 x 1043 x 100	116 x 1043 x 65
Weight [kg]	1.62	1.16
Order ref.	**73508004.97V**	**73508005.97V**
Final installation [WU]	2	2

End-frame storage tray variable




- For free installation on the vehicle or on the floor e.g. at the vehicle bulkhead
- For installation on the glass rack
- Incl. anti-slip mat

Dimensions W x D x H [mm]	180 x 1900-3600 x 100	180 x 803-1379 x 100
Weight [kg]	5.30	2.25
Order ref.	**73508036.97V**	**73508029.97V**
Final installation [WU]	2	0

Pallet stop



- Makes form-fit load restraint possible
- Is integrated in the floor rail
- Has two fitting brackets
- Can be connected by a shoring pole up to 1000 mm
- Load capacity per set up to 500 daN



Dimensions W x D x H [mm]	80 x 85 x 65
Weight [kg]	1.10
Order ref.	**63003136.51V**
Final installation [WU]	1


Edge protection/edge sliders for lashing straps




- For the even distribution of lashing forces when lashing down
- Thanks to the integrated slots the edge protection can be fixed on the lashing strap and makes attachment to the cargo easier
- Up to strap width 50 mm
- Material: polyethylene
- Colour: black

Dimensions W x D x H [mm]	110 x 85 x 85
Weight [kg]	0.07
Order ref.	**82008008**
Final installation [WU]	0

Long-item tube holder



- Holder for storing long parts
  The clamping range of the holder can be set individually using the included lashing strap and the holder roll



Version	Holder	Cone	Cone
Dimensions W x D x H [mm]	125 x 50 x 45	55 x 55 x 41	75 x 75 x 41
Weight [kg]	0.31	0.07	0.05
Order ref.	**63003090.19V**	**63003075.90V**	**63003076.90V**
Final installation [WU]	1	1	1

Internal ladder holder



- For installation on the roof liner to save space in the vehicle
- Suitable for ladders with a length of 2 m, a maximum total step depth of 180 mm and a weight up to 20 kg
- Extension kit can be ordered for ladder lengths of more than 2 metres
- Adjustment to ladder length possible
- Both ladder holder brackets can be folded upwards if not used
- Material: aluminium / painted steel

Version	Internal ladder holder	Extension kit
Dimensions W x D x H [mm]	210 x 1810 x 120	-
Weight [kg]	8.50	1.00
Order ref.	**73508060.19V**	**73508061.19V**
Final installation [WU]	7.0	2.0

Ladder holder 3-part



- 3-piece, for single section and double extension ladders
- Attaches to vehicle roof spar by means of a central folding mechanism
- Colour: anthracite grey (RAL 7016)



Version	Suitable for use with ladder spars from 70 to 100 mm	Suitable for use with ladder spars from 130 to 160 mm
Dimensions W x D x H [mm]	46 x 300 x 130	46 x 300 x 190
Net weight [kg]	1.70	1.90
Order ref.	**63003083.19V**	**63003084.19V**
Final installation [WU]	0	0

Shoring pole holder set



- For secure and space-saving storage of 2 to 4 shoring poles
- Suitable for both versions of the shoring poles
- For mounting onto the lashing rails on the vehicle side wall or in the roof area
- Powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

Version	for 2 shoring poles	for 4 shoring poles
Dimensions W x D x H [mm]	85 x 75 x 120	85 x 75 x 270
Net weight [kg]	0.93	2.05
Order ref.	**63003086.19**	**63003087.19**
Final installation [WU]	0	0

Adjustable shoring pole



- Used to secure large items in transit
- Telescopic bar can be shortened or extended quickly without tools
- 4 different sizes available, each with a different adjustment range
- Guide value: Blocking capacity BC x 4 = max. permitted load weight for rear load restraint
- Starting from length 1550 mm with circumferential rubber coating, in the lower area, for increased slip-resistance as well as additional protection for the load



Shoring pole length [mm]	650-900	1050-1550	1550-2050	2000-2500
Blocking capacity BC [daN]	350	350	300	250
Weight [kg]	1.63	2.92	3.02	3.18
Order ref.	**85001041**	**85001039**	**85001013**	**85001040**
Final installation [WU]	0	0	0	0

Adjustable shoring pole plus



- Used to secure large items in transit
- Telescopic bar can be shortened or extended quickly without tools
- Simple operation by means of Twist Lock when inserting.
- Shoring pole is not spring loaded so there is never any clamping force applied to the roof or the side wall
- Suitable for horizontal and vertical applications
- Equal contact area across the entire length
- Continuous, uniform diameter of the clamping bar that always ensures flat contact surface with transported goods
- Circumferential rubber coating for increased slip-resistance as well as additional protection for the load.

Shoring pole length [mm]	650-800	800-1100	1000-1500	1400-2100	1700-2500
Blocking capacity BC [daN]	650 - 500 daN	700 - 600 daN	725 - 400 daN	500 - 275 daN	425 - 175 daN
Weight [kg]	1.58	1.93	2.35	3.24	3.91
Order ref.	**85001118**	**85001119**	**85001120**	**85001121**	**85001122**
Final installation [WU]	0.0	0.0	0.0	0.0	0.0

Shovel and tool holder for rear doors



- For the clean secure storage of shovels and similar tools with handles
- Easy cleaning thanks to individually removable dirt catch pan
- Simple and fast load restraint thanks to C-Lash lashing strap
- Rear panel with perfo perforated panel for attaching perfo hooks for fixing the tools
- Incl. 10x perfo hooks (5x length 100 mm / 5x length 150 mm)
- Incl. bracket for installation
- Material: anodised aluminium

Dimensions W x D x H [mm]	506 x 220 x 1545
Weight [kg]	7.80
Order ref.	**73502065.97V**
Final installation [WU]	4

Over-centre fastener



- For fast and secure mounting of small and long parts
- Material: Zinc-plated steel
- Tensioning strap: Plastic, black

Version	Short rubber strap	Long rubber strap
Dimensions W x D x H [mm]	150 x 40 x 40	150 x 40 x 40
Weight [kg]	0.14	0.14
Order ref.	**63003041.51V**	**63003042.51V**
Final installation [WU]	1	0

Over-centre fastener 60-80 mm



- For installation directly on the SLF in the 25mm pitch and on the SLF panel with steel SLF support strut
- Installation on a bott lashing rail with sliding block order ref. 91002009 screw length 16mm
- Material: zinc-plated steel, rubber strap EPDM black, handle coating PVC

Dimensions W x D x H [mm]	120 x 92 x 45	120 x 92 x 45
Weight [kg]	0.33	6.60
Pack quantity	1	20
Order ref.	**73003012.51V**	**73010291.51V**
Final installation [WU]	1	1

Broom and tool holders



- For assembly on the vehicle roof (vehicle rib or lashing rail), at the side on the SLF and on the lashing rail on the vehicle bulkhead
- A snap fastener is included in the scope of supply and has to be assembled
- The brackets can also be ordered separately
- Protection of the secured devices by PVC coating on the brackets
- Securing of devices with different diameters by means of snap fastener
- Sheet steel zinc-plated or KTL coated PVC black glossy

Version	Broom and tool holder kit	Holder open	Holder closed
Dimensions W x D x H [mm]	0 x 0 x 0	80 x 80 x 90	
Weight [kg]	1.00	0.33	0.40
Order ref.	**73508056.90V**	**73508057.90V**	**73508058.90V**
Final installation [WU]	2.0		

Plate compactor holder with strap



- For the secure transportation of plate compactors in vans or on a flatbed
- Will accommodate a plate size of W x D: 280 x 330-350 mm
- Handle height is adjustable
- Incl. lashing strap



Dimensions W x D x H [mm]	315 x 560 x 930
Weight [kg]	10.40
Order ref.	**07002234.19**
Final installation [WU]	6

Lashing strap bag



- Ideal for vehicles with bott vario3 van racking

System depth [mm]	376
Dimensions W x H [mm]	300 x 265
Weight [kg]	0.35
Order ref.	**14014066**
Final installation [WU]	1

Load restraint case for vehicles with lashing rails



- Ideal for vehicles with bott vario3 in-vehicle equipment with integrated lashing points and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way using the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1x Systainer³ Organizer M 89
- 2 x lashing strap 3.5 m with fitting and cam buckle
- 2 x lashing strap 3.5 m with fitting and ratchet
- 6x load restraint pad
- 6x strap protection pad
- Including important information on load restraint

Dimensions W x D x H [mm]	396 x 296 x 89
Weight [kg]	3.66
Order ref.	**72610038.19V**
Final installation [WU]	0

Load restraint case for vehicles with lashing eyes and lashing rails



- Ideal for vehicles with bott vario3 in-vehicle equipment with integrated lashing points and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way by means of the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1x Systainer³ Organizer M 89
- 2 x lashing strap 3.5 m with fitting -oo- and cam buckle
- 2 x lashing strap 3.5 m with fitting -oo- and ratchet
- 6x load restraint pad
- 6x strap protection pad
- Including important information on load restraint

Dimensions W x D x H [mm]	396 x 296 x 89
Weight [kg]	3.66
Order ref.	**72610039.19V**
Final installation [WU]	0

Tiltbox with lashing straps



- Ideal for vehicles with bott in-vehicle equipment including lashing components and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way by means of the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1 bott TiltBox
- 2 Lashing strap 3.5 m with fitting (-oo-) and cam buckle
- 2 Lashing strap 3.5 m with fitting (-oo-) and ratchet
- Including important information on load restraint

Dimensions W x D x H [mm]	304 x 147 x 196
Weight [kg]	2.66
Order ref.	**72610040.19V**
Final installation [WU]	2

Tool case clamp



- Convenient, safe clamping of different case sizes
- For installation between end frames
- Simple width adjustment with eccentric clamping mechanism
- Clamping possibility to the left or right
- 7 widths 7, 8, 9, 10, 11, 12, 13

Dimensions W x D x H [mm]	814 x 302 x 228		926 x 302 x 228		1038 x 302 x 228	
Weight [kg]	3.00		3.16		3.31	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72117001.19M**	**72117001.19V**	**72117002.19M**	**72117002.19V**	**72117003.19M**	**72117003.19V**
Final installation [WU]	0					

Dimensions W x D x H [mm]	1150 x 302 x 228		1262 x 302 x 228	
Weight [kg]	3.47		3.61	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72117004.19M**	**72117004.19V**	**72117005.19M**	**72117005.19V**
Final installation [WU]	0			

Dimensions W x D x H [mm]	1374 x 302 x 228		1486 x 302 x 228	
Weight [kg]	3.76		3.92	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72117006.19M**	**72117006.19V**	**72117007.19M**	**72117007.19V**
Final installation [WU]	0			

5

Hydrant key holder



- bott vario3 hydrant key storage solution
- Hydrant key holder is installed on the side of the SLF (depth 2 and 3)
- Snap fastener is included and has to be assembled
- For depth 3, a second snap fastener can be ordered in addition and assembled

Dimensions W x D x H [mm]	36 x 264 x 70		36 x 376 x 70	
Weight [kg]	0.47		0.64	
Order ref.	**73508048.19M**	**73508048.19V**	**73508047.19M**	**73508047.19V**
Final installation [WU]	1			2

06 bott vario3

Lighting and power



Transport of long items | Transport of gas bottles | Ventilation | Lighting and power


Lashing rail with LED light 12V



- Lashing rail with Airline profile and integrated LED lighting
- State-of-the-art LED technology
- Light colour: neutral white 6000 +/-500 K
- Protection class IP44
- With waterproof, transparent silicone casing
- With 2-wire connection cable 1.5 m
- Included: 1x lashing rail, 2x end caps, 2x LED strips with connection cable

Lumen [lm/m]	1200	1700	1900	1700
Power consumption [W]	14,5	20	23,2	20
Dimensions W x D x H [mm]	714 x 19 x 46	964 x 19 x 46	1114 x 19 x 46	964 x 19 x 46
Weight [kg]	0.77	0.96	1.08	24.00
Order ref.	**67901062.98V**	**67901063.98V**	**67901064.98V**	**67901065.98V**
Final installation [WU]	4.0	4.0	4.0	0.0

LED strip 12V complete set for bott lashing rail



- State-of-the-art LED technology
- Light colour: neutral white 6000 +/-500 K
- Protection class IP44
- With waterproof, transparent silicone casing
- With 2-wire connection cable 1.5 m
- Self-adhesive with 3M tape
- 2x end caps
- Width 8 mm, cut to size in increments of 25 mm
- Suitable for lashing rail with green protective strip
- Attention: Only suitable for gluing to heat-conducting (metallic) surfaces!

Lumen [lm/m]	1000
Power consumption [W]	9,2
Dimensions W x D x H [mm]	2500 x 3 x 8
Weight [kg]	0.12
Order ref.	**73501020.90V**
Final installation [WU]	3.0

LED strip 12V complete set for bott vario3 system components



- LED strip 12V complete set with state-of-the-art LED technology
- LED strip is glued into the slot in the system component
- Light colour: neutral white 6000 +/-500 K
- Protection class IP44
- With waterproof, transparent silicone casing
- With 2-wire connection cable 0.5 m
- Secured in place with 3M self-adhesive tape
- Width 8 mm, can be shortened every 25 mm
- Attention: Only suitable for gluing to heat-conducting (metallic) surfaces!

Version	For system components	For system components
Lumen [lm/m]	1000	1000
Dimensions W x D x H [mm]	2000 x 3 x 8	2000 x 3 x 8
Weight [kg]	0.10	0.10
Order ref.	**73501004.90M**	**73501004.90V**
Final installation [WU]	0.0	0.0

LED strip 12V



- State-of-the-art LED technology
- Light colour: Neutral white 6000 +/-500 K
- Type of protection IP44
- With waterproof, transparent silicone casing
- With 2-wire connection cable 0.5 m
- Secured in place with 3M self-adhesive tape
- Width 8 mm, cut to size in increments of 25 mm
- Also suitable for lashing rail with green protective strip
- Attention: Only suitable for gluing to heat-conducting (metallic) surfaces!

Lumen [lm/m]	1000
Power consumption [W]	11
Dimensions W x D x H [mm]	2000 x 3 x 8
Weight [kg]	0.15
Order ref.	**63501060.90V**
Final installation [WU]	3.0

LED tube light 12V with switch




- On/off switch
- Stateoftheart LED technology
- Scattering angle 120°
- Light colour: Neutral white 6000 6500 Kelvin
- Aluminium housing
- 2-wire connection cable 1 m
- Fixings included



Lumen [lm]	530	900
Power consumption [W]	9	15
Dimensions W x D x H [mm]	500 x 30 x 12	900 x 30 x 12
Weight [kg]	0.17	0.29
Order ref.	**63501032.90V**	**63501033.90V**
Final installation [WU]	0	0

Securing clip for LED tube light 12V with switch



- Suitable for LED strip lights 12 V with switch (63501032.90V and 63501033.90V)
- Incl. screws

Dimensions W x D x H [mm]	25 x 31 x 18
Weight [mm]	0.01
Pack quantity	2
Order ref.	**63502069**
Final installation [WU]	0

LED tube light 12V with movement sensor



- Creates safety and convenience in the dark: No need to look for the switch, the light switches off automatically after a set time
- Enables safe walking when transporting objects
- Scattering angel 120°/ sensing angle max. 100°
- Light colour: daylight white (5900-6500 K)
- Sensing range: 3.5 m
- Protection class: IP50
- Light duration: 5 min (+/-30 seconds)
- Including fixing clips and PIR motion sensor
- 530 lumen / 300 lux at 1m

Lumen [lm]	530
Dimensions W x D x H [mm]	514 x 30 x 12
Weight [kg]	0.20
Order ref.	**73501014**
Final installation [WU]	2

LED tube light 230V with switch



- On/off switch
- State-of-the-art LED technology
- Scattering angle 120°
- Light colour: neutral white 4000 K
- Aluminium housing
- Fixings included

Lumen [lm]	900	1300
Current consumption [A]	0,39	0,56
Power consumption [W]	9	13
Dimensions W x D x H [mm]	550 x 41 x 42	950 x 41 x 42
Weight [kg]	0.32	0.48
Order ref.	**63501034.90V**	**63501035.90V**
Final installation [WU]	2	0

Weight [kg]	0.23	0.02	0.03
Order ref.	**43503020.90V**	**63501038.90V**	**63501039.90V**
Final installation [WU]	0		

LED interior light 12V



- With on/off switch
- State-of-the-art LED technology
- Light colour: daylight white (6000 - 6500 K)
- Input voltage 10-14V
- Plastic housing

Lumen [lm]	500
Dimensions W x D x H [mm]	32 x 362 x 15
Weight [kg]	0.12
Order ref.	**73501012**
Final installation [WU]	2

Bracket for LED lights



- For simplified installation of lamps in the vehicle
- Bracket can be bent according to individual installation situation thanks to micro-bars
- Mounting holes match the lamps currently in the bott range
- Material: anodised aluminium

Dimensions W x D x H [mm]	454 x 72 x 2
Weight [kg]	0.26
Pack quantity	2
Order ref.	**63502056.97**
Final installation [WU]	1

LED flood light 12/24V



- For lighting the vehicle surroundings
- State-of-the-art LED technology
- Protection class IP67
- 2-wire connection cable 0.35 m

Lumen [lm]	1700
Current consumption [A]	1,5
Power consumption [W]	18
Dimensions W x D x H [mm]	310 x 82 x 38
Weight [kg]	0.45
Order ref.	**63501040.90V**
Final installation [WU]	2

LED worklight 12V



- Rotating and swivelling work light with state-of-the-art LED technology from Osram
- Connection cable 2 m
- Fixing kit and bracket made of high-grade steel, screws and nuts made of stainless steel
- Protection class: IP69K

Lumen [lm]	750
Current consumption [A]	18
Power consumption [W]	18
Dimensions W x D x H [mm]	160 x 63 x 45
Weight [kg]	0.55
Order ref.	**73501010**
Final installation [WU]	0

LED strobe light 12/24V



- State-of-the-art LED technology
- 2 front flashers, each with 6 high-performance LEDs
- 5 different flashing patterns / light colour: yellow
- Can be synchronised with several units
- Simple mounting thanks to flat and compact design
- Type tested as per ECE R65, incl. permissible 3-fold flash
- Tested as per ECE R10
- Protection class IP69K
- 3-wire connection cable 150mm

Power consumption [W]	9
Dimensions W x D x H [mm]	107 x 30 x 23
Weight [kg]	0.42
Order ref.	**63501056**
Final installation [WU]	4

HELLLA LED rotating beacon



- State-of-the-art LED technology
- Robust design and easy installation

Current consumption [A]	12V/0,8A 24V/0,4A	12V/0,8A 24V/0,4A
Power consumption [W]	9,6 / 9,6	9,6 / 9,6
Dimensions W x D x H [mm]	165 x 165 x 183	135 x 135 x 124
Weight [kg]	0.72	0.76
Order ref.	**63501113**	**63501114**
Final installation [WU]	0.5	3

Version	Slip-on tube with plug, angled	Mount for rotating beacon FL
Dimensions W x D x H [mm]	105 x 90 x 90	250 x 250 x 30
Weight [kg]	0.50	0.70
Order ref.	**63501167**	**63510168.19**
Final installation [WU]	3	2

LED rotating beacon 12/24V



- Stateoftheart LED technology
- Magnetic base version with 2.5m spiral power cable and 12V cigarette lighter plug / 14 W
- Version with fixing screws with 3wire connection cable 0.8 m / 10 W
- 3 different flash patterns

Version	with magnetic foot	to be screwed on
Current consumption [A]	12V/1,5A 24V/1,5A	12V/1,7A 24V/1,3A
Power consumption [W]	18 / 36	20 / 30
Dimensions W x D x H [mm]	113 x 113 x 55	163 x 163 x 69
Weight [kg]	0.47	1.00
Order ref.	**63501041.90V**	**63501057**
Final installation [WU]	0	3

LED light bar



- High-quality warning light bar with high-power LED flashing modules and low design height
- Impact-proof, resistant to UV light and weather
- Illuminated centre module
- Housing colour: topaz grey / light colour: yellow
- Power consumption round modules: 2x 15 W / Centre module: 9.6 W
- Protection class IP54
- Approval: ECE-E1
- Length of connection cable: 5.5 m
- Includes fixing kit

Version	Warning light bar 1200	Warning light bar 1350
Dimensions W x D x H [mm]	1200 x 210 x 92	1350 x 210 x 92
Net weight [kg]	9.00	9.60
Order ref.	**63501072**	**63501073**
Final installation [WU]	9	9

Flashing beacon Horizont



- Horizont flashing beacons MS 340 plus (Ø 340mm) /RS 2000 plus Ø 200mm) is in each case a double system, comprising a control directional spotlight and an auxiliary directional spotlight
- The individual directional spotlights are permanently wired together by a 3.5 m connection cable
- Supply cable 5 m long
- Installation with bott bracket (635 02 080.90V) direct on the vehicle roof of additionally with adapter 35002053 on the roof rack
- Only permissible in connection with a safety marking in accordance with DIN 30710 / motor vehicle warning marking

Version	Flashing beacon Horizont MS340 plus double	Flashing beacon Horizont MS2000 plus double
Current consumption [A]	12V/0,68A 24V/0,11A	12V/0,24A 24V/0,08A
Power consumption [W]	8,2 / 2,6	2,9 / 1,9
Dimensions W x D x H [mm]	400 x 400 x 300	500 x 200 x 200
Weight [kg]	3.85	2.50
Order ref.	**63501120**	**63501121**
Final installation [WU]	8	8

Version	Slip-on tube with plug, angled	Roof rack adapter for basic roof rack/modular roof rack
Dimensions W x D x H [mm]	105 x 90 x 90	150 x 280 x 61
Weight [kg]	0.50	0.45
Order ref.	**63501167**	**35002053**
Final installation [WU]	3	2

LED worklight with magnetic foot



- Work light with 16 LEDs - state-of-the-art LED technology
- Can be turned and swivelled
- Aluminium housing with clip made of stainless steel
- Protection class IP67
- Spiral cable with 12V plug, length 5 m
- 2000 lumen

Version	LED
Current consumption [A]	2,1
Power consumption [W]	24
Dimensions W x D x H [mm]	108 x 65 x 180
Weight [kg]	1.50
Order ref.	**73501011**
Final installation [WU]	0

LED worklight and charger



- Impact-resistant and dustproof
- Can be recharged from a 12V, 24V or 230V power socket
- With emergency light function, flashing operation possible
- Lamp head can be swivelled 110°
- Battery life is 5 hours, or 10 hours with flashing light
- Illumination range up to 150 m
- Kit includes: Work lamp with battery and 2 lenses (clear and orange), charging station with 230 V connection cable with Euro plug and 12/24 V connection cable with 12 V plug

Dimensions W x D x H [mm]	104 x 120 x 245
Weight [kg]	1.10
Order ref.	**63501006.90V**
Final installation [WU]	0


LED worklight explosion protection with charger



- For use in EX zone areas 1, 2, 21 and 22, which are potentially subject to gas and dust explosions
- Impact-resistant plastic
- Protection class IP64
- Lamp head can be swivelled 110°
- Battery life of the main lamp in conditions of continuous operation is about 5 hours, about 10 hours for flashing operation
- Illumination range approx. 150 m
- Can be recharged from a 12V, 24V or 230V power socket
- Includes: Work lamp with battery and 2 lenses (clear and orange), charging station with 230 V connection cable with Euro plug and 12/24 V connection cable with 12 V plug

Dimensions W x D x H [mm]	104 x 120 x 245
Weight [kg]	1.80
Order ref.	**63501051.90V**
Final installation [WU]	2

OEM lamp bracket



- Lamp holder for OEM lighting in the load compartment
- Enables the lashing rail to be mounted on the roof bows without omitting the OEM load compartment lighting
- The mounting plate enables the lamp holder to be mounted in an offset position
- Pack of 2

Suitable for	Y15 - Ford Transit Custom (2012)	Y47-Ford Transit (2014)	Y58 - VW Crafter / MAN TGE (2016)	Y70 - VW Caddy 2015/2020
Dimensions W x D x H [mm]	120 x 2 x 111	89 x 2 x 80	110 x 2 x 88	110 x 2 x 82
Weight [kg]	0.03	0.02	0.06	0.03
Order ref.	**73508055.98**	**73508052.98**	**73508054.98**	**73508053.98**
Final installation [WU]	0.5			


Socket strip 230V



- On/off switch
- With 5 Schuko power sockets
- 1.6m connection cable

Dimensions W x D x H [mm]	462 x 45 x 74
Weight [kg]	0.73
Order ref.	**63501008.90V**
Final installation [WU]	0

Socket strip 230V with MCB/RCD




- With hinged lid
- With 4 Schuko power sockets
- With 30 mA residual-current circuit breaker
- Without cable

Dimensions W x D x H [mm]	490 x 75 x 60
Weight [kg]	0.75
Order ref.	**51001132**
Final installation [WU]	2

External power feed Calix



- Suitable for Calix power inlet
- 2.5 m connection cable
- Cannot be used in connection with an inverter



Version	Calix external power feed	Torque wrench adapter
Dimensions W x D x H [mm]	250 x 50 x 300	60 x 63 x 106
Weight [kg]	1.10	0.15
Order ref.	**51003006**	**90099726.96**
Final installation [WU]	5	

External power feed Calix adapter cable



- 2.5 m connection cable

Version	Calix adapter cable
Dimensions W x D x H [mm]	30 x 2500 x 30
Weight [kg]	0.50
Order ref.	**51003009**
Final installation [WU]	0

External power feed CEE adapter cable



- Connection cable 1.5m long, cable cross-section is 3x 2.5 mm2
- Schuko plug to CEE 16A 230V coupling

Dimensions W x D x H [mm]	50 x 2000 x 50
Weight [kg]	0.75
Order ref.	**51003007**
Final installation [WU]	0


Connector socket for external power feed CEE



- Junction box with CEE 16A 230V plug IP 44 with rubber seal

Dimensions W x D x H [mm]	250 x 150 x 300
Weight [kg]	0.20
Order ref.	**51003008**
Final installation [WU]	6


On-board power distribution 230V



- Required for the safe and proper connection of several consumers to a power inverter
- Ensures safe work inside and outside the vehicle
- 2x Schuko power socket, 3x main switch 30mA
- Fully pre-assembled and tested
- You can order a warning sticker separately under the no. 81010291
-
- Attention!
- Installation only by trained specialist staff! Following installation, the electrical system must be checked by a qualified electrician!

Dimensions W x D x H [mm]	135 x 100 x 260
Weight [kg]	1.20
Order ref.	**51003005**
Final installation [WU]	9

Socket 12/24V



- 12 V surface-mounted socket for installation in vehicles
- Protected against short-circuiting and reverse polarity
- USB port with a charging current up to 5000 mA (2x2500mA) and automatic voltage reduction from 12/24 V to 5 V
- Safety plug and integrated fuse (8A)
- Max. cable length = 3 m



Version	1x 12/24 V	2x USB	2 USB, 2x 12/24 V	3x 12/24 V
Dimensions W x D x H [mm]	35 x 33 x 85	35 x 33 x 85	95 x 33 x 85	95 x 33 x 85
Weight [kg]	0.05	0.04	0.12	0.12
Order ref.	**63501014.90V**	**63501044.90V**	**63501045.90V**	**63501015.90V**
Final installation [WU]	0	0	0	0

Socket 12V with USB-A ad USB-C



- 12 volt surface-mounted socket for installation in vehicles
- Protected against short-circuiting and reverse polarity
- Cable length = 150 mm
- USB port with a charging current up to 5000 mA (2x2500mA) and automatic voltage reduction from 12/24 V to 5 V



Version	1x USB-a + 1x USB-C	2x 12V + 1x USB-A +1x USB-C
Dimensions W x D x H [mm]	35 x 33 x 85	95 x 33 x 85
Weight [kg]	0.05	0.13
Order ref.	**63501116.90V**	**63501117.90V**
Final installation [WU]	1	1

Spiral cable 12V with fuse



- 12 V surface-mounted socket for installation in vehicles
- Protected against short-circuiting and reverse polarity
- USB port with a charging current up to 5000 mA (2x2500mA) and automatic voltage reduction from 12/24 V to 5 V
- Safety plug and integrated fuse (8A)
- Max. cable length = 3 m

Version	Spiral cable 12V with fuse
Weight [kg]	0.13
Order ref.	**63501016.90V**
Final installation [WU]	0.0

Surface mounted power socket



- Surface-mounted power socket with hinged lid
- Plastic, grey/light grey

Version	Single	Double horizontal	Double vertical
Dimensions W x D x H [mm]	76 x 63 x 76	147 x 63 x 76	76 x 63 x 147
Weight [kg]	0.12	0.24	0.23
Order ref.	**50001030**	**50001031**	**50001032**
Final installation [WU]	1	1	1

Version	Triple horizontal	Combined power socket with switch	Switch
Dimensions W x D x H [mm]	218 x 63 x 76	76 x 63 x 147	76 x 62 x 76
Weight [kg]	0.36	0.23	0.12
Order ref.	**50001033**	**50001034**	**50001035**
Final installation [WU]	2	2	1

Battery DeepCycle AGM and battery tray



- Nominal voltage 12V
- Nominal capacity 110 Ah
- Maintenance-free
- Illustration shows battery with tray
- Tray with ring strap and anti-slip mat

Version	Battery	Battery tray
Dimensions W x D x H [mm]	330 x 171 x 220	180 x 338 x 30
Weight [kg]	32.00	1.50
Order ref.	**63501085**	**63501086.19V**
Final installation [WU]	1	1

Drawer socket 12V



- Power supply in the drawer starting from a drawer front height of 150 mm
- Incl. 12 volt power socket
- Cable guidance via energy chain
- Incl. vario cable kit
- Black
- Installation position only possible on the right for standard drawers, only possible on the left for rotated drawers

Version	Right for construction depth 376 mm		Left for construction depth 600 mm	
Weight [kg]	1.00		1.09	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73501021.90M**	**73501021.90V**	**73501002.90M**	**73501002.90V**
Final installation [WU]	0			

Version	Left for construction depth 824 mm		Right for construction depth 600 mm	
Weight [kg]	1.28		1.08	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73501013.90M**	**73501013.90V**	**73501005.90M**	**73501005.90V**
Final installation [WU]	0			

vario cable kit 12V



- 8 m cable length/2-wire; cross-section 1.5 mm2
- Incl. set of universal connectors for self-assembly

Weight [kg]	0.65
Order ref.	**63501011.90V**
Final installation [WU]	0

Push button 12V with relay



- 2x push switch for multi-way switching
- With 1x relay and connection material

Weight [kg]	0.07
Order ref.	**63501031.90V**
Final installation [WU]	2

Cockpit universal switch



- Cockpit switch, small, for universal use, with control light, including suitable connection cable
- Universal switch, suitable for MB Sprinter/VW Crafter, with "rotating beacon" icon including suitable connection material
- Universal switch suitable for MB Sprinter Y66 (image)
- Use only with factory order for preparation of the rotating beacon

Version	Universal switch	For MAN TGE/VW Crafter from 2018-Y58	For MB Sprinter Y66
Weight [kg]	0.01	0.10	0.02
Order ref.	**50103007**	**63501096.90V**	**50103022**
Final installation [WU]	0.0		9.0

Sine wave inverter 350W/12V



- Reliable and configurable power inverter with high switch-on power
- Pure sine wave
- Input voltage 12 volts / Output voltage 230 volts
- Continuous output 350 watts / peak power 700 watts (1 second)
- Protected from short-circuiting, overload, overheating, excessive or insufficient battery voltage
- Incl. power socket under the cover



Version	Inverter 350W	Fuse holder MTA MIDI	Strip fuse MIDI 40A
Dimensions W x D x H [mm]	126 x 188 x 50	-	-
Net weight [kg]	1.20	0.26	0.03
Order ref.	**63501123.90V**	**63501065**	**63501066**
Final installation [WU]	7	0	0

Sine wave inverter 12V



- Reliable and configurable power inverter with high switch-on power
- Pure sine wave
- Input voltage 12 volts / Output voltage 230 volts
- Protected from short-circuiting, overload, overheating, excessive or insufficient battery voltage



Version	Inverter 600W	Inverter 1000W	Inverter 1500W	Inverter 2000W
Continuous power/peak power (1s) [W]	600/1200	1000/2000	1500/3000	2000/4000
Dimensions W x D x H [mm]	230 x 220 x 80	230 x 240 x 80	272 x 340 x 97	272 x 360 x 97
Weight [kg]	2.80	3.10	4.90	5.20
Order ref.	**63501124.90V**	**63501125.90V**	**63501126.90V**	**63501127.90V**
Final installation [WU]	7	7	7	7

Recommended accessories for sine wave inverter 12V

Version	2x Fuse holder MEGA for sine wave inverter up to 3000W	1x Strip fuse MEGA 200A blue	Cable kit
Dimensions W x D x H [mm]	100 x 48 x 44	69 x 19 x 10	-
Weight [kg]	0.12	0.01	2.70
Order ref.	**50003024**	**50003021**	**63501130.90V**
Final installation [WU]	1	1	7

Version	2x Fuse holder MEGA for sine wave inverter up to 3000W	2x Strip fuse MEGA 250A pink	Cable kit
Dimensions W x D x H [mm]	100 x 48 x 44	69 x 19 x 10	-
Weight [kg]	0.12	0.01	3.90
Order ref.	**50003024**	**50003022**	**63501092.90V**
Final installation [WU]	1	1	7

Version	2x Fuse holder MEGA for sine wave inverter up to 3000W	1x Strip fuse MEGA 200A blue	Cable kit
Dimensions W x D x H [mm]	100 x 48 x 44	69 x 19 x 10	-
Weight [kg]	0.12	0.01	5.10
Order ref.	**50003024**	**50003021**	**63501132.90V**
Final installation [WU]	1	1	7

Sine wave inverter 12V with integrated charger



- Reliable inverter with especially high switch-on power and intelligent 12V battery charger
- Pure sine wave
- Input voltage 12 volts / Output voltage 230 volts
- Protected from short-circuiting, overload, overheating, excessive or insufficient battery voltage
- Ideal in combination with the bott on-board power distribution unit



Version	Inverter 1200W	
Continuous power/peak power (1s) [W]	1200/2400	2600W/12V
Dimensions W x D x H [mm]	284 x 405 x 118	284 x 155 x 448
Weight [kg]	5.60	10.70
Order ref.	**63501128.90V**	**63501136.90V**
Final installation [WU]	7	7


Sine wave inverter 12V with integrated charger



- 2600W/12V
- CE, E9, ROHS, safety notes, circuit diagram, installation and operating instructions
- Matching connection set for inverter 3000W

Version	Inverter 1200W	
Dimensions W x D x H [mm]	284 x 405 x 118	284 x 155 x 448
Weight [kg]	5.60	10.70
Order ref.	**63501128.90V**	**63501136.90V**
Final installation [WU]	7	

Inverter switch bracket



- For installation of the inverter on the SLF
- Aluminium

Dimensions W x D x H [mm]	72 x 30 x 100
Weight [kg]	0.04
Order ref.	**73508062.97**
Final installation [WU]	1

Battery to battery charger



- For the safe charging of additional batteries (12V) via the starter battery (12V)
- Charging power 50 A
- Replaces conventional cut-off relay
- High charging power even during short trips
- Optimised charging characteristic for acid, gel and AGM as well as lithium LiFePo4 batteries
- Automatic power regulation
- Particularly recommended for vehicles with Euro-6 standard
- Incl. battery temperature sensor



Version	Battery to battery charger	Cable kit
Dimensions W x D x H [mm]	138 x 157 x 74	-
Net weight [kg]	0.95	0.00
Order ref.	**63501090.90**	**63501091.90V**
Final installation [WU]	5	20

7-stage charger kit with convenient connector




- Charger:
- Highly efficient, intelligent 7-level charger for charging 12 V batteries
- Charging current: 10 A / protective class: IP65
- Protected reverse polarity, short-circuiting and overheating
- Battery terminals with connection cable
- 230V – connection cable (1.5 m) with schuko plug
- 12V – connection cable (1.5 m) with 20A DC socket for the connection of battery terminals or magnetic plug for convenient connection
- Convenient connection:
- For permanent installation on the vehicle
- Makes simple and safe charging of the vehicle battery possible through the practical convenient connection accessible from the outside
- With hinged lid and mounting bracket
- 12V connection cable (0.3 m) with magnetic plug for convenient connection, suitable for 7-level charger

Version	10 A
Dimensions W x D x H [mm]	105 x 190 x 60
Net weight [kg]	1.45
Order ref.	**63501080.90**
Final installation [WU]	5

Version	Charging power 10A	Convenient charger connector
Dimensions W x D x H [mm]	105 x 190 x 60	-
Net weight [kg]	1.45	0.12
Order ref.	**63501115.90**	**63501081.90**
Final installation [WU]	5	5


CCU 8-fold



- Freely programmable according to customer requirement
- Only one control unit required
- All components can be controlled centrally, even by smartphone if appropriate
- Up to 8 consumers can be controlled
- Overall connected load 70 A

Dimensions W x D x H [mm]	170 x 90 x 20
Net weight [kg]	0.20
Order ref.	**63501098**
Final installation [WU]	5

CCU control panel large



- Control panel 8-fold
- Incl. self-adhesive pad and fixing base
- 5 m connecting cable
- Labelling set

Dimensions W x D x H [mm]	100 x 20 x 60
Net weight [kg]	0.20
Order ref.	**63501100**
Final installation [WU]	2

Connection set CCU 8-fold



- Connection cable Lify 10 mm² red l=5 m, connection cable Lify black 10 mm² l=5 m; corrugated tube NW13 l=6 m
- 8x cable lug 10 mm² M5, 4x cable lug 10 mm² M6 and 4x cable lug 10 mm² M8
- Heat shrink tubing 15 cm

Weight [kg]	1.70
Order ref.	**63501101**
Final installation [WU]	3

CCU 4-fold



- Freely programmable according to customer requirement
- Only one control unit required
- All components can be controlled centrally, even by smartphone if appropriate
- Up to 4 consumers can be controlled
- Overall connected load 20 A

Dimensions W x D x H [mm]	73 x 75 x 21
Net weight [kg]	0.05
Order ref.	**63501102**
Final installation [WU]	0

CCU control panel small



- Control panel 4-fold
- Incl. self-adhesive pad and fixing base
- 5 m connecting cable
- Labelling set

Dimensions W x D x H [mm]	95 x 15 x 30
Net weight [kg]	0.16
Order ref.	**63501099**
Final installation [WU]	2

Connection set CCU 4-fold



- Connection cable FLRY 2.5 mm² red l=5 m, connection cable FLRY black FLRY 2.5 mm² l=5 m; corrugated tube NW13 l=6 m
- 8x cable lug 2.5 mm² M5, 4x cable lug 2.5 mm² M6 and 4x cable lug 2.5 mm² M8
- Heat shrink tubing 15 cm

Weight [kg]	0.45
Order ref.	**63501118**
Final installation [WU]	3

CAN hub multiplier 8-fold for CCU



- One output can be multiplied using the CAN hub
- Connections for additional control panels or further consumers possible

Dimensions W x D x H [mm]	77 x 37 x 21
Weight [kg]	0.04
Order ref.	**63501135**
Final installation [WU]	5

CAN hub multiplier 4-fold for CCU



- One output can be multiplied using the CAN hub
- Connections for additional control panels or further consumers possible

Dimensions W x D x H [mm]	77 x 36 x 21
Weight [kg]	0.03
Order ref.	**63501134**
Final installation [WU]	5

Bluetooth chip mobile phone control



- Makes control by smartphone possible

Weight [kg]	0.01
Order ref.	**63501105**
Final installation [WU]	0.5

Electrical connection kit 230V



- 8 m H07RN-F 3G 1,5,8 m corrugated tube PP NW13 SW slotted
- 10x wire end ferrules SW 1.5 x 15 black
- 10x cable binders black 200 x 3.6 mm
- 10x adhesive bases 19 x 19 black

Weight [kg]	1.30
Order ref.	**63501112.90V**
Final installation [WU]	2

Gateway



- Control unit with independent control panel for body electric system
- 2 x 15 A outputs resistant to overload and short-circuit
- 2 x 10 A outputs resistant to overload and short-circuit
- 2 h run-on time
- Outputs can also be controlled via analogue input
- Control panel flashes warning if battery voltage



Weight [kg]	0.35
Order ref.	**63501076.90V**
Final installation [WU]	8


Gateway cable kit



- p> Supply cable for consumers
- 4x blade receptacles, non-insulated, 1.5-2.5mm²/6.3x0.8
- 2x housing blade receptacles, double
- 4x blade connectors, non-insulated, 1.5-2.5mm²/6.3x0.8
- 2x housing for blade connectors 2x 6.3
- Cable FLRYY 2x1.5mm², black (black-red), round, length see table

Version	2x 5 m	2x 10m
Weight [kg]	0.70	1.45
Order ref.	**63501078.90V**	**63501079.90V**
Final installation [WU]	8	12

Fuse holder Vito



- zinc-plated steel
- Hole pattern suitable for the safety switches MEGA and MIDI

Dimensions W x D x H [mm]	105 x 130 x 38
Net weight [kg]	1.68
Order ref.	**08040365.51V**
Final installation [WU]	1


Fuse holder MIDI



- Single fuse housing for strip fuses in accordance with ISO 8820-5 (MIDI)
- Housing PA66, black
- M5 bolt made of stainless steel (tightening torque 5 Nm)
-

Version	Fuse holder MTA MIDI
Dimensions W x D x H [mm]	70 x 20 x 23
Net weight [kg]	0.26
Order ref.	**63501065**
Final installation [WU]	1

Strip fuse MIDI



- Strip fuses in accordance with ISO 8820-5
- For M5 bolt (hole diameter 5.3 mm)
- Temperature range from -40 to 125 °C

Version	Strip fuse MIDI 40A	Strip fuse MIDI 50A	Strip fuse MIDI 80A	Strip fuse 100A
Dimensions W x D x H [mm]	40 x 12 x 8	40 x 12 x 8	40 x 12 x 8	40 x 12 x 8
Net weight [kg]	0.03	0.03	0.03	0.03
Order ref.	**63501066**	**63501122**	**63501067**	**63501097**
Final installation [WU]	1	1	1	1


Fuse holder MEGA



- Single fuse housing for strip / bolt fuses type SF51 in accordance with ISO 8820-5 (MEGA)
- Housing PA66, black
- M8x16 bolt made of stainless steel (tightening torque 20 Nm)

Version	2x Fuse holder MEGA for sine wave inverter up to 3000W
Weight [kg]	0.12
Order ref.	**50003024**
Final installation [WU]	1

Strip fuse MEGA



- Strip fuses in accordance with ISO 8820-5
- For M8 bolts (hole diameter 8.64 mm), tightening torque 12-18 Nm
- Temperature range from -40 to 125 °C

Version	Strip fuse MEGA 80A red	Strip fuse MEGA 100A yellow	Strip fuse MEGA 125A green
Weight [kg]	0.01		
Order ref.	**50003027**	**50003019**	**50003028**
Final installation [WU]	1		

Version	Strip fuse MEGA 150A orange	1x Strip fuse MEGA 200A blue	2x Strip fuse MEGA 250A pink
Weight [kg]	0.01		
Order ref.	**50003020**	**50003021**	**50003022**
Final installation [WU]	1		

Version	Strip fuse MEGA 300A white	Strip fuse MEGA 400A lilac
Weight [kg]	0.01	
Order ref.	**50003036**	**50003037**
Final installation [WU]	1	

Securing clip with cable tie



- Cables ties 200x4.6x1.3mm
- Metal clips 14x14.8x17.8mm
- With exterior teeth
- Max. bundle diameter 45mm
- Type of fixing: edge clip
- Clip for metal area 1-6mm
- Material: PA; Colour: black

Weight [kg]	0.30
Order ref.	**63502068**
Final installation [WU]	0

Voltage monitor



- Serves to protect the battery from excessive discharge
- The voltage monitor comprises a relay, a base and 4 zinc-plated clips
- Protection class IP65
- Operating voltage 11-15V
- Switching power 420W

Weight [kg]	0.04
Order ref.	**50203001**
Final installation [WU]	5


Switches 12V



- For analogue inputs
- Fast and reliable fixing with just one screw
- Type of protection IP 67
- ØxD: 18 x 200 mm
- black/green

Dimensions W x D x H [mm]	18 x 200 x 18
Weight [mm]	0.09
Pack quantity	1
Order ref.	**50103025**
Final installation [WU]	1

Relay 12V



- Suitable for various applications
- Automotive applications, various fields of application such as lighting, motors, pumps and much more

Dimensions W x D x H [mm]	22 x 26 x 36
Weight [mm]	0.03
Order ref.	**50902006**
Final installation [WU]	0

07 bott vario3
Accessories



Transport of long items | Transport of gas bottles | Ventilation | Lighting and power

Folding worktop



- For working with materials outside of the vehicle
- Cross-laminated beech multiplex worktop, natural finish, oiled
- Suitable for vices with jaw width of maximum 125 mm



Version	Incl. turntable and vice - jaw width 125 mm	Incl. vice - jaw width 125 mm	without vice
Dimensions W x D x H [mm]	240 x 285 x 895	220 x 285 x 895	125 x 285 x 895
Net weight [kg]	25.63	24.77	12.14
Assembled/packed	Packed	Packed	Packed
Order ref.	**71220044.19V**	**71220043.19V**	**71220042.19V**
Final installation [WU]	0	0	0


Fixing kit for hinged worktop



- For free-standing installation

Dimensions W x D x H [mm]	95 x 60 x 300
Weight [kg]	1.87
Order ref.	**73510056.19V**
Final installation [WU]	0

Vice pull-out




- For individual installation in the multi-function pitch of the SLF or with installation across a shelf section in the T-slot of the L-Profile set and T-slot of the SLF
- The vice pull-out can also be assembled directly on the vehicle floor
- Knurled head securing bolt for the infinitely variable clamping of the vice pull-out (adjustment range 600)
- The vice is only designed for light work

Version	Vice pull-out		Pull-out with 100mm vice and turntable	
Dimensions W x D x H [mm]	862 x 125 x 30		951 x 125 x 150	
Weight [kg]	3.30		10.25	
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220048.51M**	**71220048.51V**	**71220049.51M**	**71220049.51V**
Final installation [WU]	2			0

7

Pull-out worktop



- Worktop with zinc-plated tray for installation directly underneath the L-Profile set
- Tray can be assembled on the right or left module side as required
- Worktop made of beech multiplex
- Large knurled handle with good haptics for the infinitely variable adjustment of the worktop

Version	Worktop 795 mm		Worktop 795 mm + vice 125 mm + turn-table		Worktop 795 mm	
System depth [mm]	/2				/3	
Dimensions W x D x H [mm]	795 x 264 x 43				795 x 376 x 43	
Weight [kg]	4.61		15.26		6.05	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220001.51M**	**71220001.51V**	**71220002.51M**	**71220002.51V**	**71220003.51M**	**71220003.51V**
Final installation [WU]	2					

Version	Worktop 795 mm + vice 125 mm + turn-table		Worktop 795 mm		Worktop 795 mm + vice 125 mm + turn-table	
System depth [mm]	/3		/4			
Dimensions W x D x H [mm]	795 x 376 x 43		795 x 488 x 43			
Weight [kg]	16.80		6.24		16.99	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220004.51M**	**71220004.51V**	**71220038.51M**	**71220038.51V**	**71220039.51M**	**71220039.51V**
Final installation [WU]	2					

Version	Worktop 1075 mm		Worktop 1075 mm + vice 125 mm + turntable		Worktop 1075 mm	
System depth [mm]	/2				/3	
Dimensions W x D x H [mm]	1075 x 264 x 43				1075 x 376 x 43	
Weight [kg]	6.34		17.09		8.26	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220005.51M**	**71220005.51V**	**71220006.51M**	**71220006.51V**	**71220007.51M**	**71220007.51V**
Final installation [WU]	2					

Version	Worktop 1075 mm + vice 125 mm + turntable		Worktop 1075 mm		Worktop 1075 mm + vice 125 mm + turntable	
System depth [mm]	/3		/4			
Dimensions W x D x H [mm]	1075 x 376 x 43		1075 x 488 x 43			
Weight [kg]	19.10		8.54		19.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220008.51M**	**71220008.51V**	**71220040.51M**	**71220040.51V**	**71220041.51M**	**71220041.51V**
Final installation [WU]	2					

Support leg with snap fastener




- For use with folding and pull-out worktops
- Continuous height adjustment from 730 - 1355 mm
- Secured at chosen height with clamping handle
- Snap fastener

Dimensions W x D x H [mm]	600 x 600 x 650
Weight [kg]	2.40
Order ref.	**11425002**
Final installation [WU]	0

7

Modular panel SLF for pull-out worktop



- For producing the outlet opening for the pull-out worktops in the end frame
- Modular panels made of anodised aluminium for insertion between the SLF panels
- Can be assembled on the right or left module side as required
- Different version for changing the outlet heights of the worktops

Version	Modular panel 50 mm		Modular panel 50 mm left		Modular panel 50 mm right	
System depth [mm]	/2		/3			
Dimensions W x D x H [mm]	1 x 264 x 186		1 x 376 x 186			
Weight [kg]	0.20		0.36			
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73805001.97M**	**73805001.97V**	**73805003.97M**	**73805003.97V**	**73805004.97M**	**73805004.97V**
Final installation [WU]	0.0					

Version	Modular panel 50 mm left		Modular panel 50 mm right	
System depth [mm]	/4			
Dimensions W x D x H [mm]	1 x 488 x 186			
Weight [kg]	0.44			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73805007.97M**	**73805007.97V**	**73805008.97M**	**73805008.97V**
Final installation [WU]	0.0			

Version	Modular panel 100 mm		Modular panel 100 mm left		Modular panel 100 mm right	
System depth [mm]	/2		/3			
Dimensions W x D x H [mm]	1 x 264 x 186		1 x 376 x 186			
Weight [kg]	0.20		0.36			
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73805002.97M**	**73805002.97V**	**73805005.97M**	**73805005.97V**	**73805006.97M**	**73805006.97V**
Final installation [WU]	0.0					

Version	Modular panel 100 mm left		Modular panel 100 mm right	
System depth [mm]	/4			
Dimensions W x D x H [mm]	1 x 488 x 186			
Weight [kg]	0.44			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**73805009.97M**	**73805009.97V**	**73805010.97M**	**73805010.97V**
Final installation [WU]	0.0			

Modular panel SLF-C for pull-out worktop



- Modular panel SLF-C for pull-out worktops for end frame, rotated version
- For producing the outlet opening for the pull-out worktops in the end frame
- Modular panels made of anodised aluminium for screwing between the SLF-C-profiles
- Can be assembled on the right or left module side as required
- Different version for changing the outlet heights of the worktops
- Incl. SLF support struts for connection to the adjacent SLF panel

Version	Modular panel right		Modular panel left	
System depth [mm]	/3			
Dimensions W x D x H [mm]	24 x 366 x 250			
Weight [kg]	0.36			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106060.97M**	**72106060.97V**	**72106061.97M**	**72106061.97V**
Final installation [WU]	0.0			

Version	Modular panel right		Modular panel left	
System depth [mm]	/4			
Dimensions W x D x H [mm]	24 x 478 x 250			
Weight [kg]	0.45			
Assembled/packed	Assembled	Packed	Assembled	Packed
Order ref.	**72106062.97M**	**72106062.97V**	**72106063.97M**	**72106063.97V**
Final installation [WU]	0.0			

System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	13 x 178 x 86	13 x 290 x 86	13 x 402 x 86
Weight [kg]	0.42	0.45	0.47
Order ref.	**72106068.97V**	**72106069.97V**	**72106070.97V**
Final installation [WU]	0.0		

Version	Right	Left	Right	Left
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	24 x 366 x 100	19 x 306 x 100	19 x 418 x 100	
Weight [kg]	0.51		0.55	
Order ref.	**72106064.97V**	**72106065.97V**	**72106066.97V**	**72106067.97V**
Final installation [WU]	0.0			

Folding heavy duty worktop



- Folding heavy-duty worktop incl. stable support leg for heavy work
- Folding mechanism supported by 2 gas pressure springs
- Adjustable work height 775-1015 mm
- Suitable for all bott vices up to a jaw width of 175 mm (turntable only up to jaw width of 150 mm)

Version	Heavy-duty worktop	Heavy-duty worktop with turntable and vice
Dimensions W x D x H [mm]	230 x 270 x 1100	385 x 270 x 1100
Weight [kg]	24.30	44.20
Assembled/packed	Packed	
Order ref.	**61220024.51V**	**61220029.51V**
Final installation [WU]	0	

Version	Heavy-duty worktop - low variant	Heavy-duty worktop - low variant incl. turntable and vice S-150
Dimensions W x D x H [mm]	230 x 270 x 975	385 x 270 x 975
Weight [kg]	23.00	42.90
Assembled/packed	Packed	
Order ref.	**71220061.51V**	**71220062.51V**
Final installation [WU]	7	


Support leg with snap fastener



- For use with folding and pull-out worktops
- Continuous height adjustment from 730 - 1355 mm
- Secured at chosen height with clamping handle
- Snap fastener

Dimensions W x D x H [mm]	600 x 600 x 650
Weight [kg]	2.40
Order ref.	**11425002**
Final installation [WU]	0

Pull-out worktop for transverse installation




- Suitable for T4 / T4+ (T5) / not suitable with front panel (T4+F)
- Handle strip on the front edge of the worktop - knurled head securing bolt for fixing the worktop to the guide rail at the side, projection of the worktop when inserted approx. 80mm, extended depending on system depth 338mm/450mm
- Beech multiplex worktop

Dimensions W x D x H [mm]	814 x 488 x 33		926 x 488 x 33		1038 x 488 x 33	
Weight [kg]	7.10		7.90		8.60	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**71220050.19M**	**71220050.19V**	**71220051.19M**	**71220051.19V**	**71220052.19M**	**71220052.19V**
Final installation [WU]	2					

Dimensions W x D x H [mm]	814 x 600 x 33		926 x 600 x 33		1038 x 600 x 33	
Weight [kg]	8.20		9.10		10.10	
Assembled/packed	Assembled	Packed				
Order ref.	**71220053.19M**	**71220053.19V**	**71220054.19M**	**71220054.19V**	**71220055.19M**	**71220055.19V**
Final installation [WU]	2					

Knurled head securing bolt



- Knurled head securing bolt for fixing systainer³ vertical holders and the pull-out worktops in retracted and extended state, M10x14 mm
- Softline-sheathed, easy to use, ergonomic knurled head securing bolt
- Plastic PP with steel thread insert
- Dimensions: Ø54 x L42 mm

Weight [kg]	0.05
Order ref.	**71220047.17V**
Final installation [WU]	0

7

Vices



- Forged steel vices
- Hardened jaw and anvil
- Standard model includes 2 additional pipe clamping jaws for securely clamping pipes
- Adjustable guides, scraper keeps guide rails dirt-free
- Vices can be combined with a turntable, height adjuster (except jaw width 175 mm) and collapsible lift (only jaw width 120 mm)
- Colour: anthracite grey



Jaw width [mm]	100	120	135	150	175
Jaw depth [mm]	60	75	85	100	105
Max. clamping width [mm]	100	120	170	190	205
Pipes from - to	-	1/4 - 3"	1/4 - 4"	1/4 - 5"	1/4 - 6"
Dimensions W x D x H [mm]	120 x 300 x 117	150 x 300 x 144	160 x 430 x 170	180 x 480 x 188	210 x 520 x 208
Order ref.	**80601019.19V**	**80601020.19V**	**80601021.19V**	**80601022.19V**	**80601023.19V**
Final installation AW	0	0	0	0	0

Turntable for vice

- Forged steel turntable for vice
- Tilt-clamp lever for easy adjustment (360° rotation possible)
- With fixing kit
- Colour: anthracite grey

For vice with jaw width [mm]	100	125	135	150	175
Order ref.	**80610005.19V**	**80610006.19V**	**80610007.19V**	**80610008.19V**	**80610009.19V**
Final installation AW	0	0	0	0	0

Vice height adjuster

- With gas strut supported height adjustment
- Easy adjustment using tilt-clamp lever
- Height adjustment range: 240 mm
- 360° rotation possible
- Colour: anthracite grey

For vice with jaw width [mm]	100	125	150
Order ref.	**80613008.19V**	**80613009.19V**	**80613010.19V**
Final installation AW	0	0	0

Collapsible vice mount

- With gas strut supported height adjustment
- Easy adjustment using tilt-clamp lever
- Height adjustment range: 155 mm
- 360° rotation possible
- Vice can be swung down under the worktop
- Colour: anthracite grey

For vice with jaw width [mm]	125
Order ref.	**80613011.19V**
Final installation WU	5.0

Protective vice jaws for vice

- Robust plastic for holding sensitive surfaces carefully
- With magnetic strips inserted on the inside for secure hold on the vice jaw
- One outer side with horizontal and vertical V shaped grooves for holding round parts in place, other outer side smooth
- Delivery: in pairs
- Colour: yellow

For vice with jaw width [mm]	100	125	150
Order ref.	**80602001.90V**	**80602002.90V**	**80602003.90V**
Final installation AW	0	0	0

Version	Vice installation
Weight [kg]	0.00
Order ref.	**30001023**

Long item top tray TopLash -C-



- For the storing and transporting of long items
- Convenient loading and unloading without entering the vehicle
- Can be combined with lashing strap C-Lash (-C-) with single point lashing (-C-) design for optimal load restraint
- Length is continuously adjustable
- Height: 100 mm
- Load capacity: 30 kg

System width [mm]	-18	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	2046 x 264 x 100	2046 x 376 x 100
Max. quantity of lashing points -C-	4	
Weight [kg]	5.09	6.34
Order ref.	**72533172.97V**	**72533176.97V**
Final installation [WU]	0	

System width [mm]	-19-27	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	2158 x 264 x 100	2158 x 376 x 100
Max. quantity of lashing points -C-	5	
Weight [kg]	6.91	8.74
Order ref.	**72533173.97V**	**72533177.97V**
Final installation [WU]	0	

System width [mm]	-19-36	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	2158 x 264 x 100	2158 x 376 x 100
Max. quantity of lashing points -C-	7	
Weight [kg]	8.54	10.94
Order ref.	**72533174.97V**	**72533178.97V**
Final installation [WU]	4	0

System width [mm]	-32-49
System depth [mm]	/2
Dimensions W x D x H [mm]	3614 x 264 x 100
Max. quantity of lashing points -C-	10
Weight [kg]	11.71
Order ref.	**72533175.97V**
Final installation [WU]	4


Wall bracket for long item top tray



- Used to secure long item top tray to the vehicle wall
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- Angle continuously adjustable from 90° – 112°

Dimensions W x D x H [mm]	35 x 225 x 250
Weight [kg]	0.55
Assembled/packed	Packed
Order ref.	**63502010.19V**
Final installation [WU]	0


Divider for long item top tray



-

Dimensions W x D x H [mm]	1500 x 15 x 67
Weight [kg]	0.47
Order ref.	**73001035.98V**
Final installation [WU]	0

Anti-slip mat for long item top tray




- for insertion in long-goods drawers
- protects the load in the shelves from sliding and minimises closing noise
- Material: robust, tear-resistant PES glass fibre fabric with anti-slip coating on one side
- Matt thickness: 3 mm
- Colour: anthracite

System depth [mm]	/2			
Dimensions W x D x H [mm]	2100 x 241 x 3	3058 x 241 x 3	4066 x 241 x 3	5522 x 241 x 3
Weight [kg]	0.48	0.70	0.93	1.26
Assembled/packed	Packed			
Order ref.	**71301121.10V**	**71301123.10V**	**71301125.10V**	**71301127.10V**
Final installation [WU]	0			0.5

System depth [mm]	/3		
Dimensions W x D x H [mm]	2100 x 353 x 3	3058 x 353 x 3	4066 x 353 x 3
Weight [kg]	0.70	1.02	1.36
Assembled/packed	Packed		
Order ref.	**71301122.10V**	**71301124.10V**	**71301126.10V**
Final installation [WU]	0		

Shelf depth 1



- Shelf made of aluminium with base reinforced by corrugation
- Sturdy double-walled shelf front thanks to additional anodised aluminium profile applied
- Shelf height 100 mm with low front height 60 mm
- Incl. anti-slip mat
- Shelf is only fixed flush at the front on the SLF
- Load capacity of the shelves 80 kg


System width [mm]	-4		-5		-7	
System depth [mm]	/1					
Dimensions W x D x H [mm]	478 x 152 x 100		590 x 152 x 100		814 x 152 x 100	
Weight [kg]	0.61		0.75		1.11	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533255.97M**	**72533255.97V**	**72533256.97M**	**72533256.97V**	**72533257.97M**	**72533257.97V**
Final installation [WU]	0					

System width [mm]	-8		-9		-10	
System depth [mm]	/1					
Dimensions W x D x H [mm]	926 x 152 x 100		1038 x 152 x 100		1150 x 152 x 100	
Weight [kg]	1.21		1.36		1.51	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72533260.97M**	**72533260.97V**	**72533261.97M**	**72533261.97V**	**72533262.97M**	**72533262.97V**
Final installation [WU]	0					

Anti-slip mat for shelves and trays

7

Anti-slip mat for shelf and tray



- For storing sensitive parts
- Pack of 5
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-2	
System depth [mm]	/3	/4
Dimensions W x D x H [mm]	264 x 376 x 3	264 x 488 x 3
Weight [kg]	0.20	0.25
Assembled/packed	Packed	
Order ref.	**71301033.19V**	**71301034.19V**
Final installation [WU]	0	

System width [mm]	-4			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	478 x 264 x 3	478 x 376 x 3	478 x 488 x 3	478 x 600 x 3
Weight [kg]	0.30	0.45	0.55	0.70
Assembled/packed	Packed			
Order ref.	**71301035.19V**	**71301036.19V**	**71301037.19V**	**71301038.19V**
Final installation [WU]	0			

System width [mm]	-5			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	590 x 264 x 3	590 x 376 x 3	590 x 488 x 3	590 x 600 x 3
Weight [kg]	0.35	0.55	0.75	0.90
Assembled/packed	Packed			
Order ref.	**71301039.19V**	**71301040.19V**	**71301041.19V**	**71301042.19V**
Final installation [WU]	0			

System width [mm]	-7			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	814 x 264 x 3	814 x 376 x 3	814 x 488 x 3	
Weight [kg]	0.55	0.80	1.05	1.30
Assembled/packed	Packed			
Order ref.	**71301043.19V**	**71301044.19V**	**71301045.19V**	**71301132.19V**
Final installation [WU]	0			

Anti-slip mat for shelves and trays

System width [mm]	-8			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	926 x 264 x 3	926 x 376 x 3	926 x 488 x 3	926 x 600 x 3
Weight [kg]	0.60	0.90	1.20	0.01
Assembled/packed	Packed			
Order ref.	**71301046.19V**	**71301047.19V**	**71301048.19V**	**71301128.19V**
Final installation [WU]	0			

System width [mm]	-9			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1038 x 264 x 3	1038 x 376 x 3	1038 x 488 x 3	1038 x 600 x 3
Weight [kg]	0.70	1.05	1.35	1.70
Assembled/packed	Packed			
Order ref.	**71301049.19V**	**71301050.19V**	**71301051.19V**	**71301052.19V**
Final installation [WU]	0			

System width [mm]	-10			
System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	1150 x 264 x 3	1150 x 376 x 3	1150 x 488 x 3	1150 x 600 x 3
Weight [kg]	0.80	1.15	1.55	1.90
Assembled/packed	Packed			
Order ref.	**71301053.19V**	**71301054.19V**	**71301055.19V**	**71301056.19V**
Final installation [WU]	0			

System width [mm]	-11		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1262 x 264 x 3	1262 x 376 x 3	1262 x 488 x 3
Weight [kg]	0.85	1.30	1.70
Assembled/packed	Packed		
Order ref.	**71301057.19V**	**71301058.19V**	**71301059.19V**
Final installation [WU]	0		

System width [mm]	-12		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1374 x 264 x 3	1374 x 376 x 3	1374 x 488 x 3
Weight [kg]	0.95	1.40	1.85
Assembled/packed	Packed		
Order ref.	**71301060.19V**	**71301061.19V**	**71301062.19V**
Final installation [WU]	0		

System width [mm]	-13		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1486 x 264 x 3	1486 x 376 x 3	1486 x 488 x 3
Weight [kg]	1.05	1.50	2.00
Assembled/packed	Packed		
Order ref.	**71301063.19V**	**71301064.19V**	**71301065.19V**
Final installation [WU]	0		

Anti-slip mat for shelves and trays

System width [mm]	-14
System depth [mm]	/3
Dimensions W x D x H [mm]	1598 x 376 x 3
Weight [kg]	1.65
Assembled/packed	Packed
Order ref.	**71301066.19V**
Final installation [WU]	0


System width [mm]	-15
System depth [mm]	/3
Dimensions W x D x H [mm]	1710 x 376 x 3
Weight [kg]	1.75
Assembled/packed	Packed
Order ref.	**71301067.19V**
Final installation [WU]	0

System width [mm]	-16
System depth [mm]	/3
Dimensions W x D x H [mm]	1822 x 376 x 3
Weight [kg]	1.90
Assembled/packed	Packed
Order ref.	**71301068.19V**
Final installation [WU]	0

System width [mm]	-17
System depth [mm]	/3
Dimensions W x D x H [mm]	1934 x 376 x 3
Weight [kg]	2.00
Assembled/packed	Packed
Order ref.	**71301069.19V**
Final installation [WU]	0

System width [mm]	-18
System depth [mm]	/3
Dimensions W x D x H [mm]	2046 x 376 x 3
Weight [kg]	2.15
Assembled/packed	Packed
Order ref.	**71301070.19V**
Final installation [WU]	0

Anti-slip mat for drop-front



- For storing sensitive parts
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Self-adhesive, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-4	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	409 x 195 x 3	409 x 305 x 3
Weight [kg]	0.25	0.40
Assembled/packed	Packed	
Order ref.	**71301071.19V**	**71301072.19V**
Final installation [WU]	0	

System width [mm]	-4	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	409 x 415 x 3	409 x 525 x 3
Weight [kg]	0.55	0.65
Assembled/packed	Packed	
Order ref.	**71301073.19V**	**71301074.19V**
Final installation [WU]	0	

System width [mm]	-5	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	521 x 195 x 3	521 x 305 x 3
Weight [kg]	0.30	0.50
Assembled/packed	Packed	
Order ref.	**71301075.19V**	**71301076.19V**
Final installation [WU]	0	

System width [mm]	-5	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	521 x 415 x 3	521 x 525 x 3
Weight [kg]	0.70	0.85
Assembled/packed	Packed	
Order ref.	**71301077.19V**	**71301078.19V**
Final installation [WU]	0	

Anti-slip mat for drop fronts

System width [mm]	-7	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	745 x 195 x 3	745 x 305 x 3
Weight [kg]	0.45	0.70
Assembled/packed	Packed	
Order ref.	**71301079.19V**	**71301080.19V**
Final installation [WU]	0	

System width [mm]	-7	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	745 x 415 x 3	745 x 525 x 3
Weight [kg]	0.95	1.20
Assembled/packed	Packed	
Order ref.	**71301081.19V**	**71301133.19V**
Final installation [WU]	0	

System width [mm]	-8	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	857 x 195 x 3	857 x 305 x 3
Weight [kg]	0.50	0.80
Assembled/packed	Packed	
Order ref.	**71301082.19V**	**71301083.19V**
Final installation [WU]	0	

System width [mm]	-8	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	857 x 415 x 3	857 x 525 x 3
Weight [kg]	1.10	1.40
Assembled/packed	Packed	
Order ref.	**71301084.19V**	**71301129.19V**
Final installation [WU]	0	

System width [mm]	-9	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	969 x 195 x 3	969 x 305 x 3
Weight [kg]	0.60	0.95
Assembled/packed	Packed	
Order ref.	**71301085.19V**	**71301086.19V**
Final installation [WU]	0	

Anti-slip mat for drop fronts

System width [mm]	-9	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	969 x 415 x 3	969 x 525 x 3
Weight [kg]	1.25	1.60
Assembled/packed	Packed	
Order ref.	**71301087.19V**	**71301088.19V**
Final installation [WU]	0	

System width [mm]	-10	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1081 x 195 x 3	1081 x 305 x 3
Weight [kg]	0.70	1.05
Assembled/packed	Packed	
Order ref.	**71301089.19V**	**71301090.19V**
Final installation [WU]	0	

System width [mm]	-10	
System depth [mm]	/4	/5
Dimensions W x D x H [mm]	1081 x 415 x 3	1081 x 525 x 3
Weight [kg]	1.40	1.75
Assembled/packed	Packed	
Order ref.	**71301091.19V**	**71301092.19V**
Final installation [WU]	0	

System width [mm]	-11		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1193 x 195 x 3	1193 x 305 x 3	1193 x 415 x 3
Weight [kg]	0.70	1.10	1.55
Assembled/packed	Packed		
Order ref.	**71301093.19V**	**71301094.19V**	**71301095.19V**
Final installation [WU]	0		

System width [mm]	-12		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1305 x 195 x 3	1305 x 305 x 3	1305 x 415 x 3
Weight [kg]	0.80	1.25	1.70
Assembled/packed	Packed		
Order ref.	**71301096.19V**	**71301097.19V**	**71301098.19V**
Final installation [WU]	0		

Anti-slip mat for drop fronts

System width [mm]	-13		
System depth [mm]	/2	/3	/4
Dimensions W x D x H [mm]	1417 x 195 x 3	1417 x 305 x 3	1417 x 415 x 3
Weight [kg]	0.85	1.35	1.85
Assembled/packed	Packed		
Order ref.	**71301099.19V**	**71301100.19V**	**71301101.19V**
Final installation [WU]	0		

System width [mm]	-14	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1529 x 195 x 3	1529 x 305 x 3
Weight [kg]	0.95	1.45
Assembled/packed	Packed	
Order ref.	**71301109.19V**	**71301110.19V**
Final installation [WU]	0	

System width [mm]	-15	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1641 x 195 x 3	1641 x 305 x 3
Weight [kg]	1.00	1.50
Assembled/packed	Packed	
Order ref.	**71301111.19V**	**71301112.19V**
Final installation [WU]	0	


System width [mm]	-16	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1753 x 195 x 3	1753 x 305 x 3
Weight [kg]	1.05	1.65
Assembled/packed	Packed	
Order ref.	**71301113.19V**	**71301114.19V**
Final installation [WU]	0	

System width [mm]	-17	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1865 x 195 x 3	1865 x 305 x 3
Weight [kg]	1.10	1.75
Assembled/packed	Packed	
Order ref.	**71301115.19V**	**71301116.19V**
Final installation [WU]	0	

Anti-slip mat for drop-fronts

System width [mm]	-18	
System depth [mm]	/2	/3
Dimensions W x D x H [mm]	1977 x 195 x 3	1977 x 305 x 3
Weight [kg]	1.20	1.85
Assembled/packed	Packed	
Order ref.	**71301117.19V**	**71301118.19V**
Final installation [WU]	0	


Anti-slip mat for self-adhesive roll



- For storing sensitive parts
- Thickness 2.5 mm
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Self-adhesive, dimensionally stable, liquid-tight, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System depth [mm]	/2	/3	/4	/5
Dimensions W x D x H [mm]	15000 x 195 x 3	15000 x 305 x 3	15000 x 415 x 3	15000 x 525 x 3
Weight [kg]	1.83	2.86	3.89	4.93
Assembled/packed	Packed			
Order ref.	**71301005.19V**	**71301006.19V**	**71301007.19V**	**71301008.19V**
Final installation [WU]	0			

Anti-slip mat for drawers



- For storing sensitive parts
- Thickness 2.5 mm
- Pack of 5
- Material: robust, tear-resistant PES glass fibre fabric with PVC coating both sides
- Anti-slip, dimensionally stable, impermeable, resistant to oil and grease, washable up to 60°
- Colour: anthracite grey (RAL 7016)

System width [mm]	-3			
System depth [mm]	/4	/5	/7	/9
Dimensions W x D x H [mm]	366 x 488 x 3	366 x 600 x 3	366 x 824 x 3	366 x 1048 x 3
Weight [kg]	0.35	0.40	0.55	0.80
Assembled/packed	Packed			
Order ref.	**71301009.19V**	**71301010.19V**	**71301135.19V**	**71301011.19V**
Final installation [WU]	0			

System width [mm]	-4		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	478 x 376 x 3	478 x 488 x 3	478 x 600 x 3
Weight [kg]	0.35	0.50	0.60
Assembled/packed	Packed		
Order ref.	**71301012.19V**	**71301013.19V**	**71301014.19V**
Final installation [WU]	0		

System width [mm]	-4		
System depth [mm]	/7	/9	/12
Dimensions W x D x H [mm]	478 x 824 x 3	478 x 1048 x 3	478 x 1384 x 3
Weight [kg]	0.80	1.10	1.55
Assembled/packed	Packed		
Order ref.	**71301136.19V**	**71301015.19V**	**71301016.19V**
Final installation [WU]	0		

System width [mm]	-5		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	590 x 376 x 3	590 x 488 x 3	590 x 600 x 3
Weight [kg]	0.45	0.60	0.75
Assembled/packed	Packed		
Order ref.	**71301017.19V**	**71301018.19V**	**71301019.19V**
Final installation [WU]	0		

Anti-slip mat for drawers

bott vario3

System width [mm]	-5		
System depth [mm]	/7	/9	/12
Dimensions W x D x H [mm]	590 x 824 x 3	590 x 1048 x 3	590 x 1384 x 3
Weight [kg]	1.05	1.45	2.00
Assembled/packed		Packed	
Order ref.	**71301137.19V**	**71301020.19V**	**71301021.19V**
Final installation [WU]	0		

System width [mm]	-7		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	814 x 376 x 3	814 x 488 x 3	814 x 600 x 3
Weight [kg]	0.70	0.90	1.10
Assembled/packed	Packed		
Order ref.	**71301022.19V**	**71301023.19V**	**71301130.19V**
Final installation [WU]	0		

System width [mm]	-8		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	926 x 376 x 3	926 x 488 x 3	926 x 600 x 3
Weight [kg]	0.80	1.05	1.30
Assembled/packed	Packed		
Order ref.	**71301024.19V**	**71301025.19V**	**71301131.19V**
Final installation [WU]	0		

System width [mm]	-9		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	1038 x 376 x 3	1038 x 488 x 3	1038 x 600 x 3
Weight [kg]	0.90	1.20	1.50
Assembled/packed	Packed		
Order ref.	**71301026.19V**	**71301027.19V**	**71301028.19V**
Final installation [WU]	0		

System width [mm]	-9	
System depth [mm]	/7	/9
Dimensions W x D x H [mm]	1038 x 824 x 3	1038 x 1048 x 3
Weight [kg]	2.10	2.80
Assembled/packed		Packed
Order ref.	**71301138.19V**	**71301029.19V**
Final installation [WU]	0	

System width [mm]	-10		
System depth [mm]	/3	/4	/5
Dimensions W x D x H [mm]	1150 x 376 x 3	1150 x 488 x 3	1150 x 600 x 3
Weight [kg]	1.00	1.35	1.65
Assembled/packed	Packed		
Order ref.	**71301030.19V**	**71301031.19V**	**71301032.19V**
Final installation [WU]	0		

Gas bottle holder with strap



- For the safe transport of compressed gas canisters
- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- Width 46 mm, attachment points every 25 mm
- Incl. end caps
- With rear fixing plate
- Version with ratchet strap 1000 mm, fixed end 130 mm, load capacity up to 500 daN



For system depth [mm]	/2	/2	/2	/2
Version	with 1 lashing rail and 1 ratchet strap	with 1 lashing rail and 1 ratchet strap	with 2 lashing rails and 2 ratchet straps	with 2 lashing rails and 2 ratchet straps
Dimensions W x D x H [mm]	21 x 264 x 46	21 x 264 x 46	21 x 264 x 46	21 x 264 x 46
Weight [kg]	0.67	0.67	1.34	1.34
Assembled/packed	Assembled	Packed		
Order ref.	**72615001.19M**	**72615001.19V**	**72615004.19M**	**72615004.19V**
Final installation AW	0	0	0	0

For system depth [mm]	/3	/3	/3	/3
Version	with 1 lashing rail and 1 ratchet strap	with 1 lashing rail and 1 ratchet strap	with 2 lashing rails and 2 ratchet straps	with 2 lashing rails and 2 ratchet straps
Dimensions W x D x H [mm]	21 x 376 x 46	21 x 376 x 46	21 x 376 x 46	21 x 376 x 46
Weight [kg]	0.72	0.72	1.44	1.44
Assembled/packed	Assembled	Packed		
Order ref.	**72615002.19M**	**72615002.19V**	**72615005.19M**	**72615005.19V**
Final installation AW	0	0	0	0

For system depth [mm]	/4	/4	/4	/4
Version	with 1 lashing rail and 1 ratchet strap	with 1 lashing rail and 1 ratchet strap	with 2 lashing rails and 2 ratchet straps	with 2 lashing rails and 2 ratchet straps
Dimensions W x D x H [mm]	21 x 488 x 46	21 x 488 x 46	21 x 488 x 46	21 x 488 x 46
Weight [kg]	0.86	0.86	1.73	1.73
Assembled/packed	Assembled	Packed		
Order ref.	**72615003.19M**	**72615003.19V**	**72615006.19M**	**72615006.19V**
Final installation AW	0	0	0	0

Tray for propane glas bottle



- Used to hold propane gas cylinders in depth 3 and depth 2 plus R
- Painted steel

Dimensions W x D x H [mm]	364 x 332 x 165
Weight [kg]	3.60
Order ref.	**72533264.19V**
Final installation [WU]	1


Gas bottle cabinet with vent and pull-out



- Sliding shelf with snap lock for simple removal of the gas bottle
- Side wall of the sliding shelf with lashing rail and lashing strap for load restraint incl. glued anti-slip mat for safe gas bottle stance
- Hinged door made of anodised aluminium with lockable turn-lock
- Cabinet for installation between the shelf end frames or for free-standing installation
- Width 590-5 / depth 366/3 / height 800mm
- Load capacity of the gas bottle cabinet sliding shelf 30 kg
- Secure storage of the gas bottle thanks to integrated lashing rail (-oo-)
- For installation in a system section of bott vario3 van racking

System width [mm]	-5	
System depth [mm]	/3	
Dimensions W x D x H [mm]	590 x 366 x 800	
Weight [kg]	24.80	
Assembled/packed	Assembled	Packed
Order ref.	**70001001.19M**	**70001001.19V**
Final installation [WU]	4	

Refrigerent shelf



- For horizontal storage of refrigerant bottles
- Bottles are fixed in place using a cam-buckle strap
- Refrigerant storage with protective strip

System width [mm]	-4			
System depth [mm]	/3		/4	
Dimensions W x D x H [mm]	478 x 376 x 275		478 x 488 x 275	
Weight [kg]	2.71		3.16	
Order ref.	**72533157.19M**	**72533157.19V**	**72533158.19M**	**72533158.19V**
Final installation [WU]	0			

Floor vent



- Provides floor -level ventilation when transporting compressed gas cylinders
- Plastic: anthracite
- Necessary cut-out Ø 89 mm
- Cut-out for cover on the wooden vehicle floor Ø 89 mm
- With DEKRA certificate

Version	Ventilation element with logo	Ventilation element without logo
Dimensions W x D x H [mm]	110 x 110 x 100	110 x 0 x 100
Net weight [kg]	0.15	0.15
Order ref.	**63502055.19V**	**63502059.19V**
Final installation [WU]	0	2

Air vent side wall and roof



- Provides roof or side ventilation when transporting compressed gas cylinders
- Plastic: black
- For cut-out Ø 54 mm
- Low-profile design means vehicle can still be cleaned in a car-wash
- Incl. fixing clip
- With DEKRA certificate

Version	Venting element with logo	Venting element without logo
Dimensions W x D x H [mm]	94 x 140 x 40	94 x 140 x 40
Net weight [kg]	0.20	0.20
Order ref.	**63502054.10V**	**63502058.10V**
Final installation [WU]	5	5

Floor vent square



- Provides floor -level ventilation when transporting compressed gas cylinders
- Sheet steel, galvanised
- With square section duct and water deflection plate
- Requires 130 x 130 mm cut-out
- The fan has a free cross-section of at least 100 cm² and thus complies with the requirements for transporting gas bottles in enclosed motor vehicles according to information sheet DVS 0211 and DGUV 210-001

Dimensions W x D x H [mm]	164 x 164 x 80
Weight [kg]	1.10
Order ref.	**08032021**
Final installation [WU]	0

Air vent side wall and roof



- For venting in the roof and side area when transporting compressed gas bottles
- Plastic: black
- Requires 76 x 216 mm cut-out
- Low-profile design means vehicle can still be cleaned in a car-wash
- The fan has a free cross-section of at least 100 cm² and thus complies with the requirements for transporting gas bottles in enclosed motor vehicles according to information sheet DVS 0211 and DGUV 210-001



Version	Venting element with logo	Venting element without logo	Oval fixing kit, for sandwich boards up to 25 mm
Dimensions W x D x H [mm]	205 x 355 x 50	205 x 355 x 50	0 x 0 x 0
Weight [kg]	0.80	0.80	0.10
Order ref.	**80833215.10V**	**80833233.10V**	**63510166.90V**
Final installation [WU]	0	8	1


Floor vent rectangular



- For venting at floor level
- when transporting compressed gas bottles
- Stainless steel venting grille
- With square section duct and water deflection plate
- Requires 250 x 72 mm cut-out

Dimensions W x D x H [mm]	280 x 122 x 90
Weight [kg]	1.20
Order ref.	**08012022**
Final installation [WU]	0

Cover grille rectangular



- For venting at floor level when transporting compressed gas bottles
- Stainless steel venting grille
- Can be mounted lengthwise or crosswise
- Requires 250 x 72 mm cut-out

Dimensions W x D x H [mm]	280 x 122 x 2
Weight [kg]	0.36
Order ref.	**08012021**
Final installation [WU]	5

Air vent side wall



- Provides side ventilation when transporting compressed gas cylinders

Version	Colour: black	Colour: white
Dimensions W x D x H [mm]	150 x 20 x 150	150 x 20 x 150
Net weight [kg]	0.10	0.10
Order ref.	**80833019**	**80833018**
Final installation [WU]	0	0

7

Compact jerry can 5 L with holder



- A wide variety of liquids can be stored and filled up in a very tight place.
- With upright readable litre scale and drain tap.
- The container can be optimally attached to the bott vario3 van racking system with the holder.
- Optimised outlet for consistent emptying.
- Robust design thanks to the ribbing and thick walls.
- Material: PP / PP+PE / painted steel

Dimensions W x D x H [mm]	108 x 367 x 337
Weight [kg]	1.80
Order ref.	**73508081.19V**
Final installation [WU]	0.0

Compact container



- Compact jerrycan 12 litres
- Pack of 1
- Large opening with DIN 96 screw cap
- Small spout opening and 3/4" cap on the rear
- Can be emptied completely
- Material: food-safe polyethylene
- Delivery condition: packed

Dimensions W x D x H [mm]	410 x 125 x 260
Weight [kg]	0.58
Order ref.	**02509011**
Final installation [WU]	0.0

Safety label warning strip red and white



- Warning marking adhesive strips, one strip each for left and right - pack of 2
- To be heeded when trimming: STANDARD DIN 30 710
- Processing instructions “Oralite-5921M” warning marking (DIN 30710) can be downloaded in the Partner Area

Dimensions W x D x H [mm]	564 x 0 x 141
Weight [kg]	0.14
Order ref.	**84501003**
Final installation [WU]	14

Front loading deposit safe



- Safe for securely transporting money and valuables in the vehicle
- The drop safe cannot be opened by the driver; the contents are removed at the main office
- Security lock with puncture protection
- Deposit drawer with anti-tamper protection
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	405 x 341 x 655
Weight [kg]	40.00
Order ref.	**60018003.19**
Final installation [WU]	5

Safe



- Safe for securely transporting money and valuables in the vehicle
- For vertical or horizontal use
- Security lock with puncture protection
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	420 x 400 x 200
Weight [kg]	18.00
Order ref.	**60018005.19**
Final installation [WU]	5

Storage hook 37 mm



- Sturdy steel hook for universal installation in the vehicle or on the bott vario3 in-vehicle equipment
- Optimum protection of the stored goods and reduced noise development thanks to rubber-coated contact area
- Diameter of the screw holes: 6.5 mm

Version	Storage hook 37 mm
Dimensions W x D x H [mm]	26 x 59 x 110
Weight [kg]	0.10
Order ref.	**14001184.10V**
Final installation [WU]	1


Storage hook 87 mm



- Sturdy steel hook for universal installation in the vehicle or on the bott vario3 in-vehicle equipment
- Optimum protection of the stored goods and reduced noise development thanks to rubber-coated contact area
- Diameter of the screw holes: 6.5 mm

Version	Storage hook 87 mm
Dimensions W x D x H [mm]	26 x 110 x 140
Weight [kg]	0.15
Order ref.	**14001185.10V**
Final installation [WU]	1


Double hook for clothes



- Plastic

Dimensions W x D x H [mm]	50 x 50 x 44
Weight [kg]	0.06
Order ref.	**85001105**
Final installation [WU]	1

Swivel hook



- For installation in the SLF groove system, or for free installation in the vehicle
- The swivel hook does not project beyond the front shelf height when swivelled in
- Swivel hook for swivelling out at the side
- Optimum protection for the loaded goods thanks to rubber-coated surface, anti-slip and noise-damping
- Different support depths 91 mm/ 141 mm
- Load capacity support depth 91 mm: 10 kg
- Load capacity support depth 141 mm: 8 kg
- Zinc-plated with rubber coating
- RAL 6018



Dimensions W x D x H [mm]	29 x 123 x 126	29 x 173 x 126
Weight [kg]	0.13	0.17
Order ref.	**73003005.17V**	**73003006.17V**
Final installation [WU]	1	

bott heavy duty hook




- Ideal for hanging up tools or different materials
- Load capacity 40 kg
- Rubber-coated contact area
- Contact area 110mm
- Perforation suitable for hole patterns for bott vario3, avero and perfo



Dimensions W x D x H [mm]	24 x 154 x 280
Weight [kg]	0.36
Order ref.	**14001188.10V**
Final installation [WU]	1

Folding table fitting



- Zinc-plated steel
- Used to create folding work surfaces
- 3-position angle adjustment
- Load capacity 200 kg



Dimensions W x D x H [mm]	30 x 300 x 200	36 x 400 x 270
Weight [kg]	0.60	1.14
Order ref.	**08010013**	**08010014**
Final installation [WU]	3	0


Clothes rail with hooks



- Consists of 2 plastic holders, one plastic-coated steel tube and 4 hooks
- Black/zinc-plated hooks

Dimensions W x D x H [mm]	520 x 26 x 55
Weight [kg]	0.32
Order ref.	**73003001.10V**
Final installation [WU]	1

Storage pockets



- Anodised aluminium
- For document storage or other equipment

Version	Long items	Long items	DIN first-aid kits	DIN A4 portrait	DIN A4 (angled)
Dimensions W x D x H [mm]	114 x 114 x 500	76 x 76 x 500	175 x 93 x 230	215 x 85 x 275	256 x 300 x 300
Net weight Kg	0.82	0.75	0.40	0.50	0.42
Order ref.	**62530004.97V**	**62530005.97V**	**62530003.97V**	**62530001.97V**	**62530006.97V**
Final installation AW	0	0	0	0	0

bott vario3 spray can holder, angled



- suitable for bott vario3 vehicle equipment for mounting on the SLF
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)

Version	For cans up to max. ø 68 mm
Dimensions W x D x H [mm]	100 x 230 x 159
Weight [kg]	0.36
Pack quantity	1
Order ref.	**72530003.19V**
Final installation [WU]	1

File holder



- Suitable for 2 or 6 DIN A4 ring binders, width 80 mm
- Anodised aluminium
- Dividers (optional)

Version	for 2 ring binders	for 6 ring binders	Dividers (pair)
Dimensions W x D x H [mm]	163 x 311 x 215	496 x 311 x 215	284 x 218 x 16
Net weight [kg]	0.80	1.48	0.33
Order ref.	**63003004.97V**	**63003005.97V**	**63003006.97V**
Final installation [WU]	2	2	0

Jerry can shelf



- Suitable for 5 l plastic fuel cans or 10 l/20 l sheet steel fuel canisters
- For 5 l cans: made of anodised aluminium
- For 10 l and 20 l jerrycans: made of powder-coated sheet steel RAL 7016
- Incl. cam buckle strap with self-locking buckle for securing jerrycans while driving

Version	1x 5 l	1x 10 l / 20 l	3x 10 l / 20 l
Dimensions W x D x H [mm]	163 x 311 x 215	173 x 342 x 243	518 x 342 x 243
Net weight [kg]	0.90	2.90	3.60
Order ref.	**63003007.97V**	**63003008.19V**	**63003009.19V**
Final installation [WU]	0	0	0

Storage box



- For the storing of small parts and required materials
- For installing on bott vario3 end frames
- Incl. Fixing kit
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)

For system depth [mm]	/3	/4
Dimensions W x D x H [mm]	100 x 376 x 100	100 x 488 x 100
Weight [kg]	1.15	1.39
Order ref.	**73003002.19V**	**73003003.19V**
Final installation AW	1	1

perfo document holder



- A light plastic pocket for documents, brochures and small document folders
- DIN A4 landscape format
- Incl. labelling clip for colour coordination
- Hole pattern matched to the perfo hole grid in the bott vario3 end frames for quick installation without drilling

Execution	A4 landscape	A4 landscape
Dimensions W x D x H [mm]	340 x 100 x 213	340 x 100 x 213
Weight [mm]	0.36	1.90
Pack quantity	1	5
Order ref.	**14014028.19**	**14014029.19**
Final installation [WU]	1	0

Cable winder SLF



- Cable winder for side installation via the adapter plate on the SLP panel or SLF plus R
- Incl. safety catch
- Fixing in 25mm height increment
- Optimum installation position designed for system depths 376/3 and 488/4
- Cable length: 10m / with Schuko plug

Version	Cable winder
Dimensions W x D x H [mm]	400 x 165 x 300
Weight [kg]	6.50
Order ref.	**73508026.19V**
Final installation [WU]	1

Vertical holder



- With integrated clamp unit
- For securing systainer³ in the vehicle
- Suitable for systainer³ M+ L
- Max. stacking height 870 mm
- For installation on vehicle floor and wall

Dimensions W x D x H [mm]	380 x 125 x 1000
Weight [kg]	2.70
Order ref.	**73003004.19V**
Final installation [WU]	3

Chainsaw holder for flatbeds



- Comprising 2 solid core mounts incl. fixing bracket
- Can be shortened for smaller system widths
- L-Profiles, flooring panels and drop fronts must be planned separately

Dimensions W x D x H [mm]	1486 x 169 x 95
Weight [kg]	4.50
Order ref.	**72107023.10V**
Final installation [WU]	4

bott vario CarOffice




- Practical way to store office supplies
- Ensures order in the passenger seat
- With two holders for brochures, catalogues and other documents
- A storage box for small parts that can be quickly removed
- A folding, non-slip writing pad with magnetic holder and built-in cylinder holder
- Simple and secure mounting on the passenger seat with the seat belt and a variably adjustable headrest adapter




Dimensions W x D x H [mm]	340 x 520 x 690
Weight [kg]	4.90
Order ref.	**63003098.19V**
Final installation [WU]	3

bott vario VanOffice



- Centre console in the front passenger area can be used as a storage compartment or desk for storing various everyday items
- Creates additional storage space in the passenger compartment
- Enables clear and organised storage of various items



Suitable for	Opel Vivaro/Renault Trafic/Fiat Talento/ Nissan NV300/VW T6	Mercedes Vito	VW ID. Buzz
Dimensions W x D x H [mm]	150 x 500 x 615	180 x 512 x 658	182 x 526 x 657
Weight [kg]	8.35	8.15	9.00
Order ref.	**73003007.19V**	**73003008.19V**	**73003014.19V**
Final installation [WU]	3.0		

bott vario VanOffice SL



- Centre console in the passenger compartment, usable as shelf, writing desk and storage space for various practical items
- Creates extra storage space in the passenger compartment
- Facilitates neat and tidy stowage for different objects
- Fixings for Mercedes Benz Sprinter
- Colour: RAL 7016

Version	bott vario VanOffice SL	Fixings Mercedes Benz Sprinter
Dimensions W x D x H [mm]	270 x 412 x 626	-
Weight [kg]	9.91	0.92
Order ref.	**70001004.19V**	**73502104.19V**
Final installation [WU]	1.0	0.0

Utility knife



- Delivery in foam inlay suitable for V-Box
- Opening safety catch with push button
- Blade position 90°, 135° and 180°
- With attachment clip
- Incl. 3 spare blades



Dimensions W x D x H [mm]	116 x 23 x 42
Weight [kg]	0.11
Order ref.	**73504040**
Final installation [WU]	0

Sulo waste bin with holder



- Waste bin with 10l capacity
- Metal carry handle, can be inserted into the holder
- Installation possibility on SLF, lashing rail, rear door, protect plus or VPP

Dimensions W x D x H [mm]	245 x 295 x 309
Weight [kg]	0.97
Order ref.	**73508046.19V**
Final installation [WU]	1

perfo hose holder



- For storage of hoses and cables
- Made of die-cast aluminium

Version	Hose holder S	Hose holder M	Hose holder L	Hose holder X
Dimensions W x D x H [mm]	190 x 70 x 145	265 x 105 x 200	350 x 145 x 255	415 x 190 x 305
Net weight Kg	0.29	0.48	1.14	2.38
Order ref.	**14050001**	**14050002**	**14050003**	**14050004**
Final installation AW	0	0	0	0

Folding seat with cushion/fixing bracket



- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- Upholstered cushion
- Seat height from 325 – 425 mm
- Automatically folding support leg with gas spring support
- For mounting on an end frame or a wall mount
- Seat height adjustable in 25 mm increments on wall mount
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- For fixing the folding seat in place when an end frame is not available

Version	Folding seat	Wall mount
Dimensions W x D x H [mm]	300 x 80 x 650	236 x 85 x 650
Weight [kg]	10.60	3.20
Order ref.	**73003009.19V**	**73003010.19V**
Final installation [WU]	4	1

Spirit level holder



- For transporting long parts such as spirit levels or straightedges
- For installation on bott vario3 trays and long item top trays
- With hook and loop fastener and fixing bolts
- Pack of 2
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)

Dimensions W x D x H [mm]	94 x 32 x 58
Weight [kg]	0.40
Order ref.	**73508001.19V**
Final installation [WU]	1

Grab handle 90°



- For safe entry into the vehicle
- For installation inside side or rear doors
- Hole spacing 408 mm
- Colours: yellow-green (RAL 6018) anthracite grey (RAL 7016)



Version	yellow-green	anthracite grey
Dimensions W x D x H [mm]	38 x 74 x 430	38 x 74 x 430
Net weight [kg]	0.40	0.40
Order ref.	**80701007.17**	**80701007.19**
Final installation [WU]	2	2

7

Entry grab handle



- For safe entry into the vehicle
- For installation near the sliding or rear doors
- For variable installation on the SLF
- Hole spacing 417 mm
- Suitable for VW T6 (Y54), Citröen Jumpy, Peugeot Expert, Toyota ProAce (2016), Opel Vivaro (2019), Fiat Scudo (2022) (Y57), MB Sprinter (Y66), VW Crafter, MAN TGE (Y58)
- Colour: yellow-green (RAL 6018)



Dimensions W x D x H [mm]	23 x 76 x 448
Net weight [kg]	0.44
Order ref.	**80701009.17**
Final installation [WU]	2

ABC-powder extinguisher



- ABC powder extinguisher acc. to DIN EN 3
- Secured against unintended use
- Approx. 4 m effective range
- One-handed operation
- Incl. holder for mounting in vehicle



Version	With internal propellant gas bottle - 1 kg	Constant pressure device - 2 kg	Constant pressure device - 6 kg	Constant pressure device - 12 kg
Dimensions W x D x H [mm]	105 x 160 x 295	115 x 160 x 380	105 x 280 x 540	190 x 280 x 630
Weight [kg]	2.20	4.20	10.35	17.50
Order ref.	**63003123.90**	**63003049.90**	**63003124.90**	**63003125.90**
Price [£]				
Final installation [WU]	2.0			

OEM lamp bracket



- Lamp holder for OEM lighting in the load compartment
- Enables the lashing rail to be mounted on the roof beams without omitting the OEM load compartment lighting
- The mounting plate enables the lamp holder to be mounted in an offset position
- Pack of 2

Suitable for	Y15 - Ford Transit Custom (2012)	Y47-Ford Transit (2014)		Y58 - VW Crafter / MAN TGE (2016)	Y70 - VW Caddy 2015/2020
Dimensions W x D x H [mm]	120 x 2 x 111	89 x 2 x 80	120 x 2 x 98	110 x 2 x 88	110 x 2 x 82
Weight [kg]	0.03	0.02	0.03	0.06	0.03
Pack of		2		2	
Order ref.	**73508055.98**	**73508052.98**	**73508082.98**	**73508054.98**	**73508053.98**
Final installation [WU]	0.5				

Case holder for Systainer³, Organizer and varioCase 84



- Suitable for Systainer³, Organizer M/L and varioCase84
- For installation on the upright profiles in system depth 3 and 4
- Additional security against slipping out during transport
- Painted steel
- Colour: anthracite grey (RAL 7016)



From system depth [mm]	376	376
Version	Case holder	Case holder
Dimensions W x D [mm]	100 x 371	100 x 371
Weight [kg]	1.39	1.39
Assembled/packed	Assembled	Packed
Order ref.	**72103032.19M**	**72103032.19V**
Final installation [WU]	0	0


Storage pocket for Systainer³, Organizer and varioCase 84



- Suitable for Systainer³, Organizer M/L and varioCase84
- For installation on the upright profiles or on the bott wall rail systems
- Suitable for depth 4 and 5
- anodised aluminium

From system depth [mm]	488	600
Dimensions W x D [mm]	100 x 409	100 x 521
Weight [kg]	0.67	0.82
Order ref.	**72103034.97V**	**72103035.97V**
Final installation [WU]	2	2


Plug-in holder for Systainer³ M112 horizontal/vertical



- To insert Systainer³ M112 vertically or horizontally into the plug-in holder
- Holder assembly onto standard end-frame profiles (SLF) or lashing rails: a depth strut must be installed behind the central panel
- Fits all system depths
- Colour: painted steel RAL 7016 anthracite grey

Dimensions W x D x H [mm]	300 x 132 x 105
Weight [kg]	0.79
Order ref.	**72103054.19V**
Final installation [WU]	0.0


Rear mounted case holder



- For installation on the rear of the shelf, on the side of the sliding door, in order to use the space between the shelf rear panel and vehicle bodywork
- For mounting the Systainer³ Organizer M89 or varioCase M84
- The rear mounted case holder must be assembled on a profile set at the bottom and a system component at the top
- The case holder replaces a gusset plate in this area
- Fixing bolt set for case positioning

From system depth [mm]	488	600
Dimensions W x D [mm]	404 x 107	404 x 107
Weight [kg]	3.22	3.22
Assembled/packed	Assembled	Packed
Order ref.	**72103052.19M**	**72103052.19V**
Final installation [WU]	0	0

SLF end-frame brackets for Milwaukee Packout



- Flexible storage of Milwaukee PACKOUT™ in the bott vario3 accessories

Dimensions W x D x H [mm]	250 x 20 x 330	
Weight [kg]	0.60	
Assembled/packed	Assembled	Packed
Order ref.	**72530004.19M**	**72530004.19V**
Final installation [WU]	0	

Toolbox for flatbeds



- bott tool box for flatbed 500: Useful load 30kg, volume 30.5l
- bott tool box for flatbed 750: Useful load 45kg, volume 47.5l
- Protection class IP5K9KE11-R73
- Secure transport under the cargo area - storage space rain- and splashwater-proof



Version	For flatbed 500	For flatbed 750	Lock with 2 keys
Dimensions W x D x H [mm]	500 x 350 x 300	750 x 350 x 300	115 x 90 x 120
Weight [kg]	3.00	4.54	0.18
Order ref.	**73520003**	**73520004**	**73520005**
Final installation [WU]	1		4

bott vario3 storage bag



- Storage bag with hinged cover for light objects or waste
- Installation of the storage bag S at the side on SLF /3
- Installation of the storage bag S + M on the rear door or on the perfo panel at the vehicle bulkhead
- Colour: anthracite grey (RAL 7016)



Dimensions W x D x H [mm]	300 x 120 x 400	450 x 220 x 550
Weight [kg]	0.65	1.15
Order ref.	**73508027.19V**	**73508028.19V**
Final installation [WU]	2	3

Wheel arch cladding



- Wheel arch cladding with FrontLash -oo- tray with anti-slip mat
- Clear height inside 350/450mm
- Screw attachment matching pitch of floor rails but cannot be integrated in the bott vario3 shelf system
- The wheel arch cladding serves as an overhang for wheel arches in the load space - the TopLash lashing system can be retrofitted to the trays (option)
- Stud plate made of natural aluminium

Dimensions W x D x H [mm]	981 x 266 x 450	981 x 266 x 550	1093 x 266 x 550
Weight [kg]	6.10	6.00	7.00
Assembled/packed	Packed		
Order ref.	**11303017.98V**	**11303015.98V**	**11303016.98V**
Final installation [WU]	5.0		

Aluminium folding stepladder



- 2x 4 steps
- Can be used on both sides
- Robust and impact-proof metal joint connections
- Stable and 6x riveted step/side rail connection for high stability
- Non-slip, profiled end caps which do not mark the floor
- Tear-resistant belt straps
- Max. load capacity 150 kg



Dimensions W x D x H [mm]	450 x 160 x 950
Weight [kg]	3.50
Order ref.	**63003132**
Final installation [WU]	0

Safety glasses uvex/bott



- Fully metal-free and thus especially light and comfortable
- Soft slip-resistant clip ends and slim clip design
- UV400 protection
- Scratch-resistant coating on the outside and non-fogging coating on the inside of the lens
- Adjustable nose pads
- CE
- Protection level 2C-1.2 (DIN EN 170)

Dimensions W x D x H [mm]	150 x 60 x 50	290 x 190 x 97
Weight [mm]	0.05	0.61
Pack quantity	1	10
Order ref.	**85001175**	**85001176**
Final installation [WU]	0	0

Safety gloves uvex



- Suitable for dry and damp, oily working conditions
- Version with knitted cuff standard EN 388
- Coating on the palm and fingertips

Version	Size 7	Size 8	Size 9
Dimensions W x D x H [mm]	110 x 250 x 90	110 x 250 x 90	110 x 250 x 90
Weight [kg]	0.43	0.43	0.43
Pack quantity	10	10	10
Order ref.	**85001177**	**85001178**	**85001179**
Final installation [WU]	0	0	0

Version	Size 10	Size 11
Dimensions W x D x H [mm]	110 x 250 x 90	110 x 250 x 90
Weight [kg]	0.43	0.43
Pack quantity	10	10
Order ref.	**85001180**	**85001181**
Final installation [WU]	0	0


Traffic cone collapsible



- Height while folded: 60 mm
- With flashing and continuous light
- Incl. storage bag

Dimensions W x D x H [mm]	280 x 280 x 60	390 x 390 x 750
Weight [kg]	1.80	3.20
Order ref.	**85001025**	**63003077.90V**
Final installation [WU]	0	

Traffic cone for locating lug incl. securing strap



- The locating lug is used for securing stacked cones in place
- The cones are stacked on top of one another, the locating lug is inserted and secured using the lashing strap looped through the base
- Diameter of the locating lug 30 mm
- Height of the locating lug 45 mm
- Lashing strap with screw plate and cam-buckle, length 2500 mm, fixed end 200 mm, locating lug without fixing kit

Dimensions W x D x H [mm]	60 x 45 x 60
Weight [kg]	0.30
Order ref.	**63510152.90V**
Final installation [WU]	2

Storage pocket set with 2 collapsible cones



- Anodised aluminium storage pocket with 2 cones
- For installing on bott vario3 end frames
- 2 cones with flashing and continuous light
- Cone dimension W x D x H: 280 x 280 x 500 mm
- Incl. storage bag



Version	with 2 cones	Empty
Dimensions W x D x H [mm]	300 x 132 x 310	300 x 132 x 310
Net weight Kg	4.70	1.44
Order ref.	**63003122.97V**	**63003121.97V**
Final installation AW	2	2


Endframe storage tray



- Shelf for installation at the side on the end frame
- Material: aluminium
- Useful area 264 x 247 mm
- Edge height 33 mm
- Load capacity: 5 kg

Dimensions W x D x H [mm]	266 x 255 x 155
Weight [kg]	0.68
Order ref.	**62533404.98V**
Final installation [WU]	1

Shelf with anti-slip mat




- For the secure storage of objects with ergonomic removal through simple access
- Installation on the bott vario3 SLF in depth 3 and depth 2 plus R
- Mount incl. anti-slip mat, protective strip on the SLF, 2 single lashing eyes and lashing strap
- Material: painted steel

Dimensions W x D x H [mm]	340 x 145 x 23
Weight [kg]	1.06
Order ref.	**72121018.19V**
Final installation [WU]	0

Foldable container



- Volume 30 litres
- Needs little space when folded up (3 cm high)
- Assembled quickly thanks to Velcro closures
- Extremely stable thanks to integrated reinforced panels
- Waterproof and resistant to many chemicals and oils
- Suitable for the transportation of hazardous substances
- Also ideal as an immediate measure in the event of an oil leak on construction, agricultural or forestry machinery or other leaks



Dimensions W x D x H [mm]	600 x 400 x 260
Weight [kg]	1.20
Order ref.	**63003131.90**
Final installation [WU]	0

Foldable container with storage pocket



- Volume 30 litres
- Needs little space when folded up
- Assembled quickly thanks to Velcro closures
- Extremely stable thanks to integrated reinforced panels
- Watertight and resistant to many chemicals and oils
- Also ideal as an emergency measure in the event of an oil leak on construction, agricultural or forestry machinery or other leaks
- Storage pocket made of anodised aluminium for mounting on the bott vario3 end frame

Version	with storage pocket
Dimensions W x D x H [mm]	437 x 43 x 600
Net weight Kg	2.03
Order ref.	**72530021.97V**
Final installation AW	2

Universal holder for safety helmets



- Universally adjustable for different sizes and shapes
- Optimised for installation on bott vario3 end frames or perfo perforated panels
- Material: Anodised aluminium

Dimensions W x D x H [mm]	256 x 0 x 281
Weight [kg]	0.27
Order ref.	**63003130.97**
Final installation [WU]	2

Mobile workbench MW1000



- The ideal companion for mobile, semi-stationary work on the construction site
- Transport and mobile storage of systainers, hand tools and consumables
- Outstanding movement over steps thanks to large full-rubber and impact-resistant wheels (diameter: 200mm)
- Angle of push handle adjustable, sliding surfaces and integral handle on the shelf enable easy loading of the unit into a vehicle by a single person
- Effortless set-up and dismantling and compact dimensions
- Sturdy working area comprising perforated panel and aluminium profile offers flexible clamping and attachment options
- Dimensions of attached table: 1045 x 500 mm

Dimensions W x D x H [mm]	600 x 641 x 1185
Weight [kg]	31.00
Order ref.	**72522042.90V**
Final installation [WU]	1


Festool workbench holder for MW1000



- For securing a mobile workbench from Festool on the bott perfo panel
- Fixings included
- Painted steel

Dimensions W x D x H [mm]	1000 x 164 x 47
Weight [kg]	2.40
Order ref.	**07002262.19V**
Final installation [WU]	3

Holder for Systainer³ dolly



- For the fast, simple and safe storage of the Systainer³ skateboard
- Noise reduced by rubber buffers
- For installation at the side on the bott vario3 SLF frames or perfo perforated panels
- Material: powder-coated aluminium(RAL 7016)



Version	Holder for Systainer³ dolly
Dimensions W x D x H [mm]	290 x 66 x 439
Net weight Kg	0.68
Order ref.	**73508025.19V**
Final installation AW	2


Aluminium folding ramps



- High-strength and weatherproof aluminium alloy
- Load capacity 370 kg / pair
- For height differences between 400-700 mm
- Runway with highly anti-slip surface (R12)
- Pack of 2

Dimensions W x D x H [mm]	200 x 2535 x 60
Weight [kg]	22.00
Order ref.	**63003133**
Final installation [WU]	0

Holder for aluminium folding ramps



- Suitable for 2 folding ramps made of aluminium
- Material: Aluminium

Dimensions W x D x H [mm]	225 x 243 x 150
Weight [kg]	1.35
Order ref.	**63003135.98**
Final installation [WU]	3

Folding sack truck



- Sturdy aluminium / plastic construction
- Transport platform approx. W 490 x D 270 mm
- Folding base and wheels / telescopic handle
- Incl. rubber strap to secure goods in place
- Max. load capacity = 125 kg

Dimensions W x D x H [mm]	490 x 60 x 755
Weight [kg]	5.10
Order ref.	**63003026.90V**
Final installation [WU]	0

Holder for folding sack truck



- Suitable for the bott sack truck
- For installing on vehicle bulkheads and bott vario3 end frames
- Fixing kit included
- Material: Sheet steel
- Colour: anthracite grey (RAL 7016)

Version	Sack truck holder
Dimensions W x D x H [mm]	500 x 72 x 80
Net weight Kg	1.20
Order ref.	**63502064.19V**
Final installation AW	0

Long item prism holder



- Long item prism holder for holding tripods and other components
- For free installation on floors or on the side of the SLF
- Long item prism holder with integrated C-Lash lashing strip for fixing transported goods and with felt supports at the side
- Felt support and lashing strap for the careful and secure fixing of tripods
- Variable installation width due to two-part design

Dimensions W x D x H [mm]	208 x 130 x 60
Weight [kg]	0.70
Order ref.	**73508039.19V**
Final installation [WU]	1

Parts holder



- Holder incl. lashing strap for securing various devices
- Incl. assembly fixings for screwing directly to a bott lashing rail and for free positioning
- Infinitely variable adjustment through sliding block in the bott lashing rail
- Suitable for installation anywhere



Dimensions W x D x H [mm]	125 x 64 x 51
Weight [kg]	0.34
Assembled/packed	Packed
Order ref.	**73502007.19V**
Final installation [WU]	1

perfo perforated panel for vehicle bulkhead



- Creates an even, vertical surface at the vehicle bulkhead
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)
- With perfo hole pattern for attaching hooks and accessories from the standard perfo accessory range
- With 4 fixing positions for the simple fastening of lashing rails
- Suitable adapter rails available on request

Dimensions W x D x H [mm]	478 x 25 x 250		478 x 25 x 400		478 x 25 x 900	
Weight [kg]	1.45		2.10		4.40	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508009.19M**	**73508009.19V**	**73508010.19M**	**73508010.19V**	**73508011.19M**	**73508011.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	590 x 25 x 250		590 x 25 x 400		590 x 25 x 900	
Weight [kg]	1.70		2.50		5.10	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508012.19M**	**73508012.19V**	**73508013.19M**	**73508013.19V**	**73508014.19M**	**73508014.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	814 x 25 x 250		814 x 25 x 400		814 x 25 x 900	
Weight [kg]	2.43		3.63		7.63	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508015.19M**	**73508015.19V**	**73508016.19M**	**73508016.19V**	**73508017.19M**	**73508017.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	926 x 25 x 250		926 x 25 x 400		926 x 25 x 900	
Weight [kg]	2.67		3.70		8.30	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**73508018.19M**	**73508018.19V**	**73508007.19M**	**73508007.19V**	**73508008.19M**	**73508008.19V**
Final installation [WU]	0	3	0	3	0	3

Dimensions W x D x H [mm]	1038 x 25 x 250		1038 x 25 x 400		1038 x 25 x 900	
Weight [kg]	2.92		4.30		9.10	
Assembled/packed	Assembled	Packed	Assembled	Packed		Packed
Order ref.	**73508019.19M**	**73508019.19V**	**73508002.19M**	**73508002.19V**	**73508003.19M**	**73508003.19V**
Final installation [WU]	0	3	0	3	0	

Dimensions W x D x H [mm]	1150 x 25 x 250		1150 x 25 x 400		1150 x 25 x 900	
Weight [kg]	3.18		4.72		9.85	
Assembled/packed	Assembled	Packed		Packed	Assembled	Packed
Order ref.	**73508020.19M**	**73508020.19V**	**73508021.19M**	**73508021.19V**	**73508022.19M**	**73508022.19V**
Final installation [WU]	0	3	0	3	0	3

7


perfo perforated panel free-standing for vehicle bulkhead



- perfo panel with 6 integrated lashing eyes for installation in front of the vehicle bulkhead
- perfo panel in the system width -8 / 926mm and system width -12 / 1374mm
- Attachment through tee nuts only in the floor
- Creates an even, vertical surface in front of the vehicle bulkhead
- With fixing positions for the simple fastening of lashing rails
- For securing loads of up to 50 kg
- Optionally, the matching bott lashing rail can be assembled horizontally on the perfo panel (for width 926 mm, order ref. 67901059.19V) (for width 1374 mm, order ref. 67901066.19V)

Dimensions W x D x H [mm]	926 x 95 x 400	1374 x 95 x 400
Weight [kg]	4.72	6.53
Order ref.	**73508043.19V**	**73508044.19V**
Final installation [WU]	3	

Lashing rail with protective strip for perfo perforated panel



- Contact surfaces with anti-abrasion protection, ideal for transported goods with sensitive surfaces
- For straps with fitting
- Width 46 mm
- Strap attachment points every 25 mm
- Load capacity up to 500 daN (depending on the type of fixing)
- The green protective strip can be replaced by LED strips
- Incl. 2 end caps as protection

Rail length [mm]	425	525	750	825
Weight [kg]	0.40	0.50	0.61	0.78
Order ref.	**67901057.98V**	**67901058.98V**	**67901042.98V**	**67901059.98V**
Final installation [WU]	3			

Rail length [mm]	945	1075	1125
Weight [kg]	0.83	1.00	0.93
Order ref.	**67901014.98V**	**67901060.98V**	**67901066.98V**
Final installation [WU]	0	3	0

perfo lashing strap with plastic hooks


- With cam buckle
- Colour: anthracite grey (RAL 7016)



Dimensions W x D x H [mm]	2500 x 0 x 25
Weight [kg]	0.18
Pack of	1
Order ref.	**62626043.19V**

perfo can and cartridge holder

- Powder-coated steel, anthracite grey RAL 7016
- With 2 locations, max. Ø 70 mm



Colour	Anthracite grey
Quantity attachments	2
Dimensions W x D x H [mm]	175 x 87 x 70
Weight [kg]	0.39
Pack of	1
Order ref.	**14021053.19V**

perfo can and cartridge holder angled

- For cartridges up to max. Ø 50 mm



Colour	Light grey	Anthracite grey
Quantity attachments	4	4
Dimensions W x D x H [mm]	225 x 100 x 165	225 x 100 x 165
Weight [kg]	0.58	0.42
Pack of	1	1
Order ref.	**14021054.16V**	**14021054.19V**

perfo can and cartridge holder, angled

- For cans up to max. Ø 68 mm



Colour	Light grey	Anthracite grey
Quantity attachments	3	3
Dimensions W x D x H [mm]	225 x 100 x 165	225 x 100 x 165
Weight [kg]	0.58	0.39
Pack of	1	1
Order ref.	**14021055.16V**	**14021055.19V**

perfo rubbish bag holder 1 - 16 litres

- Made of anodised aluminium
- Including 1 roll of rubbish bags 5 l (50 pieces)



Version	Waste container	1 roll of rubbish bags (50 pieces)
Dimensions W x D x H [mm]	187 x 103 x 275	450 x 450 x 520
Weight [kg]	0.45	0.20
Pack of	1	2
Order ref.	**63003105.97**	**63003106**

perfo paper roll holder, self-securing

- For paper rolls with a max. width of 260 mm, Ø 280 mm
- Includes 1 paper roll



Version	Paper roll holder	Paper rolls
Dimensions W x D x H [mm]	315 x 185 x 180	200 x 130 x 130
Max. roll width [mm]	260 mm	
Weight [kg]	1.82	7.14
Pack of	1	12
Order ref.	**63003058.19V**	**63003074.90V**

perfo soap dispenser

- Made of plastic, includes 1 litre liquid soap



Version	perfo soap dispenser	1 L liquid soap
Dimensions W x D x H [mm]	100 x 130 x 290	400 x 300 x 120
Weight [kg]	1.50	6.50
Pack of	1	6
Order ref.	**02509004**	**89905002**

perfo hand towel dispenser

- Made of plastic, includes 1 paper roll



Version	perfo hand towel dispenser	Paper rolls
Dimensions W x D x H [mm]	185 x 170 x 340	200 x 130 x 130
Weight [kg]	1.54	7.40
Pack of	1	12
Order ref.	**02509003**	**89905001**

perfo water dispenser set

- 12 litre holding capacity
- Dispensing tap on container base
- With aluminium shelf and fixing strap
- Dispenser bottle with pump dispenser for on-site filling with cleaning agent of disinfectant



Dimensions W x D x H [mm]	370 x 173 x 375
Weight [kg]	1.46
Pack of	1
Order ref.	**63003059.19V**

Hand wash unit 12V

- Max. water temperature 60°C
- With overheat protection
- Incl. cable set, container with securing strap strap and fixing material



Dimensions W x D x H [mm]	300 x 230 x 525
Weight [kg]	7.00
Pack of	1
Order ref.	**50202002**

Hi-vis vest, one size



- Safety vest with velcro fastener and reflective strips
- Extremely light and washable, colour: yellow

Version	Safety vest
Weight [kg]	1.00
Order ref.	**85001045**
Final installation [WU]	0

First aid kit



- First-aid kit as per DIN 13164-2014
- 5 years manufacturer's warranty

Dimensions W x D x H [mm]	215 x 55 x 130
Weight [kg]	1.00
Order ref.	**85001106**
Final installation [WU]	0

Warning triangle



- Warning triangle with reflective arms

Version	Warning triangle
Dimensions W x D x H [mm]	43 x 5 x 3
Weight [kg]	1.00
Order ref.	**85001107**
Final installation [WU]	0

Number plate holder



- Universal hole pattern, suitable for all vehicles
- Impact-resistant plastic, heat- and cold-resistant, UV-resistant

Dimensions W x D x H [mm]	525 x 18 x 131
Weight [kg]	0.06
Order ref.	**81099590**
Final installation [WU]	2

7

Touch-up pen



- Touch-up applicator for repair work
- Finely textured surface, matt
- 25 ml

Version	RAL 7016	RAL 7035
Weight [kg]	0.03	
Order ref.	**89901001.19**	**89901001.16**
Final installation [WU]	0	

Felt strip black



- Self-adhesive with protective film
- As insulation protection on bulkhead or wheel arch
- Colour: black

Dimensions W x D x H [mm]	800 x 40 x 3
Weight [kg]	0.01
Order ref.	**63510153.90V**
Final installation [WU]	1

Felt strip grey



- Self-adhesive with protective film
- As insulation protection on bulkhead or wheel arch
- Panel from room divider offset
- PES needle felt ROM
- Colour: grey- mottled

Version	Felt strip width 1000	Felt strip width 2000	Felt roll 5m
Dimensions W x D x H [mm]	1000 x 480 x 2	2000 x 480 x 2	5000 x 480 x 2
Weight [kg]	0.11	0.21	0.53
Order ref.	**73510248.90V**	**73510249.90V**	**73510247.90V**
Final installation [WU]	2	4	8

7

Bulkhead fixing channel



- Cross member for mounting shelves laterally behind the bulkhead,
- Incl. adapter left and right,
- Cross member for the vehicle Y23 Nissan NV 400 / Renault Master (2011/2010)
- Another variant

Suitable for	Y57 - Citroen Jumpy / Peugeot Expert / Toyota ProAce (2016) / Opel Vivaro (2019) / Fiat Scudo (2022)	Y11 - Citroen Jumper / Peugeot Boxer / Fiat Ducato (2006) / Opel Movano (2021)	Y23 - Nissan NV 400 / Renault Master (2011/2010)	Y47 - Ford Transit (2014)
Dimensions W x D x H [mm]	1580 x 30 x 200	1860 x 30 x 200	1580 x 30 x 200	
Weight [kg]	3.30	3.90	3.15	3.40
Order ref.	**63502084.19V**	**63502085.19V**	**63502082.19V**	**63502078.19V**
Final installation [WU]	2.0			

Suitable for	Y51 - Mercedes-Benz Vito (2014)	Y54 - Volkswagen T6 / T6.1	Y89 - MAXUS eDELIVER 7 / DELIVER 7
Dimensions W x D x H [mm]	1500 x 30 x 246	1580 x 30 x 200	1766 x 240 x 121
Weight [kg]	3.55	3.50	4.06
Order ref.	**63502077.19V**	**63502083.19V**	**63502093.19V**
Final installation [WU]	2.0		

Suitable for	Y83 - Ford Transit Custom (2023) / Y91 - VW Transporter (2024)	Y87 - Ford Transit Courier (2023)	Y69 - Renault Kangoo Rapid / Mercedes Benz Citan (2021) / Nissan Townstar (2022)	Y66 - Mercedes Sprinter (2018)	Y53 - Iveco Daily (2014)/ Y58 - VW Crafter (2016) / MAN TGE (2017)
Dimensions W x D x H [mm]	1555 x 104 x 277	1400 x 198 x 280	1495 x 192 x 325	1711 x 241 x 200	1716 x 91 x 120
Weight [kg]	4.31	4.50	4.20	3.96	3.68
Order ref.	**63502088.19V**	**63502089.19V**	**63502090.19V**	**63502094.19V**	**63502095.19V**
Final installation [WU]	2.0				

Door strap conversion kit Ford Transit Custom -Y15




- Conversion kit consisting of 2 brackets, the brackets deflect the door arrester into the desired position in the interior of the vehicle in such a way that optimum use can be made of the space to the rear for the van racking in the vehicle
- Suitable for left-hand and right-hand doors
- One kit suitable for one hinged door
- Material: sheet steel
- Colour: anthracite grey (RAL 7016)
- Fixings included



Suitable for	Ford Transit Custom
Weight [kg]	1.80
Order ref.	**73502073.19V**
Final installation [WU]	4

Door strap conversion kit



- The door arrester angle deflects the door arrester into the desired position into the interior of the vehicle in such a way that optimum use can be made of the space to the rear for the van racking in the vehicle
- Suitable for left-hand and right-hand doors
- One angle suitable for one hinged door
- Material: zinc-plated sheet steel
- Fixings included
- One SLF panel (steel) is required for installation

Suitable for	Opel Movano / Nissan NV400 / Renault Master
Dimensions W x D x H [mm]	0 x 0 x 0
Weight [kg]	0.49
Order ref.	**73502078.16V**
Final installation [WU]	4

Window tinting film for rear and side window



- Car glass film sputtered with titanium
- Excellent visual and heat protection
- 99% UV protection
- The film must be adjusted and cut out to fit the vehicle

Dimensions W x D x H [mm]	1650 x 1 x 765
Weight [kg]	0.11
Order ref.	**63510094**
Final installation [WU]	6.0


Foot mat for driver and passenger seat



- 3-piece foot mat for Y83 Ford Custom 2023
- Perfect fit, anti-slip
- Upright lip to catch dirt
- Tested for hazardous substances
- Material: SBR / black

Dimensions W x D x H [mm]	-
Weight [kg]	3.50
Order ref.	**85001208**
Final installation [WU]	0.5

Foot mats



- Perfect fit for front and rear
- High edge as dirt trap
- Without PVC, tested for harmful substances
- Colour: black

Suitable for	VW Caddy	VW T6	Mercedes Sprinter	Mercedes Vito
Dimensions W x D x H [mm]	-			
Weight [kg]	2.40	4.10	1.00	2.50
Order ref.	**85001048**	**85001049**	**85001050**	**85001129**
Final installation [WU]	0.5			

Suitable for	Opel Vivaro, Renault Trafic, Fiat Talento, Nissan NV300	Ford Transit Custom	VW Crafter / MAN TGE	VW T6
Dimensions W x D x H [mm]	-			
Weight [kg]	3.30		4.80	4.10
Order ref.	**85001133**	**85001134**	**85001148**	**85001198**
Final installation [WU]	0.5			

Hazard warning decals



- Warning marktings adapted to the vehicle shape at the front, rear and side incl. application instructions for different vehicles
- Simple and quick application thanks to accurate fit
- Attach the red-and-white warning marking according to DIN 30710 – Safety marking of vehicles and equipment

Version	Citroen Jumper 2006 rear door	Citroen Jumpy 2016 rear door L1	Citroen Jumpy 2016 tailgate
Weight [kg]	0.45	0.45	0.45
Order ref.	**84501007**	**84501017**	**84501018**
Final installation [WU]	15.0	6.0	6.0

Hazard warning decals

Version	Fiat Scudo 2022 rear door L1	Fiat Scudo 2022 tailgate
Weight [kg]	0.45	
Order ref.	**84501036**	**84501037**
Final installation [WU]	6.0	15.0

Hazard warning decals

Version	Ford Custom from 2016 rear door	Ford Custom from 2016 tailgate	Ford Transit from 2020 rear door	Ford Custom 2023 rear door	Ford Custom 2023 tailgate
Weight [kg]	0.45			0.05	0.45
Order ref.	**84501008**	**84501009**	**84501010**	**84501046**	**84501047**
Final installation [WU]	5.0		6.0	15.0	5.0

Hazard warning decals

Version	Iveco Daily 2014 rear door	Iveco eDaily 2023 rear door
Weight [kg]	0.45	
Order ref.	**84501038**	**84501039**
Final installation [WU]	5.0	

Hazard warning decals

Version	MAN TGE 2017 rear door
Weight [kg]	0.45
Order ref.	**84501020**
Final installation [WU]	6.0

Hazard warning decals

Version	Maxus eDeliver 7 2023 rear door
Weight [kg]	0.45
Order ref.	**84501052**
Final installation [WU]	5.0

Hazard warning decals

Version	MB Citan 2021 rear door L1	MB Citan 2021 hatch L1	MB Vito 2014 rear door	MB Vito 2014 tailgate	MB Sprinter 2018 rear door
Weight [kg]	0.45				
Order ref.	**84501026**	**84501028**	**84501013**	**84501014**	**84501025**
Final installation [WU]	6.0	15.0	6.0	7.0	6.0

Hazard warning decals

Version	Opel Combo 2018 rear door L2	Opel Vivaro 2019 rear door	Opel Vivaro 2019 tailgate
Weight [kg]	0.45		
Order ref.	**84501022**	**84501040**	**84501041**
Final installation [WU]	15.0	6.0	

Hazard warning decals

Version	Peugeot Expert 2016 rear door	Peugeot Expert 2016 tailgate
Weight [kg]	0.45	0.01
Order ref.	**84501042**	**84501043**
Final installation [WU]	6.0	9.0

Hazard warning decals

Version	Renault Kangoo Rapid 2021 rear door L1	Renault Kangoo Rapid 2021 hatch L1
Weight [kg]	0.45	
Order ref.	**84501027**	**84501029**
Final installation [WU]	7.0	15.0

Hazard warning decals

Version	VW T6.1 2019 rear door	VW T6.1 2019 tailgate	VW Caddy 2020 rear door L1	VW Caddy 2020 tailgate L1	VW Caddy 2020 rear door L2	VW Caddy 2020 tailgate L2
Weight [kg]	0.45					
Order ref.	**84501015**	**84501016**	**84501030**	**84501032**	**84501031**	**84501033**
Final installation [WU]	6.0				5.0	

7

Decal application fluid & squeegee for vehicle wrap vinyls



- Decal application fluid and squeegee for the application of self-adhesive films on vehicles
- Facilitates the wet application to a wide range of substrates
- No more problems with air bubbles during application
- Compared to other application fluids, this fluid does not contain any oil-based ingredients and can therefore better preserve the product´s adhesive properties
- Squeegee as ideal solution for professional and demanding film application
- For optimal results on slightly curved surfaces such as vehicle bodies and windows

Version	Application fluid - pack of 6	Plastic squeegee
Dimensions W x D x H [mm]	0 x 0 x 0	100 x 7 x 70
Weight [kg]	6.38	0.03
Order ref.	**73510345.90V**	**73510346**
Final installation [WU]	0.0	

Surface cleaner & assembly adhesive



- Transparent adhesion improver
- Free of CMR substances (1-component)
- Complies with EN 14188-4
- Processing temperature +5°C to +35°C







Description	Surface cleaner SABA Primer 9910 250 ml	Surface cleaner SABA Primer 9910 1 L	Assembly adhesive Sabatack 780 290 ml cartridge	Assembly kit primer 250 ml / adhesive 2x 290 ml
Dimensions W x D x H [mm]	75 x 75 x 95	101 x 101 x 170	50 x 230 x 230	-
Weight [kg]	0.29	1.16	0.38	1.00
Order ref.	**73510338**	**73510340**	**73510336**	**73510342**

Broom and tool holders



- For assembly on the vehicle roof (vehicle rib or lashing rail), at the side on the SLF and on the lashing rail on the vehicle bulkhead
- A snap fastener is included in the scope of supply and has to be assembled
- The brackets can also be ordered separately
- Protection of the secured devices by PVC coating on the brackets
- Securing of devices with different diameters by means of snap fastener
- Sheet steel zinc-plated or KTL coated PVC black glossy

Version	Broom and tool holder kit	Holder open	Holder closed
Dimensions W x D x H [mm]	0 x 0 x 0	80 x 80 x 90	
Weight [kg]	1.00	0.33	0.40
Order ref.	**73508056.90V**	**73508057.90V**	**73508058.90V**
Final installation [WU]	2.0		

08 bottvario3
bottTainer - Boxen für Pritschenfahrzeuge



Stauraumorganisation und Ladungssicherung auf offenene Ladeflächen

bottTainer with hinged lid



- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft

External dimensions W x D x H [mm]	1750 x 650 x 760
Internal dimensions W x D x H [mm]	1610 x 545 x 670
Drawer load capacity kg	200
Weight [kg]	65.00
Order ref.	**60020001.51M**
Final installation [WU]	8.0

bottTainer with hinged lid and intermediate floor




- Slip-resistant aluminium chequer plate lid
- Equipped with 2-piece, removable intermediate shelf
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft



External dimensions W x D x H [mm]	1750 x 650 x 760	1930 x 650 x 760
Internal dimensions W x D x H [mm]	1610 x 545 x (290 + 370)	1790 x 545 x (290 + 370)
Drawer load capacity kg	300	300
Weight [kg]	72.00	79.00
Order ref.	**60020003.51M**	**60020004.51M**
Final installation [WU]	8.0	8.0

bottTainer divider for fixed floor



- Divider for positioning above the shelf

Dimensions W x D x H [mm]	2 x 590 x 275
Net weight [kg]	0.73
Order ref.	**63001110.98V**
Final installation [WU]	0.0

8

bottTainer with door and hinged lid



- Lid made of slip-resistant aluminium chequer plate
- Side doors optionally on the left, right or both sides
- Equipped with 2-part intermediate shelf
- Gas pressure spring secures lid in open position
- Two robust locks secure transported goods against theft



Version	Door position on both sides	Door position right	Door position left
External dimensions W x D x H [mm]	1750 x 650 x 760	1750 x 650 x 760	1750 x 650 x 760
Internal dimensions W x D x H [mm]	1610 x 545 x (290 + 370)	1610 x 545 x (290 + 370)	1610 x 545 x (290 + 370)
Drawer load capacity kg	300	300	300
Weight [kg]	74.00	74.00	74.00
Order ref.	**60020007.51M**	**60020030.51M**	**60020031.51M**
Final installation [WU]	8.0	0.0	0.0

Version	Door position on both sides	Door position right	Door position left
External dimensions W x D x H [mm]	1930 x 650 x 760	1930 x 650 x 760	1930 x 650 x 760
Internal dimensions W x D x H [mm]	1790 x 545 x (290 + 370)	1750 x 545 x (290 + 370)	1750 x 545 x (290 + 370)
Drawer load capacity kg	300	300	300
Weight [kg]	81.00	80.00	80.00
Order ref.	**60020008.51M**	**60020032.51M**	**60020033.51M**
Final installation [WU]	8.0	0.0	0.0

bottTainer set with drawers



- Optional drawer position on the left or right. Please state in order.
- (A bottTainer with width 1750 mm allows a maximum combination of 1 x system depth 795 mm and 1 x system depth 540 mm.)







Assembly	1 drawer	1 drawer	2 drawer
Load capacity [kg]	40	50	40
Dimensions W x D x H [mm]	525 x 540 x 300	525 x 795 x 300	525 x 540 x 300
Weight [kg]	10.40	15.20	12.40
Order ref.	**60020011.19M**	**60020014.19M**	**60020012.19M**







Assembly	2 drawer	3 drawer	3 drawer
Load capacity [kg]	50	40	50
Dimensions W x D x H [mm]	525 x 795 x 300	525 x 540 x 300	525 x 795 x 300
Weight [kg]	23.50	15.10	29.50
Order ref.	**60020015.19M**	**60020013.19M**	**60020016.19M**

bottTainer complete variants



- Lid made of slip-resistant aluminium chequer plate
- Gas pressure spring secures lid in open position
- Two robust locks secure transported goods against theft
- Equipped with sets of drawers and 2-part intermediate shelf
- Multiple assembly options available behind the hinged door




Version	Right-hand door equipped with 2x heavy-duty drawers	Right- and left-hand door equipped with 2x heavy duty and 2x standard duty drawers
External dimensions W x D x H [mm]	1750 x 650 x 755	1750 x 650 x 755
Weight [kg]	97.50	109.90
Order ref.	**60020025.51M**	**60020026.51M**
Final installation [WU]	8.0	8.0

bottTainer storage shelf with small parts storage box divider kit



- Storage tray for hanging in the bottTainer
- Secures on sides of container
- Galvanised
- Optional divider kit with 13 small parts storage boxes



Version	Shelf	Kit with 13 small parts storage boxes
Dimensions W x D x H [mm]	341 x 583 x 92	325 x 525 x 75
Net weight [kg]	3.50	1.10
Order ref.	**60020024.51**	**63020192.36**
Final installation [WU]	0.0	0.0

bottTainer with door and intermediate shelf



- Slip-resistant aluminium chequer plate lid
- Possible versions: left and right, each with 1 large door or each with 2 doors located one above the other with sturdy locks
- Firmly secured intermediate shelf
- Upper doors can also be opened when the drop sides are up
- The lower compartment can optionally be equipped with drawers
- Incl. divider for subdividing the top compartment



Version	4 doors	2 doors	4 doors	2 doors
External dimensions W x D x H [mm]	1750 x 630 x 1130	1750 x 630 x 1130	1930 x 630 x 1130	1930 x 630 x 1130
Internal dimensions W x D x H [mm]	1610 x 545 x (440 + 590)	1610 x 545 x (440 + 590)	1790 x 545 x (440 + 590)	1790 x 545 x (440 + 590)
Drawer load capacity kg	300	300	300	300
Weight [kg]	99.00	97.50	106.00	104.50
Order ref.	**60022001.51M**	**60022003.51M**	**60022002.51M**	**60022004.51M**
Final installation [WU]	8.0	8.0	8.0	8.0

8

bottTainer with hinged lid for pick-ups



- Compact transport box for all conventional pickup models
- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Robust lock secures transported goods against theft

External dimensions W x D x H [mm]	1030 x 650 x 600
Internal dimensions W x D x H [mm]	930 x 545 x 510
Drawer load capacity kg	300
Weight [kg]	38.00
Order ref.	**60020009.51M**
Final installation [WU]	8.0

bottTainer with roller shutter



- Weatherproof and lockable roller shutter made of robust aluminium
- Quick access to the complete usable volume







Version	empty	Drop-front shelf, bottBox shelf with bottBoxes	3 drawers, drop-front shelf, bottBox shelf with bottBoxes (1x M4; 4x L5)
Assembly	empty	drop-front shelves, bottBox shelf with bottBox	3 drawers, 2 shelves, bottBox shelf with bottBoxes (1x 1-4-165; 4x 2-5-165)
External dimensions [mm]	1365 x 710 x 910	1365 x 710 x 910	1365 x 710 x 1060
Dimensions W x D x H [mm]	1365 x 710 x 910	1365 x 710 x 910	1365 x 710 x 1060
Weight [kg]	64.30	75.70	96.20
Order ref.	**60021010.51M**	**60021011.51M**	**60021008.51M**





Version	4 drawers (WxD 525x540), 2 drawers (775x540), drop-front shelf, bottBox shelf with bottBoxes (1x M4; 4x L5)	5 bottBoxes
Assembly	6 drawers, drop-front shelf, bottBox shelf with bottBoxes (1x 1-4-165; 4x 2-5-165)	bottBox shelf with bottBoxes
External dimensions [mm]	1365 x 710 x 1060	1365 x 710 x 1060
Dimensions W x D x H [mm]	1365 x 710 x 1063	1365 x 710 x 1060
Weight [kg]	115.20	77.20
Order ref.	**60021009.51M**	**60021007.51M**

bottTainer crane eyes



- 4 crane eyes for quick mobile transport
- Powder-coated
- Colour: jet black (RAL 9005)
- Fixings included

Weight [kg]	1.30
Order ref.	**90099590.63**
Final installation [WU]	0.0

bottTainer forklift plinth



- Forklift base for quick, mobile transport
- Galvanised
- Includes fixing kit

Version	For bottTainer with lid	For bottTainer with lid	For bottTainer with roller shutter	For bottTainer with roller shutter
Weight [kg]	8.13	8.13	8.00	8.00
Order ref.	**60020018.51M**	**60020018.51V**	**60021006.51M**	**60021006.51V**
Assembled/packed	Assembled	Packed	Assembled	Packed
Final installation [WU]	0.0	0.0	0.0	0.0

bottTainer with hinged lid



- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft

Dimensions W x D x H [mm]	1930 x 650 x 755
Weight [kg]	72.00
Order ref.	**60020002.51M**
Final installation [WU]	8.0

Spare parts



- Ersatzschlüssel

Version	For hinged lid (T-handle With locking cylinder + 1 key, closing according to order)	Roller shutter (closing 1011)
Weight [kg]	0.14	0.02
Order ref.	**12602057.90V**	**12603031**
Final installation [WU]	0.0	0.0

bott flatbed storage compartment



- For mounting on the flatbed for quick and simple load securing
- For transporting shovels, brooms and other tools
- Width is adjustable from 1700-2136mm, thus suitable for almost all flatbeds
- Robust construction made of weather-resistant aluminium chequer plate is closed on the side over the board wall



Version	Flatbed storage compartment	Fixing kit
Dimensions W x D x H [mm]	0 x 622 x 382	0 x 0 x 0
Weight [kg]	12.40	0.05
Order ref.	**60020029.98V**	**90099667**
Final installation [WU]	6.0	0.0

Headache rack for flatbeds



- Additional cab protection with flatbeds
- Fixed pin left/right
- Support for long items
- Colour: anthracite grey (RAL 7016) zinc-plated and painted
- Black plastic caps

Version	Y54	Y58
Dimensions W x D x H [mm]	1906 x 120 x 1275	2014 x 120 x 1505
Weight [kg]	34.40	37.10
Order ref.	**73520001.19V**	**73520002.19V**
Final installation [WU]	12.0	

Load securing blanket for flatbeds



- For securing the load on the flatbed
- Especially well suited for loose or shapeless cargo
- Anti-theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 200 daN
- Colour: anthracite grey
- 4 blanket sizes for all common flatbed sizes
- Incl. lashing eyes for the drop sides

Version	S	M	L	XL
Width [mm]	2630	2630	2630	2630
Depth [mm]	2950	3500	4050	4600
Dimensions of cargo area W x D [mm]	2100-2650	2650-3200	3200-3750	3750-4300
Order ref.	**62627015.19V**	**62627016.19V**	**62627017.19V**	**62627018.19V**
Final installation [WU]	10.0	10.0	10.0	10.0

09 bott vario3


perfo - The Original



Kits | Holders for perforated panels | perfo racks | Mobile racks

9


perfo panels with hook kit



- Kit 16-piece
- 1 perfo perforated panel width 457 x height 991 mm
- 5 Hooks D 75 mm
- 5 Hooks D 100 mm
- 5 Hooks D 150 mm
- 1 perfo spanne

Dimensions W x H [mm]	991 x 457
Weight [kg]	5.00
Order ref.	**14030154.**V**

perfo panels with hook kit



- Kit 42-piece
- 2 perfo panels width 457 x height 991 mm
- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Double hooks D 150 mm
- 5 U-Holder 60 x 20 mm
- 5 Spring clip Ø 13 mm
- 5 Spring clip Ø 25 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Dimensions W x H [mm]	991 x 457
Weight [kg]	10.00
Order ref.	**14030155.**V**

.11 RAL 5010 – enzianblau
.16 RAL 7035 – lichtgrau
.24 RAL 3004 – purpurrot
.19 RAL 7016 – anthrazitgrau
.20 **ESD-Version verfügbar** RAL 7035 – lichtgrau

9

perfo louvred panels with 54 bottBoxes



- perfo louvred panel kit consisting of: 2 panels and 54 bottBoxes
- Dimensions bottBoxes W x D x H: 130 x 198 x 90 mm

Quantity bottBoxes	54 x M2
Dimensions W x D x H [mm]	914 x 19 x 1486
Weight [kg]	23.19
Order ref.	**14030199.****

perfo louvred panels with 51 bottBoxes



- perfo louvred panel kit consisting of: 3 panels and 51 bottBoxes
- Dimensions bottBoxes:
- M2 W x D x H: 130 x 198 x 90 mm
- M3 W x D x H: 130 x 298 x 165 mm
- L3 W x D x H: 264 x 298 x 165 mm

Quantity bottBoxes	27 x M2, 21 x M3, 3 x L3
Dimensions W x D x H [mm]	1371 x 19 x 991
Weight [kg]	26.33
Order ref.	**14030201.****

perfo louvred panels with 24 bottBoxes



- perfo louvred panel kit consisting of: 2 panels and 24 bottBoxes
- Dimensions bottBoxes W x D x H: 130 x 198 x 90 mm

Quantity bottBoxes	24 x M2
Dimensions W x D x H [mm]	914 x 19 x 495
Weight [kg]	8.97
Order ref.	**14030200.****


perfo hook kit 11-piece



- 5 Hooks D 75 mm
- 5 Double hooks D 75 mm
- 1 Spanner holder

Weight [kg]	1.00
Order ref.	**14030064**


perfo hook kit 13-piece



- 2 Hooks D 50 mm
- 2 Hooks D 75 mm
- 2 Extended hooks D 50 mm
- 2 Extended hooks D 75 mm
- 2 Double hooks 75 mm
- 1 Cable hook 100 mm
- 1 Power tool holder 40 mm
- 1 Power tool holder 60 mm

Weight [kg]	1.00
Order ref.	**14030215**


perfo hook kit 15-piece



- 5 Hooks D 75 mm
- 5 Hooks D 100 mm
- 5 Hooks D 150 mm

Weight [kg]	0.13
Order ref.	**14031427**

perfo hook kit 15-piece



- 5 Hooks D 25 mm
- 5 Double hooks D 75 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Weight [kg]	1.86
Order ref.	**14031411**


perfo hook kit 20-piece



- 5 Hooks D 25 mm
- 5 Double hooks D 75 mm
- 5 Spring clips Ø 13 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Weight [kg]	2.02
Order ref.	**14031412**


perfo hook kit 20-piece



- 5 Double hooks D 50 mm
- 1 Three-pronged tool holder
- 5 Spring clips Ø 16 mm
- 1 Spanner holder
- 5 Cable hooks 100 mm
- 1 Drill holder
- 1 Screwdriver holder
- 1 Allen key holder

Weight [kg]	1.80
Order ref.	**14030209**

perfo hook kit 21-piece



- 5 Hooks D 100 mm
- 6 Pipe bracket holders 60 dia x 35 mm wide
- 5 Power tool holders 40 dia.
- 5 Power tool holders 60 dia.

Weight [kg]	0.94
Order ref.	**14031418**


perfo hook kit 25-piece



- 5 Extended hooks D 25 mm
- 5 Extended hooks D 50 mm
- 5 Extended hooks D 75 mm
- 5 Double hooks D 50 mm
- 5 Spring clips Ø 19 mm

Weight [kg]	0.90
Order ref.	**14030101**

perfo hook kit 25-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Spring clips Ø 16 mm
- 5 Spring clips Ø 25 mm

Weight [kg]	1.00
Order ref.	**14030210**


perfo hook kit 30-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 25 mm
- 5 Spring clips Ø 6 mm
- 5 Spring clips Ø 13 mm
- 5 Spring clips Ø 25 mm

Weight [kg]	0.80
Order ref.	**14031413**

perfo hook kit 32-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Doube spring clip Ø 13 mm
- 5 Spring clip Ø 16 mm
- 1 Clip strip L 150 mm
- 1 Clip strip L 300 mm
- 5 U-holder 60 x 20

Weight [kg]	1.50
Order ref.	**14030208**


perfo hook kit 40-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Double hooks D 150 mm
- 5 U-Holder 60 x 20 mm
- 5 Spring clip Ø 13 mm
- 5 Spring clip Ø 25 mm
- 1 Spanner holder
- 1 Saw holder 1 Screwdriver holder 1 Allen key holder 1 Drill holder

Weight [kg]	1.95
Order ref.	**14031414**


perfo hook kit 60-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Double hooks D 25 mm
- 5 Double hooks D 75 mm
- 5 Double hooks D 100 mm
- 5 Double hooks D 150 mm
- 5 U-Holder 60 x 20 mm
- 5 Spring clips Ø 6 mm
- 5 Spring clips Ø 13 mm
- 5 Spring clips Ø 19 mm
- 5 Spring clips Ø 25 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Weight [kg]	3.49
Order ref.	**14031415**

perfo hook kit 80-piece



- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Hooks D 100 mm
- 5 Double hooks D 25 mm
- 5 Double hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Double hooks D 100 mm
- 5 Double hooks D 150 mm
- 5 U-Holder 60 x 20 mm
- 5 U-Holder 40 x 75 mm
- 5 Spring clips Ø 6 mm
- 5 Spring clips Ø 10 mm
- 5 Spring clips Ø 13 mm
- 5 Spring clips Ø 19 mm
- 5 Spring clips Ø 25 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Weight [kg]	4.57
Order ref.	**14031416**

perfo tool pegs



- With narrow backplate
- Angled peg



Dimensions W x D x H [mm]	20 x 25 x 60	20 x 50 x 60	20 x 75 x 60	20 x 100 x 60
Ø [mm]	4	4	4	4
Weight [kg]	0.12	0.13	0.14	0.15
Pack of	5	5	5	5
Order ref.	**14001110**	**14001164**	**14001165**	**14001108**

perfo hook



- With narrow backplate
- Vertical hook end



Dimensions W x D x H [mm]	20 x 25 x 60	20 x 50 x 60	20 x 75 x 60	20 x 100 x 60	20 x 150 x 60
Ø [mm]	6	6	6	6	6
Weight [kg]	0.15	0.18	0.21	0.24	0.30
Pack of	5	5	5	5	5
Order ref.	**14001102**	**14001098**	**14001104**	**14001147**	**14001148**

perfo double tool hook




- With wide backplate
- Vertical hook end / spacing 32 mm



Dimensions W x D x H [mm]	60 x 25 x 60	60 x 50 x 60	60 x 75 x 60	60 x 100 x 60	60 x 150 x 60
Ø [mm]	6	6	6	6	6
Weight [kg]	0.35	0.41	0.47	0.52	0.64
Pack of	5	5	5	5	5
Order ref.	**14002037**	**14002039**	**14002041**	**14002064**	**14002043**

perfo extended hook

- With wide backplate
- Extended hook end (35 mm)



Dimensions W x D x H [mm]	60 x 25 x 60	60 x 50 x 60	60 x 75 x 60
Ø [mm]	6	6	6
Weight [kg]	0.32	0.35	0.38
Pack of	5	5	5
Order ref.	**14001117**	**14001119**	**14001121**

perfo cable hook

- With wide backplate
- Vertical, closed, high hook end (50 mm)



Dimensions W x D x H [mm]	60 x 125 x 90	60 x 175 x 90	60 x 225 x 90
Weight [kg]	0.64	0.76	0.87
Pack of	5	5	5
Order ref.	**14010023**	**14010025**	**14010027**

perfo powertool holder holder

- With wide backplate



Ø [mm]	40	60	80
Weight [kg]	0.32	0.35	0.39
Pack of	5	5	5
Order ref.	**14011016**	**14011018**	**14011020**

perfo clip strip

- With resilient plastic sprung loops
- Width 150 mm with 5 clip positions, Width 300 mm with 13 clip positions
- For holding tools and other parts
- Material: Base carrier: Anodised aluminium, Clips: Plastic
- Fixings included
- Colour: black



Dimensions W x D x H [mm]	150 x 37 x 29	300 x 37 x 28
Weight [kg]	0.18	0.27
Pack of	3	3
Order ref.	**13008008**	**13008009**

perfo U-holder



- With wide backplate




Dimensions W x D x H [mm]	60 x 42 x 60	63 x 42 x 60	83 x 42 x 60	60 x 61 x 60	60 x 86 x 60	60 x 111 x 60
Ø [mm]	6	6	6	6	6	6
Weight [kg]	0.28	0.30	0.31	0.39	0.45	0.51
Pack of	5	5	5	5	5	5
Order ref.	**14010015**	**14010017**	**14010019**	**14010032**	**14010033**	**14010034**

perfo spring clip



- rotatable clip



Dimensions W x D x H [mm]	20 x 20 x 60	24 x 28 x 60	28 x 32 x 60	28 x 32 x 60	30 x 46 x 60
Ø [mm]	6	10	13	16	19
Weight [kg]	0.11	0.11	0.12	0.12	0.13
Pack of	5	5	5	5	5
Order ref.	**14013059**	**14013061**	**14013063**	**14013065**	**14013067**

Hooks and holders for perforated

Dimensions W x D x H [mm]	39 x 50 x 60	20 x 62 x 60	20 x 63 x 60	60 x 64 x 60	60 x 73 x 60
Ø [mm]	25	28	32	38	51
Weight [kg]	0.13	0.15	0.17	0.34	0.36
Pack of	5	5	5	5	5
Order ref.	**14013069**	**14013071**	**14013073**	**14013055**	**14013057**

perfo double spring clip




- With wide backplate; rotatable clip



Dimensions W x D x H [mm]	60 x 20 x 60	60 x 28 x 60	60 x 32 x 60	60 x 32 x 60	60 x 46 x 60
Ø [mm]	6	10	13	16	19
Weight [kg]	0.27	0.27	0.28	0.29	0.30
Pack of	5	5	5	5	5
Order ref.	**14013075**	**14013077**	**14013079**	**14013081**	**14013083**

perfo three-pronged holder




- With wide backplate



Ø [mm]	6
Weight [kg]	0.17
Pack of	1
Order ref.	**14006003**

perfo combined holder


- With wide backplate; 2-piece or individual parts; 3 compartments



Version	top part	bottom part	complete
Dimensions W x D [mm]	60 x 153	60 x 153	60 x 153
Compartment W x D [mm]	44 x 47	49 x 57	44 x 47
Weight [kg]	0.10	0.32	0.42
Pack of	1	1	1
Order ref.	**14022009**	**14022010**	**14022011**

perfo magnet holder

- With strong neodymium magnet
- Slip-resistant rubber surface



Ø [mm]	40
Weight [kg]	0.06
Pack of	2
Order ref.	**14022035**

perfo power tool holder




- Power tool holder/cartridge holder/can holder made of flexible silicone with powerful neodymium magnet
- Makes screwless and flexible fixing on magnetic surfaces possible
- Diameter: 70 mm



Dimensions W x D x H [mm]	70 x 75 x 28	70 x 75 x 28
Weight [kg]	0.03	0.06
Packaging unit	1	2
Order ref.	**14021059.10V**	**14021063.10V**

perfo magnetic holder



- for suspending drawings, documents etc.

Ø [mm]	35
Weight [kg]	0.18
Pack of	5
Order ref.	**80501002**

perfo pipe bracket




- Sturdy holder for storing large and round tools



Dimensions W x D x H [mm]	60 x 66 x 60	60 x 106 x 60	100 x 104 x 90	100 x 104 x 90
Ø [mm]	60	100	60	100
Weight [kg]	0.19	0.28	0.50	0.65
Pack of	2	2	2	2
Order ref.	**14015041**	**14015042**	**14015043**	**14015044**

perfo velcro holder


- Secure and easy fixing of wires, cables or hoses
- Can be rotated 360°, giving it many possible applications



Dimensions W x D x H [mm]	34 x 37 x 12
Weight [kg]	0.57
Pack of	5
Order ref.	**14013103.90**

perfo seven prong holder


- With wide backplate; 7 holders 80 mm / distance 44 mm



Dimensions W x D x H [mm]	170 x 150 x 60
Ø [mm]	6
Weight [kg]	0.21
Pack of	1
Order ref.	**14006002**

perfo key holder


- For the clear and ergonomic storage of open-ended and ring spanners



Dimensions W x D x H [mm]	145 x 40 x 180
Quantity attachments	8
Weight [kg]	0.31
Pack of	1
Order ref.	**14017002**

perfo screwdriver holder


- perfo screwdriver holder
- 4 positions Ø 7mm
- 3 positions Ø 13mm



Dimensions W x D x H [mm]	225 x 30 x 50
Quantity attachments	7
Weight [kg]	0.19
Pack of	1
Order ref.	**14019007**

perfo saw holder


- For the safe storage of frame saws



Dimensions W x D x H [mm]	125 x 70 x 38
Quantity attachments	3
Weight [kg]	0.09
Pack of	1
Order ref.	**14019003**

perfo flexible spring clip


- The cam-buckle adapts flexibly to different handle diameters



Dimensions W x D x H [mm]	78 x 86 x 64	85 x 92 x 69
Ø [mm]	15-25	25-40
Weight [kg]	0.10	0.11
Pack of	1	1
Order ref.	**12626025**	**12626026**

perfo spigot for louvred panels

- Tube Ø 16 mm
- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	68 x 229 x 77	68 x 170 x 77	68 x 320 x 77
Ø [mm]	16	16	16
Weight [kg]	0.19	0.16	0.24
Pack of	1	1	1
Order ref.	**14022022.16**	**14022024.16**	**14022025.16**

perfo adapter for louvred panels


- Allows all perfo accessories to be used on perfo louvred panels
- light grey (RAL 7035)



Dimensions W x D x H [mm]	65 x 15 x 77
Weight [kg]	0.05
Pack of	1
Order ref.	**14005025.16**

perfo socket holder

- For 1/2" sockets



Quantity attachments	8
Dimensions W x D x H [mm]	270 x 27 x 45
Weight [kg]	0.16
Pack of	1
Order ref.	**14018004**

perfo tool block

- Plastic block for self-drilling



Dimensions W x D x H [mm]	115 x 75 x 90	450 x 75 x 90
Weight [kg]	0.33	1.30
Pack of	1	1
Order ref.	**14021017**	**14021040**

Bench panel support bracket



- For installation from the rear on the worktop
- Pack quantity: 1 pieces
- Colour: light grey (RAL 7035)

Version	For the installation of one panel	For the installation of two panels above one another
Dimensions W x D x H [mm]	60 x 40 x 260	60 x 40 x 930
Weight [kg]	0.33	0.70
Order ref.	**08030050**	**08030048**
Final installation [WU]	1	2

perfo tablet holder


- For tablets from 7-10 inch in size
- Incl. perfo monitor holder, short



Dimensions W x D x H [mm]	153 x 92 x 0
Weight [kg]	1.00
Pack of	1
Order ref.	**14022048**


perfo support rail for bottBoxes

- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	100 x 18 x 78	450 x 18 x 78	900 x 18 x 78
Weight [kg]	0.13	0.61	1.39
Pack of	1	1	1
Order ref.	**14014043.16**	**14014044.16**	**14014045.16**

TiltBox



- Practical small parts tilt bin for simple installation onbott vario end frames and perfo perforated panels
- Includes 1 divider
- The transparent insert can be removed
- Simple and secure operation thanks to central pushbutton
- An additional divider can be used to divide the TiltBox intothree sections of approximately equal size
- Load capacity: 15 kg



Version	Tiltbox	Tiltbox	Additional TiltBox divider
Dimensions W x D x H [mm]	304 x 147 x 196	304 x 147 x 196	3 x 106 x 171
Weight [kg]	0.88	7.04	0.05
Pack quantity	1	8	1
Order ref.	**14014060.19V**	**14014063.19V**	**14014065**
Final installation [WU]	1	8	0

perfo storage shelf



Dimensions W x D x H [mm]	450 x 170 x 105	900 x 170 x 105	450 x 250 x 105	900 x 250 x 105
Weight [kg]	1.50	2.53	1.89	3.16
Pack of	1	1	1	1
Order ref.	**14014034.16**	**14014006.16**	**14014031.16**	**14014007.16**

perfo storage box

- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	225 x 175 x 65	440 x 175 x 65
Weight [kg]	0.77	1.30
Pack of	1	1
Order ref.	**14014037.16**	**14014038.16**

perfo storage shelf S

- Colour: light grey (RAL 7035)



Version	empty	empty
Quantity Compart-ments		
Dimensions W x D x H [mm]	154 x 89 x 39	154 x 164 x 39
Weight [kg]	0.35	0.40
Pack of	1	1
Order ref.	**14008066.16**	**14008065.16**

perfo lashing strap with plastic hooks


- With cam buckle
- Colour: anthracite grey (RAL 7016)



Dimensions W x D x H [mm]	2500 x 0 x 25
Weight [kg]	0.18
Pack of	1
Order ref.	**62626043.19V**

perfo adjustable bungee strap set

- Can be cut to required length, for attaching parts to perforated panel



Dimensions W x D x H [mm]	2000 x 10 x 30
Weight [kg]	0.40
Pack of	1
Order ref.	**63003045.90V**

perfo catalogue holder DIN A3

- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	450 x 250 x 285
Weight [kg]	2.73
Pack of	1
Order ref.	**14014008.16**

perfo document holder DIN A4

- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	224 x 20 x 302
Weight [kg]	0.70
Pack of	1
Order ref.	**14014009.16**


perfo document pocket



DIN Format	A4 portrait	A4 landscape	A3 portrait	A3 landscape
Dimensions W x D x H [mm]	215 x 4 x 300	300 x 4 x 215	300 x 4 x 423	423 x 4 x 300
Weight [kg]	0.58	0.58	1.10	1.10
Pack of	1	1	1	1
Order ref.	**14014024.16**	**14014025.16**	**14014026.16**	**14014027.16**

perfo presentation rails


- for suspending drawings, documents etc.



Dimensions W x D x H [mm]	500 x 10 x 50	1000 x 10 x 50
Weight [kg]	0.18	0.36
Pack of	1	1
Order ref.	**14022042**	**14022043**

perfo wire basket

- Stable wire basket for storing larger materials
- Load capacity: 15 kg



Dimensions W x D x H [mm]	473 x 303 x 220	473 x 403 x 220
Weight [kg]	2.00	2.40
Pack of	1	1
Order ref.	**02508001**	**02508002**

perfo transparent tilt bin



- For the clear storage of small parts
- The transparent inserts can be removed individually
- incl. holder for mounting to perfo panels
- Material: Plastic
- Colour: anthracite grey / transparent

Version	With fixing brackets (pair)	With pair of fixing brackets	With pair of fixing brackets
Quantity Compartments			
Dimensions W x D x H [mm]	600 x 68 x 78	600 x 96 x 112	600 x 142 x 168
Weight [kg]	0.80	1.20	2.00
Pack of	1	1	1
Order ref.	**02513016.19**	**02513017.19**	**02513018.19**

perfo transparent tilt bin with locking bar



- For the clear storage of small parts
- The transparent inserts can be removed individually
- Transport safety catch prevents unintentional opening of the transparent inserts when the vehicle is in motion
- Incl. holder for mounting to perfo panels
- Material: plastic
- Colour: anthracite grey / transparent

Version	With optional restraining bar	With optional restraining bar	With optional restraining bar
Quantity Compartments			
Dimensions W x D x H [mm]	620 x 68 x 78	620 x 96 x 112	620 x 142 x 168
Weight [kg]	0.90	1.30	2.10
Pack of	1	1	1
Order ref.	**02513006.19**	**02513007.19**	**02513008.19**

perfo holder for tilt bins


- Pack of 2



Version	Size 1 for transparent tilt bins with 9 compartments	Size 2 for transparent tilt bins with 6 compartments	Size 3-5 for transparent tilt bins with 5 compartments
Dimensions W x D x H [mm]	74	110	162
Weight [kg]	0.20	0.35	0.40
Pack of	2	2	2
Order ref.	**14008058**	**14008059**	**14008060**

perfo document holder

- Easy clip-on plastic holder for DIN A4 landscape format
- Incl. colour coded label strip and fixing kit



DIN Format	A4 landscape
Dimensions W x D x H [mm]	340 x 100 x 213
Weight [kg]	1.90
Pack of	5
Order ref.	**14014029.19**

perfo rubbish bag holder 60 - 120 litres

- For conventional 60 - 120 l rubbish bag containers
- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	350 x 340 x 175
Weight [kg]	1.90
Pack of	1
Order ref.	**14022036.16V**

perfo rubbish bag holder 60 - 120 litres

- For conventional 60 - 120 l rubbish bag containers
- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	350 x 340 x 175
Weight [kg]	2.60
Pack of	1
Order ref.	**14022058.16**

perfo rubbish bag holder 60 - 120 litres


- Made of anodised aluminium
- Including 1 roll of rubbish bags 5 l (50 pieces)



Version	Waste container	1 roll of rubbish bags (50 pieces)
Dimensions W x D x H [mm]	187 x 103 x 275	450 x 450 x 520
Weight [kg]	0.45	0.20
Pack of	1	2
Order ref.	**63003105.97**	**63003106**

perfo rubbish bag holder - support shelf


- For supporting heavy rubbish sacks, carrying capacity 10 kg
- Colour: light grey (RAL 7035)



Dimensions W x D x H [mm]	310 x 310 x 150
Weight [kg]	1.46
Pack of	1
Order ref.	**14022037.16V**

perfo sandpaper roll holder

- Max. roll diameter = 260 mm
- Shaft diameter 15 mm



Dimensions W x D x H [mm]	315 x 295 x 250
Max. roll width [mm]	120 mm
Weight [kg]	2.98
Pack of	1
Order ref.	**14022040.16V**

perfo paper roll holder with tear-off edge

- For paper rolls with a max. width of 220 mm
- Serrated tear-off edge for paper without perforation



Dimensions W x D x H [mm]	360 x 145 x 190	775 x 145 x 190
Max. roll width [mm]	300 mm	700 mm
Weight [kg]	1.18	1.62
Pack of	1	1
Order ref.	**14022038.16V**	**14022039.16V**

perfo paper roll holder

- For paper rolls max. 380 mm wide, Ø up to 390 mm incl. 1 paper roll
- Free-running, with brake function, light grey (RAL 7035)or anthracite grey (RAL 7016)



Version	Paper roll holder (RAL 7035)	Paper roll holder (RAL 7016)	Paper rolls
Dimensions W x D x H [mm]	424 x 231 x 226	424 x 231 x 226	200 x 130 x 130
Max. roll width [mm]	380 mm	380 mm	
Weight [kg]	2.80	2.80	7.14
Pack of	1	1	12
Order ref.	**14022045.16**	**14022045.19**	**63003074.90V**

perfo adhesive tape dispenser

- For adhesive and parcel tapes up to a max. width of 50 mm
- With hardened and ground blade



version	perfo dispenser	Spare blades
Dimensions W x D x H [mm]	82 x 181 x 140	54 x 1 x 25
Weight [kg]	0.50	0.03
Pack of	1	5
Order ref.	**14022052.19**	**14022053**

perfo paper roll holder, self-securing


- For paper rolls with a max. width of 260 mm, Ø 280 mm
- Includes 1 paper roll



Version	Paper roll holder	Paper rolls
Dimensions W x D x H [mm]	315 x 185 x 180	200 x 130 x 130
Max. roll width [mm]	260 mm	
Weight [kg]	1.82	7.14
Pack of	1	12
Order ref.	**63003058.19V**	**63003074.90V**

perfo cable holder

- Includes strap



Dimensions W x D x H [mm]	195 x 130 x 300
Weight [kg]	0.50
Pack of	1
Order ref.	**14022003**

perfo hose holder



- For storage of hoses and cables
- Made of die-cast aluminium



Dimensions W x D x H [mm]	190 x 70 x 145	265 x 105 x 200	350 x 145 x 255	415 x 190 x 305
Weight [kg]	0.29	0.48	1.14	2.38
Pack of	1	1	1	1
Order ref.	**14050001**	**14050002**	**14050003**	**14050004**

perfo can and cartridge holder, angled

- For cartridges up to max. Ø 50 mm



Colour	Light grey	Anthracite grey
Quantity attachments	4	4
Dimensions W x D x H [mm]	225 x 100 x 165	225 x 100 x 165
Weight [kg]	0.58	0.42
Pack of	1	1
Order ref.	**14021054.16V**	**14021054.19V**

perfo can and cartridge holder, angled


- For cans up to max. Ø 68 mm



Colour	Light grey	Anthracite grey
Quantity attachments	3	3
Dimensions W x D x H [mm]	225 x 100 x 165	225 x 100 x 165
Weight [kg]	0.58	0.39
Pack of	1	1
Order ref.	**14021055.16V**	**14021055.19V**

perfo can and cartridge holder


- Powder-coated steel, anthracite grey RAL 7016
- With 2 locations, max. Ø 70 mm



Colour	Anthracite grey
Quantity attachments	2
Dimensions W x D x H [mm]	175 x 87 x 70
Weight [kg]	0.39
Pack of	1
Order ref.	**14021053.19V**

perfo can and cartridge holder

- With 2 locations, max. Ø 80 mm
- Material: Plastic



Colour	Black
Quantity attachments	2
Dimensions W x D x H [mm]	215 x 110 x 115
Weight [kg]	0.20
Pack of	1
Order ref.	**14021056.10V**

Dispenser bottle with perfo holder

- Dispenser bottle with pump dispenser for on-site filling with cleaning agent of disinfectant
- Holder ø 72 mm



Execution	perfo dispenser bottle with holder	perfo holder for dispenser bottle
Dimensions W x D x H [mm]	92 x 87 x 190	92 x 87 x 70
Weight [kg]	0.18	0.17
Pack of	1	1
Order ref.	**14011010.19V**	**14011011.19V**

perfo soap dispenser

- Made of plastic, includes 1 litre liquid soap



Version	perfo soap dispenser	1 L liquid soap
Dimensions W x D x H [mm]	100 x 130 x 290	400 x 300 x 120
Weight [kg]	1.50	6.50
Pack of	1	6
Order ref.	**02509004**	**89905002**

perfo clip-nut







Description	perfo clip-nut	
Dimensions W x D x H	-	
Weight [kg]	0.02	0.03
Pack of	4	25
Order ref.	**90099660**	**90099048**

perfo hand towel dispenser

- Made of plastic, includes 1 paper roll



Version	perfo hand towel dispenser	Paper rolls
Dimensions W x D x H [mm]	185 x 170 x 340	200 x 130 x 130
Weight [kg]	1.54	7.40
Pack of	1	12
Order ref.	**02509003**	**89905001**

perfo water dispenser set

- 12 litre holding capacity
- Dispensing tap on container base
- With aluminium shelf and fixing strap



Dimensions W x D x H [mm]	370 x 173 x 375
Weight [kg]	1.46
Pack of	1
Order ref.	**63003059.19V**

Hand wash unit 12V


- Max. water temperature 60°C
- With overheat protection
- Incl. cable set, container with securing strap strap and fixing material



Dimensions W x D x H [mm]	300 x 230 x 525
Weight [kg]	7.00
Pack of	1
Order ref.	**50202002**

perfo holder for disposable gloves

- For the simple provision of single-use gloves



Dimensions W x D x H [mm]	260 x 175 x 85
Weight [kg]	0.63
Pack of	1
Order ref.	**14022055.16**


Scrubs single towels



- Highly effective cleaning solution for tough greases, lubricants, adhesives, oil, tar, asphalt, ink, wax, carbon, grass stains, resin etc. Scrubs cleaning towels have an antibacterial effect, are free of toxins, non-poisonous, non-irritant, have skin-care substances which act against drying skin and do not burn on injured skin.

Version	Individual towels	Individual towels
Weight [kg]	0.55	2.20
Pack of	50	200
Order ref.	**89905026**	**89905014**


bott Care Station



- Disinfection station for mounting to the wall and other suitable elements
- For easy access to cleaning or disinfectant materials
- 1x perfo Care Station base plate (RAL 7035)
- 1x perfo paper roll holder with tear-off edge
- 1x perfo document holder DIN A4
- 1x perfo holder for single-use gloves
- 1x Scrubs box with holder
- 2x perfo rubbish bag holders without lid
- 2x perfo rubbish bag holders-support shelf

Dimensions W x D x H [mm]	735 x 340 x 1981
Order ref.	**14030230.16**


with perfo louvred panels and bottBoxes



- 112 Piece kit
- 112 bottBox M2 (130 x 198 x 90 mm)

Version	with bottBoxes	empty	Labelling strips 10 sheets DIN A4 landscape format, 12 strips per sheet, height 16 mm
Number of bottBoxes	112 x M2		
Dimensions W x D x H [mm]	1000 x 550 x 1125	1000 x 550 x 1125	297 x 0 x 210
Weight [kg]	48.00	27.96	0.10
Order ref.	**16917350.16V**	**16917120.16V**	**43020001**

with perfo louvred panels and bottBoxes



- 112 Piece kit
- 42 bottBox M2 (130 x 298 x 90 mm)
- 70 bottBox M3 (130 x 298 x 165 mm)

Version	with bottBoxes	empty	Labelling strips 10 sheets DIN A4 landscape format, 12 strips per sheet, height 16 mm
Number of bottBoxes	42 x M2; 70 x M3		
Dimensions W x D x H [mm]	1000 x 550 x 1450	1000 x 550 x 1450	297 x 0 x 210
Weight [kg]	66.00	34.52	0.10
Order ref.	**16917360.16V**	**16917121.16V**	**43020001**

with perfo louvred panels and bottBoxes



- Kit 140-piece
- 70 bottBox M2 (130 x 298 x 90 mm)
- 70 bottBox M3 (130 x 298 x 165 mm)

Version	with bottBoxes	empty	Labelling strips 10 sheets DIN A4 landscape format, 12 strips per sheet, height 16 mm
Number of bottBoxes	70 x M2; 70 x M3		
Dimensions W x D x H [mm]	1000 x 550 x 1775	1000 x 550 x 1775	297 x 0 x 210
Weight [kg]	77.50	41.06	0.10
Order ref.	**16917370.16V**	**16917122.16V**	**43020001**


mobile with perfo louvred panels and bottBoxes



- 84 Piece kit
- 42 bottBox M2 (130 x 198 x 90 mm)
- 42 bottBox M3 (130 x 298 x 165 mm)
- 4 Swivel & brake castors

Version	with bottBoxes	empty	Labelling strips 10 sheets DIN A4 landscape format, 12 strips per sheet, height 16 mm
Number of bottBoxes	42 x M2; 42 x M3		
Dimensions W x D x H [mm]	1000 x 550 x 1250	1000 x 550 x 1250	297 x 0 x 210
Weight [kg]	53.00	28.64	0.10
Order ref.	**16917390.16V**	**16917170.16V**	**43020001**

with perfo perforated panels and hook kit




- Kit 80-piece
- 10 perfo perforated panels 5 Spring clips Ø 6 mm
- 5 Hooks D 25 mm
- 5 Hooks D 50 mm
- 5 Hooks D 100 mm
- 5 Double hooks D 25 mm
- 5 Double hooks D 50 mm
- 5 Double hooks D 75 mm
- 5 Double hooks D 100 mm
- 5 Double hooks D 150 mm
- 5 U-Holder 60 x 20 mm
- 5 U-Holder 40 x 75 mm
- 5 Spring clips Ø 6 mm
- 5 Spring clips Ø 10 mm
- 5 Spring clips Ø 13 mm
- 5 Spring clips Ø 19 mm
- 5 Spring clips Ø 25 mm
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Version	With 80 piece hook kit	empty
Dimensions W x D x H [mm]	1000 x 550 x 1775	1000 x 550 x 1775
Weight [kg]	43.50	35.50
Order ref.	**16917202.**V**	**16917102.**V**

.11 RAL 5010 – enzianblau
.16 RAL 7035 – lichtgrau
.24 RAL 3004 – purpurrot
.19 RAL 7016 – anthrazitgrau
.20 **ESD-Version verfügbar** RAL 7035 – lichtgrau

with perfo perforated panels and hook kit



- 40 Piece kit
- 10 Hooks
- 10 Double hooks
- 5 U-holder
- 10 Spring clips
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Version	With 40 piece hook kit	empty
Dimensions W x D x H [mm]	1000 x 550 x 1125	1000 x 550 x 1125
Weight [kg]	27.30	24.50
Order ref.	**16917200.**V**	**16917100.**V**

with perfo perforated panels and hook kit



- 60 Piece kit
- 10 Hooks
- 20 Double tool hooks
- 5 U-holders
- 20 Spring clips
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder

Version	With 60-piece hook kit	empty
Dimensions W x D x H [mm]	1000 x 550 x 1450	1000 x 550 x 1450
Weight [kg]	33.80	30.00
Order ref.	**16917201.**V**	**16917101.**V**

mobile with perfo perforated panels and hook kit



- 40 Piece kit
- 10 Hooks
- 10 Double hooks
- 5 U-holder
- 10 Spring clips
- 1 Spanner holder
- 1 Saw holder
- 1 Screwdriver holder
- 1 Allen key holder
- 1 Drill holder
- 4 Swivel & brake castors

Version	With 40 piece hook kit	empty
Dimensions W x D x H [mm]	1000 x 550 x 1250	1000 x 550 x 1250
Weight [kg]	31.00	28.00
Order ref.	**16917260.**V**	**16917160.**V**

with 6 perfo perforated panels



- 2 swivel & brake castors and 2 fixed castors
- 1 pull handle
- perfo panels, can be mounted vertically or at an angle
- Colour of base frame: light grey (RAL 7035)

Dimensions W x D x H [mm]	1000 x 650 x 1600
Weight [kg]	64.60
Order ref.	**14026026.****

.11 RAL 5010 – enzianblau
.16 RAL 7035 – lichtgrau
.24 RAL 3004 – purpurrot
.19 RAL 7016 – anthrazitgrau
.20 **ESD-Version verfügbar** RAL 7035 – lichtgrau

with 4 perfo perforated panels



- 2 swivel & brake castors and 2 fixed castors
- 1 pull handle
- perfo panels, can be mounted vertically or at an angle
- Base shelf as additional storage space suitable for tool cases or boxes
- Colour of base frame: light grey (RAL 7035)

Dimensions W x D x H [mm]	1000 x 650 x 1600
Weight [kg]	44.00
Order ref.	**14026025.****


Anti-slip mat for base shelf



- Suitable for base shelves of perfo rack plus trolley

Dimensions W x D [mm]	908 x 599
Weight [kg]	5.42
Order ref.	**11301169**


perfo walls



- perfo wall as room dividers or to separate off individual working areas
- Assembly of the walls with max. 8 panels, either perfo perforated panels or perfo louvred panels (max. 4 panels per side) can be used
- Panels installed directly into the perfo wall uprights
- Starter bays and expansion modules are also suitable for 90° angle layouts
- An additional hinged joint is required for variable angle layouts
- Depth at the base: 650 mm
- Colour of the perfo wall uprights: light-grey

Version	perfo wall uprights (1 pair = 2 pieces)
Dimensions W x D x H [mm]	43 x 43 x 1845
Weight [kg]	5.28
Order ref.	**08003189.16**

perfo walls with perfo perforation and perfo louvred form



- perfo wall as room dividers or to separate off individual working areas
- Assembly of the walls with max. 8 panels, either perfo perforated panels or perfo louvred panels (max. 4 panels per side) can be used
- Panels installed directly into the perfo wall uprights
- Starter bays and expansion modules are also suitable for 90° angle layouts
- An additional hinged joint is required for variable angle layouts
- Depth at the base: 650 mm
- Colour of the perfo wall uprights: light-grey

Version	perfo wall uprights (1 pair = 2 pieces)	Foot pack (1 pair = 2 pieces)	Hinged joint (1 pair = 2 pieces)	perfo	Horizontal
Dimensions W x D x H [mm]	43 x 43 x 1845	35 x 300 x 275	0 x 0 x 0	991 x 13 x 457	991 x 19 x 457
Weight [kg]	5.28	3.16	0.40	4.07	4.07
Order ref.	**08003189.16**	**08010068.16**	**88501018**	**14025117.19**	**14025139.19**

.11 RAL 5010 – enzianblau
.16 RAL 7035 – lichtgrau
.24 RAL 3004 – purpurrot
.19 RAL 7016 – anthrazitgrau
.20 **ESD-Version verfügbar** RAL 7035 – lichtgrau

perfo recycling station



- Recycling station for the easy separation of a wide variety of work-place waste
- Label kit includes 7 labels
- Colour: light grey (RAL 7035)

Version	Recycling station
Dimensions W x D x H [mm]	350 x 340 x 990
Weight [kg]	6.36
Order ref.	**14030198.16**

perfo spare parts



- perfo spare spanner for locking and releasing perfo clips, material: plastic
- perfo spare clip for securing the perfo hooks and other perfo items, material: plastic
- perfo clip nut for screwing accessory parts to the perfo hole pitch, incl. 12x 16 mm screw and 13x 25 mm screw
- perfo end cap to match perfo hook

Version	15 x 115 x 8	11 x 15 x 22	perfo clip-nut	-	Ø 4	Ø 6
Weight [kg]	0.04	0.05	0.02	0.03	0.01	0.01
Order ref.	**14030206**	**14030207**	**90099660**	**90099048**	**14030211**	**14030212**
Final installation [WU]	0	0	0	0	0	0

10

bott vario3

Roof rack systems



Basic roof racks | Modular roof racks | Rear ladder lifts | Accessories

bott vario3 Roof rack systems



Light, stable and safe | for maximum storage space on vehicle roofs | aerodynamic



Ladder lifts

- For fast, simple and secure loading and unloading of carried ladders
- Minimised physical load and reduced risk of injury by providing support using adjustable gas springs during loading and unloading of ladders
- 3 versions for one-part, two-part and extra-wide ladders



Basic roof rack systems

- Lightweight and sturdy roof rack system made of weather-resistant anodised aluminium
- Lockable roof bar feet
- With 2 to 4 roof bars (depending on the vehicle)



Accessories

- Rear door ladder
- Rear ladder lift
- Aluminium ladder holder kit
- Ladder clamps
- Aluminium storage tube for long items

Basic roof racks



- Lightweight and sturdy roof rack system is made of weather-resistant anodised aluminium
- Lockable roof bar feet
- With 2 to 4 roof bars (depending on the vehicle)
- Aerodynamic shape of individual components minimizes air resistance and wind noise
- Including 2 pairs of load stops
- Load capacity: 75 kg per roof bar (maximum roof load is dependent upon the respective manufacturer specifications)
- Can be expanded thanks to additional accessories

Rear loading roller - suitable for roof racks



- For fast, safe and easy loading and unloading of ladders and other cargo onto the roof racks
- Protects roof edge of the vehicle from damage
- Adjustable in depth
- Made of high-quality stainless steel
- Maximum load bearing capacity: 75 kg



Citroën

Basic roof racks

Model	**Berlingo**	**Berlingo**	**Jumpy**		
Year of construction from	2018	2018	2016		
Wheelbase mm	2785	2785	3275/3275L		
Vehicle length	L1	L1	L2/L3		
Vehicle height	H1	H1	H1		
Rear version	Double doors	Double doors	Double doors		
Number of rack elements	2x	3x	2x		
Order Ref.	35001126	35001127	35001109		
AW value	7	10	10		

Model	**Jumpy**	**Jumpy**	**Jumpy**	**Jumpy**	**Jumpy**
Year of construction from	2016	2016	2016	2016	2016
Wheelbase mm	2925	2925	3275/3275L	3275/3275L	3275/3275L
Vehicle length	L1	L1	L2/L3	L2/L3	L2, L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Number of rack elements	2x	3x	2x	2x	3x
Order Ref.	35001113	35001114	35001109	35001109	35001110
AW value	10	10	10	10	10

Model	**Jumper**	**Jumper**	**Jumper**		
Year of construction from	2006	2006	2006		
Wheelbase mm	3000/3450/4035/4035L	3000/3450/4035/4035L	3000/3450/4035/4035L		
Vehicle length	All	All	All		
Vehicle height	H1/H2/H3	H1/H2/H3	H1/H2/H3		
Rear version	Double doors	Double doors	Double doors		
Number of rack elements	2x	3x	4x		
Order Ref.	35001017	35001018	35001019		
AW value	7	10	14		

Citroën

Rear loading roller

Model	**Berlingo**	**Berlingo**	**Berlingo**	**Berlingo**	
Year of construction from	2018	2018	2018	2018	
Wheelbase mm	2785	2785	2785	2785	
Vehicle length	L1	L2	L1	L2	
Vehicle height	H1	H1	H1	H1	
Rear	Double doors	Double doors	Double doors	Double doors	
Order Ref.	35002026	35002026	35002026	35002026	
AW value	5	5	5	5	

Model	**Jumpy**	**Jumper**			
Year of construction from	2016	2006			
Wheelbase mm	2925/3275/3275L	3000/3450/4035/4035L			
Vehicle length	L1/L2/L3	All			
Vehicle height	H1	H1/H2/H3			
Rear	Double doors	Double doors			
Order Ref.	35002026	35002028			
AW value	5	5			

Fiat

Basic roof racks

Model	Doblo	Doblo	Doblo	Doblo	Scudo
Year of construction from	2010	2010	2022	2022	2022
Wheelbase mm	2755/3105	2755/3105	2785	2785	3275/3275L
Vehicle length	Alle	Alle	L1	L1	L2/L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	All	All	Double doors	Double doors	Double doors
Number of rack elements	2x	3x	2x	3x	2x
Order Ref.	35001001	35001002	35001126	35001127	35001109
AW value	7	10	7	10	10

Model	Scudo	Scudo	Scudo	Scudo	Scudo
Year of construction from	2022	2022	2022	2022	2022
Wheelbase mm	2925	2925	3275/3275L	3275/3275L	3275/3275L
Vehicle length	L1	L1	L2/L3	L2/L3	L2, L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Number of rack elements	2x	3x	2x	2x	3x
Order Ref.	35001113	35001114	35001109	35001109	35001110
AW value	10	10	10	10	10

Model	Talento	Talento	Talento	Talento	Talento
Year of construction from	2016	2016	2016	2016	2016
Wheelbase mm	3098/3498	3098/3498	3098/3498	3098/3498	3098/3498
Vehicle length	All	All	All	All	All
Vehicle height	H1	H1	H1	H2	H2
Rear version	All	All	All	All	All
Number of rack elements	2x	3x	4x	2x	3x
Order Ref.	35001076	35001077	35001078	35001079	35001080
AW value	7	10	14	7	10

Model	Talento	Ducato	Ducato	Ducato	
Year of construction from	2016	2006	2006	2006	
Wheelbase mm	3098/3498	3000/3450/4035/4035L	3000/3450/4035/4035L	3000/3450/4035/4035L	
Vehicle length	All	All	All	All	
Vehicle height	H2	H1/H2/H3	H1/H2/H3	H1/H2/H3	
Rear version	All	Double doors	Double doors	Double doors	
Number of rack elements	4x	2x	3x	4x	
Order Ref.	35001081	35001017	35001018	35001019	
AW value	7	10	14	14	

Rear loading roller

Model	**Doblò**	**Scudo**	**Ducato**		
Year of construction from	2021	2022	2006		
Wheelbase mm	2785 / 2975	3275 / 3275L	3000/3450/4035/4035L		
Vehicle length	L1 / L2	L2 / L3	Alle		
Vehicle height	H1	H1	H1/H2/H3		
Rear	Double doors	Double doors	Double doors		
Order Ref.	**35002063**	**35002064**	**35002066**		
AW value	5	5	5		

Ford

Basic roof racks

Model	**Transit Courier**				
Year of construction from	2023				
Wheelbase mm	2692				
Vehicle length	L1				
Vehicle height	H1				
Rear version	Doppeltüren				
Number of rack elements	2x				
Order Ref.	35001160				
AW value	7				

Model	**Transit Connect**	**Transit Conncet**	**Transit Custom**	**Transit Custom**	**Transit Custom**
Year of construction from	2014	2014	2012	2012	2012
Wheelbase mm	2662/3062	3062	2933/3300	2933/3300	2933/3300
Vehicle length	Alle	L2	Alle	Alle	Alle
Vehicle height	H1	H1	H1	H1	H2
Rear version	Alle	Alle	Alle	Alle	Alle
Number of rack elements	2x	3x	2x	3x	3x
Order Ref.	35001063	35001064	35001031	35001032	35001034*
AW value	7	10	7	10	10

Model	**Transit Custom**	**Transit Custom**	**Transit Custom**	**Transit Custom**	**Transit Custom**
Year of construction from	2012	2012	2023	2023	2023
Wheelbase mm	2933/3300	2933/3300	3100/3500	3100/3500	3100/3500
Vehicle length	Alle	Alle	Alle	Alle	Alle
Vehicle height	H2	H2	H1	H1	H2
Rear version	Alle	Alle	Alle	Alle	Alle
Number of rack elements	3x	3x	2x	3x	3x
Order Ref.	35001034*	35001034*	35001031	35001032	35001034*
AW value	10	10	7	10	10

* Drilling is necessary when a roof rack is installed for vehicle height H2. The maximum weight limit is 75 kg

Rear loading roller					
Model	**Transit Connect**	**Transit Custom**	**Transit Custom**		
Year of construction from	2022	2023	2023		
Wheelbase mm	2755/2970	3100/3500	3100/3500		
Vehicle length	L1, L2	Alle	Alle		
Vehicle height	H1	H1	H2		
Rear	Doppeltüren	Doppeltüren	Doppeltüren		
Order Ref.	**35002061**	**35002065**	**35002073**		
AW value					

Model	**Transit**	**Transit**	**Transit**		
Year of construction from	2014	2014	2014		
Wheelbase mm	3300	3750	3750L		
Vehicle length	L2	L3	L4		
Vehicle height	H2, H3	H2, H3	H3		
Rear	Doppeltüren	Doppeltüren	Doppeltüren		
Order Ref.	**35002071**	**35002069**	**35002071**		
AW value					

MAN

Basic roof racks

Model	TGE	TGE	TGE	TGE	
Year of construction from	2016	2016	2016	2016	
Wheelbase mm	3640	3640	4490/4490**	4490/4490**	
Vehicle length	L3	L3	L4/L5	L4/L5	
Vehicle height	H2/H3	H2/H3	H3	H3	
Rear version	Double doors	Double doors	Double doors	Double doors	
Number of rack elements	3x	4x	3x	4x	
Order Ref.	35001118	35001119	35001123	35001124	
AW value	10	14	10	14	

* The basic roof rack is not suitable for glass fibre roofs (super-high roofs), since no assembly mounts are available for the roof rack system **With overhang

Rear loading roller

Model	TGE				
Year of construction from	2016				
Wheelbase mm	3640/4490/4490L				
Vehicle length	All				
Vehicle height	H3				
Rear	Double doors				
Order Ref.	35002032				
AW value	5				

Maxus

Basic roof racks

Model	Maxus Deliver9/ eDeliver9	Maxus Deliver9/ eDeliver9	Maxus Deliver9/ eDeliver9	
Year of construction from	2021	2021	2021	
Wheelbase mm	3366/3760	3366/3760	3760	
Vehicle length	L2/L3	L2/L3	L3	
Vehicle height	H2/H3	H2/H3	H2/H3	
Rear version	Double doors	Double doors	Double doors	
Number of rack elements	2x	3x	4x	
Order Ref.	35001146	35001147	35001148	
AW value				

Rear loading roller

Model	Maxus Deliver9/ eDeliver9			
Year of construction from	2021			
Wheelbase mm	3366/3760			
Vehicle length	L2/L3			
Vehicle height	H2/H3			
Rear	Double doors			
Order Ref.	35002032			
AW value				

Mercedes-Benz

Basic roof racks

Model	Citan	Citan	Citan	Citan	
Year of construction from	2012	2012	2021	2021	
Wheelbase mm	2313/2697/3081	3081	2716	2716	
Vehicle length	Alle	L3	L1	L1	
Vehicle height	H1	H1	H1	H1	
Rear version	Alle	Alle	Doppeltüren	Doppeltüren	
Number of rack elements	2	3	2	3	
Order Ref.	35001026	35001027	35001143	35001144	
AW value	7	10	7	14	

Model	Vito	Vito	Sprinter	Sprinter	Sprinter
Year of construction from	2014	2014	2006/2018**	2006/2018**	2006/2018**
Wheelbase mm	3200/3200/3430	3200/3200/3430	3250/3665 HA	3250 / 3665 HA	3665 HA
Vehicle length	Alle	Alle	L1/L2	L1/L2	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Alle	Alle	Doppeltüren	Doppeltüren	Doppeltüren
Number of rack elements	2	4	2	3	4
Order Ref.	35001088	35001089	35001041*	35001042*	35001043*
AW value	7	14	7	10	14

** Only for models with rear wheel drive

Model	Sprinter	Sprinter	Sprinter		
Year of construction from	2006/2018**	2006/2018**	2006/2018**		
Wheelbase mm	3250/3665/4325/4325L HA	3250/3665/4325/4325L HA	3665/4325/4325L HA		
Vehicle length	Alle	Allle	L2/L3/L4		
Vehicle height	H2	H2	H2		
Rear version	Doppeltüren	Doppeltüren	Doppeltüren		
Number of rack elements	2	3	4		
Order Ref.	35001044*	35001045*	35001046*		
AW value	7	10	14		

* The basic roof rack is not suitable for glass fibre roofs (super-high roofs) or for vehicles fitted with rear-view cameras RWD: Rear wheel drive

** Only for models with rear wheel drive

Rear loading roller					
Model	**Vito**	**Vito**	**Vito**	**Sprinter**	**Sprinter**
Year of construction from	2014	2014	2014	2006 / 2018**	2006 / 2018**
Wheelbase mm	3430	3200 / 3200L	3430	3250	3665
Vehicle length	L3	L1 / L2	L3	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear	Tailgate	Double doors	Double doors	Double doors	Double doors
Number of rack elements	2+4 Basis roof racks	2+4 Basis roof racks	2+4 Basis roof racks	2+3 Basis roof racks	2+3+4 Basis roof racks
Order Ref.	**35002060**	**35002062**	**35002065**	**35002072**	**35002075**
AW value	5	5	5	5	5

Modell	**Sprinter**	**Sprinter**			
Baujahr ab	2006 / 2018**	2006 / 2018**			
Radstand mm	3250	3665 / 4325 / 4325L			
Fahrzeuglänge	L1	L2+L3+L4			
Fahrzeughöhe	H2	H2			
Heck	Double doors	Double doors			
Number of rack elements	2+3 Basis roof racks	2+3+4 Basis roof racks			
Artikel-Nr.	**35002071**	**35002071**			
AW value					

Nissan

Basic roof racks

Model	**NV200**	**NV300**	**NV300**	**NV300**	
Year of construction from	2009	2016	2016	2016	
Wheelbase mm	2725	3098/3498	3098/3498	3098/3498	
Vehicle length	L1	All	All	All	
Vehicle height	H1	H1	H1	H1	
Rear version	All	All	All	All	
Number of rack elements	3x	2x	3x	4x	
Order Ref.	35001027	35001076	35001077	35001078	
AW value	10	7	10	14	

Model	**NV300**	**NV300**	**NV300**	**NV400**	**NV400**
Year of construction from	2016	2016	2016	2010	2010
Wheelbase mm	3098/3498	3098/3498	3098/3498	3182/3682/4332	3182/3682/4332
Vehicle length	All	All	All	All	All
Vehicle height	H2	H2	H2	H1/H2	H1/H2
Rear version	All	All	All	Double doors	Double doors
Number of rack elements	2x	3x	4x	2x	3x
Order Ref.	35001079	35001080	35001081	35001056*	35001057*
AW value	7	10	14	7	10

Model	**NV400**				
Year of construction from	2010				
Wheelbase mm	3182/3682/4332				
Vehicle length	All				
Vehicle height	H1/H2				
Rear version	Double doors				
Number of rack elements	4x				
Order Ref.	35001058*				
AW value	14				

* The basic roof rack is not suitable for glass fibre roofs (super-high roofs), since no assembly mounts are available for the roof rack system

Rear loading roller

Model	**NV200**	**NV300**	**NV300**	**NV300**	**NV400**
Year of construction from	2009	2016	2016	2016	2010
Wheelbase mm	2725	3098/3498	3098/3498	3098/3498	3182/3682/4332
Vehicle length	All	All	All	All	All
Vehicle height	H1	H1	H1	H2	H1/H2/H3
Rear	Double doors	Double doors	Tailgate	Double doors	Double doors
Order Ref.	35002026	35002028	35002025	35002026	35002026
AW value	5	5	5	5	5

Opel

Basic roof racks

Model	**Combo**	**Combo**	**Combo**	**Combo**	**Combo**
Year of construction from	2010	2010	2018	2018	2018
Wheelbase mm	2755/3105	2755/3105	2785	2785	2975
Vehicle length	All	All	L1	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	All	All	Double doors	Double doors	Double doors
Number of rack elements	2x	3x	2x	3x	2x
Order Ref.	35001001	35001002	35001126	35001127	35001128
AW value	7	10	7	10	7

Model	**Combo**	**Vivaro**	**Vivaro**	**Vivaro**	**Vivaro**
Year of construction from	2018	2014	2014	2014	2014
Wheelbase mm	2975	3098/3498	3098/3498	3098/3498	3098/3498
Vehicle length	L2	All	All	All	All
Vehicle height	H1	H1	H1	H1	H2
Rear version	Double doors	All	All	All	All
Number of rack elements	3x	2x	3x	4x	2x
Order Ref.	35001129	35001076	35001077	35001078	35001079
AW value	10	7	10	14	7

Model	**Vivaro**	**Vivaro**	**Vivaro**	**Vivaro**	
Year of construction from	2019	2019	2019	2019	
Wheelbase mm	2925	2925	3275/3275L	3275/3275L	
Vehicle length	L1	L1	L2/L3	L2/L3	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Double doors	Double doors	Double doors	
Number of rack elements	2x	3x	2x	3x	
Order Ref.	35001113	35001114	35001109	35001110	
AW value	10	10	10	10	

Model	**Movano**	**Movano**	**Movano**		
Year of construction from	2010	2010	2010		
Wheelbase mm	3182/3682/4332	3182/3682/4332	3182/3682/4332		
Vehicle length	All	All	All		
Vehicle height	H1/H2	H1/H2	H1/H2		
Rear version	Double doors	Double doors	Double doors		
Number of rack elements	2x	3x	4x		
Order Ref.	35001056*	35001057*	35001058*		
AW value	7	10	14		

* The basic roof rack is not suitable for glass fibre roofs (super-high roofs), since no assembly mounts are available for the roof rack system

Opel

Rear loading roller

Model	Combo	Combo	Combo	Vivaro	Vivaro
Year of construction from	2010	2018	2018	2016	2016
Wheelbase mm	2755/3105	2785	2975	3098/3498	3098/3498
Vehicle length	All	L1	L2	All	All
Vehicle height	H1	H1	H1	H1	H1
Rear	Double doors	Double doors	Double doors	Double doors	Tailgate
Order Ref.	35002024	35002026	35002026	35002028	35002025
AW value	5	5	5	5	5

Rear loading roller

Model	Vivaro	Movano			
Year of construction from	2016	2010			
Wheelbase mm	3098/3498	3182/3682/4332			
Vehicle length	All	All			
Vehicle height	H2	H1/H2/H3			
Rear	Double doors	Double doors			
Order Ref.	35002026	35002026			
AW value	5	5			

Peugeot

Basic roof racks

Model	Partner	Partner			
Year of construction from	2018	2018			
Wheelbase mm	2785	2785			
Vehicle length	L1	L1			
Vehicle height	H1	H1			
Rear version	Double doors	Double doors			
Number of rack elements	2x	3x			
Order Ref.	35001126	35001127			
AW value	7	10			

Model	Expert	Expert	Expert	Expert	
Year of construction from	2016	2016	2016	2016	
Wheelbase mm	2925	2925	3275/3275L	3275/3275L	
Vehicle length	L1	L1	L2/L3	L2/L3	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Double doors	Double doors	Double doors	
Number of rack elements	2x	3x	2x	3x	
Order Ref.	35001113	35001114	35001109	35001110	
AW value	10	10	10	10	

Model	Boxer	Boxer	Boxer		
Year of construction from	2006	2006	2006		
Wheelbase mm	3000/3450/4035/4035L	3000/3450/4035/4035L	3000/3450/4035/4035L		
Vehicle length	All	All	All		
Vehicle height	H1/H2/H3	H1/H2/H3	H1/H2/H3		
Rear version	Double doors	Double doors	Double doors		
Number of rack elements	2x	3x	4x		
Order Ref.	35001017	35001018	35001019		
AW value	7	10	14		

Rear loading roller

Model	Partner	Partner	Expert	Boxer	
Year of construction from	2018	2018	2016	2006	
Wheelbase mm	2785	2975	2925/3275/3275L	3000/3450/4035/4035L	
Vehicle length	L1	L2	L1/L2/L3	All	
Vehicle height	H1	H1	H1	H1/H2/H3	
Rear	Double doors	Double doors	Double doors	Double doors	
Order Ref.	35002026	35002026	35002026	35002028	
AW value	5	5	5	5	

Renault

Basic roof racks

Model	Kangoo	Kangoo	Kangoo	Kangoo	Trafic
Year of construction from	2008	2008	2012	2012	2015
Wheelbase mm	2313/2697/3081	3081	2313/2697/3081	3081	3098/3498
Vehicle length	All	L3	All	L3	All
Vehicle height	H1	H1	H1	H1	H1
Rear version	All	All	All	All	All
Number of rack elements	2x	3x	2x	3x	2x
Order Ref.	35001026	35001027	35001026	35001027	35001076
AW value	7	10	7	10	7

Model	Trafic	Trafic	Trafic	Trafic	Trafic
Year of construction from	2015	2015	2015	2015	2015
Wheelbase mm	3098/3498	3098/3498	3098/3498	3098/3498	3098/3498
Vehicle length	All	All	All	All	All
Vehicle height	H1	H1	H2	H2	H2
Rear version	All	All	All	All	All
Number of rack elements	3x	4x	2x	3x	4x
Order Ref.	35001077	35001078	35001079	35001080	35001081
AW value					

Model	Master	Master	Master		
Year of construction from	2010	2010	2010		
Wheelbase mm	3182/3682/4332	3182/3682/4332	3182/3682/4332		
Vehicle length	All	All	All		
Vehicle height	H1/H2	H1/H2	H1/H2		
Rear version	Double doors	Double doors	Double doors		
Number of rack elements	2x	3x	4x		
Order Ref.	35001056*	35001057*	35001058*		
AW value	7	10	14		

Renault

Rear loading roller

Model	Trafic	Trafic	Trafic	Master	
Year of construction from	2015	2015	2015	2010	
Wheelbase mm	3098/3498	3098/3498	3098/3498	3182/3682/4332	
Vehicle length	All	All	All	All	
Vehicle height	H1	H1	H2	H1/H2/H3	
Rear	Double doors	Tailgate	Double doors	Double doors	
Order Ref.	35002028	35002025	35002026	35002026	
AW value	5	5	5	5	

Toyota

Basic roof racks

Model	Proace	Proace	Proace	Proace	
Year of construction from	2016	2016	2016	2016	
Wheelbase mm	2925	2925	3275/3275L	3275/3275L	
Vehicle length	L1	L1	L2/L3	L2/L3	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Double doors	Double doors	Double doors	
Number of rack elements	2x	3x	2x	3x	
Order Ref.	35001113	35001114	35001109	35001110	
AW value	10	10	10	10	

Rear loading roller

Model	Proace				
Year of construction from	2016				
Wheelbase mm	2925/3275/3275L				
Vehicle length	L1/L2/L3				
Vehicle height	H1				
Rear	Double doors				
Order Ref.	35002026				
AW value	5				

Volkswagen

Basic roof racks

Model	Caddy	Caddy	Caddy Maxi	Caddy	Caddy
Year of construction	2015	2015	2015	2020	2020
Wheelbase	2682/3006	2682	3006	2755	2755
Vehicle length	All	L1	L2	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	All	All	All	All	All
Number of rack elements	2x	3x	4x	2x	3x
Order Ref.	35001053	35001103	35001104	35001138	35001139
AW value	7	10	14	6	8

Model	Caddy	ID BUZZ	ID BUZZ	T6	T6
Year of construction from	2020	2022	2022	2015	2015
Wheelbase mm	2970	2989	2989	3000/3400	3000/3400
Vehicle length	L2	L1	L1	All	All
Vehicle height	H1	H1	H1	H1	H1
Rear version	All	All	All	All	All
Number of rack elements	3x	2x	3x	2x	4x
Order Ref.	35001139	35001152	35001153	35001096	35001097
AW value	8	7	10	7	10

Model	New Transporter	New Transporter	New Transporter		Crafter
Year of construction from	2024	2024	2024		2016
Wheelbase mm	3100/3500	3100/3500	3100/3500		3640
Vehicle length	All	All	All		L3
Vehicle height	H1	H1	H1		H2/H3
Rear version	All	All	All		Double doors
Number of rack elements	2x	2x	3x		2x
Order Ref.	35001031	35001031	35001032		35001117
AW value	7	7	10		7

Model	Crafter	Crafter	Crafter	Crafter	Crafter
Year of construction from	2016	2016	2016	2016	2016
Wheelbase mm	3640	3640	4490/4490**	4490/4490**	4490/4490**
Vehicle length	L3	L3	L4/L5	L4/L5	L4/L5
Vehicle height	H2/H3	H2/H3	H3	H3	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Number of rack elements	3x	4x	2x	3x	4x
Order Ref.	35001118	35001119	35001122	35001123	35001124
AW value	10	14	7	10	14

Rear loading roller

Model	Caddy	New Transporter	New Transporter	Crafter	
Year of construction from	2020	2024	2024	2016	
Wheelbase mm	2755/2970	3100/3500	3100/3500	3640/4490	
Vehicle length	L1, L2	All	All	L3, L4	
Vehicle height	H1	H1	H2	H2, H3	
Rear	Double doors	Double doors	Double doors	Double doors	
Order Ref.	**35002061**	**35002065**	**35002073**	**35002074**	
AW value	5	5	5	8	

Load stops



- For additional mounting to the roof bar of a basic roof rack with 3 or 4 roof bars

Pack of (pieces)	2
Order Ref.	35002034
AW value	1

Aluminium Leiterhalterset + Erhöhung VW T6 Heckklappe



- passend für VW T6 mit Heckklappe L1-L2 / H1-H2-H3
- zum sicheren Verstauen von Leitern auf Fahrzeugen mit niedrigem Dach
- komfortable Bedienung vom Boden aus
- einfaches Aufladen durch reibungsarme Gleiter
- Höhe und Breite für unterschiedliche Leiterarten und -größen anpassbar (Höhe 220-320 mm, Breite 350-500 mm)
- geeignet für bis zu dreiteilige Leitern
- Fixierung hinten am Dachträger über mehrfach einstellbarem Zurrgurt
- Leiterhalterset mit Erhöhung enthält zusätzliche Adapter um eine höhere Positionierung vom Leiterhalterset zu ermöglichen

Artikel-Nr.	35002054
AW Wert	16

Aluminium ladder holder kit



- To safely secure ladders on vehicles with low roofs
- Convenient operation from the floor
- Easy loading thanks to low-friction slides
- Height and width for ladders of different sizes and types are adjustable (height 120-220 mm, width 350-500 mm)
- Suitable for up to three-piece ladders
- Secured on the rear of the roof rack with multiple adjustable lashing strap

Order Ref.	35002019
AW value	14

Ladder clamps



- Patented clamping system for fast and safe handling
- Lockable
- Suitable for up to four-piece ladders
- With corrosion-resistant stainless steel anchor hook
- VE 2

Order Ref.	35002020
AW value	4

Aluminium storage tube for long items



- For transport of pipes and other long cargo
- Minimal air resistance thanks to an aerodynamic plastic front cap
- Maximum safety and strength due to unique, lockable end caps made of glas fibre reinforced PA6
- Made of powder-coated aluminium
- Maximum load bearing capacity: 50 kg

Version for	**Pipes up to 3 m**	**Pipes up to 4 m**	**Pipes up to 5 m**
Order Ref.	35002050	35002051	35002052
AW value	7	8	9


Lock for Roof Rack Systems

- Lock for mounting on the plastic cover for the basic roof racks or modular roof racks
- Lock cylinder kit for 2x pair of feet (containing 4x locks, 2x keys)
- 3x pair of feet (containing 6x locks, 3x keys
- 4x pair of feet (containing 8x locks, 4x keys)

Version for	**2x pair of feet**	**3x pair of feet**	**4x pair of feet**
Order Ref.	72602002	72602003	72602004
AW value	4	4	4



Modular roof rack



- Lightweight and sturdy roof rack system is made of weather-resistant anodised aluminium
- Aerodynamic shape of individual components minimizes air resistance and wind noise
- With stainless steel loading roller at the rear for the fast, safe and easy loading and unloading of ladders and other cargo onto the modular roof rack
- Can be expanded thanks to additional accessories

Citroën

Modular roof rack

Model	Berlingo	Berlingo	Jumpy	Jumpy	Jumpy
Year of construction from	2018	2018	2016	2016	2016
Wheelbase mm	2785	2975	2925	2925	3275
Vehicle length	L1	L2	L1	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Heckklappe	Double doors
Modular roof rack	1,25 x 2,0 m	1,25 x 2,6 m	1,40 x 2,2 m	1,40 x 2,0 m	1,40 x 2,6 m
Order Ref.	35001130	35001131	35001115	3500116	35001111
AW value	20	28	20	20	20

Model	Jumpy	Jumpy	Jumpy	Jumper	Jumper
Year of construction from	2016	2016	2016	2006	2006
Wheelbase mm	3275	3275L	3275L	3000	3450
Vehicle length	L2	L3	L3	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Heckklappe	Double doors	Heckklappe	Double doors	Double doors
Modular roof rack	1,40 x 2,4 m	1,40 x 3,0 m	1,40 x 2,8 m	1,80 x 3,2 m	1,80 x 3,4 m
Order Ref.	35001112	35001125	35001132	35001020	35001021
AW value	20	20	20	26	26

Model	Jumper	Jumper	Jumper	Jumper	Jumper
Year of construction from	2006	2006	2006	2006	2006
Wheelbase mm	3450	4035	4035L	4035L	4035L
Vehicle length	L2	L3	L3	L4	L4
Vehicle height	H2	H2	H3	H2	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,80 x 3,2 m	1,80 x 3,8 m	1,60 x 3,6 m	1,80 x 4,2 m	1,60 x 4,2 m
Order Ref.	35001022	35001023	35001134	35001024	35001025
AW value	26	26	26	26	26

Fiat

Modular roof rack

Model	Doblo	Doblo	Doblo	Doblo	Scudo
Year of construction from	2010	2010	2022	2022	2022
Wheelbase mm	2755	3105	2785	2975	2925
Vehicle length	L1	L2	L1	L2	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,25 x 2,0 m	1,25 x 2,4 m	1,25 x 2,0 m	1,25 x 2,6 m	1,40 x 2,2 m
Order Ref.	35001003	35001004	35001130	35001131	35001115
AW value	18	18	20	28	20

Model	Scudo	Scudo	Scudo	Scudo	Scudo
Year of construction from	2022	2022	2022	2022	2022
Wheelbase mm	2925	3275	3275	3275L	3275L
Vehicle length	L1	L2	L2	L3	L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	Tailgate	Double doors	Tailgate	Double doors	Tailgate
Modular roof rack	1,40 x 2,0 m	1,40 x 2,6 m	1,40 x 2,4 m	1,40 x 3,0 m	1,40 x 2,8 m
Order Ref.	3500116	35001111	35001112	35001125	35001132
AW value	20	20	20	20	20

Model	Talento	Talento	Talento	Ducato	Ducato
Year of construction from	2016	2016	2016	2006	2006
Wheelbase mm	3498	3098	3498	3000	3450
Vehicle length	L2	L1	L2	L1	L2
Vehicle height	H1	H2	H2	H1	H1
Rear version	Tailgate	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,60 x 3,0 m	1,40 x 2,2 m	1,40 x 2,6 m	1,80 x 3,2 m	1,80 x 3,4 m
Order Ref.	35001085	35001086	35001087	35001020	35001021
AW value	20	20	20	26	26

Model	Ducato	Ducato	Ducato	Ducato	Ducato
Year of construction from	2006	2006	2006	2006	2006
Wheelbase mm	3450	4035	4035L	4035L	4035L
Vehicle length	L2	L4	L4	L5	L5
Vehicle height	H2	H2	H3	H2	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,80 x 3,2 m	1,80 x 3,8 m	1,60 x 3,6 m	1,80 x 4,2 m	1,60 x 4,2 m
Order Ref.	35001022	35001023	35001134	35001024	35001025
AW value	26	26	26	26	26

Ford

Modular roof rack

Model	Transit Connect	Transit Connect	Transit Custom	Transit Custom	Transit Custom
Year of construction from	2014	2014	2012	2012	2012
Wheelbase mm	2662	3062	2933	2933	3300
Vehicle length	L1	L2	L1	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Tailgate	Double doors
Modular roof rack	1.25 x 2.0 m	1.25 x 2.4 m	1.40 x 3.2 m	1.40 x 3.0 m	1.40 x 3.6 m
Order Ref.	35001066	35001067	35001035	35001036	35001037
AW value	18	18	20	20	20

Model	Transit Custom	Transit Custom	Transit Custom		Transit Custom
Year of construction from	2012	2012	2012		2023
Wheelbase mm	3300	2933	3300		3100
Vehicle length	L2	L1	L2		L1
Vehicle height	H1	H2	H2		H1
Rear version	Tailgate	Double doors	Double doors		Double doors
Modular roof rack	1,40 x 3,4 m	1,25 x 2,2 m	1,25 x 2,6 m		1,40 x 3,0 m
Order Ref.	35001038	35001039	35001040		35001035
AW value	20	20	20		20

Model	Transit Custom	Transit Custom	Transit Custom	Transit Custom	Transit Custom
Year of construction from	2023	2023	2023	2023	2023
Wheelbase mm	3100	3500	3500	3100	3500
Vehicle length	L1	L2	L2	L1	L2
Vehicle height	H1	H1	H1	H2	H2
Rear version	Tailgate	Double doors	Tailgate	Double doors	Double doors
Modular roof rack	1,40 x 2,8 m	1,40 x 3,2 m	1,40 x 3,0 m	1,25 x 2,0 m	1,25 x 2,4 m
Order Ref.	35001036	35001037	35001038	35001039	35001040
AW value	20	20	20	20	20

Model	Transit	Transit	Transit	Transit	Transit
Year of construction from	2014	2014	2014	2014	2014
Wheelbase mm	3300	3300	3750	3750	3750L
Vehicle length	L2	L2	L3	L3	L4
Vehicle height	H2	H3	H2	H3	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,60 x 3,0 m	1,60 x 2,8 m	1,60 x 3,2 m	1,60 x 3,2 m	1,60 x 4,0 m
Order Ref.	35001071	35001072	35001073	35001074	35001075
AW value	26	26	26	26	26

* Drilling is necessary when a roof rack is installed for vehicle height H2. The maximum weight limit is 75 kg

Maxus

Model	Deliver9 / eDeliver9	Deliver9 / eDeliver9	Deliver9 / eDeliver9		
Year of construction from	2021	2021	2021		
Wheelbase mm	3366	3760	3760		
Vehicle length	L2	L3	L3		
Vehicle height	H2	H2	H3		
Rear version	Double doors	Double doors	Double doors		
Modular roof rack	1,60 x 3,2 m	1,60 x 3,2 m	1,60 x 3,0 m		
Order Ref.	35001149	35001150	35001151		
AW value	20	20	20		

MAN

Modular roof rack

Model	TGE	TGE	TGE		
Year of construction from	2016	2016	2017		
Wheelbase mm	3640	4490	4490**		
Vehicle length	L3	L4	L5		
Vehicle height	H2/H3	H3	H3		
Rear version	Double doors	Double doors	Double doors		
Modular roof rack	1.60 x 3.6 m	1.60 x 4.2 m	1.60 x 4.8 m		
Order Ref.	35001120	35001121	35001102		
AW value	26	26	26		

* The modular roof rack system is not suitable for glass fibre roofs (super-high roofs) or for vehicles fitted with rear-view cameras **With overhang

Mercedes-Benz

Modular roof rack

Model	Citan	Citan	Citan	Citan	Citan
Year of construction from	2012	2012	2012	2021	2022
Wheelbase mm	2313	2697	3081	2716	2716
Vehicle length	L1	L2	L3	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,25 x 2,0 m	1,25 x 2,2 m	1,25 x 2,6 m	1,25 x 2,0 m	1,25 x 2,0 m
Order Ref.	35001028	35001029	35001030	35001145	35001156
AW value	18	18	18	18	18

Model	Vito	Vito	Vito	Vito	Vito
Year of construction from	2014	2014	2014	2014	2014
Wheelbase mm	3200	3200	3200L	3200L	3430
Vehicle length	L1	L1	L2	L2	L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Heckklappe	Double doors	Heckklappe	Double doors
Modular roof rack	1,40 x 3,0 m	1,40 x 2,8 m	1,40 x 3,2 m	1,40 x 3,0 m	1,40 x 3,4 m
Order Ref.	35001090	35001091	35001092	35001093	35001094
AW value	20	20	20	20	20

Model	Vito			Sprinter	Sprinter
Year of construction from	2014			2006/2018**	2006/2018**
Wheelbase mm	3430			3250	3250
Vehicle length	L3			L1	L1
Vehicle height	H1			H1	H2
Rear version	Tailgate			Double doors	Double doors
Modular roof rack	1,40 x 3,2 m			1,60 x 3,2 m	1,60 x 2,8 m
Order Ref.	35001095			35001047*	35001048*
AW value	26			26	26

Model	Sprinter	Sprinter	Sprinter	Sprinter	
Year of construction from	2006/2018**	2006/2018**	2006/2018**	2006/2018**	
Wheelbase mm	3665	3665	4325	4325L	
Vehicle length	L2	L2	L3	L4	
Vehicle height	H1	H2	H2	H2	
Rear version	Double doors	Double doors	Double doors	Double doors	
Modular roof rack	1,60 x 4,0 m	1,60 x 3,4 m	1,60 x 4,4 m	1,60 x 4,8 m	
Order Ref.	35001049*	35001050*	35001051*	35001052*	
AW value	26	26	26	26	

Nissan

Modular roof rack

Modell	**NV200**	**NV200**	**NV300**	**Townstar**	**Citan**
Baujahr ab	2009	2009	2016	2022	2022
Radstand mm	2725	2725	3098	2716	2716
Fahrzeuglänge	L1	L1	L1	L1	L2
Fahrzeughöhe	H1	H1	H1	H1	H1
Ausführung Heck	Double doors	Heckklappe	Double doors	Double doors	Double doors
Korbträger	1,25 x 2,2 m	1,25 x 2,0 m	1,60 x 2,8 m	1,25 x 2,0 m	1,25 x 2,0 m
Artikel-Nr.	35001054	35001055	35001082	35001145	35001156
AW Wert	20	20	20	18	18

Modell	**NV300**	**NV300**	**NV300**	**NV300**	**NV300**
Baujahr ab	2016	2016	2016	2016	2016
Radstand mm	3098	3098	3498	3498	3098
Fahrzeuglänge	L1	L1	L2	L2	L1
Fahrzeughöhe	H1	H1	H1	H1	H2
Ausführung Heck	Double doors	Heckklappe	Double doors	Heckklappe	Double doors
Korbträger	1,60 x 2,8 m	1,60 x 2,6 m	1,60 x 3,2 m	1,60 x 3,0 m	1,40 x 2,2 m
Artikel-Nr.	35001082	35001083	35001084	35001085	35001086
AW Wert	20	20	20	20	20

Modell	**NV300**	**NV400**	**NV400**	**NV400**	**NV400**
Baujahr ab	2016	2010	2010	2010	2010
Radstand mm	3498	3182	3682	4332 FA/3682 HA	4332
Fahrzeuglänge	L2	L1	L2	L3	L4
Fahrzeughöhe	H2	H1/H2	H2	H2	H2
Ausführung Heck	Double doors	Alle	Alle	Double doors	Double doors
Korbträger	1,40 x 2,6 m	1,60 x 3,0 m	1,60 x 3,4 m	1,60 x 3,8 m	1,60 x 4,4 m
Artikel-Nr.	35001087	35001059*	35001060*	35001061*	35001062*
AW Wert	20	26	26	26	26

* The modular roof rack system is not suitable for glass fibre roofs, since no assembly mounts for the modular roof rack system are available FWD: Front wheel drive, RWD: Rear wheel drive

Opel

Modular roof rack

Model	**Combo**	**Combo**	**Combo**	**Combo**	**Vivaro**
Year of construction from	2010	2010	2018	2018	2014
Wheelbase mm	2755	3105	2785	2975	3098
Vehicle length	L1	L2	L1	L2	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1.25 x 2.0 m	1.25 x 2.4 m	1.25 x 2.0 m	1.25 x 2.6 m	1.60 x 2.8 m
Order Ref.	35001054	35001055	35001130	35001131	35001082
AW value	20	20	20	28	20

Model	**Vivaro**	**Vivaro**	**Vivaro**	**Vivaro**	**Vivaro**
Year of construction from	2014	2014	2014	2014	2014
Wheelbase mm	3098	3498	3498	3098	3498
Vehicle length	L1	L2	L2	L1	L2
Vehicle height	H1	H1	H1	H2	H2
Rear version	Tailgate	Double doors	Tailgate	Double doors	Double doors
Modular roof rack	1.60 x 2.6 m	1.60 x 3.2 m	1.60 x 3.0 m	1.40 x 2.2 m	1.40 x 2.6 m
Order Ref.	35001083	35001084	35001085	35001086	35001087
AW value	20	20	20	20	20

Model	**Vivaro**	**Vivaro**	**Vivaro**	**Vivaro**	
Year of construction from	2019	2019	2019	2019	
Wheelbase mm	2925	3275	3275L	3275L	
Vehicle length	L1	L2	L3	L3	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Double doors	Tailgate	Tailgate	
Modular roof rack	1.40 x 2.2 m	1.40 x 2.6 m	1.40 x 3.0 m	1.40 x 2.8 m	
Order Ref.	35001115	35001111	35001125	35001132	
AW value	20	20	20	20	

Model	**Movano**	**Movano**	**Movano**	**Movano**	
Year of construction from	2010	2010	2010	2010	
Wheelbase mm	3182	3682	4332 FWD/3682 RWD	4332	
Vehicle length	L1	L2	L3	L4	
Vehicle height	H1/H2	H2	H2	H2	
Rear version	Double doors	Double doors	Double doors	Double doors	
Modular roof rack	1.60 x 3.0 m	1.60 x 3.4 m	1.60 x 3.8 m	1.60 x 4.4 m	
Order Ref.	35001059*	35001060*	35001061*	35001062*	
AW value	26	26	26	26	

* The modular roof rack system is not suitable for glass fibre roofs, since no assembly mounts for the modular roof rack system are available FWD: Front wheel drive, RWD: Rear wheel drive

Peugeot

Modular roof rack

Model	Partner	Partner	Expert	Expert	Expert
Year of construction from	2018	2018	2016	2016	2016
Wheelbase mm	2785	2975	2925	2925	3275
Vehicle length	L1	L2	L1	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Heckklappe	Double doors
Modular roof rack	1,25 x 2,0 m	1,25 x 2,6 m	1,40 x 2,2 m	1,40 x 2,0 m	1,40 x 2,6 m
Order Ref.	35001130	35001131	35001115	3500116	35001111
AW value	20	28	20	20	20

Model	Expert	Expert	Expert	Boxer	Boxer
Year of construction from	2016	2016	2016	2006	2006
Wheelbase mm	3275	3275L	3275L	3000	3450
Vehicle length	L2	L3	L3	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Heckklappe	Double doors	Heckklappe	Double doors	Double doors
Modular roof rack	1,40 x 2,4 m	1,40 x 3,0 m	1,40 x 2,8 m	1,80 x 3,2 m	1,80 x 3,4 m
Order Ref.	35001112	35001125	35001132	35001020	35001021
AW value	20	20	20	26	26

Model	Boxer	Boxer	Boxer	Boxer	Boxer
Year of construction from	2006	2006	2006	2006	2006
Wheelbase mm	3450	4035	4035L	4035L	4035L
Vehicle length	L2	L3	L3	L4	L4
Vehicle height	H2	H2	H3	H2	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,80 x 3,2 m	1,80 x 3,8 m	1,60 x 3,6 m	1,80 x 4,2 m	1,60 x 4,2 m
Order Ref.	35001022	35001023	35001134	35001024	35001025
AW value	26	26	26	26	26

Renault

Modular roof rack

Model	Kangoo	Kangoo	Kangoo	Kangoo	Kangoo
Year of construction from	2012	2012	2012	2021	2022
Wheelbase mm	2313	2697	3081	2716	2716
Vehicle length	L1	L2	L3	L1	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1,25 x 2,0 m	1,25 x 2,2 m	1,25 x 2,6 m	1,25 x 2,0 m	1,25 x 2,0 m
Order Ref.	35001028	35001029	35001030	35001145	35001156
AW value	18	18	18	18	18

Model	Kangoo	Trafic	Trafic	Trafic	Trafic
Year of construction from	2012	2014	2014	2014	2014
Wheelbase mm	3081	3098	3098	3498	3498
Vehicle length	L3	L1	L1	L2	L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Tailgate	Double doors	Tailgate
Modular roof rack	1.25 x 2.6 m	1.60 x 2.8 m	1.60 x 3.2 m	1.60 x 3.2 m	1.60 x 3.0 m
Order Ref.	35001030	35001082	35001083	35001084	35001085
AW value	18	20	20	20	20

Model	Trafic	Trafic	Master	Master	Master
Year of construction from	2014	2014	2010	2010	2010
Wheelbase mm	3098	3498	3182	3682	4332 FWD/3682 RWD
Vehicle length	L1	L2	L1	L2	L3
Vehicle height	H2	H2	H1/H2	H2	H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Modular roof rack	1.40 x 2.2 m	1.40 x 2.6 m	1.60 x 3.0 m	1.60 x 3.4 m	1.60 x 3.8 m
Order Ref.	35001086	35001087	35001059*	35001060*	35001061*
AW value	20	20	26	26	26

Model	Master
Year of construction from	2010
Wheelbase mm	4332
Vehicle length	L4
Vehicle height	H2
Rear version	Double doors
Modular roof rack	1.60 x 4.4 m
Order Ref.	35001062*
AW value	26

* The modular roof rack system is not suitable for glass fibre roofs, since no assembly mounts for the modular roof rack system are available

Toyota

Modular roof rack

Model	Proace	Proace	Proace	Proace	Proace	Proace
Year of construction from	2016	2016	2016	2016	2016	2016
Wheelbase mm	2925	2925	3275	3275	3275L	3275L
Vehicle length	L1	L1	L2	L2	L3	L3
Vehicle height	H1	H1	H1	H1	H1	H1
Rear version	Double doors	Heckklappe	Heckklappe	Double doors	Double doors	Heckklappe
Modular roof rack	1,40 x 2,2 m	1,40 x 2,0 m	1,40 x 2,4 m	1,40 x 2,6 m	1,40 x 3,0 m	1,40 x 2,8 m
Order Ref.	35001115	3500116	35001112	35001111	35001125	35001132
AW value	20	20	20	20	20	20

Volkswagen

Modular roof rack

Model	Caddy	Caddy	Caddy Maxi	Caddy Maxi	Caddy
Year of construction from	2015	2015	2015	2015	2020
Wheelbase mm	2682	2682	3006	3006	2755
Vehicle length	L1	L1	L2	L2	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Heckklappe	Double doors	Heckklappe	Double doors
Modular roof rack	1,25 x 2,2 m	1,25 x 2,0 m	1,25 x 2,6 m	1,25 x 2,4 m	1,25 x 2,2 m
Order Ref.	35001105	35001106	35001107	35001108	35001136
AW value	18	18	18	18	15

Model	Caddy	Caddy	Caddy	ID BUZZ	ID BUZZ
Year of construction from	2020	2020	2020	2022	2022
Wheelbase mm	2755	2755	2755	2989	2989
Vehicle length	L1	L2	L2	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Heckklappe	Double doors	Heckklappe	Doppeltüre	Heckklappe
Modular roof rack	1,25 x 2,0 m	1,25 x 2,4 m	1,25 x 2,2 m	1,25 x 2,6	1,25 x 2,4
Order Ref.	35001137	35001141	35001142	35001154	35001155
AW value	15	15	15		

Model	T6	T6	T6	T6	
Year of construction from	2015	2015	2015	2015	
Wheelbase mm	3000	3000	3400	3400	
Vehicle length	L1	L1	L2	L2	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Heckklappe	Double doors	Heckklappe	
Modular roof rack	1,40 x 2,8 m	1,40 x 2,6 m	1,40 x 3,0 m	1,40 x 3,2 m	
Order Ref.	35001098	35001099	35001100	35001101	
AW value	20	20	20	20	

* Das Korbträgersystem ist nicht geeignet für Glasfaserdächer (Super-High-Dächer) und nicht für Fahrzeuge mit Rückfahrkamera **mit Überhang

Model	Crafter	Crafter	Crafter	Crafter	
Year of construction from	2017	2016	2016	2017	
Wheelbase mm	4490**	3640	4490	4490**	
Vehicle length	L5	L3	L4	L5	
Vehicle height	H3	H2/H3	H3	H3	
Rear version	Double doors	Double doors	Double doors	Double doors	
Modular roof rack	1,60 x 4,2 m	1,60 x 3,6 m	1,60 x 4,2 m	1,60 x 4,2 m	
Order Ref.	35001102	35001120	35001121	35001102	
AW value	26	26	26	26	

* Das Korbträgersystem ist nicht geeignet für Glasfaserdächer (Super-High-Dächer) und nicht für Fahrzeuge mit Rückfahrkamera **mit Überhang

Aluminium ladder holder and extension



- Fits VW T6 with tailgate L1-L2 / H1-H2-H3
- To safely secure ladders on vehicles with low roofs
- Convenient operation from the floor
- Easy loading thanks to low-friction slides
- Height and width for ladders of different sizes and types are adjust¬able (height 220-320 mm, width 350-500 mm)
- Suitable for up to three-piece ladders
- Secured on the rear of the roof rack with multiple adjustable lashing strap
- Includes extension brackets that enable higher positioning of the ladder holder

Order Ref.	35002054
AW value	16

Lock for Roof Rack Systems

- Lock for mounting on the plastic cover for the basic roof racks or modular roof racks
- Lock cylinder kit for 2x pair of feet (containing 4x locks, 2x keys)
- 3x pair of feet (containing 6x locks, 3x keys
- 4x pair of feet (containing 8x locks, 4x keys)

Version for	**2x pair of feet**	**3x pair of feet**	**4x pair of feet**
Order Ref.	72602002	72602003	72602004
AW value	4	4	4

Plattform für Aluminium Korbträger



- Platform for aluminium modular roof rack made of durable and weatherproof anodised aluminium with steel end caps
- Load capacity max. 120 kg
- Fast and easy assembly of the platform
- Structured, grooved surface ensures excellent grip in all weather conditions

Version for	**Aluminium platform**	**Aluminium platform**	**Aluminium platform**
Dimensions W x D x H mm	320 x 2800 x 26	320 x 3000 x 26	320 x 3200 x 26
Order Ref.	35002157	35002158	35002159
AW value			

Aluminium ladder holder kit



- To safely secure ladders on vehicles with low roofs
- Convenient operation from the floor
- Easy loading thanks to low-friction slides
- Height and width for ladders of different sizes and types are adjustable (height 120-220 mm, width 350-500 mm)
- Suitable for up to three-piece ladders
- Secured on the rear of the roof rack with multiple adjustable lashing strap

Order Ref.	35002019
AW value	14

Ladder clamps



- Patented clamping system for fast and safe handling
- Lockable
- Suitable for up to four-piece ladders
- With corrosion-resistant stainless steel anchor hook
- VE 2

Order Ref.	35002020
AW value	4


Aluminium storage tube for long items



- For transport of pipes and other long cargo
- Minimal air resistance thanks to an aerodynamic plastic front cap
- Maximum safety and strength due to unique, lockable end caps made of glas fibre reinforced PA6
- Made of powder-coated aluminium
- Maximum load bearing capacity: 50 kg

Version for	**Pipes up to 3 m**	**Pipes up to 4 m**	**Pipes up to 5 m**
Order Ref.	35002050	35002051	35002052
AW value	7	8	9

Rear ladder lifts for basic and modular roof rack systems



- For fast, simple and secure loading and unloading of carried ladders
- Minimised physical load and reduced risk of injury by providing support using adjustable gas springs during loading and unloading of ladders
- 3 versions for one-part, two-part and extra-wide ladders
- Particularly robust aluminium components with stainless steel elements
- Maximum load bearing capacity: 60 kg

Citroën

Rear ladder lifts

Model	Berlingo	Berlingo	Berlingo	Jumpy	Jumpy
Year of construction from	2018	2018	2018	2016	2016
Wheelbase mm	2785/2975	2785/2975	2785/2975	2925	2925
Vehicle length	All	All	All	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x ladder 2.2 m	2x ladder 2.2 m	1x extra-wide ladder 2.2 m	1x ladder 2.2 m	2x ladder 2.2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41	41	41

Model	Jumpy	Jumpy	Jumpy	Jumpy	Jumper
Year of construction from	2016	2016	2016	2016	2006
Wheelbase mm	2925	3275/3275L	3275/3275L	3275/3275L	3000/3450/4035/4035L
Vehicle length	L1	L2/L3	L2/L3	L2/L3	All
Vehicle height	H1	H1	H1	H1	H1/H2/H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x extra-wide ladder 2.2 m	1x ladder 3.1 m	2x extra-wide ladder 3.1 m	1x extra-wide ladder 3.1 m	1x ladder 3.1 m
Order Ref.	35002015*	35002016*	35002017*	35002018*	35002016*
AW value	41	41	41	41	41

Model	Jumper	Jumper			
Year of construction from	2006	2006			
Wheelbase mm	3000/3450/4035/4035L	3000/3450/4035/4035L			
Vehicle length	All	All			
Vehicle height	H1/H2/H3	H1/H2/H3			
Rear version	Double doors	Double doors			
Quantity of ladders Height of ladder lift	2x ladder 3.1 m	1x extra-wide ladder 3.1 m			
Order Ref.	35002017*	35002018*			
AW value	41	41			

* Can only be used with a minimum of 3 roof bars

Fiat

Rear ladder lifts

Model	Doblo	Doblo	Doblo	Doblo	Doblo
Year of construction from	2010	2010	2010	2022	2022
Wheelbase mm	2755/3105	2755/3105	2755/3105	2785/2975	2785/2975
Vehicle length	All	All	All	All	All
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x ladder 2,2 m	2x ladder 2,2 m	1x extra-wide ladder 2,2 mm	1x ladder 2,2 m	2x ladder 2,2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41	41	41

Model	Doblo	Scudo	Scudo	Scudo	Scudo
Year of construction from	2022	2022	2022	2022	2022
Wheelbase mm	2785/2975	2925	2925	2925	3275/3275L
Vehicle length	All	L1	L1	L1	L2/L3
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x extra-wide ladder 2,2 mm	1x ladder 2,2 m	2x ladder 2,2 m	1x extra-wide ladder 2,2 m	1x ladder 3,1 m
Order Ref.	35002015*	35002013*	35002014*	35002015*	35002016*
AW value	41	41	41	41	41

*nur möglich bei mindestens 3 Lastenträgern ** nur möglich bei mindestens 4 Lastenträgern

Model	Scudo	Scudo	Talento	Talento	Talento
Year of construction from	2022	2022	2016	2016	2016
Wheelbase mm	3275/3275L	3275/3275L	3098/3498	3098/3498	3098/3498
Vehicle length	L2/L3	L2/L3	All	All	All
Vehicle height	H1	H1	H1/H2	H1/H2	H1/H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	2x ladder 3,1 mm	1x extra-wide ladder 3,1 m	1x ladder 3,1 m	2x ladder 3,1 m	1x extra-wide ladder 3,1 m
Order Ref.	35002017*	35002018*	35002016**	35002017**	35002018**
AW value	41	41	41	41	41

Model	Ducato	Ducato	Ducato		
Year of construction from	2006	2006	2006		
Wheelbase mm	3000/3450/4035/4035L	3000/3450/4035/4035L	3000/3450/4035/4035L		
Vehicle length	All	All	All		
Vehicle height	H1/H2/H3	H1/H2/H3	H1/H2/H3		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x ladder 3,1 m	2x ladder 3,1 mm	1x extra-wide ladder 3,1 m		
Order Ref.	35002016*	35002017*	35002018*		
AW value	41	41	41		

*nur möglich bei mindestens 3 Lastenträgern ** nur möglich bei mindestens 4 Lastenträgern

Ford

Rear ladder lifts

Model	**Transit Connect**	**Transit Connect**	**Transit Connect**		
Year of construction from	2014	2014	2014		
Wheelbase mm	2755/3105	2755/3105	2755/3105		
Vehicle length	All	All	All		
Vehicle height	H1	H1	H1		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x ladder 2.2 m	2x ladder 2.2 m	1x extra-wide ladder 2.2 m		
Order Ref.	35002013*	35002014*	35002015*		
AW value	41	41	41		

Model	**Transit Custom**	**Transit Custom**	**Transit Custom**	**Transit Custom**	**Transit Custom**
Year of construction from	2012	2012	2012	2023	2023
Wheelbase mm	2933/3300	2933/3300	2933/3300	3100/3500	3100/3500
Vehicle length	All	All	All	All	All
Vehicle height	H1/H2	H1	H1	H1/H2	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x ladder 3.1 m	2x ladder 3.1 m	1x extra-wide ladder 3.1 m	1x ladder 3.1 m	2x ladder 3.1 m
Order Ref.	35002016*	35002017*	35002018*	35002016*	35002017*
AW value	41	41	41	41	41

* Can only be used with a minimum of 3 roof bars

Model	**Transit Custom**	**Transit**	**Transit**	**Transit**	
Year of construction from	2023	2014	2014	2014	
Wheelbase mm	3100/3500	3300/3750/3750L	3300/3750/3750L	3300/3750/3750L	
Vehicle length	All	All	All	All	
Vehicle height	H1	H2/H3	H2/H3	H2/H3	
Rear version	Double doors	Double doors	Double doors	Double doors	
Quantity of ladders Height of ladder lift	1x extra-wide ladder 3.1 m	1x ladder 3.1 m	2x ladder 3.1 mm	1x extra-wide ladder 3.1 m	
Order Ref.	35002018*	35002016*	35002017*	35002018*	
AW value	41	41	41	41	

* Can only be used with a minimum of 3 roof bars

Hyundai

Rear ladder lifts

Model	**H1**	**H1**	**H1**		
Year of construction from	2008	2008	2008		
Wheelbase mm	3200	3200	3200		
Vehicle length	L1	L1	L1		
Vehicle height	H1	H1	H1		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m		
Order Ref.	35002016*	35002017*	35002018*		
AW value	41	41	41		

* Can only be used with a minimum of 3 roof bars

MAN

Rear ladder lifts

Model	**TGE**	**TGE**	**TGE**		
Year of construction from	2017	2017	2017		
Wheelbase mm	3640/4490/4490L	3640/4490/4490L	3640/4490/4490L		
Vehicle length	All	All	All		
Vehicle height	H2/H3/H4	H2/H3/H4	H2/H3/H4		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x ladder 3.1 m	2x ladder 3.1 m	1x extra-wide ladder 3.1 m		
Order Ref.	35002016*	35002017*	35002018*		
AW value	41	41	41		

* Can only be used with a minimum of 3 roof bars

Maxus

Rear ladder lifts

Model	**eDeliver9 / Deliver9**	**eDeliver9 / Deliver9**	**eDeliver9 / Deliver9**		
Year of construction from	2021	2021	2021		
Wheelbase mm	3366/3760	3366/3760	3366/3760		
Vehicle length	L2/L3	L2/L3	L2/L3		
Vehicle height	H2/H3	H2/H3	H2/H3		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m		
Order Ref.	35002016*	35002017*	35002018*		
AW value	41	41	41		

* Can only be used with a minimum of 3 roof bars

Mercedes-Benz

Rear ladder lifts

Model	Citan	Citan	Citan	Citan	Citan
Year of construction from	2012	2012	2012	2021	2021
Wheelbase mm	3081	3081	3081	2716	2716
Vehicle length	L3	L3	L3	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x Leiter 2,2 m	2x Leiter 2,2 m	1x extra breite Leiter 2,2 mm	2x Leiter 2,2 m	2x Leiter 2,2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41		

Model	Citan	Vito	Vito	Vito	
Year of construction from	2021	2014	2014	2012	
Wheelbase mm	2716	3200/3200L/3430	3200/3200L/3430	3200/3200L/3430	
Vehicle length	L1	Alle	Alle	Alle	
Vehicle height	H1	H1	H1	H1	
Rear version	Double doors	Double doors	Double doors	Double doors	
Quantity of ladders Height of ladder lift	1x extra breite Leiter 2,2 mm	1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m	
Order Ref.	35002015*	35002016**	35002017**	35002018**	
AW value		41	41	41	

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Model	Vito	Sprinter	Sprinter	Sprinter	
Year of construction from	2012	2006/2018	2006/2018	2006/2018	
Wheelbase mm	3200/3200L/3430	3250/3665/4325/4325L	3250/3665/4325/4325L	3250/3665/4325/4325L	
Vehicle length	Alle	Alle	Alle	Alle	
Vehicle height	H1	H1/H2/H3	H1/H2/H3	H1/H2/H3	
Rear version	Double doors	Double doors	Double doors	Double doors	
Quantity of ladders Height of ladder lift	1x extra breite Leiter 3,1 m	1x Leiter 3,1 m	2x Leiter 3,1 mm	1x extra breite Leiter 3,1 m	
Order Ref.	35002018**	35002016***	35002017***	35002018***	
AW value	41	41	41	41	

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Nissan

Rear ladder lifts

Model	**NV200**	**NV200**	**NV200**	**Townstar**	**Townstar**
Year of construction from	2009	2009	2009	2022	2022
Wheelbase mm	2725	2725	2725	2716	2716
Vehicle length	L1	L1	L1	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x Leiter 2,2 m	2x Leiter 2,2 m	1x extra breite Leiter 2,2 mm	2x Leiter 2,2 m	2x Leiter 2,2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41		

Model	**Townstar**		**NV300**	**NV300**	**NV300**
Year of construction from	2022		2016	2016	2016
Wheelbase mm	2716		3098/3498	3098/3498	3098/3498
Vehicle length	L1		Alle	Alle	Alle
Vehicle height	H1		H1/H2	H1/H2	H1/H2
Rear version	Double doors		Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x extra breite Leiter 2,2 mm		1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m
Order Ref.	35002015*		35002016*	35002017*	35002018*
AW value			41	41	41

* Can only be used with a minimum of 3 roof bars

Model	**NV300**	**NV400**	**NV400**		
Year of construction from	2016	2010	2010		
Wheelbase mm	3098/3498	3182/3682/4332	3182/3682/4332		
Vehicle length	Alle	Alle	Alle		
Vehicle height	H1/H2	H1/H2/H3	H1/H2/H3		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x extra breite Leiter 3,1 m	1x Leiter 3,1 m	2x breite Leiter 3,1 mm		
Order Ref.	35002018*	35002016*	35002017*		
AW value	41	41	41		

* Can only be used with a minimum of 3 roof bars

Opel

Rear ladder lifts

Model	Combo	Combo	Combo	Vivaro	Vivaro
Year of construction from	2010	2010	2010	2014	2014
Wheelbase mm	2755/3105	2755/3105	2755/3105	3098/3498	3098/3498
Vehicle length	Alle	Alle	Alle	Alle	Alle
Vehicle height	H1	H1	H1	H1/H2	H1/H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x Leiter 2,2 m	2x Leiter 2,2 m	1x extra breite Leiter 2,2 mm	1x Leiter 3,1 m	2x Leiter 3,1 m
Order Ref.	35002013*	35002014*	35002015*	35002016**	35002017**
AW value	41	41	41	41	41

Model	Vivaro	Movano	Movano	Movano	
Year of construction from	2016	2010	2010	2010	
Wheelbase mm	3098/3498	3182/3682/4332	3182/3682/4332	3182/3682/4332	
Vehicle length	Alle	Alle	Alle	Alle	
Vehicle height	H1/H2	H1/H2/H3	H1/H2/H3	H1/H2/H3	
Rear version	Double doors	Double doors	Double doors	Double doors	
Quantity of ladders Height of ladder lift	1x extra breite Leiter 3,1 m	1x Leiter 3,1 m	2x breite Leiter 3,1 mm	1x extra breite Leiter 3,1 m	
Order Ref.	35002018**	35002016*	35002017*	35002018*	
AW value	41	41	41	41	

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Peugeot

Rear ladder lifts

Model	Partner	Partner	Partner	Expert	Expert
Year of construction from	2018	2018	2018	2016	2016
Wheelbase mm	2785/2975	2785/2975	2785/2975	2925	2925
Vehicle length	All	All	All	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x ladder 2.2 m	2x ladder 2.2 m	1x extra-wide ladder 2.2 m	1x ladder 2.2 m	2x ladder 2.2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41	41	41

Model	Expert	Expert	Expert	Expert	Boxer
Year of construction from	2016	2016	2016	2016	2006
Wheelbase mm	2925	3275/3275L	3275/3275L	3275/3275L	3000/3450/4035/4035L
Vehicle length	L1	L2/L3	L2/L3	L2/L3	All
Vehicle height	H1	H1	H1	H1	H1/H2/H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x extra-wide ladder 2.2 m	1x ladder 3.1 m	2x extra-wide ladder 3.1 m	1x extra-wide ladder 3.1 m	1x ladder 3.1 m
Order Ref.	35002015*	35002016*	35002017*	35002018*	35002016*
AW value	41	41	41	41	41

Model	Boxer	Boxer			
Year of construction from	2006	2006			
Wheelbase mm	3000/3450/4035/4035L	3000/3450/4035/4035L			
Vehicle length	All	All			
Vehicle height	H1/H2/H3	H1/H2/H3			
Rear version	Double doors	Double doors			
Quantity of ladders Height of ladder lift	2x ladder 3.1 m	1x extra-wide ladder 3.1 m			
Order Ref.	35002017*	35002018*			
AW value	41	41			

* Can only be used with a minimum of 3 roof bars

Renault

Rear ladder lifts

Model	Kangoo	Kangoo	Kangoo	Kangoo	Kangoo
Year of construction from	2012	2012	2012	2021	2021
Wheelbase mm	3081	3081	3081	2716	2716
Vehicle length	L3	L3	L3	L1	L1
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x Leiter 2,2 m	2x Leiter 2,2 m	1x extra breite Leiter 2,2 mm	2x Leiter 2,2 m	2x Leiter 2,2 m
Order Ref.	35002013*	35002014*	35002015*	35002013*	35002014*
AW value	41	41	41		

Model	Kangoo	Trafic	Trafic	Trafic	
Year of construction from	2021	2014	2014	2016	
Wheelbase mm	2716	3098/3498	3098/3498	3098/3498	
Vehicle length	L1	Alle	Alle	Alle	
Vehicle height	H1	H1/H2	H1/H2	H1/H2	
Rear version	Double doors	Double doors	Double doors	Double doors	
Quantity of ladders Height of ladder lift	1x extra breite Leiter 2,2 mm	1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m	
Order Ref.	35002015*	35002016**	35002017**	35002018**	
AW value		41	41	41	

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Model	Master	Master	Master		
Year of construction from	2010	2010	2010		
Wheelbase mm	3182/3682/4332	3182/3682/4332	3182/3682/4332		
Vehicle length	Alle	Alle	Alle		
Vehicle height	H1/H2/H3	H1/H2/H3	H1/H2/H3		
Rear version	Double doors	Double doors	Double doors		
Quantity of ladders Height of ladder lift	1x Leiter 3,1 m	2x breite Leiter 3,1 mm	1x extra breite Leiter 3,1 m		
Order Ref.	35002016*	35002017*	35002018*		
AW value	41	41	41		

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Toyota

Rear ladder lifts

Model	Proace	Proace	Proace	Proace	Proace
Year of construction from	2016	2016	2016	2016	2006
Wheelbase mm	2925	2925	2925	3275/3275L	3275/3275L
Vehicle length	L1	L1	L1	L1/L2	L1/L2
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x extra wide ladder 2.2 m	2x ladder 2.2 m	1x extra-wide ladder 2.2 m	1x ladder 3.1 m	2x ladder 3.1 m
Order Ref.	35002013*	35002014*	35002015*	35002016*	35002017*
AW value	41	41	41	41	41

Model	Proace
Year of construction from	2016
Wheelbase mm	3275/3725L
Vehicle length	All
Vehicle height	H1
Rear version	Double doors
Quantity of ladders Height of ladder lift	1x extra-wide ladder 3.1 m
Order Ref.	35002018**
AW value	41

* Can only be used with a minimum of 3 roof bars ** Can only be used with a minimum of 4 roof bars

Volkswagen

Rear ladder lifts

Model	Caddy	Caddy	Caddy	T6	T6
Year of construction from	2015	2015	2015	2015	2015
Wheelbase mm	2682/3000	2682/3000	2682/3000	3000/3400	3000/3400
Vehicle length	All	All	All	All	All
Vehicle height	H1	H1	H1	H1	H1
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Quantity of ladders Height of ladder lift	1x ladder 2.2 m	2x ladder 2.2 m	1x extra-wide ladder 2.2 m	1x ladder 3.1 m	2x ladder 3.1 m
Order Ref.	35002013*	35002014*	35002015*	35002016**	35002017**
AW value	41	41	41	41	41

Model	New Transporter	New Transporter	New Transporter
Year of construction from	2024	2024	2024
Wheelbase mm	3100/3500	3100/3500	3100/3500
Vehicle length	Alle	Alle	Alle
Vehicle height	H1/H2	H1	H1
Rear version	Doppeltüren	Doppeltüren	Doppeltüren
Quantity of ladders Height of ladder lift	1x Leiter 3,1 m	2x Leiter 3,1 m	1x extra breite Leiter 3,1 m
Order Ref.	35002016*	35002017*	35002018*
AW value	41	41	41

* Can only be used with a minimum of 3 roof bars

Rear door ladder Rear door ladder to clamp



- To fit onto van rear door
- Non-slip ladder rungs and ergonomic handrail ensure safe access to roof
- Load capacity up to max. 100 kg
- Incl. van-specific fixing kit for optimum hold
- With clamp attachment system, no-drill mounting
- Aluminium version
- Handrail and rungs: anodised aluminium profile,
- reinforcing plate and fixing brackets: black powder-coated sheet steel

Citroën

Rear door ladder

Model	**Jumpy**	**Jumper**	**Jumper**		
Year of construction from	2016	2006	2006		
Wheelbase mm	2925/3275	3000/3450	3450/4035/4035L		
Vehicle length	Alle	L1/L2	L2/L3/L4		
Vehicle height	H1	H1	H2		
Rear version	Double doors	Double doors	Double doors		
Order Ref.	35002057*	35002037*	35002038*		
AW value	15	15	15		

* Rear door ladder is not suitable for vehicle rear doors with windows

Fiat

Rear door ladder

Model	**Scudo**	**Talento**	**Talento**	**Ducato**	**Ducato**
Year of construction from	2022	2016	2016	2006	2006
Wheelbase mm	2925/3275	3098/3498	3098/3498	3000/3450	3450/4035/4035L
Vehicle length	All	All	All	L1/L2	L2/L3/L4
Vehicle height	H1	H1	H2	H1	H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Order Ref.	35002057*	35002044*	35002045*	35002037*	35002038*
AW value	15	15	15	15	15

* Rear door ladder is not suitable for vehicle rear doors with windows

Ford

Rear door ladder

Model	Transit Custom	Transit Custom	Transit Custom	Transit	Transit
Year of construction from	2012	2012	2023	2014	2014
Wheelbase mm	2933/3300	2933/3300	3100/3500	3300/3750/	3300/3750/3750 L
Vehicle length	Alle	Alle	Alle	L2/L3	Alle
Vehicle height	H1/H2	H2	H2	H2	H3
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Order Ref.	35002079*	35002080*	35002039*	35002083*	35002084*
AW value	10	10	10	10	10

* Rear door ladder is not suitable for vehicle rear doors with windows

MAN

Rear door ladder

Model	TGE				
Year of construction from	2017				
Wheelbase mm	3640/4490/4490L				
Vehicle length	All				
Vehicle height	H2/H3				
Rear version	Double doors				
Order Ref.	35002047*				
AW value	15				

* Rear door ladder is not suitable for vehicle rear doors with windows ** only possible by removing the vehicle logo

Maxus

Rear door ladder

Model	eDeliver9 / Deliver9	eDeliver9 / Deliver9			
Year of construction from	2021	2021			
Wheelbase mm	3366/3760	3760			
Vehicle length	L2/L3	L3			
Vehicle height	H2/H3	H3			
Rear version	Double doors	Double doors			
Order Ref.	35002055*	35002056*			
AW value	15	15			

* Hecktürleiter passt nicht bei Fahrzeughecktüren mit Sichtfenster **nur für Modelle mit Heckantrieb

Mercedes-Benz

Rear door ladder

Model	Vito	Sprinter**	Sprinter**		
Year of construction from	2014	2018	2018		
Wheelbase mm	3200/3200L/3430	3250/3650/4325L	3250/3650/4325/4325L		
Vehicle length	All	L1/L2	All		
Vehicle height	All	H1	H2		
Rear version	Double doors	Double doors	Double doors		
Order Ref.	35002040*	35002048*	35002049*		
AW value	15	15	15		

* Rear door ladder is not suitable for vehicle rear doors with windows ** only possible by removing the vehicle logo

Nissan

Rear door ladder

Model	NV200	NV300	NV300	NV400	NV400
Year of construction from	2009	2016	2016	2010	2010
Wheelbase mm	2725	3098/3498	3098/3498	3182/3682/4332	3182/3682/4332
Vehicle length	L1	All	All	All	All
Vehicle height	H1	H1	H2	H1	H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Order Ref.	35002040*	35002044*	35002045*	35002041*	35002042*
AW value	15	15	15	15	15

* Rear door ladder is not suitable for vehicle rear doors with windows

Opel

Rear door ladder

Model	Vivaro	Vivaro	Vivaro	Movano	Movano
Year of construction from	2014	2014	2016	2010	2010
Wheelbase mm	3098/3498	3098/3498	2925/3275	3182/3682/4332	3182/3682/4332
Vehicle length	All	All	All	All	All
Vehicle height	H1	H2	H1	H1	H2
Rear version	Double doors	Double doors	Double doors	Double doors	Double doors
Order Ref.	35002044*	35002045*	35002057*	35002041*	35002042*
AW value	15	15	15	15	15

* Rear door ladder is not suitable for vehicle rear doors with windows

Peugeot

Rear door ladder

Model	Expert	Boxer	Boxer		
Year of construction from	2016	2006	2006		
Wheelbase mm	2925/3275	3000/3450	3450/4335/4335L		
Vehicle length	All	L1/L2	L2/L3/L4		
Vehicle height	H1	H1	H2		
Rear version	Double doors	Double doors	Double doors		
Order Ref.	35002057*	35002037*	35002038*		
AW value	15	15	15		

* Rear door ladder is not suitable for vehicle rear doors with windows

Renault

Rear door ladder

Model	Trafic	Trafic	Master	Master	
Year of construction from	2014	2014	2010	2010	
Wheelbase mm	3098/3498	3098/3498	3182/3682/4332	3182/3682/4332	
Vehicle length	All	All	All	All	
Vehicle height	H1	H2	H1	H2	
Rear version	Double doors	Double doors	Double doors	Double doors	
Order Ref.	35002044*	35002045	35002041*	35002042*	
AW value	15	15	15	15	

* Rear door ladder is not suitable for vehicle rear doors with windows

Volkswagen

Rear door ladder

Model	T6	New Transporter	Crafter		
Year of construction from	2015	2023	2016		
Wheelbase mm	3000/3400	3100/3500	3640/4490/4490L		
Vehicle length	All	All	All		
Vehicle height	H1	H2	H2/H3		
Rear version	Double doors	Doppeltüren	Double doors		
Order Ref.	35002046*	35002039*	35002047		
AW value	10	10	10		

* Rear door ladder is not suitable for vehicle rear doors with windows

11 bott vario3
Großverpackungen



Zurrgurte | Antirutschmatten | Befestigungsmaterial | sonstiges Zubehör

11

Lashing strap with fitting and ratchet



Description	Ratchet strap with fitting 10/1-1.1	Ratchet strap with fitting 13/3-1.1	Ratchet strap with fitting 25/1-1.1	Ratchet strap with fitting 25/5-1.1	Ratchet strap with fitting 35/5-1.1
Length of belt	1000 mm	1300 mm	2500 mm	2500 mm	3500 mm
Load value daN	500 daN	500 daN	500 daN	500 daN	500 daN
Fixed end	130	130	130	500	500
Dimensions W x D x H [mm]	1000 x 0 x 25	1300 x 0 x 25	2500 x 0 x 25	2500 x 0 x 25	3500 x 0 x 25
Weight [kg]	8.25	6.90	9.60	9.60	10.35
Pack of	15	15	15	15	15
QR code					
Order ref.	**62626013.19V**	**62626088.19V**	**62626014.19V**	**62626051.19V**	**62626015.19V**
Kanban	-	-	-	-	-



Description	Ratchet strap with fitting 50/1-1.1	Ratchet strap with fitting
Length of belt	5000 mm	
Load value daN	500 daN	400 daN
Fixed end	500	130
Dimensions W x D x H [mm]	5000 x 0 x 25	3000 x 0 x 25
Weight [kg]	11.70	5.40
Pack of	15	15
QR code		
Order ref.	**62626016.19V**	**62626070.19V**
Kanban	-	-

Lashing strap with fitting and cam-buckle







Description	Cam-buckle strap with fitting 10/1-2.1	Cam-buckle strap with fitting 25/1-2.1	Cam-buckle strap with fitting 25/5-2.1	Cam-buckle strap with fitting 35/5-2.1	Cam-buckle strap with fitting 50/5-2.2
Length of belt	1000 mm	2500 mm	2500 mm	3500 mm	5000 mm
Load value daN	150 daN	150 daN	150 daN	150 daN	150 daN
Fixed end	130	130	500	500	500
Dimensions W x D x H [mm]	1000 x 0 x 25	2500 x 0 x 25	2500 x 0 x 25	3500 x 0 x 25	5000 x 0 x 25
Weight [kg]	3.15	3.89	3.89	4.50	5.25
Pack of	15	15	15	15	15
QR code					
Order ref.	**62626017.19V**	**62626018.19V**	**62626052.19V**	**62626019.19V**	**62626020.19V**
Kanban	-	-	-	-	-

Lashing strap with flat hook ends



Description	Ratchet strap with flat hook ends 35/5-1.1
Length of belt	3500 mm
Load value daN	500 daN
Fixed end	500
Dimensions W x D x H [mm]	3500 x 0 x 25
Weight [kg]	10.35
Pack of	15
QR code	
Order ref.	**62626028.19V**
Kanban	-

Lashing strap with hook





Description	Ratchet strap with hook ends 50/5-1.1	Ratchet strap with hook ends
Length of belt	5000 mm	
Load value daN	650 daN	400 daN
Fixed end	500	130
Dimensions W x D x H [mm]	5000 x 0 x 25	3000 x 0 x 25
Weight [kg]	13.50	5.70
Pack of	15	15
QR code		
Order ref.	**62626034.19V**	**62626068.19V**
Kanban	-	-

Ratchet ring strap





Description	Ratchet strap 10.1	Ratchet strap 25.1
Load value daN	1000 daN	1000 daN
Fixed end	0	0
Dimensions W x D x H [mm]	1000 x 0 x 25	2500 x 0 x 25
Weight [kg]	5.40	7.05
Pack of	15	15
QR code		
Order ref.	**62626073.19**	**62626074.19**
Kanban	-	-

Cam-buckle ring strap





Description	Cam-buckle ring strap 10-2.1	Cam-buckle ring strap 25-2.1
Length of belt	2500 mm	2500 mm
Load value daN	300 daN	300 daN
Dimensions W x D x H [mm]	1000 x 0 x 25	2500 x 0 x 25
Weight [kg]	1.20	1.95
Pack of	15	15
QR code		
Order ref.	**62626040.19V**	**62626042.19V**
Kanban	-	-

Lashing strap with plastic hook



Description	Cam-buckle strap with plastic hook 25/5-2.1
Length of belt	2500 mm
Fixed end	500
Dimensions W x D x H [mm]	2500 x 0 x 25
Weight [kg]	2.70
Pack of	15
QR code	
Order ref.	**62626044.19V**
Kanban	-

11

Lashing strap with retractor ratchet





Description	Retractor ratchet strap with fitting	Retractor ratchet strap with fitting	Retractor ratchet strap with hook
Load value daN	125 daN	125 daN	125 daN
Fixed end	–	200	200
Dimensions W x D x H [mm]	2000 x 0 x 25	2000 x 0 x 25	2000 x 0 x 25
Weight [kg]	10.50	11.25	10.50
Pack of	15	15	15
QR code			
Order ref.	**62626063.90**	**62626066.90**	**62626064.90**
Kanban	-	-	-

Lashing strap with snap hook









Description	Ratchet strap with snap hook 50/5 25/2	Ratchet strap with snap hook 35/5	Ratchet strap with snap hook 50/5	Ratchet strap with snap hook	Cam-buckle strap with snap hook 25/2
Load value daN	650 daN	650 daN	650 daN		150 daN
Fixed end	250	500	500		250
Dimensions W x D x H [mm]	2500 x 0 x 25	3500 x 0 x 25	5000 x 0 x 25	5000 x 0 x 50	2500 x 0 x 25
Weight [kg]	9.08	9.78	10.92	17.25	4.37
Pack of	15	15	15	15	15
QR code					
Order ref.	**62626078.19**	**62626079.19**	**62626080.19**	**62626092.19**	**62626084.19**
Kanban	-	-	-	-	-




Description	Cam-buckle strap with snap hook 35/5	Cam-buckle strap with snap hook 50/5
Load value daN	150 daN	150 daN
Fixed end	500	500
Dimensions W x D x H [mm]	3500 x 0 x 25	5000 x 0 x 25
Weight [kg]	4.71	5.19
Pack of	15	15
QR code		
Order ref.	**62626085.19**	**62626086.19**
Kanban	-	-

C-Lash strap



Description	T-slot C-Lash strap	T-slot C-Lash strap	Surface mounted C-Lash strap	Surface mounted C-Lash strap
Length of belt	1000 mm	2500 mm	1000 mm	2500 mm
Load value daN	50 daN	50 daN	50 daN	50 daN
Dimensions W x D x H [mm]	1000 x 15 x 88	2500 x 15 x 88	1000 x 15 x 100	2500 x 15 x 100
Weight [kg]	1.80	2.25	1.95	2.40
Pack of	15	15	15	15
QR code				
Order ref.	**72610032.19V**	**72610033.19V**	**72610036.19V**	**72610037.19V**
Kanban	-	-	-	-




Description	C-Lash strap intermediate	C-Lash strap intermediate
Length of belt	1000 mm	2500 mm
Load value daN	50 daN	50 daN
Dimensions W x D x H [mm]	1000 x 15 x 100	2500 x 15 x 100
Weight [kg]	1.95	2.40
Pack of	15	15
QR code		
Order ref.	**72610049.17V**	**72610050.17V**
Kanban	-	-

Lashing accessories






Description	Threaded fitting 3.1	Threaded fitting 1.1	Threaded fitting with star grip 2.1	Fitting-1.1 for lashing rails and panels
Load value daN	1000 daN	1000 daN	1000 daN	500 daN
Clamping range [mm]	0-6	0-21	0-29	
Dimensions W x D x H [mm]	43 x 22 x 25	43 x 22 x 40	45 x 25 x 50	43 x 26 x 65
Weight [kg]	0.60	0.60	0.90	0.71
Pack of	15	15	15	15
QR code				
Order ref.	**63003093.51V**	**63003029.51V**	**63003030.51V**	**63003032.51V**
Kanban	-	-	-	-








Description	Lashing eye 1.1 200 daN	Recessed lashing eye 1.1 350 daN zinc plated	Recessed lashing eye 2.1 500 daN zinc plated	Single lashing eye -oo-
Load value daN	200 daN	350 daN	800 daN	
Dimensions W x D x H [mm]	100 x 100 x 11	104 x 70 x 12	145 x 100 x 17	29 x 16 x 112
Weight [kg]	1.35	4.20	8.55	0.68
Pack of	15	15	15	15
QR code				
Order ref.	**63003038.51V**	**63003035.51V**	**63003036.51V**	**72610029.19V**
Kanban	-	-	-	-




Description	Over-centre fastener with short rubber strap	Over-centre fastener with long rubber strap
Dimensions W x D x H [mm]	150 x 40 x 40	150 x 40 x 40
Weight [kg]	2.70	3.00
Pack of	20	20
QR code		
Order ref.	**63003043.51V**	**63003044.51V**
Kanban	-	-

11

Lashing rails and end caps



Description	Lashing rail with ant-rub strip	Lashing rail with ant-rub strip	Lashing rail end cap with protective strip	Lashing rail end cap with protective strip
Rail length [mm]	3000	6000		
Load value daN	500 daN	500 daN		
Dimensions W x D x H [mm]	3000 x 19 x 46	6000 x 19 x 46	20 x 18 x 46	14 x 12 x 46
Weight [kg]	41.20	42.00	0.47	0.40
Pack of	16	8	100	100
QR code				
Order ref.	**67901036.98V**	**67901030.98V**	**85001136.19V**	**85001139.19V**
Kanban	-	-	K	K





Description	Recessed lashing rail 3000	Recessed lashing rail 9000	End cap for end-frame floor rail (for width lashing rail 33 mm)
Rail length [mm]	3000	6000	
Load value daN	500 daN	500 daN	
Dimensions W x D x H [mm]	3000 x 65 x 14	6000 x 65 x 14	19 x 65 x 15
Weight [kg]	37.00	37.60	0.40
Pack of	16	8	100
QR code			
Order ref.	**67901024.98V**	**67901031.98V**	**85001174.19V**
Kanban	-	-	K





Description	Lashing rail (raised) 25 mm	Lashing rail (raised) 25 mm	End cap for lashing rail vertical
Rail length [mm]	3000	6000	
Load value daN	500 daN	500 daN	
Dimensions W x D x H [mm]	25 x 14 x 3000	25 x 14 x 6000	25 x 14 x 15
Weight [kg]	17.30	17.60	0.20
Pack of	16	8	50
QR code			
Order ref.	**63003099.97V**	**63003126.97V**	**63003104.19V**
Kanban	-	-	K




Description	Semi-circular lashing rail (raised)	End cap for semi-circular lashing rail (raised)
Rail length [mm]	3000	
Load value daN	500 daN	
Dimensions W x D x H [mm]	3000 x 50 x 12	34 x 50 x 12
Weight [kg]	26.84	0.35
Pack of	16	100
QR code		
Order ref.	**67901037.98V**	**85001141.19V**
Kanban	-	K




Description	Recessed lashing rail	Lashing rail end cap retro fit
Rail length [mm]	3000	
Load value daN	500 daN	
Dimensions W x D x H [mm]	3000 x 46 x 12	50 x 46 x 12
Weight [kg]	35.04	0.50
Pack of	16	100
QR code		
Order ref.	**67901068.98**	**85001156**
Kanban	-	-





Description	Lashing rail with LED 12V	Upper end caps for lashing rail with LED	Lower end cap for lashing rail with LED
Dimensions W x D x H [mm]	964 x 19 x 46	42 x 14 x 46	22 x 16 x 46
Weight [kg]	24.00	0.20	0.13
Pack of	25	25	25
QR code			
Order ref.	**67901065.98V**	**73510293.19V**	**73510292.19V**
Kanban	-	-	-




Description	Wall lashing rail with protective strip	Cover cap for wall lashing rail with protective strip
Rail length [mm]	3000	
Load value daN	500 daN	
Dimensions W x D x H [mm]	3000 x 30 x 75	18 x 33 x 75
Weight [kg]	40.04	0.50
Pack of	8	50
QR code		
Order ref.	**07903375.17V**	**73510349.19V**
Kanban	-	-






Description	Cover cap for protective strip	Cover cap Top-Lash back	SLF-F end cap	Cover cap SLF-F for underfloor housing
Dimensions W x D x H [mm]	29 x 10 x 7	17 x 13 x 7	30 x 59 x 14	30 x 10 x 17
Weight [kg]	0.05	0.04	0.18	0.05
Pack of	50	20	25	50
QR code				
Order ref.	**73510269.19V**	**73510268.19V**	**73510270.19V**	**73510219.19V**
Kanban	K	K	K	K

vario protect



Description	vario protect light
Dimensions W x D x H [mm]	2600 x 2000 x 4
Weight [kg]	39.00
Pack of	5
QR code	
Order ref.	**63510040.95V**
Kanban	-

Accessories vario protect

			
Description	Expanding rivet fixing kit - suitable for all Ford brands Ø 9,2-9,6mm	Expanding rivet plastic - suitable for all Ford brands Hole Ø 9,2-9,6mm	Expanding rivet plastic Ø 8,0-8,5mm
Weight [kg]	0.11	2.85	2.70
Pack of	65	2000	2000
QR code			
Order ref.	**90099878.16**	**90099879.16**	**90099419.16**
Kanban	K	K	K

			
Description	Fixing plate side lining for bott vario protect light	Hinged clip with self drilling screw 4,2x13	Plastic bush with self drilling screw 4,2x13
Dimensions W x D x H [mm]	145 x 7 x 51	-	-
Weight [kg]	3.75	6.20	6.20
Pack of	250	2000	2000
QR code			
Order ref.	**63510147.16**	**90099417.16**	**90099418.16**
Kanban	K	K	K

bott vario floor 12 mm



Description	Floor 12 mm
Dimensions W x D x H [mm]	1830 x 1525 x 12
Weight [kg]	745.85
Pack of	35
QR code	
Order ref.	**11308098**
Kanban	-

Hold-down cup







Description	Round hold-down cup Ø 107/94 H 18,5	Round recessed lashing eye cover Ø 99,5/75,5 H 14	Round hold-down cup frame Ø 107/94 H 16
Weight [kg]	1.63	2.73	2.73
Pack of	100	100	100
QR code			
Order ref.	**63502070.19V**	**63502072.19V**	**63502071.19V**
Kanban	K	K	K







Description	Oval hold-down cup	Oval recessed lashing eye cover	Oval hold-down cup frame
Dimensions W x D x H [mm]	81 x 131 x 32	74 x 124 x 14	81 x 131 x 16
Weight [kg]	4.00	2.60	1.40
Pack of	100	100	100
QR code			
Order ref.	**63502065.19V**	**63502067.19V**	**63502066.19V**
Kanban	K	K	K

Floor accessories - Wood





Description	Flooring shim 700 mm	Flooring shim 1200 mm
Weight [kg]	6.20	8.90
Pack of	100	100
QR code		
Order ref.	**63502073**	**63502074**
Kanban	-	-








Description	Flooring panel connector PA6	Spacer plate machined slot-nut	Floor fixing hole plug Ø 7,5 for M8 T-nut	Floor fixing hole plug Ø 10,5 for hole
Weight [kg]	1.26	0.25	0.15	0.25
Pack of	600	50	500	500
QR code				
Order ref.	**63510136.19**	**73510335.51V**	**73510289.19V**	**73510290.19V**
Kanban	K	-	K	K

Venting elements









Description	Vent side wall/roof with bott logo	Vent side wall/roof with bott logo	Round floor vent with bott logo	Rectangular floor vent
Dimensions W x D x H [mm]	94 x 140 x 40	205 x 355 x 50	110 x 0 x 100	164 x 164 x 80
Weight [kg]	5.00	15.00	3.75	27.50
Pack of	25	25	25	25
QR code				
Order ref.	**63502060.10V**	**63510073.10V**	**63502061.19V**	**63510074.51V**
Kanban	-	-	-	-

SLF protection profile



Description	Protective strip SLF 20 m roll
Dimensions W x D x H [mm]	22 x 9 x 20000
Weight [kg]	1.20
Pack of	1
QR code	
Order ref.	**82401027.19V**
Kanban	-

Edge protection strip



Description	Edge protection strip with steel clamp strap 50 m roll
Dimensions W x D x H [mm]	7 x 10 x 50000
Weight [kg]	2.50
Pack of	1
QR code	
Order ref.	**62410061**
Kanban	-

Drop-fronts





Description	Drop-front S	Drop-front M	Drop-front L
Dimensions W x D x H [mm]	3000 x 35 x 75	3000 x 35 x 125	3000 x 35 x 175
Weight [kg]	2.86	3.51	4.34
Pack of	5	5	5
QR code			
Order ref.	**73510228.97V**	**73510229.97V**	**73510230.97V**
Kanban	-	-	-

Description	Drop-front end cap S	Drop-front end cap M	Drop-front end cap L
Dimensions W x D x H [mm]	2 x 20 x 75	2 x 20 x 125	2 x 20 x 175
Weight [kg]	0.32	0.38	0.42
Pack of	10	10	10
QR code			
Order ref.	**73510315.19V**	**73510316.19V**	**73510317.19V**
Kanban	-	-	-

Drop-front holder





Description	Drop-front holder S	Drop-front holder M	Drop-front holder L
Dimensions W x D x H [mm]	15 x 35 x 75	15 x 35 x 125	15 x 35 x 175
Weight [kg]	0.16	0.21	0.30
Pack of	10	10	10
QR code			
Order ref.	**73510306.19V**	**73510307.19V**	**73510308.19V**
Kanban	-	-	-

Drop-front holder





Description	Drop-front bracket set S with end caps and collared screws	Drop-front bracket set M with end caps and collared screws	Drop-front bracket set L with end caps and collared screws
Dimensions W x D x H [mm]	15 x 35 x 75	15 x 35 x 125	15 x 35 x 175
Weight [kg]	0.98	1.05	1.16
Pack of	10	10	10
QR code			
Order ref.	**73510231.19V**	**73510232.19V**	**73510233.19V**
Kanban	-	-	-



SLF top/bottom (stepped)





Description	SLF top/bottom - stepped /2/3	SLF top/bottom - stepped /3/4
Dimensions W x D x H [mm]	30 x 376 x 102	30 x 488 x 102
Weight [kg]	11.75	15.00
Pack of	50	50
QR code		
Order ref.	**73510347.19V**	**73510348.19V**
Kanban	-	-

Various plastic parts

Description	Guide rail set	Guide rail set
Dimensions W x D x H [mm]	23 x 376 x 47	23 x 488 x 47
Weight [kg]	6.00	7.75
Pack of	25	25
QR code		
Order ref.	**72522049.19V**	**72522050.19V**
Kanban	-	-






Description	Tray cover cap standard	Tray cover cap Lash	Divider holder kit for shelves	Divider holder kit compatible with different shelf types
Dimensions W x D x H [mm]	18 x 15 x 60	18 x 25 x 60	30 x 25 x 95	30 x 25 x 70
Weight [kg]	0.12	0.14	0.60	0.70
Pack of	10	10	25	25
QR code				
Order ref.	**73510323.19V**	**73510324.19V**	**73510299.19V**	**73510300.19V**
Kanban	-	-	-	-






Description	Divider holder kit for for 100 mm drawer height	Divider holder kit for 150 mm drawer height	Divider holder kit for 100 mm drawer height	Divider holder kit for 150 mm drawer height
Dimensions W x D x H [mm]	14 x 12 x 56	14 x 12 x 106	30 x 24 x 73	30 x 24 x 123
Weight [kg]	0.40	0.70	0.55	0.95
Pack of	100	100	50	50
QR code				
Order ref.	**73510303.19V**	**73510304.19V**	**73510301.19V**	**73510302.19V**
Kanban	-	-	-	-





Description	End cap set for 100 mm drawer front	End cap set for 150 mm drawer front	End cap set for 200 mm drawer front
Dimensions W x D x H [mm]	26 x 44 x 95	26 x 44 x 145	26 x 44 x 195
Weight [kg]	0.60	0.80	1.00
Pack of	10	10	10
QR code			
Order ref.	**73510309.19V**	**73510310.19V**	**73510311.19V**
Kanban	-	-	-




D escription	End cap set for 25 mm drawer front extension	End cap set for 150 mm drawer front extension	End cap set for C-Lash drawer front extension
Dimensions W x D x H [mm]	26 x 36 x 25	26 x 36 x 150	26 x 36 x 25
Weight [kg]	0.20	0.80	0.14
Pack of	10	10	10
QR code			
Order ref.	**73510312.19V**	**73510313.19V**	**73510314.19V**
Kanban	-	-	-





Description	Mounting plates L-profile	Mounting plates LX-profile	End caps L-/LX-profile	Mounting brackets	Mounting brackets base shelf
Dimensions W x D x H [mm]	18 x 59 x 50	18 x 51 x 100	11 x 44 x 11	18 x 48 x 100	18 x 58 x 100
Weight [kg]	0.70	1.34	0.05	0.60	0.56
Pack of	10	10	25	10	10
QR code					
Order ref.	**73510318.19V**	**73510319.19V**	**73510320.19V**	**73510321.19V**	**73510322.19V**
Kanban	-	-	-	-	-







Description	SLF/2 grip	SLF/3 grip	SLF/4 grip	SLF/3 C	SLF/4 C
Dimensions W x D x H [mm]	35 x 264 x 50	35 x 376 x 50	35 x 488 x 50	50 x 376 x 47	50 x 488 x 47
Weight [kg]	9.00	11.25	17.00	12.30	15.30
Pack of	50	50	50	50	50
QR code					
Order ref.	**73510325.19V**	**73510326.19V**	**73510327.19V**	**73510328.19V**	**73510329.19V**
Kanban	-	-	-	-	-





Description	SLF/2	SLF/3	SLF/4
Dimensions W x D x H [mm]	30 x 264 x 47	30 x 376 x 47	30 x 488 x 47
Weight [kg]	8.50	11.40	14.50
Pack of	50	50	50
QR code			
Order ref.	**73510330.19V**	**73510331.19V**	**73510332.19V**
Kanban	-	-	-




Description	Sliding lid brackets for long item top tray	Shutter cap for long item storage pipe 110 mm
Dimensions W x D x H [mm]	56 x 40 x 117	0 x 0 x 0
Weight [kg]	0.60	0.55
Pack of	10	5
QR code		
Order ref.	**73510305.19V**	**73510298.19V**
Kanban	-	-

Anti-slip mat roll material for shelves






Description	Anti-slip mat /2 15 m roll	Anti-slip mat /3 15 m roll	Anti-slip mat /4 15 m roll	Anti-slip mat /5 15 m roll
Dimensions W x D x H [mm]	15000 x 264 x 3	15000 x 376 x 3	15000 x 488 x 3	15000 x 600 x 3
Weight [kg]	2.19	3.24	4.28	5.34
Pack of	1	1	1	1
QR code				
Order ref.	**71301001.19V**	**71301002.19V**	**71301003.19V**	**71301004.19V**
Kanban	-	-	-	-

Description	Anti-slip mat /3 for drop-front shelf self-adhesive 15 m roll	Anti-slip mat /4 for drop-front shelf self-adhesive 15 m roll	Anti-slip mat /5 for drop-front shelf self-adhesive 15 m roll	Anti-slip mat /6 for drop-front shelf self-adhesive 15 m roll
Dimensions W x D x H [mm]	15000 x 195 x 3	15000 x 305 x 3	15000 x 415 x 3	15000 x 525 x 3
Weight [kg]	1.83	2.86	3.89	4.93
Pack of	1	1	1	1
QR code				
Order ref.	**71301005.19V**	**71301006.19V**	**71301007.19V**	**71301008.19V**
Kanban	-	-	-	-

Load securing mat roll material




Description	Load securing mat without holder /8 10 m roll	Load securing mat without holder /12 10 m roll
Dimensions W x D x H [mm]	10000 x 820 x 5	10000 x 1220 x 5
Weight [kg]	11.30	16.80
Pack of	1	1
QR code		
Order ref.	**61302005.19V**	**71302001.19V**
Kanban	-	-

Load restraint pad



Description	Load securing pad
Dimensions W x D x H [mm]	152 x 152 x 5
Weight [kg]	4.00
Pack of	120
QR code	
Order ref.	**61302008.19V**
Kanban	-

Edge protection pad

Description	Edge protection pad
Dimensions W x D x H [mm]	152 x 152 x 5
Weight [kg]	4.00
Pack of	100
QR code	
Order ref.	**61302011.19V**
Kanban	-

bottBox M2X-M4X/L2X-L4X with window



Description	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	102.00	84.60	72.00
Pack of	300	180	120
QR code			
Order ref.	**13022157.19**	**13022148.19**	**13022149.19**
Kanban	-	-	-



Description	L2X	L3X	L4X
Dimensions W x D x H [mm]	264 x 227 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	81.00	63.90	52.80
Pack of	150	90	60
QR code			
Order ref.	**13022200.19**	**13022150.19**	**13022151.19**
Kanban	-	-	-



Description	M2X	M3X	M4X	L3X	L4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	8.16	5.64	7.20	4.26	5.28
Pack of	24	12	12	6	6
QR code					
Order ref.	**13022173.19**	**13022174.19**	**13022176.19**	**13022175.19**	**13022177.19**
Kanban	-	-	-	-	-

11

bottBox M2X-M4X/L2X-L4X with labelling clip





Description	M2X	M3X	M4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165
Weight [kg]	96.00	81.00	68.40
Pack of	300	180	120
QR code			
Order ref.	**13022178.19**	**13022179.19**	**13022181.19**
Kanban	-	-	-






Description	L2X	L3X	L4X
Dimensions W x D x H [mm]	264 x 227 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	71.00	59.40	49.80
Pack of	150	90	60
QR code			
Order ref.	**13022197.19**	**13022180.19**	**13022182.19**
Kanban	-	-	-

bottBox M2X-M4X/L2X-L4X with labelling clip



Description	M2X	M3X	M4X	L3X	L4X
Dimensions W x D x H [mm]	130 x 227 x 165	130 x 339 x 165	130 x 451 x 165	264 x 339 x 165	264 x 451 x 165
Weight [kg]	7.68	5.40	6.84	3.96	4.98
Pack of	24	12	12	6	6
QR code					
Order ref.	**13022163.19**	**13022164.19**	**13022166.19**	**13022165.19**	**13022167.19**
Kanban	-	-	-	-	-

bottBox accessories



Description	bottBox viewing window M1/M2	bottBox viewing window M2X/M3/ M3X/M4/M4X	bottBox viewing window L3/L3X/L4/ L4X/L5
Dimensions W x D x H [mm]	118 x 12 x 27	118 x 12 x 88	252 x 12 x 88
Weight [kg]	6.60	6.91	4.82
Pack of	660	216	72
QR code			
Order ref.	**13022119**	**13022120**	**13022121**
Kanban	-	-	-



Description	bottBox divider M2	bottBox divider M2X/M3/M3X/M4/ M4X	bottBox divider L3/L3X/L4/L4X/L5
Dimensions W x D x H [mm]	118 x 6 x 68	118 x 6 x 143	252 x 6 x 143
Weight [kg]	6.90	14.10	19.98
Pack of	300	300	180
QR code			
Order ref.	**13022106**	**13022107**	**13022108**
Kanban	-	-	-






Description	bottBox label clip M yellow	bottBox label clip M blue	bottBox label clip M red
Dimensions W x D x H [mm]	103 x 11 x 20	103 x 11 x 20	103 x 11 x 20
Weight [kg]	0.14	0.14	0.14
Pack of	36	36	36
QR code			
Order ref.	**13022024.12**	**13022024.11**	**13022024.04**
Kanban	-	-	-





Description	bottBox label clip L yellow	bottBox label clip L blue	bottBox label clip L red
Dimensions W x D x H [mm]	237 x 11 x 20	237 x 11 x 20	237 x 11 x 20
Weight [kg]	0.36	0.36	0.36
Pack of	36	36	36
QR code			
Order ref.	**13022026.12**	**13022026.11**	**13022026.04**
Kanban	-	-	-

bottBox accessories



- For colour coding the bottBoxes
- With groove for insertion of a paper strip (H = 16 mm)
- For clipping onto the bottBox body





For use with bottBox	M1, M2, M2X, M3, M3X, M4, M4X	L3, L3X, L4, L4X, L5
Colour RAL	1023/5010/3001	1023/5010/3001
Dimensions W x D x H [mm]	103 x 11 x 20	237 x 11 x 20
Weight [kg]	0.14	0.36
Pack of	36	36
Order ref.	**13022025**	**13022027**

bottBox accessories



- Document templates for sheets of labels are available free of charge at www.bott.de/service/downloads

Description	Paper strip	bottBox sliding mechanism	Sticker "Don't open/Nicht öffnen"
Dimensions W x D x H [mm]	0 x 0 x 16	47 x 0 x 11	100 x 0 x 40
Weight [kg]	0.06	0.14	0.35
Pack of	36	5	1000
QR code			
Order ref.	**61020003**	**13022019**	**73510333**
Kanban	-	-	-

Small parts storage box



Description	bott small parts storage box	bott small parts storage box	bott small parts storage box	bott small parts storage box	bott small parts storage box
Dimensions W x D x H [mm]	50 x 50 x 68	75 x 50 x 68	75 x 75 x 68	75 x 150 x 68	100 x 150 x 68
Weight [kg]	0.22	0.28	0.37	0.60	0.72
Pack of	10	10	10	10	10
QR code					
Order ref.	**73510009.16**	**73510010.16**	**73510011.16**	**73510012.16**	**73510013.16**
Kanban	-	-	-	-	-



Description	bott small parts storage box	bott small parts storage box
Dimensions W x D x H [mm]	150 x 150 x 68	300 x 150 x 68
Weight [kg]	0.93	1.58
Pack of	10	10
QR code		
Order ref.	**73510014.16**	**73510015.16**
Kanban	-	-



Description	Small parts storage boxes	Small parts storage boxes	Small parts storage boxes	Small parts storage boxes	Small parts storage boxes
Dimensions W x D x H [mm]	50 x 50 x 68	50 x 75 x 68	50 x 100 x 68	75 x 75 x 68	75 x 150 x 68
Weight [kg]	5.08	6.16	5.47	8.40	6.12
Pack of	231	220	152	210	102
QR code					
Order ref.	**73510274.16**	**73510275.16**	**73510276.16**	**73510277.16**	**73510278.16**
Kanban	-	-	-	-	-





Description	Small parts storage boxes	Small parts storage boxes	Small parts storage boxes
Dimensions W x D x H [mm]	100 x 100 x 68	100 x 150 x 68	100 x 350 x 68
Weight [kg]	4.50	11.93	10.24
Pack of	90	168	64
QR code			
Order ref.	**73510279.16**	**73510280.16**	**73510281.16**
Kanban	-	-	-

Labelling clip for small parts storage box H 68 mm



Description	Label clip
Dimensions W x D x H [mm]	39 x 1 x 13
Weight [kg]	0.20
Pack of	40
QR code	
Order ref.	**72522039.90V**
Kanban	-

Fixings







Description	Self drilling screw 4,2x13 AW20	Self-drilling screw T15 3,5 x 13	Self drilling screw 4,2x19 for vario protect-cargo	Self-drilling screw 4,2 x 32 AW20, DIN 7504	Self-drilling screw 4,8 x 38, DIN 7504
Weight [kg]	3.40	0.25	4.30	2.30	4.00
Pack of	2000	500	2000	1000	1000
QR code					
Order ref.	**63510015.51V**	**73510026.51V**	**90099425**	**90039007.51V**	**73510025.51V**
Kanban	K	K	K	K	K







Description	Countersunk screw M6 x 25 MK Precote 30 yellow, DIN 7991	Countersunk screw M6 x 20 - MK Precote 30 gelb, DIN 7991	Countersunk screw M8 x 70, ISO 10642	Countersunk screw M3 x 20 ISO 14581 TX10	Countersunk screw M4 x 20 ISO 10642 TX20
Weight [kg]	2.50	2.50	4.60	0.01	0.01
Pack of	500	500	200	500	500
QR code					
Order ref.	**63510018.51V**	**73510271.51V**	**73510042.51V**	**73510367.51V**	**73510368.51V**
Kanban	K	-	K	K	K






Description	Hexagon bolt with self-locking thread M8 x 16 MK, DIN 933	Bolt and toothed locking washer for T-nut M8 x 18	Hexagon socket screw M8 x 40 SW13 - MK
Weight [kg]	2.40	3.80	25.00
Pack of	200	250	1000
QR code			
Order ref.	**63510146.51**	**90099308**	**73510046.51V**
Kanban	K	K	K





Description	Hexagon bolt M8 x 25 DIN 933	Hexagon bolt M8 x 50, DIN 933	Hexagonal socket screw M8 x 70 SW13
Weight [kg]	6.30	8.20	5.40
Pack of	400	400	200
QR code			
Order ref.	**90099304**	**90099305**	**73510047.51V**
Kanban	K	-	K




Description	Flat-head screw M8 x 40, DIN 603	Coach bolt M8 x 20	Pan head screw with washer M4 x 5 MK Precote 30 yellow , ISO 7380-2	Pan head screw M8 x 16 T40	Pan head screw M8 x 20 T40 -MK
Weight [kg]	4.00	3.20	0.10	6.40	6.60
Pack of	200	200	200	500	500
QR code					
Order ref.	**73510041.51V**	**73510272.51V**	**73510053.51V**	**63510013.51V**	**63510014.51V**
Kanban	K	-	K	-	-







Description	Pan head screw T30 M8 x 16 - MK	Pan head screw ULS M6 x 16 - MK	Pan head screw with washer M6 x 10, GEFU EJOT-SHEETtracs Con-Lock gearing	Pan head screw with washer M6 x 18, GEFU EJOT-SHEETtracs Con-Lock gearing	Pan head screw with washer M6 x 16, GEFU EJOT-SHEETtracs
Weight [kg]	12.00	2.00	5.00	6.00	6.00
Pack of	1000	500	1000	1000	1000
QR code					
Order ref.	**73510051.51V**	**73510052.51V**	**73510036.51V**	**73510037.51V**	**73510038.10V**
Kanban	K	K	K	K	K





Description	Wood screw Ø 6 x 20, DIN 571 SW10	Wood screw Ø 6 x 45, DIN 571 SW10	Wood screw 8 x 25 hexagon, DIN 751
Weight [kg]	1.00	4.00	5.30
Pack of	200	500	500
QR code			
Order ref.	**73510022.51V**	**73510023.51V**	**63510016.51V**
Kanban	K	K	-





Description	Spax 4,5 x 40 T25	Screw for flooring connector Torx 3 x 12	Protective cap for self-drilling screw 5,5 x 9,7
Weight [kg]	1.40	4.00	0.05
Pack of	500	1000	200
QR code			
Order ref.	**63510017.51V**	**63510137.51**	**73510048.10V**
Kanban	K	K	K






Description	Plus strap screw M6 x x15, GEFU EJOT-SHEETtracs	Pan head screw M6 x 10, GEFU EJOT-SHEETt-racs ConLock gearing	Plastic screw PT30 pan head screw + flangeT30, 5 x 16	Number plate securing screws 4,8 x 19, DIN 968	Edge protection screw M4 x 12
Weight [kg]	7.00	1.50	0.60	0.25	0.40
Pack of	1000	500	200	100	500
QR code					
Order ref.	**73510039.10V**	**73510040.51V**	**73510049.51V**	**73510287**	**90031024.51V**
Kanban	K	K	K	K	-







Description	Covering cap for bolt hexagon M4 / SW 7	Covering cap for bolt hexagon M5 / SW 8	Covering cap for bolt M6 hexagon M6 / SW 10	Covering cap for bolt hexagon M8 / SW 13	Covering cap for bolt hexagon M10 / SW 17
Weight [kg]	0.02	0.02	0.03	0.06	0.09
Pack of	50	50	50	50	50
QR code					
Order ref.	**63510109**	**63510110**	**63510111**	**63510112**	**63510113**
Kanban	K	K	K	K	K

Fixings







Description	Blind rivet 4 x 7 / 1,3-3,8 mm	Blind rivet 4 x 8,5 / 4,5 mm	Multigripp blind rivets - mushroom screw 3,2 x 8,5 MG21 03208-510	Blind rivet (fluted) 4,1 x 8,5	V-grip blind rivet 4,8x10,8
Weight [kg]	1.60	1.55	2.00	0.00	4.50
Pack of	1000	1000	2000	1000	1000
QR code					
Order ref.	**63510023.51V**	**63510024.51V**	**73510050.51V**	**73510066**	**90099300**
Kanban	-	-	K	K	K




Description	Rivet nut PLUSNUT M6	Wall fixing system T-nut PLUSNUT and toothed locking washer
Weight [kg]	3.50	7.20
Pack of	500	250
QR code		
Order ref.	**63510033.51V**	**90099420**
Kanban	K	K


Fixings





Description	Washer W8,4 DIN 9021	Washer W6,4 DIN 9021	Washer W10,5 DIN 9021
Weight [kg]	2.50	1.20	5.50
Pack of	500	500	500
QR code			
Order ref.	**90099307**	**63510022.51V**	**63510138.51**
Kanban	K	K	K



Description	Rectangular washer M8	Rectangular washer-short M8	Washer for gas bottle holder	Shim plastic	Shim zinc plated steel
Dimensions W x D x H [mm]	55 x 20 x 10	38 x 20 x 4	42 x 1 x 44	30 x 40 x 7	25 x 60 x 12
Weight [kg]	6.20	10.00	0.75	6.50	3.80
Pack of	250	250	50	1000	100
QR code					
Order ref.	**63510020.51V**	**63510037.51V**	**73510002.51V**	**73510033.19V**	**73510043.51V**
Kanban	K	K	K	K	K





Description	Rectangular washer	Small rectangular fixing plate	Large rectangular fixing plate
Dimensions W x D x H [mm]	55 x 20 x 4	36 x 60 x 8	67 x 60 x 8
Weight [kg]	16.00	13.50	14.50
Pack of	500	250	150
QR code			
Order ref.	**90099290**	**90099296**	**90099297**
Kanban	K	K	K


Fixings







Description	Flanged serrated locking nut M8	Flanged serrated locking nut M6	M6 flanged serrated locking nut	Nyloc nut M8 hexagon with washer	Hexagon nut DIN 985-M8
Weight [kg]	3.70	2.60	1.20	6.10	2.30
Pack of	500	500	200	250	500
QR code					
Order ref.	**90099303**	**90099302**	**63510079.51V**	**63510021.51V**	**90099306**
Kanban	K	K	-	K	K





Description	T-nut M6	Clip nut M6 for underfloor modules	Nyloc nut M6 hexagon DIN 985 6-A2E	T-nut M8
Weight [kg]	0.30	0.80	1.05	3.50
Pack of	100	200	500	250
QR code				
Order ref.	**63510143.51**	**73510024.51V**	**63510019.51V**	**90099301**
Kanban	K	K	-	K






Description	Machined slot-nut 3xM8 for airline profile	Slot nut for airline profile 2x M6	Slot nut depth extension M8	Slot nut forged M8
Dimensions W x D x H [mm]	69 x 7 x 19	50 x 17 x 6	22 x 40 x 6	12 x 38 x 7
Weight [kg]	2.05	1.50	3.80	14.00
Pack of	50	50	100	1000
QR code				
Order ref.	**73510285**	**63510091.51**	**73510027.51V**	**73510028.51V**
Kanban	K	K	K	K




Description	Fixing bracket SLF cover for drop-front shelf, shelf, bottBox shelf	Fixing bracket SLF cover for bearer	Fixing bracket SLF cover for floor bracket	Adapter A for rotated drawer	Adapter B for drawer
Dimensions W x D x H [mm]	25 x 47 x 21	25 x 50 x 51	25 x 50 x 17	23 x 18 x 65	14 x 18 x 65
Weight [kg]	0.50	0.25	0.75	0.75	0.50
Pack of	25	25	25	25	25
QR code					
Order ref.	**73502020.51V**	**73502022.51V**	**73502021.51V**	**73502025.51V**	**73502026.51V**
Kanban	K	K	K	K	K







Description	End-frame top cap (under shelf)	End-frame top cap (under L-Profile set)	Covering cap depth extension	Spacer for SLF end-frame top/bottom	Support pin Ø 11
Dimensions W x D x H [mm]	29 x 22 x 15	29 x 22 x 9	30 x 112 x 14	30 x 30 x 29	11 x 11 x 11
Weight [kg]	0.50	0.20	2.20	3.80	0.10
Pack of	200	200	200	200	100
QR code					
Order ref.	**73510029.19V**	**73510030.19V**	**73510031.19V**	**73510032.19V**	**73510034.19V**
Kanban	K	K	K	K	K




Description	Joining strip for headliner finish	VW roof liner clip
Dimensions W x D x H [mm]	52 x 9 x 2000	14 x 17 x 14
Weight [kg]	1.50	0.03
Pack of	5	25
QR code		
Order ref.	**73502077.16V**	**73510286**
Kanban	-	K







Description	Guide disk for Eurobox	Expanding rivet Ø 5 mm	Velcro-strips-kit	Self-adhesive pad for T-nut	Plastic spacer pipe Ø-20/10
Dimensions W x D x H [mm]	46 x 46 x 14	5 x 5 x 5	100 x 50 x 2	0 x 0 x 0	1000 x 20 x 20
Weight [kg]	0.50	0.10	0.02	0.60	1.20
Pack of	100	500	5	250	3
QR code					
Order ref.	**73510035.19V**	**73510045.10V**	**63003118**	**90099311**	**63510025.90V**
Kanban	K	K	K	K	K





Description	Assembly adhesive Sabatack 780 290 ml cartridge	Surface cleaner SABA Primer 9910 250 ml can	Surface cleaner SABA Primer 9910 1000 ml can
Dimensions W x D x H [mm]	50 x 230 x 230	75 x 75 x 95	101 x 101 x 170
Weight [kg]	9.12	3.50	13.92
Pack of	24	12	12
QR code			
Order ref.	**73510337**	**73510339**	**73510341**
Kanban	K	-	K





Description	Surface Primer - 1 litre spray bottle for bonding surface	Berner Power All-purpose adhesive 290 ml transparent	Aluminium cleaner/polish 750 ml - for large surfaces	Decal application fluid
Dimensions W x D x H [mm]	0 x 0 x 0	0 x 0 x 0	75 x 75 x 235	0 x 0 x 0
Weight [kg]	5.80	0.30	1.15	6.38
Pack of	6	1	1	6
QR code				
Order ref.	**63510028.90V**	**82024018**	**73502071**	**73510345.90V**
Kanban	K	-	-	K

Assembly kit for single lashing eye -OO- or swivel hook



Description	Pre-assembly set for the assembly of packed or partially pre-assembled van racking systems	Fixing kit for single lashing point or swivel hooks
Weight [kg]	0.00	0.10
Pack of	1	1
QR code		
Order ref.	**73510065.51V**	**73502076.51V**
Kanban	-	-



Description	Adapter brackets left & right
Weight [kg]	2.60
Pack of	10
QR code	
Order ref.	**73510284.19V**
Kanban	-

Floor fixings and wall brackets







Description	bott vario wall bracket 1.2	bott vario wall bracket 2.2	bott vario wall bracket 3.2
Dimensions W x D x H [mm]	150 x 35 x 3	250 x 35 x 3	450 x 35 x 3
Weight [kg]	25.20	43.50	18.50
Pack of	250	250	50
QR code			
Order ref.	**63510009.51V**	**63510010.51V**	**63510008.51V**
Kanban	K	K	K






Description	Wall bracket S	Wall bracket M	Wall bracket L	Wall bracket 0
Dimensions W x D x H [mm]	145 x 3 x 60	274 x 3 x 60	446 x 3 x 60	135 x 15 x 100
Weight [kg]	12.00	9.50	15.50	5.15
Pack of	100	50	50	25
QR code				
Order ref.	**73510234.51V**	**73510235.51V**	**73510236.51V**	**73510237.16V**
Kanban	K	K	K	K






Description	SLF-connector Typ A for profile-end frame consecutively	SLF-connector Typ B for profile-end frame on each other	Floor fixing bracket for SLF	Floor fixing bracket for SLF
Dimensions W x D x H [mm]	74 x 1 x 50	92 x 3 x 47	30 x 46 x 60	113 x 80 x 11
Weight [kg]	1.20	4.75	1.30	6.72
Pack of	50	50	20	100
QR code				
Order ref.	**73510058.19V**	**73510060.51V**	**73502029.51V**	**73502034.51V**
Kanban	K	K	K	K



Description	Wall bracket 10
Dimensions W x D x H [mm]	135 x 20 x 100
Weight [kg]	5.00
Pack of	25
QR code	
Order ref.	**73510288.16V**
Kanban	K

Gusset plates and central blanking panel






Description	Gusset plate A	Gusset plate B	Gusset plate C	Gusset plate D
Dimensions W x D x H [mm]	200 x 10 x 172	200 x 10 x 172	190 x 35 x 170	190 x 35 x 170
Weight [kg]	4.80	4.80	6.00	6.00
Pack of	25	25	25	25
QR code				
Order ref.	**73502012.51V**	**73502013.51V**	**73502014.51V**	**73502015.51V**
Kanban	K	K	K	K





Description	Support strut for central blanking panel /2 zinc plated	Support strut for central blanking panel /3 zinc plated	Support strut for central blanking panel /4 zinc plated
Dimensions W x D x H [mm]	12 x 264 x 35	12 x 376 x 35	12 x 488 x 35
Weight [kg]	11.50	17.50	24.00
Pack of	50	50	50
QR code			
Order ref.	**73502039.51V**	**73502040.51V**	**73502041.51V**
Kanban	K	K	K





Description	Support strut for central blanking panel /2 plastic	Support strut for central blanking panel /3 plastic	Support strut for central blanking panel /4 plastic
Dimensions W x D x H [mm]	12 x 264 x 40	12 x 376 x 40	12 x 488 x 40
Weight [kg]	3.00	5.00	6.50
Pack of	50	50	50
QR code			
Order ref.	**73502042.19V**	**73502043.19V**	**73502044.19V**
Kanban	K	K	K



Description	SLF-connector set for L-profile set	Support strut fixing bracket for support strut SLF panel
Dimensions W x D x H [mm]	50 x 41 x 76	45 x 40 x 1
Weight [kg]	4.30	0.72
Pack of	50	25
QR code		
Order ref.	**73510055.51V**	**73502035.51V**
Kanban	K	K

Assembly and drill jigs





Description	Assembly jig bearer	Drilling jig extendable worktop	Assembly jig for SLF cover	Assembly jig for SLF cover extension hydrant key	Mounting gauge tool SLF 2/3 3/4 stainless steel
Dimensions W x D x H [mm]	120 x 155 x 10	180 x 205 x 30	100 x 190 x 20	135 x 40 x 20	0 x 0 x 0
Weight [kg]	0.23	0.81	0.42	0.18	0.23
Pack of	1	1	1	1	1
QR code					
Order ref.	**73504027.98**	**73504028.98**	**73504007.98**	**73504047.98**	**73504050**
Kanban	-	-	-	-	





Description	Assembly jig for SLF end frame D2	Assembly jig for SLF end frame D3	Assembly jig for SLF end frame D4
Dimensions W x D x H [mm]	40 x 198 x 12	40 x 310 x 12	40 x 422 x 12
Weight [kg]	0.11	0.18	0.26
Pack of	1	1	1
QR code			
Order ref.	**73504008.24**	**73504009.24**	**73504010.24**
Kanban	-	-	-



Description	Drilling template - roof vent oblong	Centre punch with case for fixing accessories	End-frame drilling template
Dimensions W x D x H [mm]	250 x 100 x 2	18 x 8 x 52	65 x 35 x 180
Weight [kg]	0.13	0.03	0.25
Pack of	1	1	1
QR code			
Order ref.	**85001030**	**73504005.96**	**63510031.04V**
Kanban	-	-	-

Milling templates for Festo router OF 1010EBQ / Drilling templates

Description	Router template - rectangular floor vent 130 x 130 mm	Router template - square floor vent 250 x 72 mm	Router template floor lashing rails (W 33 mm) for 350 / 475 / 550 / 675 / 775 / 875 / 950 / 1075 / 1175 / 1275 / 1375 mm lengths	Router template floor lashing rails (W 30mm) for 150 / 350 / 475 / 675 / 875 / 950 / 1045 / 1345 mm lengths	Router guide bush adapter Festo OF 1010 EBQ
Dimensions W x D x H [mm]	550 x 550 x 12	665 x 507 x 12	0 x 0 x 0	1220 x 400 x 50	149 x 149 x 12
Weight [kg]	0.45	0.48	7.20	7.90	0.07
Pack of	1	1	1	1	1
QR code					
Order ref.	**63504001**	**63504002**	**73504041**	**63504004**	**63504005**
Kanban	-	-	-	-	-

Electric components






Description	Automotive fuse 3A purple	Automotive fuse 5A orange	Automotive fuse 7,5A brown	Automotive fuse 10A red
Dimensions W x D x H [mm]	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5
Weight [kg]	0.10	0.10	0.10	0.10
Pack of	100	100	100	100
QR code				
Order ref.	**73510207**	**73510208**	**73510209**	**73510075**
Kanban	-	K	-	K






Description	Automotive fuse 15A light blue	Automotive fuse 20A yellow	Automotive fuse mini 25A transparent	Automotive fuse 30A green
Dimensions W x D x H [mm]	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5
Weight [kg]	0.10	0.10	0.10	0.10
Pack of	100	100	100	100
QR code				
Order ref.	**73510076**	**73510077**	**73510210**	**73510211**
Kanban	K	K	K	K





Description	Automotive fuse holder	Automotive fuse holder (water proof)
Dimensions W x D x H [mm]	27 x 17 x 42	27 x 20 x 45
Weight [kg]	0.25	0.33
Pack of	25	25
QR code		
Order ref.	**73510178**	**73510179**
Kanban	-	K











Description	Female spade connector 1-way	Female spade connector 1-way 6,3 mm	Heat-shrink crimp red 0.5-1.5mm²	Heat-shrink crimp blue 1.5-2.5mm²	Heat-shrink crimp yellow 3-6mm²
Dimensions W x D x H [mm]	10 x 24 x 8	12 x 32 x 10	6 x 32 x 6	7 x 32 x 7	8 x 38 x 8
Weight [kg]	0.06	0.10	0.05	0.10	0.20
Pack of	100	100	100	100	100
QR code					
Order ref.	**73510070**	**73510071**	**73510086**	**73510087**	**73510206**
Kanban	K	K	K	K	-






Description	Male spade connector 6,3 mm 0,5-1 mm²	Male spade connector 6,3 mm 1,5-2,5 mm²	Male spade connector 6,3 mm 4-6 mm²	Spade connector, splitter, 1-way, 6,3mm
Dimensions W x D x H [mm]	8 x 28 x 5	8 x 28 x 5	8 x 28 x 5	21 x 54 x 8
Weight [kg]	0.05	0.05	0.07	0.60
Pack of	100	100	100	100
QR code				
Order ref.	**73510172**	**73510079**	**73510173**	**73510081**
Kanban	-	K	-	K






Description	Female spade connector 4,8 mm 0,5-1 mm²	Female spade connector 6,3 mm 0,5-1 mm²	Female spade connector 6,3 mm 1,5-2,5 mm²	Female spade connector 6,3 mm 4-6 mm²
Dimensions W x D x H [mm]	6 x 16 x 5	5 x 20 x 5	5 x 20 x 8	5 x 20 x 8
Weight [kg]	0.03	0.50	0.05	0.07
Pack of	100	100	100	100
QR code				
Order ref.	**73510174**	**73510175**	**73510078**	**73510176**
Kanban	-	-	K	-





Description	Spade connector 1-way	Spade connector 2-way	Spade connector 3-way
Dimensions W x D x H [mm]	10 x 28 x 6	20 x 28 x 6	32 x 28 x 6
Weight [kg]	0.01	0.01	0.01
Pack of	50	50	50
QR code			
Order ref.	**73510197**	**73510198**	**73510199**
Kanban	K	-	K






Description	Female spade connector 2-pole 6.3 mm	Female spade connector 2-pole 6,3 mm	Schuko plug	12V cigarette lighter plug
Dimensions W x D x H [mm]	18 x 23 x 10	20 x 32 x 13	40 x 42 x 58	27 x 52 x 72
Weight [kg]	0.16	0.10	0.27	0.74
Pack of	100	50	10	20
QR code				
Order ref.	**73510069**	**73510068**	**73510187**	**73510186**
Kanban	K	K	-	-





Description	Battery clamp +	Battery clamp -	PVC Insulated spade connector 6.3	Terminal cover M5/M6 for lead acid battery
Dimensions W x D x H [mm]	58 x 50 x 14	53 x 45 x 14	11 x 25 x 5	20 x 30 x 14
Weight [kg]	1.25	0.78	0.04	0.07
Pack of	10	10	100	25
QR code				
Order ref.	**73510181**	**73510182**	**73510080**	**73510183**
Kanban	-	-	K	K







Description	Relay socket T 6.3	12V relay	Micro relay 12V 25A	Wago 2-way terminal block	Wago 5-way terminal block
Dimensions W x D x H [mm]	33 x 38 x 36	22 x 26 x 36	23 x 15 x 38	19 x 18 x 8	30 x 18 x 8
Weight [kg]	0.30	0.65	0.36	0.10	0.09
Pack of	20	20	20	50	25
QR code					
Order ref.	**73510188**	**73510189**	**73510190**	**73510191**	**73510192**
Kanban	K	K	-	-	-







Description	JP-Timer 0,5-1,0mm²	JP-Timer 1,5-2,5mm²	STD-Timer 0,5-1,0mm²	STD-Timer 1,5-2,5mm²	STD-Timer 2,5-4,0mm²
Dimensions W x D x H [mm]	5 x 19 x 4	5 x 19 x 5	5 x 20 x 7	5 x 20 x 7	5 x 20 x 7
Weight [kg]	0.02	0.03	0.05	0.07	0.08
Pack of	50	50	50	50	50
QR code					
Order ref.	**73510156**	**73510157**	**73510158**	**73510159**	**73510160**
Kanban	-	K	-	K	-






Description	MCP 2,8 crimp terminal K1-2,5mm²	MCP 6,3 crimp terminal K1-2,5mm²	Button switch 12V for analogue inputs	LED inspection lamp 5500K / 110 lm / 4 Lux per m
Dimensions W x D x H [mm]	4 x 20 x 5	7 x 20 x 5	18 x 200 x 18	240 x 240 x 240
Weight [kg]	0.02	0.04	0.17	2.50
Pack of	50	50	20	20
QR code				
Order ref.	**73510161**	**73510162**	**73510334**	**73501022**
Kanban	K	-	-	-







Description	Battery cable flexible red 4 mm² 100 m	Battery cable flexible red 6 mm² 100 m	Battery cable flexible red 10 mm² 100 m	Battery cable flexible red 16 mm² 50 m	Battery cable flexible red 25 mm² 50 m
Dimensions W x D x H [mm]	5 x 100000 x 5	6 x 100000 x 6	7 x 100000 x 7	9 x 50000 x 9	11 x 50000 x 11
Weight [kg]	6.50	9.50	13.50	9.50	13.75
Pack of	1	1	1	1	1
QR code					
Order ref.	**50805041**	**50805042**	**50805043**	**50805044**	**50805045**
Kanban	K	K	K	K	K




Description	Battery cable flexible red 35 mm² 50 m	Battery cable flexible red 50 mm² 25 m
Dimensions W x D x H [mm]	12 x 50000 x 12	15 x 25000 x 15
Weight [kg]	18.75	13.25
Pack of	1	1
QR code		
Order ref.	**50805046**	**50805047**
Kanban	-	K







Description	Battery cable flexible black 4 mm² 100 m	Battery cable flexible black 6 mm² 100 m	Battery cable flexible black 10 mm² 100 m	Battery cable flexible black 16 mm² 50 m	Battery cable flexible black 25 mm² 50 m
Dimensions W x D x H [mm]	5 x 100000 x 5	6 x 100000 x 6	7 x 100000 x 7	9 x 50000 x 9	11 x 50000 x 11
Weight [kg]	6.50	9.50	13.50	9.50	13.75
Pack of	1	1	1	1	1
QR code					
Order ref.	**50805048**	**50805049**	**50805050**	**50805051**	**50805052**
Kanban	K	K	K	K	K




Description	Battery cable flexible black 35 mm² 50 m	Battery cable flexible black 50 mm² 25 m
Dimensions W x D x H [mm]	12 x 50000 x 12	15 x 25000 x 15
Weight [kg]	18.75	13.25
Pack of	1	1
QR code		
Order ref.	**50805053**	**50805054**
Kanban	-	K



Description	FLRY automotive cable red 0,75 mm² 100 m	FLRY automotive cable red 1,5 mm² 100 m	FLRY automotive cable red 2,5 mm² 100 m	FLRY automotive cable black 0,7 5mm² 100 m	FLRY automotive cable black 1,5 mm² 100 m
Dimensions W x D x H [mm]	2 x 100000 x 2	2 x 100000 x 2	3 x 100000 x 3	2 x 100000 x 2	2 x 100000 x 2
Weight [kg]	0.72	1.44	2.40	0.72	1.44
Pack of	1	1	1	1	1
QR code					
Order ref.	**73510138**	**73510139**	**73510140**	**73510141**	**73510142**
Kanban	-	K	K	-	K



Description	FLRY automotive cable black 2,5 mm² 100 m	FLRY automotive cable grey 0,75 mm² 100 m	FLRY automotive cable grey 1,5 mm² 100 m	FLRY automotive cable grey 2,5 mm² 100 m	FLRY automotive cable brown 0,75 mm² 100 m
Dimensions W x D x H [mm]	3 x 100000 x 3	2 x 100000 x 2	2 x 100000 x 2	3 x 100000 x 3	2 x 100000 x 2
Weight [kg]	2.40	0.72	1.44	2.40	0.72
Pack of	1	1	1	1	1
QR code					
Order ref.	**73510143**	**73510144**	**73510145**	**73510146**	**73510147**
Kanban	K	-	-	-	-







Description	FLRY automotive cable brown 1,5 mm² 100 m	FLRY automotive cable brown 2,5 mm² 100 m	FLRY automotive cable red/blue 0,75 mm² 100 m	FLRY automotive cable red/blue 1,5 mm² 100 m	FLRY automotive cable red/blue 2,5 mm² 100 m
Dimensions W x D x H [mm]	2 x 100000 x 2	3 x 100000 x 3	2 x 100000 x 2	2 x 100000 x 2	3 x 100000 x 3
Weight [kg]	1.44	2.40	0.72	1.44	2.40
Pack of	1	1	1	1	1
QR code					
Order ref.	**73510148**	**73510149**	**73510150**	**73510151**	**73510152**
Kanban	-	-	-	K	-





Description	FLRY automotive cable yellow 1,5 mm² 100 m	FLRY automotive cable purple 1,5 mm² 100 m	FLRY automotive cable green 1,5 mm² 100 m
Dimensions W x D x H [mm]	2 x 100000 x 2	2 x 100000 x 2	2 x 100000 x 2
Weight [kg]	1.44	1.44	1.44
Pack of	1	1	1
QR code			
Order ref.	**73510153**	**73510154**	**73510155**
Kanban	-	-	K






Description	SLF-profile cable grommet	Cable clamp SES-CN9	Cable clamp CN14	Cable clamp CN20
Dimensions W x D x H [mm]	30 x 28 x 20	12 x 29 x 13	12 x 32 x 17	12 x 41 x 24
Weight [kg]	0.05	0.06	0.08	0.10
Pack of	50	100	100	100
QR code				
Order ref.	**73501008.19V**	**73510072**	**73510073**	**73510074**
Kanban	-	-	K	K






Description	Fixing kit self-adhesive plinth	Screw on convex cable tie mount	Cable clip K50-K36	Cable clip K60-K27
Dimensions W x D x H [mm]	19 x 19 x 6	15 x 10 x 7	7 x 15 x 17	10 x 16 x 19
Weight [kg]	0.05	0.04	0.03	0.10
Pack of	100	100	100	100
QR code				
Order ref.	**73510083**	**73510084**	**73510082**	**73510193**
Kanban	K	K	K	K






Description	Cable gland M16	Cable gland M20	Cable gland M25	Membrane grommet DG-TPE 36
Dimensions W x D x H [mm]	25 x 25 x 33	30 x 30 x 33	36 x 36 x 38	53 x 10 x 53
Weight [kg]	0.22	0.28	0.19	0.28
Pack of	25	25	10	25
QR code				
Order ref.	**73510194**	**73510195**	**73510196**	**73510205**
Kanban	-	K	-	-






Description	Heat-shrink sleeving black SB3010S 15 m	Heat-shrink sleeving black SB6020S 10 m	Heat-shrink sleeving black SB12040S 8 m	Heat-shrink sleeving black SB18060S 7 m
Dimensions W x D x H [mm]	6 x 15000 x 6	6 x 10000 x 6	12 x 8000 x 12	18 x 7000 x 18
Weight [kg]	0.10	0.12	0.15	0.20
Pack of	1	1	1	1
QR code				
Order ref.	**73510106**	**73510107**	**73510108**	**73510109**
Kanban	K	K	K	K







Description	Heat-shrink sleeving red 30073 5 m	Heat-shrink sleeving red 30063 8 m	Slotted corrugated pipe NW 7,5 50 m	Slotted corrugated pipe NW 13 50 m	Slotted corrugated pipe NW 17 50 m
Dimensions W x D x H [mm]	19 x 5000 x 19	13 x 8000 x 13	10 x 50000 x 10	16 x 50000 x 16	21 x 50000 x 21
Weight [kg]	0.20	0.15	1.00	1.10	1.20
Pack of	1	1	1	1	1
QR code					
Order ref.	**73510111**	**73510110**	**73510126**	**73510127**	**73510128**
Kanban	-	-	-	K	K





Description	Bootlace ferrule 1,5 mm² 12 mm black	Bootlace ferrule 6 mm² 12 mm green	Bootlace ferrule 10 mm² 12 mm red
Dimensions W x D x H [mm]	4 x 4 x 19	7 x 7 x 20	8 x 8 x 21
Weight [kg]	0.01	0.02	0.03
Pack of	100	100	100
QR code			
Order ref.	**73510200**	**73510201**	**73510202**
Kanban	K	-	-






Description	Crimp-type socket 1,5-2,5 mm² M5	Crimp-type socket 4-6 mm² M5	Crimp-type socket 10 mm² M5	Crimp-type socket 10 mm² M5
Dimensions W x D x H [mm]	10 x 19 x 4	10 x 20 x 6	11 x 23 x 7	11 x 25 x 9
Weight [kg]	0.05	0.15	0.20	0.35
Pack of	100	100	100	100
QR code				
Order ref.	**73510088**	**73510089**	**73510090**	**73510163**
Kanban	K	-	K	K







Description	Crimp-type socket 1,5-2,5 mm² M6	Crimp-type socket 4-6 mm² M6	Crimp-type socket 10 mm² M6	Ring crimp terminal 16mm² M6	Ring crimp terminal 25mm² M6
Dimensions W x D x H [mm]	11 x 22 x 4	11 x 21 x 6	11 x 23 x 7	11 x 26 x 9	12 x 31 x 11
Weight [kg]	0.05	0.10	0.20	0.35	0.65
Pack of	100	100	100	100	100
QR code					
Order ref.	**73510091**	**73510094**	**73510095**	**73510164**	**73510165**
Kanban	K	K	K	K	K




Description	Ring crimp terminal 35mm² M6	Ring crimp terminal 50mm² M6
Dimensions W x D x H [mm]	15 x 34 x 13	18 x 43 x 15
Weight [kg]	0.95	1.70
Pack of	100	100
QR code		
Order ref.	**73510166**	**73510167**
Kanban	-	K







Description	Crimp-type socket 1,5-2,5 mm² M8	Crimp-type socket 4-6 mm² M8	Crimp-type socket 10 mm² M8	Ring crimp terminal 16mm² M8	Ring crimp terminal 25mm² M8
Dimensions W x D x H [mm]	14 x 24 x 4	14 x 26 x 6	14 x 27 x 7	14 x 29 x 9	16 x 33 x 11
Weight [kg]	0.10	0.15	0.25	0.40	0.75
Pack of	100	100	100	100	100
QR code					
Order ref.	**73510093**	**73510092**	**73510096**	**73510168**	**73510169**
Kanban	K	K	K	K	K




Description	Ring crimp terminal 35mm² M8	Ring crimp terminal 50mm² M8
Dimensions W x D x H [mm]	16 x 34 x 13	18 x 43 x 15
Weight [kg]	0.95	1.70
Pack of	100	100
QR code		
Order ref.	**73510170**	**73510171**
Kanban	-	K

Description	Serrated washer M4 DIN 6798-J4.3	Serrated washer M5 DIN 6798-J5.3	Serrated washer M6 DIN 6798-J6.3	Serrated washer M8 DIN 6798-J8.3
Dimensions W x D x H [mm]	8 x 8 x 1	10 x 10 x 1	11 x 11 x 1	15 x 15 x 1
Weight [kg]	0.01	0.01	0.01	0.01
Pack of	500	500	500	250
QR code				
Order ref.	**73510361**	**73510362**	**73510363**	**73510364**
Kanban	K	K	K	K







Description	Self-drilling screw 3,9 x 16 7504_M TX20	Self-drilling screw 3,9 x 19 7504_M TX20	Hexagon socket head cap screw M4 x 10 DIN 6912 8.8	Hexagon socket head cap screw M4 x 8 DIN 6912 8.8	Rubber washer Ø 5,3 mm
Dimensions W x D x H [mm]	4 x 4 x 16	4 x 4 x 19	4 x 4 x 10	4 x 4 x 8	20 x 20 x 2
Weight [kg]	0.01	0.01	0.01	0.01	0.01
Pack of	500	500	500	200	100
QR code					
Order ref.	**73510354**	**73510355**	**73510365**	**73510366**	**73510356**
Kanban	K	K	K	K	K






Description	Blind rivet nut M4 11 x 0,5-3	Blind rivet nut M5 13 x 0,5-3	Blind rivet nut M6 16 x 0,5-3
Dimensions W x D x H [mm]	4 x 4 x 11	5 x 5 x 13	6 x 6 x 16
Weight [kg]	0.01	0.01	0.01
Pack of	100	100	100
QR code			
Order ref.	**73510351**	**73510352**	**73510353**
Kanban	K	K	K






Description	Nyloc nut M3 DIN 985-6	M5 flanged serrated locking nut SW 8	M6 flanged serrated locking nut SW 10	M8 flanged serrated locking nut SW 13
Dimensions W x D x H [mm]	3 x 3 x 4	5 x 5 x 5	6 x 6 x 6	8 x 8 x 8
Weight [kg]	0.01	0.01	0.01	0.01
Pack of	100	100	100	100
QR code				
Order ref.	**73510360**	**73510357**	**73510358**	**73510359**
Kanban	K	K	K	K

Spacer sleeve



Description	Plastic spacer 20x10,5x6	Plastic spacer 20x10,5x8	Plastic spacer 20x10,5x10	Plastic spacer 20x10,5x12
Dimensions W x D x H [mm]	20 x 20 x 6	20 x 20 x 8	20 x 20 x 10	20 x 20 x 12
Weight [kg]	0.08	0.10	0.13	0.15
Pack of	50	50	50	50
QR code				
Order ref.	**63510102**	**63510104**	**63510106**	**63510108**
Kanban	-	-	-	-





Description	Plastic spacer 20x10,5x7	Plastic spacer 20x10,5x9	Plastic spacer 20x10,5x11
Dimensions W x D x H [mm]	20 x 20 x 7	20 x 20 x 9	20 x 20 x 11
Weight [kg]	0.09	0.12	0.14
Pack of	50	50	50
QR code			
Order ref.	**63510103**	**63510105**	**63510107**
Kanban	-	-	-

Description	Aluminium spacer 10/8 x 24,8
Weight [kg]	0.10
Pack of	50
QR code	
Order ref.	**73510350.98V**
Kanban	-

bott vario insulating mat

Description	Sound deadening mat, self-adhesive	Sound deadening mat, self-adhesive
Dimensions W x D x H [mm]	2000 x 1000 x 10	2000 x 1000 x 20
Weight [kg]	4.00	3.20
Pack of	5	2
QR code		
Order ref.	**61301136**	**61301137**
Kanban	-	-

Other accessories





Description	Document holder	bott vario CarOffice	bott TiltBox	bott logo sign
Dimensions W x D x H [mm]	340 x 100 x 213	340 x 520 x 690	304 x 147 x 196	95 x 3 x 95
Weight [kg]	10.90	78.40	84.50	0.34
Pack of	30	16	96	20
QR code				
Order ref.	**14014030.19**	**63003107.19V**	**14014064.19V**	**73510001.17V**
Kanban	-	-	-	-

perfo Clip



Description	perfo clip
Dimensions W x D x H [mm]	12 x 15 x 24
Weight [kg]	0.06
Pack of	50
QR code	
Order ref.	**14030233**
Kanban	-

perfo bungee strap set with hook



Description	perfo bungee strap set with hook
Dimensions W x D x H [mm]	2000 x 10 x 30
Weight [kg]	4.00
Pack of	10
QR code	
Order ref.	**63003046.90V**
Kanban	-

12

bott vario3
Module packages for your vehicle



Fully configured modules for all vehicles and trades

bott vario Modules



Use experience | Add value | Improve quality |

fully configured modules for all vehicles and trades

Module features

The modularity of the bott vario line makes it wonderfully suited to configuring in-vehicle equipment exactly according your needs. Our standardised modules are a fast alternative to individual planning. Our planners have many years of experience and can thus offer you solutions for all trades and applications, as the large selection of modules shows.


Long item top tray
Stows pipes or similar long items in a space-saving and safe manner

Shelves
High load-carrying capacity due to the roll-formed embossing and structural folding

bottBox shelves
Intelligent solution for storing and transporting of small parts

Drawers
Easily accessible handle, even if you are wearing gloves

Rotated cabinet
Easy access to the content by utilising the side doors



Load restraint kit
Convenient, safe lashing of different materials

Lashing bracket
System components with integrated lashing eyes

Systainer³ organizer
Light and robust service cases and carry boxes, practically integrated in the in-vehicle equipment

End frames
These are the load-bearing components of bott vario in-vehicle equipment

Lashing rail
For flexible and secure lashing of the load

Floor storage compartment with aluminium drop front
For easily accessible storage space

Module features






Long item holder
for easy transport of long and heavy tools



TiltBox
for the practical storage of small parts and consumables



Long item top tray
for the safe storage of pipes and profiles



varioSlide
lightweight drawers with a generous usable volume



Drawers
with 100% extension telescopic slides and 70kg load capacity



bottBoxes
practical storage boxes for service vehicles and workshops

bott vario3 V-Box
practical storage compartment for small tools and accessories






Systainer³
flexible system case in two widths and six heights



Systainer³ Organizer
practical small parts case compatible with all Systainer³ products



varioCase
service case made from lightweight aluminium or robust sheet steel



Rotated drawers
can be accessed ergonomically from outside the vehicle



Shelf with C-Lash
makes it easy to restrain loads inside the shelves



Lashing rails and tie-down points
integrated throughout the entire system for the safe transport of materials and power tools

Mobil Box Module bott vario3

12

Mobil Box Heigth 400 mm



- Module bott vario3 mobile box in width 8, depth 3
- Heigth 400mm
- 1x drawers 125 mm
- 1x drawers 200 mm
- with seat cushion and equipment
- max. load carrying handle 165 kg

Dimension W x D x H mm	966 x 376 x 440
Weight kg	26,5
Order Ref.	70099096.19M

Mobil Box Heigth 700 mm



- Mobil Box in Breite 8 und Tiefe 3
- Heigth 750 mm
- 1x Tub with anti-slip mat and lashing function
- 2x Systainer³ Organizer M89
- 2x Systainer³ M187
- 2x Systainer³ M237
- L-Profil Set
- max. load carrying handle 165 kg

Dimension W x D x H mm	966 x 376 x 750
Weight kg	21,2
Order Ref.	70099095.19M

Floor mounting set mobil Box

Dimension W x D x H mm	966 x 376 x 750
Weight kg	5,5
Order Ref.	9009914.19V

Floor insert mobil Box

version	Citroen e-Berlingo L1, Opel e-Combo L1, Peugeot e-Rifter L1, Toyota proace City verso L1	Citroen e-Berlingo L2, Opel e-Combo L2, Peugeot e-Rifter L2, Toyota proace City verso L2
Weight kg	8,9	8,9
Order Ref.	11310618	11310619

version	Caddy Life L1	Caddy Life L2	T7 Multivan*
Weight kg	9,4	12,8	12,4
Order Ref.	11310615	11310616	11310629

* VW requires the 4x original lashing eyes to install the floor - VW part number 7T0863539




Berlingo L1


Wheelbase 2785 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1262 x 264 x 950**
Right-hand module W x D x H mm	**814 x 264 x 950**
Weight kg	33.79
Order Ref.	**70099031.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Berlingo L1


Wheelbase 2785 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1262 x 376 x 850**
Weight kg	28.24
Order Ref. incl. under floor module	**70099032.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010016.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Berlingo L2


Wheelbase 1975 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 264 x 950**
Right-hand module W x D x H mm	**1038 x 264 x 950**
Weight kg	39.95
Order Ref.	**70099033.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Berlingo L2

Wheelbase 1975 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	107.97
Order Ref. incl. under floor module	**70099034.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010017.19V**



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Jumpy L1


Wheelbase 2925 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 2 bottBox shelves with 9 bottBoxes
- 2 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	60.97
Order Ref.	**70099035.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Jumpy L1


Wheelbase 2925 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 10 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1486 x 376 x 850**
Weight kg	109.10
Order Ref. incl. under floor module	**70099036.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010013.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Jumpy L2

Wheelbase 3275 mm






bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	66.84
Order Ref.	**70099037.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Jumpy L2


Wheelbase
3275 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**1934 x 376 x 1200**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	87.75
Order Ref.	**70099038.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Jumpy L3

Wheelbase 3275 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	83.43
Order Ref.	**70099039.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Jumpy L3

Wheelbase
3275 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1200**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	103.59
Order Ref.	**70099040.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Jumper L1-H1

Wheelbase
3000 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2158 x 376 x 1150**
Right-hand module W x D x H mm	**1150 x 376 x 1050**
Weight kg	67.06
Order Ref.	**70099041.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Jumper L1-H1

Wheelbase
3000 mm




bott vario3 Green Package



- The left-hand module contains:
- 3 bottBox shelves with 19 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2158 x 376 x 1650**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	99.54
Order Ref.	**70099042.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Jumper L2-H2

Wheelbase 3450 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	81.30
Order Ref.	**70099043.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Jumper L2-H2

Wheelbase
3450 mm






bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	121.56
Order Ref.	**70099044.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L1-H1

Wheelbase 2755 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1262 x 376 x 950**
Right-hand module W x D x H mm	**590 x 376 x 950**
Weight kg	45.41
Order Ref.	**70099056.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L1-H1

Wheelbase 2755 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1262 x 376 x 850**
Weight kg	92.64
Order Ref. incl. under floor module	**70099057.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010002.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L2-H1

Wheelbase 3105 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	53.80
Order Ref.	**70099058.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Doblò L2-H1

Wheelbase 3105 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	99.15
Order Ref. incl. under floor module	**70099059.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010003.19V**



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L1
2022

Wheelbase 2785 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1262 x 264 x 950
Right module W x D x H [mm]	814 x 264 x 950
Order ref.	**70099031.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L1
2022

Wheelbase 2785 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1262 x 376 x 850
Order ref. incl. Under floor module	**70099032.19M**
Installation kit	73510067.51V
Order ref. Underfloor module	**70010016.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L2
2022

Wheelbase 2975 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1598 x 264 x 950
Right module W x D x H [mm]	1038 x 264 x 950
Order ref.	**70099033.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Doblò L2
2022

Wheelbase 2975 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 Systainer³ Organizer L 89 with 13 boxes
- 1 Systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1598 x 376 x 850
Order ref. incl. Under floor module	**70099034.19M**
Installation kit	73510067.51V
Order ref. Underfloor module	**70010017.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Scudo L2


Wheelbase 3275 mm





bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam with 1 Systainer³ M 187 and 1 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1934 x 376 x 950
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099037.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Scudo L2

Wheelbase 3275 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	1934 x 376 x 1200
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099038.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Scudo L3


Wheelbase 3275 mm





bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2270 x 376 x 950
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099039.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Scudo L3

Wheelbase 3275 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2270 x 376 x 1200
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099040.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Talento L1-H1


Wheelbase 3098 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	59.64
Order Ref.	**70099001.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Talento L1-H1

Wheelbase 3098 mm



bott vario3 Green Package





- The left-hand module contains:
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1250**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	82.74
Order Ref.	**70099060.19M**
Installation kit	73510067.51V

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Talento L2-H1


Wheelbase 3498 mm





bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 950**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	77.68
Order Ref.	**70099003.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Talento L2-H1

Wheelbase
3498 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 1200**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	104.02
Order Ref.	**70099061.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Ducato L1-H1


Wheelbase
3000 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2158 x 376 x 1150**
Right-hand module W x D x H mm	**1150 x 376 x 1050**
Weight kg	67.06
Order Ref.	**70099041.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Ducato L1-H1


Wheelbase
3000 mm



bott vario3 Green Package



- The left-hand module contains:
- 3 bottBox shelves with 19 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2158 x 376 x 1650**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	99.54
Order Ref.	**70099042.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Ducato L2-H2

Wheelbase 3450 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	81.30
Order Ref.	**70099043.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Ducato L2-H2

Wheelbase
3450 mm






bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	121.56
Order Ref.	**70099044.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Courier

Wheelbase 2489 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1038 x 264 x 950**
Right-hand module W x D x H mm	**590 x 264 x 950**
Weight kg	28.99
Order Ref.	**70099045.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Courier

Wheelbase 2489 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1150 x 264 x 750**
Weight kg	64.82
Order Ref. incl. under floor module	**70099046.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010010.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Connect L1

Wheelbase 2662 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1262 x 264 x 950**
Right-hand module W x D x H mm	**814 x 264 x 950**
Weight kg	33.79
Order Ref.	**70099031.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Connect L1

Wheelbase 2662 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (50kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1150 x 264 x 850**
Weight kg	82.87
Order Ref. incl. under floor module	**70099047.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010008.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Connect L2


Wheelbase 3062 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**926 x 264 x 950**
Weight kg	42.98
Order Ref.	**70099048.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Connect L2

Wheelbase 3062 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	159.96
Order Ref. incl. under floor module	**70099049.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010009.19V**



- The under floor module contains:
- 3 heavy duty drawers (50kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Connect L1
2023

Wheelbase 2755 mm





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 9 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 Case holder with Systainer³ Organiser M 89 with 12 boxes

Left module W x D x H [mm]	1374 x 376 x 1000
Right module W x D x H [mm]	834 x 376 x 950
Order ref.	**70099082.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Connect L1
2023

Wheelbase 2755 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 9 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1374 x 376 x 750
Order ref. incl. Under floor module	**70099083.19M**
Installation kit	73510067.51V
Order ref. Under floor module	**70010053.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Connect L2


Wheelbase 2970 mm
2023





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 3 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 case support beam with 2 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 Case holder with Systainer³ Organiser M 89 with 12 boxes

Left module W x D x H [mm]	1710 x 376 x 1000
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099084.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Connect L2

Wheelbase 2970 mm
2023



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 Systainer³ Organizer L 89
- 1 Systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1710 x 376 x 750
Order ref. incl. Under floor module	**70099085.19M**
Installation kit	73510067.51V
Order ref. Under floor module	**70010054.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Custom L1-H1


Wheelbase 2933 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	61.40
Order Ref.	**70099050.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Custom L1-H1

Wheelbase 2933 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 bottBox shelves with 14 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 1250**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	84.14
Order Ref.	**70099051.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Custom L2-H1

Wheelbase 3300 mm



bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	75.72
Order Ref.	**70099052.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit Custom L2-H1


Wheelbase
3300 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2382 x 376 x 1200**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	96.24
Order Ref.	**70099053.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Custom L1-H1

Wheelbase 3100 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam with 1 Systainer³ M 187 and 1 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2046 x 376 x 950
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099050.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Custom L1-H1

Wheelbase 3100 mm



bott vario3 Green Package





The left-hand module contains:

- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 bottBox shelves with 14 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2046 x 376 x 1250
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099051.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Custom L2-H1

Wheelbase
3500 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2382 x 376 x 950
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099052.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Transit Custom L2-H1

Wheelbase
3500 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2382 x 376 x 1200
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099053.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit L2-H2


Wheelbase 3300 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2494 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	79.27
Order Ref.	**70099054.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Transit L2-H2


Wheelbase
3300 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2494 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	118.97
Order Ref.	**70099055.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L2-H1

Wheelbase
3520 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 7 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	2830 x 376 x 1050
Right-hand module W x D x H mm	1486 x 376 x 1050
Weight kg	
Order Ref.	**70099066.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L2-H1

Wheelbase
3520 mm



bott vario3 Green Package





The left-hand module contains:

- 3 bottBox shelves with 24 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 7 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	2830 x 376 x 1450
Right-hand module W x D x H mm	1486 x 488 x 1050
Weight kg	
Order Ref.	**70099067.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L2-H2


Wheelbase
3520 mm





bott vario3 Silver Package





- **The left-hand module contains:**
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 7 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- **The right-hand module contains:**
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2830 x 376 x 1050
Right module W x D x H [mm]	1486 x 376 x 1050
Order ref.	**70099066.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L2-H2


Wheelbase
3520 mm





bott vario3 Green Package





- **The left-hand module contains:**
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 24 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 7 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- **The right-hand module contains:**
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2830 x 376 x 1700
Right module W x D x H [mm]	1486 x 488 x 1050
Order ref.	**70099068.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L3-H2

Wheelbase
3520 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 3 bottBox shelves with 16 bottBoxes
- 3 aluminium shelves with anti-slip mats and dividers
- 2 floor storage compartments with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 3 Systainer³ M 187
- 2 floor storage compartments with integrated load restraint (-oo-)

Left module W x D x H [mm]	3166 x 376 x 1150
Right module W x D x H [mm]	1934 x 376 x 1050
Order ref.	**70099069.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Daily L3-H2


Wheelbase
3520 mm





bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 4 bottBox shelves with 26 bottBoxes
- 3 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 9 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 3 aluminium shelves with anti-slip mats and dividers
- 2 floor storage compartments with integrated load restraint (-oo-) and aluminium drop-fronts
- 1 load restraint kit with lashing strap (-oo-)
- 4 end frames with integrated load restraint (-oo-)

- **The right-hand module contains:**
- 2 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 3 Systainer³ M 187
- 2 floor storage compartments with integrated load restraint (-oo-) and 3 aluminium drop-fronts
- 1 end frame with integrated load restraint (-oo-)

Left module W x D x H [mm]	3166 x 376 x 1700
Right module W x D x H [mm]	1934 x 488 x 1050
Order ref.	**70099070.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H2 FWD


Wheelbase
3640 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H2 FWD

Wheelbase 3640 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1600**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.18
Order Ref.	**70099006.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H2 RWD


Wheelbase 3640 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H2 RWD

Wheelbase
3640 mm




bott vario3 Green Package



- The left-hand module contains:
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1550**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	124.92
Order Ref.	**70099007.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H3 FWD-RWD


Wheelbase
3640 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

TGE L3-H3 FWD-RWD

Wheelbase
3640 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1700**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.85
Order Ref.	**70099008.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 3 end frames with integrated load restraint (-oo-)

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Citan L2 (2015)

Wheelbase 2697 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1150 x 376 x 950**
Right-hand module W x D x H mm	**814 x 376 x 950**
Weight kg	48.66
Order Ref.	**70099027.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Citan L2 (2015)

Wheelbase 2697 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1150 x 376 x 850**
Weight kg	97.00
Order Ref. incl. under floor module	**70099028.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010005.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Citan L3 (2015)


Wheelbase 3081 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	55.38
Order Ref.	**70099029.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Citan L3 (2015)

Wheelbase 3081 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	99.31
Order Ref. incl. under floor module	**70099030.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010006.19V**

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Citan L1 (2021)


Wheelbase 2716 mm





bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)

3 heavy duty drawers with anti-slip mats

1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front

Left module W x D x H [mm]	1262 x 376 x 950
Right module W x D x H [mm]	814 x 376 x 950
Order ref.	**70099086.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Citan L1 (2021)

Wheelbase 2716 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

3 heavy duty drawers (70 kg) with anti-slip mats

Height 250 mm

Free cargo area

Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1150 x 376 x 850
Order ref. incl. Under floor module	**70099087.19M**
Installation kit	73510067.51V
Order ref. Underfloor module	**70010055.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vito L1

Wheelbase 3200 mm



bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 2 bottBox shelves with 9 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1822 x 376 x 950**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	56.80
Order Ref.	**70099013.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Vito L1


Wheelbase 3200 mm



bott vario3 Green Package



- The left-hand module contains:
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1822 x 376 x 1250**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	69.85
Order Ref.	**70099014.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vito L2

Wheelbase 3200 mm






bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 950**
Right-hand module W x D x H mm	**1150 x 376 x 950**
Weight kg	63.74
Order Ref.	**70099015.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vito L2

Wheelbase 3200 mm



bott vario3 Green Package





- The left-hand module contains:
- 2 bottBox shelves with 14 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 1250**
Right-hand module W x D x H mm	**1150 x 376 x 950**
Weight kg	81.01
Order Ref.	**70099016.19M**
Installation kit	73510067.51V

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vito L3


Wheelbase 3430 mm





bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	73.33
Order Ref.	**70099017.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vito L3

Wheelbase
3430 mm






bott vario3 Green Package



- The left-hand module contains:
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1250**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	88.92
Order Ref.	**70099018.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L1-H1 FWD

Wheelbase 3259 mr






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 366 x 1150**
Right-hand module W x D x H mm	**1150 x 366 x 1050**
Weight kg	69.72
Order Ref.	**70099025.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L1-H1 FWD


Wheelbase
3259 mm





bott vario3 Green Package





- The left-hand module contains:
- 3 bottBox shelves with 20 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 266 x 1650**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	100.12
Order Ref.	**70099026.19M**
Installation kit	73510067.51V

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L1-H1 RWD


Wheelbase
3250 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1150**
Right-hand module W x D x H mm	**1150 x 376 x 1050**
Weight kg	68.93
Order Ref.	**70099019.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L1-H1 RWD

Wheelbase 3250 mm



bott vario3 Green Package





- The left-hand module contains:
- 3 bottBox shelves with 20 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1650**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	100.32
Order Ref.	**70099020.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L1-H2 FWD

Wheelbase
3259 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 366 x 1150**
Right-hand module W x D x H mm	**1150 x 366 x 1050**
Weight kg	69.72
Order Ref.	**70099025.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L1-H2 FWD

Wheelbase 3259 mm






bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 20 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1700**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	107.38
Order Ref.	**70099021.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L1-H2 RWD


Wheelbase 3250 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1150**
Right-hand module W x D x H mm	**1150 x 376 x 1050**
Weight kg	68.93
Order Ref.	**70099019.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L1-H2 RWD

Wheelbase
3250 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 20 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1700**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	107.58
Order Ref.	**70099022.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L2-H1 FWD

Wheelbase
3924 mm



bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L2-H1 FWD

Wheelbase
3924 mm






bott vario3 Green Package



- The left-hand module contains:
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1650**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	125.71
Order Ref.	**70099023.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L2-H1 RWD


Wheelbase 3665 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L2-H1 RWD

Wheelbase
3665 mm




bott vario3 Green Package



- The left-hand module contains:
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1650**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	125.71
Order Ref.	**70099023.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 2 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Sprinter L2-H2 FWD

Wheelbase
3924 mm



bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L2-H2 **FWD**

Wheelbase
3924 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1700**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.85
Order Ref.	**70099008.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 3 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L2-H2 RWD


Wheelbase
3665 mm



bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Sprinter L2-H2 RWD

Wheelbase
3665 mm




bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1700**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.85
Order Ref.	**70099008.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 3 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Townstar L1


Wheelbase 2716 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front

Left module W x D x H [mm]	1262 x 376 x 950
Right module W x D x H [mm]	814 x 376 x 950
Order ref.	**70099086.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Townstar L1

Wheelbase 2716 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1150 x 376 x 850
Order ref. incl. Under floor module	**70099087.19M**
Installation kit	73510067.51V
Order ref. Underfloor module	**70010055.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Primastar L1-H1


Wheelbase 3098 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam with 1 Systainer³ M 187 and 1 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1934 x 376 x 950
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099001.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Primastar L1-H1

Wheelbase 3098 mm



bott vario3 Green Package





- The left-hand module contains:
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	1934 x 376 x 1250
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099060.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Primastar L2-H1

Wheelbase 3498 mm



bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2382 x 376 x 950
Right module W x D x H [mm]	1486 x 376 x 950
Order ref.	**70099003.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Primastar L2-H1

Wheelbase 3498 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2382 x 376 x 1200
Right module W x D x H [mm]	1486 x 376 x 950
Order ref.	**70099061.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Interstar L1-H2

Radstand 3182 mm



bott vario3 Silver Package





Linkes Modul enthält:

- 2 Aluminiumwannen mit Antirutschmatte, integrierter Ladungssicherung (-C-) und 6 Zurrgurten (-C-)
- 2 bottBoxen-Tablare mit 11 bottBoxen
- 2 Aluminiumwannen mit Antirutschmatten und Trennwänden
- 1 Bodenfach mit integrierter Ladungssicherung (-oo-)
- 1 Bodenfach mit Klemmschlossgurt (-C-)
- 2 Seitenteile mit integrierter Ladungssicherung (-oo-)

Rechtes Modul enthält:

- 1 Aluminiumwanne mit Antirutschmatte, integrierter Ladungssicherung (-C-) und 3 Zurrgurten (-C-)
- 2 Schwerlastschubladen mit Antirutschmatten
- 1 Systemtraverse mit 1 Systainer³ M 187 und 1 Systainer³ L 187
- 1 Bodenfach mit integrierter Ladungssicherung (-oo-)

Linkes Modul B x T x H [mm]	2046 x 376 x 1150
Rechtes Modul B x T x H [mm]	1038 x 376 x 1050
Artikel-Nr.	**70099062.19M**
Montageset	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Interstar L1-H2


Radstand 3182 mm





bott vario3 Green Package





Linkes Modul enthält:

- 1 Aluminiumlanggutwanne mit Antirutschmatte
- 3 bottBoxen-Tablare mit 16 bottBoxen
- 2 Aluminiumwannen mit Antirutschmatten, integrierter Ladungssicherung (-oo- / -C-) und 5 Zurrgurten (-C-)
- 1 Klappenboden mit Aluminiumschwenkklappe und Antirutschmatte
- 2 Aluminiumwannen mit Antirutschmatten und Trennwänden
- 1 Bodenfach mit integrierter Ladungssicherung (-oo-) und Aluminium-schwenkklappe
- 1 Ladungssicherungsset mit Zurrgurt (-oo-)
- 3 Seitenteile mit integrierter Ladungssicherung (-oo-)

Rechtes Modul enthält:

- 1 Aluminiumwanne mit Antirutschmatte, integrierter Ladungssicherung (-oo- / -C-) und 3 Zurrgurten (-C-)
- 3 Schwerlastschubladen mit Antirutschmatten
- 2 Systainer³ Organizer M 89 mit je 12 Boxen
- 1 Systainer³ M 187
- 1 Bodenfach mit integrierter Ladungssicherung (-oo-) und 2 Aluminiumschwenkklappen

Linkes Modul B x T x H [mm]	1934 x 376 x 1700
Rechtes Modul B x T x H [mm]	1038 x 488 x 1050
Artikel-Nr.	**70099063.19M**
Montageset	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Interstar L2-H2


Wheelbase 3682 mm





bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2494 x 376 x 1150
Right module W x D x H [mm]	1374 x 376 x 1050
Order ref.	**70099054.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Interstar L2-H2


Wheelbase 3682 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2494 x 376 x 1700
Right module W x D x H [mm]	1374 x 488 x 1050
Order ref.	**70099055.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

NV 300 L1-H1


Wheelbase 3098 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	59.64
Order Ref.	**70099001.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


NV 300 L1-H1

Wheelbase 3098 mm



bott vario3 Green Package





- The left-hand module contains:
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**1934 x 376 x 1250**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	82.74
Order Ref.	**70099060.19M**
Installation kit	73510067.51V

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


NV 300 L2-H1


Wheelbase 3498 mm





bott vario3 Silver Package





- The left-hand module contains:
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 950**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	77.68
Order Ref.	**70099003.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

NV 300 L2-H1


Wheelbase
3498 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2382 x 376 x 1200**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	104.02
Order Ref.	**70099061.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


NV 400 L1-H2

Wheelbase 3182 mm






bott vario3 Silver Package



- The left-hand module contains:
- 2 aluminium shelves with anti-slip mat, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 1150**
Right-hand module W x D x H mm	**1038 x 376 x 1050**
Weight kg	62.89
Order Ref.	**70099062.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

NV 400 L1-H2

Wheelbase 3182 mm






bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1700**
Right-hand module W x D x H mm	**1038 x 488 x 1050**
Weight kg	98.98
Order Ref.	**70099063.19M**
Installation kit	73510067.51V



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Combo L1

Wheelbase 2785 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1262 x 264 x 950**
Right-hand module W x D x H mm	**814 x 264 x 950**
Weight kg	33.79
Order Ref.	**70099031.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Combo L1

Wheelbase 2785 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1262 x 376 x 850**
Weight kg	28.24
Order Ref. incl. under floor module	**70099032.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010016.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Combo L2

Wheelbase 2975 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 264 x 950**
Right-hand module W x D x H mm	**1038 x 264 x 950**
Weight kg	39.95
Order Ref.	**70099033.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Combo L2

Wheelbase 2975 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	107.97
Order Ref. incl. under floor module	**70099034.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010017.19V**

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L1

Wheelbase 2925 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 2 bottBox shelves with 9 bottBoxes
- 2 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	60.97
Order Ref.	**70099035.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L1

Wheelbase 2925 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 10 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1486 x 376 x 850**
Weight kg	109.10
Order Ref. incl. under floor module	**70099036.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010013.19V**

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L2


Wheelbase 3275 mm





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	66.84
Order Ref.	**70099037.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L2

Wheelbase 3275 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1200**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	87.75
Order Ref.	**70099038.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L3


Wheelbase 3275 mm





bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	83.43
Order Ref.	**70099039.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Vivaro L3

Wheelbase
3275 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2270 x 376 x 1200**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	103.59
Order Ref.	**70099040.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Movano L1-H2

Wheelbase 3182 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mat, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 1150**
Right-hand module W x D x H mm	**1038 x 376 x 1050**
Weight kg	62.89
Order Ref.	**70099062.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Movano L1-H2

Wheelbase 3182 mm






bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1700**
Right-hand module W x D x H mm	**1038 x 488 x 1050**
Weight kg	98.98
Order Ref.	**70099063.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Movano L2-H2

Wheelbase 3682 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2494 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	79.27
Order Ref.	**70099054.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Movano L2-H2

Wheelbase 3682 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2494 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	118.97
Order Ref.	**70099055.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Partner L1

Wheelbase 2785 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1262 x 264 x 950**
Right-hand module W x D x H mm	**814 x 264 x 950**
Weight kg	33.79
Order Ref.	**70099031.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Partner L1

Wheelbase 2785 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1262 x 376 x 850**
Weight kg	28.24
Order Ref. incl. under floor module	**70099032.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010016.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Partner L2

Wheelbase 2975 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 264 x 950**
Right-hand module W x D x H mm	**1038 x 264 x 950**
Weight kg	39.95
Order Ref.	**70099033.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Partner L2

Wheelbase 2975 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	107.97
Order Ref. incl. under floor module	**70099034.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010017.19V**

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Expert L1

Wheelbase 2925 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 2 bottBox shelves with 9 bottBoxes
- 2 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	60.97
Order Ref.	**70099035.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Expert L1

Wheelbase 2925 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 10 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1486 x 376 x 850**
Weight kg	109.10
Order Ref. incl. under floor module	**70099036.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010013.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Expert L2


Wheelbase 3275 mm





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	66.84
Order Ref.	**70099037.19M**
Installation kt	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Expert L2

Wheelbase 3275 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1200**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	87.75
Order Ref.	**70099038.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	




Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Expert L3

Wheelbase 3275 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	83.43
Order Ref.	**70099039.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Expert L3

Wheelbase 3275 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1200**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	103.59
Order Ref.	**70099040.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Boxer L1-H2

Wheelbase 3000 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam set with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2158 x 376 x 1150**
Right-hand module W x D x H mm	**1150 x 376 x 1050**
Weight kg	67.06
Order Ref.	**70099041.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Boxer L1-H2

Wheelbase 3000 mm




bott vario3 Green Package



The left-hand module contains:

- 3 bottBox shelves with 19 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2158 x 376 x 1650**
Right-hand module W x D x H mm	**1150 x 488 x 1050**
Weight kg	99.54
Order Ref.	**70099042.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer L 89 with 13 boxes each
- 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Boxer L2-H1

Wheelbase 3450 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	81.30
Order Ref.	**70099043.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Boxer L2-H1

Wheelbase 3450 mm






bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2606 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	121.56
Order Ref.	**70099044.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Kangoo L2 (2013)

Wheelbase 2697 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1150 x 376 x 950**
Right-hand module W x D x H mm	**814 x 376 x 950**
Weight kg	48.66
Order Ref.	**70099027.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Kangoo L2 (2013)

Wheelbase 2697 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)</p>

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1150 x 376 x 850**
Weight kg	97.00
Order Ref. incl. under floor module	**70099028.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010005.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Kangoo L3 (2013)

Wheelbase 3081 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	55.38
Order Ref.	**70099029.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Kangoo L3 (2013)

Wheelbase 3181 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 systainer³ organizer L 89 with 13 boxes
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 850**
Weight kg	99.31
Order Ref. incl. under floor module	**70099030.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010006.19V**



The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Kangoo L1


Wheelbase 2716 mm



bott vario3 Silver Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front

Left module W x D x H [mm]	1262 x 376 x 950
Right module W x D x H [mm]	814 x 376 x 950
Order ref.	**70099086.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Kangoo L1


Wheelbase 2716 mm



bott vario3 Green Package



- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox sliding shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)



- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1150 x 376 x 850
Order ref. incl. Under floor module	**70099087.19M**
Installation kit	73510067.51V
Order ref. Underfloor module	**70010055.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Trafic L1-H1

Wheelbase 3098 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	59.64
Order Ref.	**70099001.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Trafic L1-H1

Wheelbase 3098 mm



bott vario3 Green Package





The left-hand module contains:

- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1250**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	82.74
Order Ref.	**70099060.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Trafic L2-H1

Wheelbase 3498 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 950**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	77.68
Order Ref.	**70099003.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Trafic L2-H1

Wheelbase 3498 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**2382 x 376 x 1200**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	104.02
Order Ref.	**70099061.19M**
Installation kit	73510067.51V

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Master L1-H2

Wheelbase 3182 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mat, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2046 x 376 x 1150**
Right-hand module W x D x H mm	**1038 x 376 x 1050**
Weight kg	62.89
Order Ref.	**70099062.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Master L1-H2

Wheelbase 3182 mm






bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1700**
Right-hand module W x D x H mm	**1038 x 488 x 1050**
Weight kg	98.98
Order Ref.	**70099063.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Master L2-H2

Wheelbase 3682 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2494 x 376 x 1150**
Right-hand module W x D x H mm	**1374 x 376 x 1050**
Weight kg	79.27
Order Ref.	**70099054.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Master L2-H2

Wheelbase 3682 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2494 x 376 x 1700**
Right-hand module W x D x H mm	**1374 x 488 x 1050**
Weight kg	118.97
Order Ref.	**70099055.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace City L1

Wheelbase 2785 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1262 x 264 x 950
Right module W x D x H [mm]	814 x 264 x 950
Order ref.	**70099031.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace City L1

Wheelbase 2785 mm2785Wheel-base 2785 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	1262 x 376 x 850
Order Ref. incl. under floor module	**70099032.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010016.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace City L2

Wheelbase 2975 mm



bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 3 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	1598 x 264 x 950
Right module W x D x H [mm]	1038 x 264 x 950
Order ref.	**70099033.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace City L2

Wheelbase 2975 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 7 bottBoxes
- 1 aluminium shelf with anti-slip mat and divider
- 1 Systainer³ Organizer L 89 with 13 boxes
- 1 Systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	1598 x 376 x 850
Order Ref. incl. under floor module	**70099034.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010017.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L1

Wheelbase 2925 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 2 bottBox shelves with 9 bottBoxes
- 2 aluminium shelves with anti-slip mats and divider
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1598 x 376 x 950**
Right-hand module W x D x H mm	**926 x 376 x 950**
Weight kg	60.97
Order Ref.	**70099035.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L1

Wheelbase 2925 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 10 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1486 x 376 x 850**
Weight kg	109.10
Order Ref. incl. under floor module	**70099036.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010013.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L2


Wheelbase 3275 mm





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	66.84
Order Ref.	**70099037.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.









Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L2

Wheelbase 3275 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left-hand module W x D x H mm	**1934 x 376 x 1200**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	87.75
Order Ref.	**70099038.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.




Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L3

Wheelbase 3275 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 950**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	83.43
Order Ref.	**70099039.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Proace L3

Wheelbase 3275 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2270 x 376 x 1200**
Right-hand module W x D x H mm	**1374 x 376 x 950**
Weight kg	103.59
Order Ref.	**70099040.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy L1

Wheelbase 2682 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 9 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1374 x 376 x 950**
Right-hand module W x D x H mm	**814 x 376 x 950**
Weight kg	51.00
Order Ref.	**70099009.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy L1

Wheelbase 2682 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door.
  Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1262 x 376 x 850**
Weight kg	85.21
Order Ref. incl. under floor module	**70099010.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010011.19V**

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy L2

Wheelbase 3006 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 3 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 2 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1822 x 376 x 950**
Right-hand module W x D x H mm	**1150 x 376 x 950**
Weight kg	87.24
Order Ref.	**70099011.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy L2

Wheelbase 3006 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 systainer³ organizer L 89
- 1 systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with aluminium shelf and cam buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1822 x 376 x 850**
Weight kg	127.97
Order Ref. incl. under floor module	**70099012.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010012.19V**

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door.
  Large storage space. The under floor module can be ordered separately.

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Caddy 2020 L1

Wheelbase 2682 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 9 bottBoxes
- 1 aluminium shelve with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 2 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 case support beams with Systainer³ Organizer M 89 with 12 boxes

Left-hand module W x D x H mm	1374 x 376 x 1000
Right-hand module W x D x H mm	834 x 376 x 950
Weight kg	66,00
Order Ref.	**70099082.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Caddy 2020 L1

Wheelbase 2682 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 2 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door.
  Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1822 x 376 x 850**
Weight kg	89,10
Order Ref. incl. under floor module	**70099083.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010053.19V**

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy 2020 L2


Wheelbase 3006 mm





bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 3 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

Rechtes Modul enthält:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 Cases stringer with 2 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 case support beams with Systainer³ Organizer M 89 with 12 boxes

Left-hand module W x D x H mm	1710 x 376 x 1000
Right-hand module W x D x H mm	1038 x 376 x 950
Weight kg	77,40
Order Ref.	**70099084.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Caddy 2020 L2

Wheelbase 3006 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelve with anti-slip mats and dividers
- 1 Systainer³ Organizer L 89
- 1 Systainer³ L 137
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 3 end frames with integrated load restraint (-oo-)

The under floor module contains:

- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door.
  Large storage space. The under floor module can be ordered separately.

Left-hand module W x D x H mm	**1710 x 376 x 750**
Weight kg	103,80
Order Ref. incl. under floor module	**70099085.19M**
Installation kit	73510067.51V
Order Ref. under floor module	**70010053.19V**

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts.
Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


ID Buzz L1


Wheelbase 3000 mm





bott vario3 Silver Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 8 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 2 aluminium shelves with anti-slip mat
- 1 floor storage compartment with integrated load restraint (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The right-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front

Left module W x D x H [mm]	1598 x 376 x 1000
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099103.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


ID Buzz L1

Wheelbase 3000 mm



bott vario3 Green Package





- The left-hand module contains:
- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 1 bottBox shelf with 4 bottBoxes
- 1 aluminium shelf with anti-slip mat and dividers
- 1 aluminium shelf with anti-slip mat
- 1 case holder with Systainer³ M137
- 1 case holder with Systainer³ Organizer M89 with 18 boxes
- 1 floor storage compartment with integrated load restraint (-oo-)
- 3 end frames with integrated load restraint (-oo-)

- The under floor module contains:
- 3 heavy duty drawers (70 kg) with anti-slip mats
- Height 250 mm
- Free cargo area
- Theft protection, since the stored material is not visible from the outside. Easy use of the sliding and rear door. Large storage space. The under floor module can be ordered separately.

Left module W x D x H [mm]	1598 x 376 x 750
Right module W x D x H [mm]	N/A
Order ref.	**70099104.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


T6 L1

Wheelbase 3000 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 10 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beams with 1 systainer³ M 187 and 1 systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 950**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	59.64
Order Ref.	**70099001.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


T6 L1

Wheelbase 3000 mm



bott vario3 Green Package





The left-hand module contains:

- 2 drop-front shelves with aluminium drop-fronts and anti-slip mats
- 2 bottBox shelves with 13 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**1934 x 376 x 1250**
Right-hand module W x D x H mm	**1038 x 376 x 950**
Weight kg	82.16
Order Ref.	**70099002.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


T6 L2


Wheelbase
3400 mm





bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 950**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	77.68
Order Ref.	**70099003.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


T6 L2

Wheelbase
3400 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2382 x 376 x 1200**
Right-hand module W x D x H mm	**1486 x 376 x 950**
Weight kg	102.26
Order Ref.	**70099004.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


New Transporter L1-H1

Wheelbase 3100 mm



bott vario3 Silver Package





The left-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 5 lashing straps (-C-)
- 2 bottBox shelves with 11 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 2 heavy duty drawers with anti-slip mats
- 1 case support beam with 1 Systainer³ M 187 and 1 Systainer³ L 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2046 x 376 x 950
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099050.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


New Transporter L1-H1

Wheelbase 3100 mm



bott vario3 Green Package





The left-hand module contains:

- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 bottBox shelves with 14 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 5 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and divider
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2046 x 376 x 1250
Right module W x D x H [mm]	1038 x 376 x 950
Order ref.	**70099051.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


New Transporter L2-H1

Wheelbase
3500 mm



bott vario3 Silver Package





The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 6 lashing straps (-C-)
- 2 bottBox shelves with 12 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 3 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left module W x D x H [mm]	2382 x 376 x 950
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099052.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


New Transporter L2-H1

Wheelbase
3500 mm



bott vario3 Green Package





The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 2 bottBox shelves with 16 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 6 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 3 lashing straps (-C-)
- 5 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

Left module W x D x H [mm]	2382 x 376 x 1200
Right module W x D x H [mm]	1374 x 376 x 950
Order ref.	**70099053.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Crafter L3-H2 FWD

Wheelbase
3640 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Crafter L3-H2 FWD

Wheelbase
3640 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1600**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.18
Order Ref.	**70099006.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Crafter L3-H2 RWD

Wheelbase
3640 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 13 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Crafter L3-H2 RWD

Wheelbase
3640 mm



bott vario3 Green Package





The left-hand module contains:

- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1550**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	124.92
Order Ref.	**70099007.19M**
Installation kit	73510067.51V

The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package


- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

Crafter
L3-H3 FWD-RWD

Wheelbase
3640 mm




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam-buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 13 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1150**
Right-hand module W x D x H mm	**1486 x 376 x 1050**
Weight kg	87.05
Order Ref.	**70099005.19M**
Installation kit	73510067.51V

-C- Lash
All types of load restraint with -C- Lash lashing strap.

TopLash -C-
Load restraint in shelves.

frontLash- OO-
Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)


Crafter

L3-H3 FWD-RWD

Wheelbase
3640 mm




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

Left-hand module W x D x H mm	**2942 x 376 x 1700**
Right-hand module W x D x H mm	**1486 x 488 x 1050**
Weight kg	132.85
Order Ref.	**70099008.19M**
Installation kit	73510067.51V



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 systainer³ organizer M 89 with 12 boxes each
- 1 systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 3 end frames with integrated load restraint (-oo-)

-C- Lash All types of load restraint with -C- Lash lashing strap.	**TopLash -C-** Load restraint in shelves.
frontLash- OO- Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.	



Accessories included in the package

- 1 document holder
- 1 bott TiltBox
- 1 lashing strap with fitting and cam-buckle
- 1 C-Lash lashing strap (recessed)

13

bott vario3
Assembly trolleys and accessories



all prices are net prices and not eligible for discount

11

Starter kit assembly fixings



- With approx. 120 assembly fixings, jigs and M3X boxes

Version	Starter kit without trolley
Weight [kg]	0.00
Order ref.	**73510061**
Final installation [WU]	0.0

Electricians trolley



- With cordless tools and assembly fixings
- Equipped with all the necessary electrical consumables required for installation of vehicle electronics
- All components are labelled for easy multi-pack reordering
- Optional possibilities to equip the trolley with tools
- Base frame weight: 43 kg
- Total weight: 250 kg



Dimensions W x D x H [mm]	1250 x 780 x 1830
Weight [kg]	250.00
Order ref.	**73510238**
Final installation [WU]	0.0

11

Electric components






Description	Automotive fuse 5A orange	Automotive fuse 10A red	Automotive fuse 15A light blue	Automotive fuse 20A yellow
Dimensions W x D x H [mm]	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5	19 x 19 x 5
Weight [kg]	0.10	0.10	0.10	0.10
Pack of	100	100	100	100
QR code				
Order ref.	**73510208**	**73510075**	**73510076**	**73510077**
Kanban	K	K	K	K





Description	Automotive fuse mini 25A transparent	Automotive fuse 30A green	Automotive fuse holder (water proof)
Dimensions W x D x H [mm]	19 x 19 x 5	19 x 19 x 5	27 x 20 x 45
Weight [kg]	0.10	0.10	0.33
Pack of	100	100	25
QR code			
Order ref.	**73510210**	**73510211**	**73510179**
Kanban	K	K	K

Assembly trolleys and accessories






Description	Female spade connector 1-way	Female spade connector 1-way 6,3 mm	Heat-shrink crimp red 0.5-1.5mm²	Heat-shrink crimp blue 1.5-2.5mm²
Dimensions W x D x H [mm]	10 x 24 x 8	12 x 32 x 10	6 x 32 x 6	7 x 32 x 7
Weight [kg]	0.06	0.10	0.05	0.10
Pack of	100	100	100	100
QR code				
Order ref.	**73510070**	**73510071**	**73510086**	**73510087**
Kanban	K	K	K	K







Description	Male spade connector 6,3 mm 1,5-2,5 mm²	Spade connector, splitter, 1-way, 6,3mm	Female spade connector 6,3 mm 1,5-2,5 mm²	Spade connector 1-way	Spade connector 3-way
Dimensions W x D x H [mm]	8 x 28 x 5	21 x 54 x 8	5 x 20 x 8	10 x 28 x 6	32 x 28 x 6
Weight [kg]	0.05	0.60	0.05	0.01	0.01
Pack of	100	100	100	50	50
QR code					
Order ref.	**73510079**	**73510081**	**73510078**	**73510197**	**73510199**
Kanban	K	K	K	K	K





Description	Female spade connector 2-pole 6.3 mm	Female spade connector 2-pole 6,3 mm	PVC Insulated spade connector 6.3	Terminal cover M5/M6 for lead acid battery
Dimensions W x D x H [mm]	18 x 23 x 10	20 x 32 x 13	11 x 25 x 5	20 x 30 x 14
Weight [kg]	0.16	0.10	0.04	0.07
Pack of	100	50	100	25
QR code				
Order ref.	**73510069**	**73510068**	**73510080**	**73510183**
Kanban	K	K	K	K







Description	Relay socket T 6.3	12V relay	JP-Timer 1,5-2,5mm²	STD-Timer 1,5-2,5mm²	MCP 2,8 crimp terminal K1-2,5mm²
Dimensions W x D x H [mm]	33 x 38 x 36	22 x 26 x 36	5 x 19 x 5	5 x 20 x 7	4 x 20 x 5
Weight [kg]	0.30	0.65	0.03	0.07	0.02
Pack of	20	20	50	50	50
QR code					
Order ref.	**73510188**	**73510189**	**73510157**	**73510159**	**73510161**
Kanban	K	K	K	K	K







Description	Battery cable flexible red 4 mm² 100 m	Battery cable flexible red 6 mm² 100 m	Battery cable flexible red 10 mm² 100 m	Battery cable flexible red 16 mm² 50 m	Battery cable flexible red 25 mm² 50 m
Dimensions W x D x H [mm]	5 x 100000 x 5	6 x 100000 x 6	7 x 100000 x 7	9 x 50000 x 9	11 x 50000 x 11
Weight [kg]	6.50	9.50	13.50	9.50	13.75
Pack of	1	1	1	1	1
QR code					
Order ref.	**50805041**	**50805042**	**50805043**	**50805044**	**50805045**
Kanban	K	K	K	K	K







Description	Battery cable flexible red 50 mm² 25 m	Battery cable flexible black 4 mm² 100 m	Battery cable flexible black 6 mm² 100 m	Battery cable flexible black 10 mm² 100 m	Battery cable flexible black 16 mm² 50 m
Dimensions W x D x H [mm]	15 x 25000 x 15	5 x 100000 x 5	6 x 100000 x 6	7 x 100000 x 7	9 x 50000 x 9
Weight [kg]	13.25	6.50	9.50	13.50	9.50
Pack of	1	1	1	1	1
QR code					
Order ref.	**50805047**	**50805048**	**50805049**	**50805050**	**50805051**
Kanban	K	K	K	K	K

Assembly trolleys and accessories





Description	Battery cable flexible black 25 mm² 50 m	Battery cable flexible black 50 mm² 25 m	FLRY automotive cable red 1,5 mm² 100 m	FLRY automotive cable red 2,5 mm² 100 m	FLRY automotive cable black 1,5 mm² 100 m
Dimensions W x D x H [mm]	11 x 50000 x 11	15 x 25000 x 15	2 x 100000 x 2	3 x 100000 x 3	2 x 100000 x 2
Weight [kg]	13.75	13.25	1.44	2.40	1.44
Pack of	1	1	1	1	1
QR code					
Order ref.	**50805052**	**50805054**	**73510139**	**73510140**	**73510142**
Kanban	K	K	K	K	K






Description	FLRY automotive cable black 2,5 mm² 100 m	FLRY automotive cable red/ blue 1,5 mm² 100 m	FLRY automotive cable green 1,5 mm² 100 m	H07RN-F 3G cable 1,5mm² 200 m
Dimensions W x D x H [mm]	3 x 100000 x 3	2 x 100000 x 2	2 x 100000 x 2	12 x 250000 x 12
Weight [kg]	2.40	1.44	1.44	16.50
Pack of	1	1	1	1
QR code				
Order ref.	**73510143**	**73510151**	**73510155**	**73510131**
Kanban	K	K	K	K







Description	Fixing kit self-adhesive plinth	Cable clamp CN14	Cable clamp CN20	Cable clip K60-K27	Cable gland M20
Dimensions W x D x H [mm]	19 x 19 x 6	12 x 32 x 17	12 x 41 x 24	10 x 16 x 19	30 x 30 x 33
Weight [kg]	0.05	0.08	0.10	0.10	0.28
Pack of	100	100	100	100	25
QR code					
Order ref.	**73510083**	**73510073**	**73510074**	**73510193**	**73510195**
Kanban	K	K	K	K	K






Description	Heat-shrink sleeving black SB3010S 15 m	Heat-shrink sleeving black SB6020S 10 m	Heat-shrink sleeving black SB12040S 8 m	Heat-shrink sleeving black SB18060S 7 m
Dimensions W x D x H [mm]	6 x 15000 x 6	6 x 10000 x 6	12 x 8000 x 12	18 x 7000 x 18
Weight [kg]	0.10	0.12	0.15	0.20
Pack of	1	1	1	1
QR code				
Order ref.	**73510106**	**73510107**	**73510108**	**73510109**
Kanban	K	K	K	K

Assembly trolleys and accessories







Description	Slotted corrugated pipe NW 13 50 m	Slotted corrugated pipe NW 17 50 m	Bootlace ferrule 1,5 mm² 12 mm black
Dimensions W x D x H [mm]	16 x 50000 x 16	21 x 50000 x 21	4 x 4 x 19
Weight [kg]	1.10	1.20	0.01
Pack of	1	1	100
QR code			
Order ref.	**73510127**	**73510128**	**73510200**
Kanban	K	K	K











Description	Crimp-type socket 1,5-2,5 mm² M5	Crimp-type socket 10 mm² M5	Crimp-type socket 10 mm² M5	Crimp-type socket 1,5-2,5 mm² M6	Crimp-type socket 4-6 mm² M6
Dimensions W x D x H [mm]	10 x 19 x 4	11 x 23 x 7	11 x 25 x 9	11 x 22 x 4	11 x 21 x 6
Weight [kg]	0.05	0.20	0.35	0.05	0.10
Pack of	100	100	100	100	100
QR code					
Order ref.	**73510088**	**73510090**	**73510163**	**73510091**	**73510094**
Kanban	K	K	K	K	K







Description	Crimp-type socket 10 mm² M6	Ring crimp terminal 16mm² M6	Ring crimp terminal 25mm² M6	Ring crimp terminal 50mm² M6	Crimp-type socket 10 mm² M8
Dimensions W x D x H [mm]	11 x 23 x 7	11 x 26 x 9	12 x 31 x 11	18 x 43 x 15	14 x 27 x 7
Weight [kg]	0.20	0.35	0.65	1.70	0.25
Pack of	100	100	100	100	100
QR code					
Order ref.	**73510095**	**73510164**	**73510165**	**73510167**	**73510096**
Kanban	K	K	K	K	K





Description	Ring crimp terminal 16mm² M8	Ring crimp terminal 25mm² M8	Ring crimp terminal 50mm² M8
Dimensions W x D x H [mm]	14 x 29 x 9	16 x 33 x 11	18 x 43 x 15
Weight [kg]	0.40	0.75	1.70
Pack of	100	100	100
QR code			
Order ref.	**73510168**	**73510169**	**73510171**
Kanban	K	K	K

Option 1 electricians trolley



Version	Option 1 - Press tools
Dimensions W x D x H [mm]	620 x 45 x 120
Weight [kg]	3.60
Order ref.	**73504037**
Final installation [WU]	0.0

Option 2 electricians trolley



Version	Option 2 - Testing tools set
Dimensions W x D x H [mm]	100 x 220 x 70
Weight [kg]	1.20
Order ref.	**73504038**
Final installation [WU]	0.0

Option 3 electricians trolly



Version	Option 3 - Crimping tools
Dimensions W x D x H [mm]	30 x 210 x 100
Weight [kg]	1.80
Order ref.	**73504039**
Final installation [WU]	0.0

Installers tool trolley



- With tools and fixings
- Drawers 1, 3 and 5 are equipped
- Drawers 2 and 4 are empty
-
- Equipment drawer 1:
- Pin spanner, socket spanner, bit adapter, ring open-end spanner, metal drill bit 3.3 / 5.4, measuring tape, cutter, magnetic lifter, screwdriver set, set of pliers, bits set, extension set, reversable ratchet
- Equipment drawer 3:
- 74 bott small parts storage boxes with starting quantities, 1x DIN A4 overview of consumables
- Equipment drawer 5:
- Spray can insert, anti-slip mat, cartridge press, dividing material
- Please order consumables via chapter 13 - Multi-packs

Dimensions W x D x H [mm]	1050 x 525 x 1000
Weight [kg]	143.00
Order ref.	**73504015.70V**
Final installation [WU]	0.0

Optional equipment for drawer 2



- Included are:
- Release lever
- Thread extractor set M3-M24
- Gouge 20 mm
- Argentax scraper
- Working lamp
- Torque spanner 3/8’, 5-50
- Ruler - steel rule 300 mm
- Scriber needle 250 mm
- Stop square 150 x 100 mm
- Stop angle 300 x 180 mm
- Splint drive set 4-6-8 mm
- Plastic wedge
- Wedge set 200 mm
- Caliper gauge 150 mm

Version	Fitters trolley - drawer 2 - foam inlay with tools
Dimensions W x D x H [mm]	920 x 400 x 300
Weight [kg]	3.60
Order ref.	**73504024**
Final installation [WU]	0.0


Optional equipment for drawer 2



- Contains:
- 1x stripping tool Knipex Automatic 0.03-10.0 195mm
- 1x crimping tool Knipex 200mm
- 1x crimp insert Knipex 1
- 1x crimp insert Knipex 2
- 1x soldering gun (mini gas torch)
- 1x manual deburrer

Version	Fitters trolley - drawer 2.1 - electricians installation tools
Dimensions W x D x H [mm]	200 x 300 x 200
Weight [kg]	0.95
Order ref.	**73504022**
Final installation [WU]	0.0

Optional equipment for drawer 4



- Included are:
- Hammer with nylon non-rebound 40 mm
- Fitter's hammer 300 g
- Plastic hammer 32 mm
- Step drill set HSS 4-12.4-20.4-30 mm
- Countersink set HSS
- Fan grinder 80 x 50 x 6 mm
- Flat countersink HSS
- Metal drill bit set 1-13 mm

Version	Fitters trolley - drawer 4 - foam inlay with tools
Dimensions W x D x H [mm]	920 x 400 x 300
Weight [kg]	3.60
Order ref.	**73504025**
Final installation [WU]	0.0

Optional equipment for drawer 4



- Included:
- Bending tool with bending capacity 0-135°

Version	Fitters trolley - drawer 4.1 - hand-held wall bracket bending tool
Dimensions W x D x H [mm]	100 x 330 x 65
Weight [kg]	1.60
Order ref.	**73504020**
Final installation [WU]	0.0

Optional equipment for drawer 4



- Contains:
- 1x BS 18 LT BL rechargeable battery,1x POWERMAXX BS 12 BL Q, 1x POWERMAXX SSD 12 BL, 1x angled screw chuck "Quick"

Version	Fitters trolley - drawer 4.2 - cordless screwdriver set
Dimensions W x D x H [mm]	390 x 320 x 330
Weight [kg]	4.20
Order ref.	**73504021**
Final installation [WU]	0.0

Spare part equipment for drawer 1



- Included are:
- Pin spanner
- Socket spanner
- Bit adapter
- Ring open-end spanner
- Metal drill bit 3.3 / 5.4
- Measuring tape
- Cutter
- Magnetic lifter
- Screwdriver set
- Set of pliers
- Bits set
- Extension set
- Reversable ratchet

Version	Fitters trolley equipment drawer 1 spare part
Dimensions W x D x H [mm]	920 x 400 x 300
Weight [kg]	5.60
Order ref.	**73504023**
Final installation [WU]	0.0

FEIN cordless driver mid-mounted handle



- Precision cordless screwdriver
- Mid-mounted handle
- Tested screwdriver according to ISO 5393 VDI / VDE 2674
- Battery 14,4V or 18V possible
- Incl. 7 Nm pre-calibration
- Delivery without battery

Dimensions W x D x H [mm]	65 x 215 x 200
Weight [kg]	0.90
Order ref.	**73504032**
Final installation [WU]	0.0

FEIN cordless driver baton offset design



- Precision cordless screwdriver
- Batton offset design
- Tested screwdriver according to ISO 5393 VDI / VDE 2674
- Battery 14,4V or 18V possible
- Incl. 7 Nm pre-calibration
- Delivery without battery

Dimensions W x D x H [mm]	60 x 315 x 70
Weight [kg]	1.00
Order ref.	**73504031**
Final installation [WU]	0.0

FEIN Angled head for baton offset driver

Weight [kg]	0.15
Order ref.	**73504035**
Final installation [WU]	0.0

FEIN protective sheath for angled head

Dimensions W x D x H [mm]	65 x 32 x 32
Weight [kg]	0.02
Order ref.	**73504029**
Final installation [WU]	0.0

11

FEIN battery

- 18V / 3Ah



Dimensions W x D x H [mm]	75 x 100 x 75
Weight [kg]	0.60
Order ref.	**73504034**
Final installation [WU]	0.0

FEIN battery charger

- Li-ion battery with charge indicator
- Protection against overload, overheating and deep discharge



Dimensions W x D x H [mm]	130 x 200 x 90
Weight [kg]	0.70
Order ref.	**73504033**
Final installation [WU]	0.0

Screwdriver bits



Version	TX20-50mm	TX25-90mm	TX30-90mm	TX30-150mm
Pack of	10	5	5	5
Weight [kg]	0.10	0.10	0.10	0.17
Order ref.	**73504004**	**73504001**	**73504002**	**73504003**
Final installation [WU]	0.0	0.0	0.0	0.0

Measuring tape for pre-assembly



- Measuring tape for pre-assembling van racking systems
- With printed 25 mm increments at the back
- To position assembly parts on the SLF
- Measuring tape with lock and belt clip

Dimensions W x D x H [mm]	0 x 0 x 0
Weight [kg]	0.15
Order ref.	**73504036**
Final installation [WU]	0.0


Tool case for roof, side and floor ventilation components



- For punching round holes in the vehicle body
- Tool in Systainer³ with integrated foam insert
- 1x sheet metal punch (MonoCut punch + mould) Ø 90mm
- 1x sheet metal punch (MonoCut punch + mould) Ø 54mm for vehicle body (punch with thread UNF 3/4" for ball bearing screw)
- 2x ball bearing screw 19x75mm (for sheet metal punch Ø 54mm + Ø 90mm)
- 1x HM hole saw flat cut Ø 20.4mm (pre-drilling tool for ball bearing screw)
- 1x carbide-tipped hole saw FRP (carbide) Ø 90mm
- 1x carbide-tipped hole saw FRP (carbide) Ø 83mm (wood floor)
- 1x holder SW 12 FRP hole saw
- 1x centre drill Ø 7.3mm x 112mm for FRP hole saw
- 1x allen key 3mm

Dimensions W x D x H [mm]	525 x 340 x 190
Weight [kg]	6.70
Order ref.	**63504007**
Final installation [WU]	0.0

Hazet torque wrench spanner



- With yoke AF13
- Fixed calibrated 15 Nm-setting

Dimensions W x D x H [mm]	32 x 210 x 28
Weight [kg]	0.27
Order ref.	**73504013**
Final installation [WU]	0.0


Assembly jig SLF Cover



- SLF Cover for Ø 5.4 mm drill

Dimensions W x D x H [mm]	100 x 190 x 20
Weight [kg]	0.42
Pack of	1
Order ref.	**73504007.98**
Final installation [WU]	0.0


Centre punch with case



- For floor fixation

Dimensions W x D x H [mm]	18 x 8 x 52
Weight [kg]	0.03
Pack of	1
Order ref.	**73504005.96**
Final installation [WU]	0.0

Punching tool base



Punching tool base for round floor vent
Compensation for high beads to enable precise positioning and prevent tilting

Dimensions W x D x H [mm]	60 x 55 x 15
Weight [kg]	0.08
Order ref.	**73504049.98**
Final installation [WU]	0.0

Angle scale for hand-held wall bracket bending tool

Weight [kg]	0.36
Order ref.	**73504045**
Final installation [WU]	0.0

Kanban fixing materials and labelling kit

Version	Kanban fixing kit and MX3 bottBoxes	Kanban labelling kit 2x
Weight [kg]	298.16	0.18
Order ref.	**73502089**	**81020817**
Final installation [WU]	0.0	0.0

Overview of saws






14 bott vario

Spare parts bott vario3



bottvario 3. Generation

bott vario3 floor 12 mm



- Lightweight and moisture-repellent
- 12 mm birch plywood floor
- Top: robust and slip-resistant synthetic resin film coating
- Grey colour with bott decor
- Bottom: synthetic resin film coating with smooth surface
- Edges: profiled, moisture-repellent, dyed grey and
- With aluminium edge protection in the door area
- Pollutant emission class E1 in accordance with EN 717-2
- Slip resistance R12, Taber value > 500
- Incl. fixings
- Mainly simplified installation possible with hold-down cups

Version	Y06.1.1.0.1.0	Y06.1.2.0.1.0	Y10.1.1.0.1.0	Y10.1.2.0.1.0	Y16.0.0.0.0.0
Weight [kg]	16.00	18.30	23.58	27.37	28.20
Order ref.	**11320129**	**11320131**	**11320124**	**11320125**	**11320143**
Final installation [WU]	6.0	6.0	5.0	5.0	8.0

bott vario3 floor 12 mm

Version	Y18.0.1.0.1.0	Y18.0.2.0.1.0	Y18.0.3.0.1.0 Super-single	Y18.0.4.0.1.0	Y18.2.3.0.1.0
Weight [kg]	30.48	38.90	54.80	58.10	52.70
Order ref.	**11320114**	**11320115**	**11320168**	**11320117**	**11320116**
Final installation [WU]	7.0	8.0	9.0	10.0	9.0

bott vario3 floor 12 mm

Version	Y18.3.2.0.1.0 Super-single	Y18.3.4.0.1.0 Super-single	Y18.4.2.0.1.0 Dual rear wheels	Y18.4.3.0.1.0 Dual rear wheels	Y18.4.4.0.1.0 Dual rear wheels
Weight [kg]	39.90	60.50	38.00	52.90	58.60
Order ref.	**11320167**	**11320169**	**11320170**	**11320171**	**11320172**
Final installation [WU]	8.0	10.0	8.0	9.0	10.0

bott vario3 floor 12 mm

Version	Y52.0.3.0.1.0	Y52.0.2.0.1.0	Y59.0.1.0.12.2	Y59.0.2.0.12.2
Weight [kg]	44.90	35.50	25.70	39.00
Order ref.	**11320160**	**11320166**	**11320194**	**11320195**
Final installation [WU]	9.0	8.0	6.0	8.0


bott vario3 floor spare part package

Version	Cover, fixation sleeve, bracket, round, 10 each
Pack of	10
Weight [kg]	0.68
Order ref.	**63502047.19V**
Final installation [WU]	0.0

bott vario3 floor lashing ring

Pack of	50
Weight [kg]	0.50
Order ref.	**63502049.19V**
Final installation [WU]	0.0

bott vario3 edge fixing profile for roof lining



- For installation on the vehicle roof
- For mounting a roof liner panel
- Pack of 2
- Natural aluminium
- Incl. connector for connecting two profiles
- Delivery condition: packed

Dimensions W x D x H [mm]	125 x 2000 x 10
Weight [kg]	2.44
Pack of	2
Order ref.	**12223001.98V**
Final installation [WU]	0.0

bott vario3 protect



- Engineered side lining made from recyclable polypropylene
- Twin-wall panels, 4 mm thick with rough structure on one side
- Colour: light grey (RAL 7035)
- UV-resistant, low weight, corrosion and rot-free, resistant to chemicals
- Easy to clean
- Incl. fixings

Version	Y18.0.1.1.1.0	Y18.0.1.2.1.0	Y18.0.2.1.1.0	Y18.0.2.23.1.0	Y18.0.3.23.1.0
Weight [kg]	7.65	9.45	10.20	12.49	18.18
Order ref.	**12225024.95**	**12225025.95**	**12225020.95**	**12225021.95**	**12225026.95**
Final installation [WU]	6.0	6.0	8.0	8.0	10.0

bott vario3 protect

Version	Y18.0.4.23.1.0
Weight [kg]	20.42
Order ref.	**12225027.95**
Final installation [WU]	10.0

bott vario3 protect advanced



- Engineered side lining made from recyclable polypropylene
- Twin-wall panels, 4 mm thick with rough structure on one side
- Colour: light grey (RAL 7035)
- UV-resistant, low weight, corrosion and rot-free, resistant to chemicals
- Easy to clean
- Incl. fixings

Version	Y06.0.1.0.1.1	Y06.0.1.0.1.2	Y06.0.2.0.1.1	Y06.0.2.0.1.2	Y10.1.1.1.1.1
Weight [kg]	2.60	1.50	2.60	1.50	7.59
Order ref.	**12225062.95**	**12225061.95**	**12225301.95**	**12225302.95**	**12225099.95**
Final installation [WU]	6.0	6.0	7.0	7.0	8.0

bott vario3 protect advanced

Version	Y10.1.1.1.1.2	Y10.1.2.0.1.1	Y10.1.2.0.1.2	Y16.0.0.0.0.1	Y16.0.0.0.0.2
Weight [kg]	7.60	8.74	8.80	8.50	7.50
Order ref.	**12225100.95**	**12225102.95**	**12225103.95**	**12225170.95**	**12225304.95**
Final installation [WU]	8.0	8.0	8.0	7.0	7.0

bott vario3 protect advanced

Version	Y18.0.1.1.1.1	Y18.0.1.2.1.1	Y18.0.2.1.1.1	Y18.0.2.23.1.1	Y18.0.3.23.1.1
Weight [kg]	11.47	14.53	15.30	18.22	23.91
Order ref.	**12225028.95**	**12225029.95**	**12225022.95**	**12225023.95**	**12225030.95**
Final installation [WU]	8.0	8.0	10.0	10.0	12.0


bott vario3 protect advanced

Version	Y18.0.4.23.1.1	Y52.0.3.0.1.1	Y52.0.2.0.1.1
Weight [kg]	26.15	20.90	17.30
Order ref.	**12225031.95**	**12225225.95**	**12225251.95**
Final installation [WU]	12.0	12.0	10.0

bott vario3 fixing plate for vario protect light/plus

Version	For vario protect and protect plus
Dimensions W x D x H [mm]	145 x 7 x 51
Weight [mm]	0.15
Pack quantity	10
Order ref.	**90099691.16V**
Final installation [WU]	0.0

bott vario3 shelf profile TopLash -C-



- Shelf profile TopLash -C- for setting up an additional lashing function on a shelf
- Shelf profile TopLash -C- rear
- 15 widths: 2-18
- Cover caps
- Anodised aluminium

System width [mm]	-2	-4	-5	-7	-8
Dimensions W x D x H [mm]	254 x 17 x 32	478 x 17 x 32	590 x 17 x 32	814 x 17 x 32	926 x 17 x 32
Weight [kg]	0.09	0.19	0.25	0.35	0.41
Assembled/packed	Packed				
Order ref.	**07902689.97V**	**07902691.97V**	**07902692.97V**	**07902694.97V**	**07902695.97V**
Final installation [WU]	0.0				

bott vario3 shelf profile TopLash -C-

System width [mm]	-9	-10	-11	-12	-13
Dimensions W x D x H [mm]	1038 x 17 x 32	1150 x 17 x 32	1262 x 17 x 32	1374 x 17 x 32	1486 x 17 x 32
Weight [kg]	0.46	0.51	0.57	0.62	0.67
Assembled/packed	Packed				
Order ref.	**07902696.97V**	**07902697.97V**	**07902698.97V**	**07902699.97V**	**07902700.97V**
Final installation [WU]	0.0				

bott vario3 shelf profile TopLash -C-

System width [mm]	-14	-15	-16	-17	-18
Dimensions W x D x H [mm]	1598 x 17 x 32	1710 x 17 x 32	1822 x 17 x 32	1934 x 17 x 32	2046 x 17 x 32
Weight [kg]	0.72	0.78	0.83	0.88	0.94
Assembled/packed	Packed				
Order ref.	**07902701.97V**	**07902702.97V**	**07902703.97V**	**07902704.97V**	**07902705.97V**
Final installation [WU]	0.0				

bott vario3 aluminium edge protection profile

Version	Self adhesive
Dimensions W x D x H [mm]	2000 x 40 x 8
Weight [mm]	0.40
Pack quantity	1
Order ref.	**07901043.97V**
Final installation [WU]	3.0

bott vario3 floor panel edge protection strip

Length [mm]	260	360	550	750	1150
Pack of	5	5	5	5	5
Weight [kg]	0.29	0.40	0.61	0.83	1.27
Order ref.	**63510084.97**	**63510085.97**	**63510086.97**	**63510087.97**	**63510088.97**
Final installation [WU]	0.0	0.0	0.0	0.0	0.0

bott vario3 floor panel edge protection strip

Length [mm]	1330
Pack of	5
Weight [kg]	1.47
Order ref.	**63510089.97**
Final installation [WU]	0.0

bott vario3 floor surface repair kit

Version	Floor surface repair kit	Refill kit For floor repair kit (3x hardwax sticks 8 cm/1x touch-up pen slate grey)
Weight [kg]	0.42	0.00
Order ref.	**85001028.99V**	**85001143.99**
Final installation [WU]	0.0	0.0

bott vario3 spare parts bottTainer

Version	For hinged lid (T-handle With locking cylinder + 1 key, closing according to order)	Roller shutter (closing 1011)	Gas spring 100N
Weight [kg]	0.14	0.02	0.00
Order ref.	**12602057.90V**	**12603031**	**80020007**
Final installation [WU]	0.0	0.0	2.0

bott vario3 service case shelf slide set

Version	For depth 376/3
Weight [kg]	1.05
Order ref.	**73510227.51V**
Final installation [WU]	0.0

bott vario3 drawer slide set

Version	For depth 376/3	For depth 488/4	For depth 600/5	For depth 824/7	For depth 1048/9
Weight [kg]	1.06	1.47	3.04	4.20	5.64
Order ref.	**73510221.51V**	**73510222.51V**	**73510223.51V**	**73510224.51V**	**73510225.51V**
Final installation [WU]	0.0	0.0	0.0	0.0	0.0

bott vario3 drawer slide set

Version	For depth 1384/12
Weight [kg]	7.60
Order ref.	**73510226.51V**
Final installation [WU]	0.0

bott vario3 drop-front for long item top tray

Version	With brackets	
Dimensions W x D x H [mm]	254 x 40 x 117	366 x 40 x 117
Weight [kg]	0.32	0.44
Order ref.	**73510099.19V**	**73510100.19V**
Final installation [WU]	0.0	

bott vario3 drawer front end cap set

Dimensions W x D x H [mm]	26 x 95 x 44	26 x 145 x 44	26 x 195 x 44
Weight [kg]	0.07	0.09	0.11
Order ref.	**73510102.19V**	**73510103.19V**	**73510104.19V**
Final installation [WU]	0.0		

bott vario3 knurled head securing bolt for pull-out worktops

Weight [kg]	0.05
Order ref.	**71220047.17V**
Final installation [WU]	0.0

bott vario3 folding worktop locking pin

Pack of	5
Weight [kg]	0.10
Order ref.	**63510068.61V**
Final installation [WU]	0.0


bott vario3 clamping lever for turntable

Version	For swivel base/ S-125/135/150
Weight [kg]	0.10
Order ref.	**80711039.61V**
Final installation [WU]	0.0

bott vario3 handle for sliding plattform

Weight [kg]	0.15
Order ref.	**71220046.19V**
Final installation [WU]	0.0

bott vario3 securing clip for LED tube light 12V



- Suitable for LED tube lights 12 V with switch (63501032.90V and 63501033.90V)
- Incl. screws

Version	For LED light tubes 12V with switch
Dimensions W x D x H [mm]	25 x 31 x 18
Weight [kg]	0.01
Pack of	2
Order ref.	**63502069**
Final installation [WU]	0.0

bott vario3 anti-slip mat for shelf variable

Version	For shelf variable
Dimensions W x D x H [mm]	4002 x 376 x 3
Weight [kg]	0.86
Order ref.	**71301108.19V**
Final installation [WU]	0.0

T-Loc for Systainer³ M+L/Systainer³ Organizer M+L

Version	T-Loc For Systainer³ M + L	T-Loc For Systainer³ Organizer M + L
Weight [kg]	0.02	0.02
Order ref.	**72525022.19**	**72525023.19**
Final installation [WU]	0.0	0.0

varioSafe coupling kit

Version	varioSafe coupling kit VSL
Dimensions W x D x H [mm]	75 x 20 x 95
Weight [kg]	0.05
Order ref.	**62511050.19V**
Final installation [WU]	0.0

perfo toolflex end cap

Version	For Ø 15-25 mm red	For Ø 25-40 mm blue
Dimensions W x D x H [mm]	Ø 15-25 mm (rot)	Ø 25-40 mm (blau)
Weight [kg]	0.02	
Pack of	100	
Order ref.	**14030216**	**14030217**
Final installation [WU]	0.0	

15 bott vario

Spare parts bott vario2



bottvario 2. generation

15

bott vario2 heavy duty drawers W 425 mm incl. rails

Dimensions W x D x H [mm]	425 x 440 x 100	425 x 440 x 125	425 x 440 x 150	425 x 440 x 175	425 x 440 x 200
Weight [kg]	3.10	3.40	3.50	3.60	3.70
Order ref.	**60501039.19V**	**60501040.19V**	**60501041.19V**	**60501042.19V**	**60501043.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	425 x 440 x 225	425 x 440 x 300
Weight [kg]	3.80	5.80
Order ref.	**60501044.19V**	**60501045.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	425 x 540 x 100	425 x 520 x 125	425 x 520 x 150	425 x 540 x 175	425 x 540 x 200
Weight [kg]	4.40	4.70	4.80	4.90	5.00
Order ref.	**60501007.19V**	**60501008.19V**	**60501009.19V**	**60501010.19V**	**60501011.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	425 x 540 x 225	425 x 540 x 100
Weight [kg]	5.10	6.60
Order ref.	**60501012.19V**	**60501013.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	425 x 640 x 100	425 x 640 x 125	425 x 640 x 150	425 x 640 x 175	425 x 640 x 200
Weight [kg]	5.30	5.50	5.90	6.10	6.30
Order ref.	**60501049.19V**	**60501050.19V**	**60501051.19V**	**60501052.19V**	**60501053.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	425 x 640 x 225	425 x 640 x 300
Weight [kg]	6.50	8.50
Order ref.	**60501054.19V**	**60501055.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	425 x 540 x 100	425 x 795 x 125	425 x 795 x 150	425 x 795 x 175	425 x 795 x 200
Weight [kg]	6.60	7.00	7.10	7.20	7.30
Order ref.	**60501013.19V**	**60501014.19V**	**60501015.19V**	**60501016.19V**	**60501017.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	425 x 795 x 225	425 x 795 x 300
Weight [kg]	7.40	9.50
Order ref.	**60501018.19V**	**60501024.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	440 x 1025 x 100	440 x 1025 x 125	440 x 1025 x 150	440 x 1025 x 175	440 x 1025 x 225
Weight [kg]	8.50	8.60	9.00	9.10	9.20
Order ref.	**60501047.19V**	**60501048.19V**	**60501019.19V**	**60501046.19V**	**60501020.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	440 x 1025 x 300
Weight [kg]	11.40
Order ref.	**60501021.19V**
Final installation [WU]	0.0

bott vario2 heavy duty drawers W 525 mm incl. rails

Dimensions W x D x H [mm]	525 x 340 x 100	525 x 340 x 125	525 x 340 x 150	525 x 340 x 175	525 x 340 x 200
Weight [kg]	3.00	3.30	3.40	3.50	3.60
Order ref.	**60502021.19V**	**60502022.19V**	**60502023.19V**	**60502024.19V**	**60502025.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	525 x 340 x 225	525 x 340 x 300
Weight [kg]	3.70	5.60
Order ref.	**60502026.19V**	**60502053.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	525 x 440 x 100	525 x 440 x 125	525 x 440 x 150	525 x 440 x 175	525 x 440 x 200
Weight [kg]	3.60	4.00	4.10	4.20	4.30
Order ref.	**60502027.19V**	**60502028.19V**	**60502029.19V**	**60502030.19V**	**60502031.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	525 x 440 x 225	525 x 440 x 300
Weight [kg]	4.40	6.30
Order ref.	**60502032.19V**	**60502033.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	525 x 540 x 100	525 x 540 x 125	525 x 540 x 150	525 x 540 x 175	525 x 540 x 200
Weight [kg]	5.00	5.40	5.50	5.60	5.70
Order ref.	**60502034.19V**	**60502035.19V**	**60502036.19V**	**60502037.19V**	**60502038.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	525 x 540 x 225	525 x 540 x 300
Weight [kg]	5.80	7.80
Order ref.	**60502039.19V**	**60502040.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	525 x 640 x 100	525 x 640 x 125	525 x 640 x 150	525 x 640 x 175	525 x 640 x 200
Weight [kg]	5.80	6.20	6.30	6.40	6.50
Order ref.	**60502062.19V**	**60502063.19V**	**60502064.19V**	**60502065.19V**	**60502066.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	525 x 640 x 225	525 x 640 x 300
Weight [kg]	6.60	8.60
Order ref.	**60502067.19V**	**60502068.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	525 x 795 x 100	525 x 795 x 125	525 x 795 x 150	525 x 795 x 175	525 x 795 x 200
Weight [kg]	7.10	7.60	7.70	7.80	7.90
Order ref.	**60502041.19V**	**60502042.19V**	**60502043.19V**	**60502044.19V**	**60502045.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	525 x 795 x 225	525 x 795 x 300
Weight [kg]	8.00	10.00
Order ref.	**60502046.19V**	**60502054.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	525 x 1025 x 150
Weight [kg]	9.93
Order ref.	**60502075.19V**
Final installation [WU]	1.0

Dimensions W x D x H [mm]	540 x 1025 x 150	540 x 1025 x 225	540 x 1025 x 300
Weight [kg]	13.50	13.80	16.00
Order ref.	**60502047.19V**	**60502048.19V**	**60502051.19V**
Final installation [WU]	0.0		

bott vario2 heavy duty drawers W 775 mm incl. rails

Dimensions W x D x H [mm]	775 x 340 x 100	775 x 340 x 125	775 x 340 x 150	775 x 340 x 175	775 x 340 x 200
Weight [kg]	3.60	4.10	4.30	4.50	4.60
Order ref.	**60503019.19V**	**60503020.19V**	**60503021.19V**	**60503022.19V**	**60503023.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	775 x 340 x 225	775 x 340 x 300
Weight [kg]	4.70	5.70
Order ref.	**60503024.19V**	**60503052.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	775 x 440 x 100	775 x 440 x 125	775 x 440 x 150	775 x 440 x 175	775 x 440 x 200
Weight [kg]	4.60	5.10	5.30	5.50	5.70
Order ref.	**60503025.19V**	**60503026.19V**	**60503027.19V**	**60503028.19V**	**60503029.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	775 x 440 x 225	775 x 440 x 300
Weight [kg]	5.80	6.80
Order ref.	**60503030.19V**	**60503053.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	775 x 540 x 100	775 x 540 x 125	775 x 540 x 150	775 x 540 x 175	775 x 540 x 200
Weight [kg]	8.50	9.60	9.80	9.90	10.10
Order ref.	**60503031.19V**	**60503032.19V**	**60503033.19V**	**60503034.19V**	**60503035.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	775 x 540 x 225	775 x 540 x 300
Weight [kg]	10.20	11.20
Order ref.	**60503036.19V**	**60503054.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	775 x 640 x 100	775 x 640 x 125	775 x 640 x 150	775 x 640 x 175	775 x 640 x 200
Weight [kg]	9.80	11.00	11.20	11.40	11.50
Order ref.	**60503037.19V**	**60503038.19V**	**60503039.19V**	**60503040.19V**	**60503041.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	775 x 640 x 225	775 x 640 x 300
Weight [kg]	11.60	12.60
Order ref.	**60503042.19V**	**60503055.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	775 x 795 x 100	775 x 795 x 125	775 x 795 x 150	775 x 795 x 175	775 x 795 x 200
Weight [kg]	11.80	13.10	13.30	13.50	13.60
Order ref.	**60503043.19V**	**60503044.19V**	**60503045.19V**	**60503046.19V**	**60503047.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	775 x 795 x 225	775 x 795 x 300
Weight [kg]	13.70	14.70
Order ref.	**60503048.19V**	**60503056.19V**
Final installation [WU]	0.0	

bott vario2 heavy duty drawers W 1025 mm incl. rails

Dimensions W x D x H [mm]	1025 x 340 x 100	1025 x 340 x 125	1025 x 340 x 150	1025 x 340 x 175	1025 x 340 x 200
Weight [kg]	4.60	5.30	5.50	5.80	6.00
Order ref.	**60504019.19V**	**60504020.19V**	**60504021.19V**	**60504022.19V**	**60504023.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	1025 x 340 x 225	1025 x 340 x 300
Weight [kg]	6.10	7.41
Order ref.	**60504024.19V**	**60504046.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	1025 x 440 x 100	1025 x 440 x 125	1025 x 440 x 150	1025 x 440 x 175	1025 x 440 x 200
Weight [kg]	5.50	6.20	6.40	6.70	6.90
Order ref.	**60504025.19V**	**60504026.19V**	**60504027.19V**	**60504028.19V**	**60504029.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	1025 x 440 x 225	1025 x 440 x 300
Weight [kg]	7.00	8.31
Order ref.	**60504030.19V**	**60504047.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	1025 x 540 x 100	1025 x 540 x 125	1025 x 540 x 150	1025 x 540 x 175	1025 x 540 x 200
Weight [kg]	10.20	11.60	11.80	12.10	12.30
Order ref.	**60504031.19V**	**60504032.19V**	**60504033.19V**	**60504034.19V**	**60504035.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	1025 x 540 x 225	1025 x 540 x 300
Weight [kg]	12.40	13.70
Order ref.	**60504036.19V**	**60504048.19V**
Final installation [WU]	0.0	

Dimensions W x D x H [mm]	1025 x 640 x 100	1025 x 640 x 125	1025 x 640 x 150	1025 x 640 x 175	1025 x 640 x 200
Weight [kg]	11.80	13.20	13.50	13.70	13.90
Order ref.	**60504037.19V**	**60504038.19V**	**60504039.19V**	**60504040.19V**	**60504041.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	1025 x 640 x 225	1025 x 640 x 300
Weight [kg]	14.00	15.30
Order ref.	**60504042.19V**	**60504049.19V**
Final installation [WU]	0.0	

bott vario under floor drawer incl. heavy duty rails

Dimensions W x D x H [mm]	425 x 1025 x 100	425 x 1025 x 150	425 x 1025 x 200	425 x 1025 x 300
Weight [kg]	8.60	9.25	9.42	11.25
Order ref.	**60501056.19V**	**60501062.19V**	**60501057.19V**	**60501063.19V**
Final installation [WU]	1.0			

Dimensions W x D x H [mm]	425 x 1275 x 100	425 x 1275 x 150	425 x 1275 x 200	425 x 1275 x 300
Weight [kg]	10.58	11.30	11.48	13.30
Order ref.	**60501058.19V**	**60501064.19V**	**60501059.19V**	**60501065.19V**
Final installation [WU]	1.0			

Dimensions W x D x H [mm]	425 x 1525 x 100	425 x 1525 x 150	425 x 1525 x 200	425 x 1525 x 300
Weight [kg]	11.05	11.85	12.02	13.85
Order ref.	**60501060.19V**	**60501066.19V**	**60501061.19V**	**60501067.19V**
Final installation [WU]	1.0			

bott vario end-frame

Dimensions W x D x H [mm]	25 x 240 x 100	25 x 240 x 350	25 x 240 x 500	25 x 240 x 1000
Weight [kg]	0.34	0.95	1.31	2.53
Order ref.	**62016001.19V**	**62016004.19V**	**62016006.19V**	**62016009.19V**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	25 x 340 x 100	25 x 340 x 350	25 x 340 x 500	25 x 340 x 1000	25 x 340 x 1100
Weight [kg]	0.47	1.26	1.72	3.30	3.61
Order ref.	**62016015.19V**	**62016018.19V**	**62016020.19V**	**62016025.19V**	**62016026.19V**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	25 x 440 x 100	25 x 440 x 350	25 x 440 x 500	25 x 440 x 1000	25 x 440 x 1100
Weight [kg]	0.63	1.65	2.27	4.30	4.71
Order ref.	**62016031.19V**	**62016033.19V**	**62016035.19V**	**62016040.19V**	**62016041.19V**
Final installation [WU]	0.0				

Drawer slide set (1 pair)

Version	Heavy duty for depth 340 mm	Heavy duty for depth 440 mm	Heavy duty for depth 540 mm	Heavy duty for depth 640 mm
Weight [kg]	1.30	1.70	2.70	3.30
Order ref.	**63510047.51V**	**63510048.51V**	**63510049.51V**	**63510050.51V**
Final installation [WU]	0.0	0.0	0.0	0.0

Version	Heavy duty for depth 795 mm until 03/17	Heavy duty for depth 1025 mm	Heavy duty for depth 1275/1525 mm
Weight [kg]	4.20	5.62	6.82
Order ref.	**63510051.51V**	**63510134.51V**	**63510133.51V**
Final installation [WU]	0.0	0.0	0.0

Version	Underfloor for depth 1025 mm until 03/17	Underfloor for depth 1275 mm	Shelf for depth 440 mm	Shelf for depth 540 mm
Weight [kg]	5.60	6.70	1.40	1.70
Order ref.	**63510090.51V**	**63510052.51V**	**10801167.51V**	**10801168.51V**
Final installation [WU]	0.0	0.0	0.0	0.0

Case shelf

Dimensions W x D x H [mm]	525 x 440 x 50
Weight [kg]	0.56
Order ref.	**60561012.19**
Final installation [WU]	0.0

Drop-front shelf (without aluminium drop-front)

Dimensions W x D x H [mm]	525 x 340 x 75	525 x 440 x 75	525 x 540 x 75	525 x 640 x 75
Weight [kg]	1.94	2.23	2.53	2.82
Order ref.	**08018761.98**	**08018766.98**	**08018771.98**	**08018775.98**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	775 x 340 x 75	775 x 440 x 75	775 x 540 x 75	775 x 640 x 75
Weight [kg]	2.81	3.20	3.60	3.99
Order ref.	**08018762.98**	**08018767.98**	**08018772.98**	**08018776.98**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	1025 x 340 x 75	1025 x 440 x 75	1025 x 540 x 75	1025 x 640 x 75	1025 x 795 x 75
Weight [kg]	3.67	4.17	4.67	5.16	5.93
Order ref.	**08018763.98**	**08018768.98**	**08018773.98**	**08018777.98**	**08018779.98**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	1275 x 340 x 75	1275 x 440 x 75	1275 x 540 x 75	1275 x 640 x 75
Weight [kg]	4.54	5.14	5.72	6.34
Order ref.	**08018764.98**	**08018769.98**	**08018774.98**	**08018778.98**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	1525 x 340 x 75	1525 x 440 x 75
Weight [kg]	5.40	6.10
Order ref.	**08018765.98**	**08018770.98**
Final installation [WU]	0.0	

Drop-front bracket set

Version	H 65 mm	H 125 mm	H 200 mm
Weight [kg]	0.11	0.10	0.10
Order ref.	**63510101.19V**	**63510063.19V**	**63510064.19V**
Final installation [WU]	0.0	0.0	0.0

Aluminium drop-front (with bracket and fixing plate for floor mounting)

Dimensions W x D x H [mm]	525 x 43 x 65	525 x 43 x 125	525 x 43 x 200
Weight [kg]	0.37	0.58	0.81
Order ref.	**62510026.19V**	**62510001.19V**	**62510007.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	775 x 43 x 65	775 x 43 x 125	775 x 43 x 200
Weight [kg]	0.56	0.99	1.48
Order ref.	**62510027.19V**	**62510002.19V**	**62510008.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	1025 x 43 x 65	1025 x 43 x 125	1025 x 43 x 200
Weight [kg]	0.74	1.15	1.98
Order ref.	**62510028.19V**	**62510003.19V**	**62510009.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	1175 x 43 x 65	1175 x 43 x 125	1175 x 43 x 200
Weight [kg]	0.85	1.57	2.32
Order ref.	**62510029.19V**	**62510022.19V**	**62510023.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	1275 x 43 x 65	1275 x 43 x 125	1275 x 43 x 200
Weight [kg]	0.92	1.44	2.47
Order ref.	**62510030.19V**	**62510004.19V**	**62510010.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	1525 x 43 x 65	1525 x 43 x 125	1525 x 43 x 200
Weight [kg]	1.09	1.72	2.97
Order ref.	**62510031.19V**	**62510005.19V**	**62510011.19V**
Final installation [WU]	0.0		

Cupboard door with shelving unit rear panel

Dimensions W x D x H [mm]	275 x 25 x 400	275 x 25 x 500	275 x 25 x 900
Weight [kg]	1.12	1.36	2.36
Order ref.	**62501001.97V**	**62501002.97V**	**62501003.97V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	425 x 25 x 500
Weight [kg]	2.44
Order ref.	**62501026.97V**
Final installation [WU]	0.0

Dimensions W x D x H [mm]	525 x 25 x 400	525 x 25 x 500	525 x 25 x 900	525 x 25 x 1000	525 x 25 x 1200
Weight [kg]	1.99	2.48	4.37	4.85	5.82
Order ref.	**62501004.97V**	**62501005.97V**	**62501006.97V**	**62501007.97V**	**62501008.97V**
Final installation [WU]	0.0				

Shelf divider

Dimensions W x D x H [mm]	30 x 240 x 75	30 x 340 x 75	30 x 440 x 75	30 x 540 x 75	30 x 640 x 75
Weight [kg]	0.14	0.18	0.24	0.30	0.36
Pack of	2				
Order ref.	**63001116.19V**	**63001117.19V**	**63001118.19V**	**63001119.19V**	**63001120.19V**
Final installation [WU]	0.0				

Drop-front shelf divider

Dimensions W x D x H [mm]	30 x 340 x 75	30 x 440 x 75	30 x 540 x 75	30 x 640 x 75	30 x 795 x 75
Weight [kg]	0.14	0.18	0.22	0.28	0.92
Pack of	2				
Order ref.	**63001131.19V**	**63001132.19V**	**63001133.19V**	**63001134.19V**	**63001135.19V**
Final installation [WU]	0.0				

Drawer partition

Version	Depth 340 for height 100/125 mm	Depth 340 for height > 150 mm	Depth 440 for height 100/125 mm	Depth 440 for height > 150 mm
Pack of	2	2	2	2
Weight [kg]	0.24	0.38	0.31	0.49
Order ref.	**63001001.19V**	**63001006.19V**	**63001002.19V**	**63001007.19V**
Final installation [WU]	0.0	0.0	0.0	0.0

Version	Depth 540 for height 100/125 mm	Depth 540 for height > 150 mm	Depth 640 for height 100/125 mm	Depth 640 for height > 150 mm
Pack of	2	2	2	2
Weight [kg]	0.39	0.61	0.46	0.72
Order ref.	**63001003.19V**	**63001008.19V**	**63001004.19V**	**63001009.19V**
Final installation [WU]	0.0	0.0	0.0	0.0

Version	Depth 795 for height 100/125 mm	Depth 795 for height > 150 mm
Pack of	2	2
Weight [kg]	1.55	2.43
Order ref.	**63001005.19V**	**63001010.19V**
Final installation [WU]	0.0	0.0

Version	Left to right width 425 for height 100/125 mm	Left to right width 425 for height > 150 mm	Left to right width 525 for height 100/125 mm	Left to right width 525 for height > 150 mm
Pack of	2	2	2	2
Weight [kg]	0.28	0.43	0.35	0.55
Order ref.	**63001021.19V**	**63001023.19V**	**63001022.19V**	**63001024.19V**
Final installation [WU]	0.0	0.0	0.0	0.0

Drawer cross divider

Version	For height 100/125 mm	For height > 150 mm	For height 100/125 mm	For height > 150 mm
Dimensions W x D x H [mm]	86 x 2 x 75	86 x 2 x 125	111 x 2 x 75	111 x 2 x 125
Weight [kg]	0.11	0.14	0.12	0.15
Pack of	2			
Order ref.	**63002001.19V**	**63002005.19V**	**63002002.19V**	**63002006.19V**
Final installation [WU]	0.0			

varioSafe guide rails (1 pair)

Dimensions W x D x H [mm]	19 x 340 x 43	19 x 440 x 43
Weight [kg]	0.20	0.26
Order ref.	**62511037.19V**	**62511038.19V**
Final installation [WU]	0.0	

varioSafe

Version	varioSafe L3 mit 18 divider boxes	varioSafe M3 with divider VSA 0503	varioSafe X with divider VSA 0504	varioSafe L3 with divider VSA 0503	varioSafe L4 with divider VSA 0504
Dimensions W x D x H [mm]	454 x 318 x 188	454 x 318 x 113	454 x 318 x 388	454 x 318 x 188	454 x 418 x 188
Weight [kg]	4.33	2.10	4.20	2.78	3.31
Order ref.	**62511033.19V**	**62511109.19V**	**62511110.19V**	**62511042.19V**	**62511043.19V**
Final installation [WU]	0.0				

Version	varioSafe coupling kit VSL	varioSafe empty VSO 0503	varioSafe empty VSO 0504
Dimensions W x D x H [mm]	75 x 20 x 95	454 x 318 x 113	454 x 318 x 388
Weight [kg]	0.05	1.90	3.40
Order ref.	**62511050.19V**	**62511097.19V**	**62511098.19V**
Final installation [WU]	0.0		

varioSort

Version	varioSort empty VSO 0503	varioSort with 11 divider boxes VSO 0503	varioSort with 20 divider boxes VSO 0504
Dimensions W x D x H [mm]	455 x 322 x 88		
Weight [kg]	1.65	2.32	2.42
Order ref.	**62511093.19V**	**62511094.19V**	**62511095.19V**
Final installation [WU]	0.0		

Bearer bracket lashing eyes

Dimensions W x D x H [mm]	525 x 45 x 50	775 x 45 x 50	1025 x 45 x 50
Weight [kg]	1.01	1.52	2.03
Order ref.	**67002059.19V**	**67002060.19V**	**67002061.19V**
Final installation [WU]	0.0		

Dimensions W x D x H [mm]	1175 x 45 x 50	1275 x 45 x 50	1525 x 45 x 50
Weight [kg]	2.36	2.55	3.06
Order ref.	**67002062.19V**	**67002063.19V**	**67002064.19V**
Final installation [WU]	0.0		

Covering cap

Version	Corner left	Corner right	Corner left	Corner right
Dimensions W x D x H [mm]	31 x 240 x 33		31 x 340 x 33	
Weight [kg]	0.04		0.05	
Order ref.	**62411001.19V**	**62411002.19V**	**62411003.19V**	**62411004.19V**
Final installation [WU]	0.0			

Version	Corner left	Corner right	Corner left	Corner right
Dimensions W x D x H [mm]	31 x 440 x 33		31 x 540 x 33	
Weight [kg]	0.07		0.08	
Order ref.	**62411005.19V**	**62411006.19V**	**62411007.19V**	**62411008.19V**
Final installation [WU]	0.0			

Version	Front			
Dimensions W x D x H [mm]	29 x 240 x 43	29 x 340 x 43	29 x 440 x 43	29 x 540 x 43
Weight [kg]	0.06	0.07	0.09	0.11
Order ref.	**62411009.19V**	**62411010.19V**	**62411011.19V**	**62411012.19V**
Final installation [WU]	0.0			

Edge protection

Version	Corner 3000mm	Front 3000mm	Flat 3000mm
Dimensions W x D x H [mm]	25 x 53 x 3000	20 x 11 x 3000	3 x 44 x 3000
Weight [kg]	0.85	0.45	0.12
Order ref.	**62410064.19V**	**62410063.19V**	**62410062.19V**
Final installation [WU]	0.0		

Fixing kit

Version	Fixing kit for vehicle	Fixing kit for vehicle floor	Fixing kit for vehicle wall	Pre-assembly kit S for small vans
Weight [kg]	0.60	0.60	0.80	3.00
Order ref.	**63510001.51V**	**63510003.51V**	**63510005.51V**	**63510034.51V**
Final installation [WU]	0.0	0.0	0.0	0.0

Divider boxes ESD Height 75 mm

Dimensions W x D x H [mm]	50 x 50 x 50	50 x 75 x 50	75 x 75 x 50	75 x 150 x 50	150 x 150 x 50
Weight [kg]	0.20		0.30	0.60	0.90
Pack of	10				
Order ref.	**13003230**	**13003231**	**13003232**	**13003233**	**13003234**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	50 x 50 x 75	50 x 75 x 75	75 x 75 x 75	75 x 150 x 75	150 x 150 x 75
Weight [kg]	0.30		0.40	0.80	1.20
Pack of	10				
Order ref.	**13003235**	**13003236**	**13003237**	**13003238**	**13003239**
Final installation [WU]	0.0				

Dimensions W x D x H [mm]	100 x 150 x 50	100 x 150 x 75	125 x 150 x 50	125 x 150 x 75
Weight [kg]	0.60	0.90	0.70	1.00
Pack of	10			
Order ref.	**13003260**	**13003261**	**13003262**	**13003263**
Final installation [WU]	0.0			

Dimensions W x D x H [mm]	275 x 150 x 50	275 x 150 x 75
Weight [kg]	1.20	1.80
Pack of	10	
Order ref.	**13003264**	**13003265**
Final installation [WU]	0.0	

16 bottvario3

bott powered by STIHL



Transport containers for flatbed vehicles

16

Store and charge batteries safely on the flatbed

In cooperation with STIHL, bott is offering an innovative new solution for charge management and the safe storage of batteries on flatbed vehicles.

The bottTainer powered by STIHL.


The bottTainer is a useful and sturdy helper for the safe storage of STIHL batteries, machines and other equipment on the flatbed. The versatile solution protects the equipment from soiling, humidity and unauthorised access.

The different variants of the bottTainer are especially practical for gardening and landscape gardening companies as well as for municipal services. Working together with STIHL, bott has integrated chargers for batteries in them. The chargers are fixed to sliding shelves so that ergonomic access to the batteries is possible. The bottTainer powered by STIHL with charge management is available for chargers for 8, 16 or 28 AP batteries. Alternatively, holders for up to 4 AR backpack batteries can be carried. These then draw their current via the remaining chargers.

The main advantage of this solution is that the batteries are stored together safely, clean and dry. This means that not every individual charger has to be connected to a separate power socket. The power supply is via a central external power feed. Either with Schuko or CEE plug on request. This way, all batteries can be charged at once overnight. The special charge management ensures the necessary safety. Integrated climate control is available as an option. With this variant, an integrated heater and a fan are controlled independently via a thermostat so that the temperature inside the bottTainer is constant.










Transport containers for flatbed vehicles



All-in-one transport and charging solution

Reduced set-up time – batteries remain in the vehicle

Batteries remain in the chargers during transport and charging

Weatherproof

- Systematic order and load restraint on the flatbed
- Flexible and straightforward charge management, depending on the requirements - at all times and wherever you are
- Ergonomic removal of the batteries thanks to simple access via heavy duty sliding platform
- Clear overview of which batteries are ready for operation
- Optimum conditions for batteries for the charging process in all weather conditions
- High stability thanks to robust frame construction
- Cordless tools and batteries protected from splashwater
- Theft protection for cordless tools and batteries thanks to sturdy locks
- Additional storage compartment for long items and cordless tools

16

bottTainer with 8 battery chargers and AC



- Lid made of slip-resistant aluminium chequer plate
- Two robust locks secure transported goods against theft
- With roller shutter on the left and right
- The rear of the bottTainer is equipped with a filter fan (with A/C version)
- 1 lashing rail with protective strip on the front
- Dimensions W x D x H 1900 x 700 x 1055 mm
- Image shows variant with eurobox

Assembly	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 1 x drop-front height 175 mm	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 1 x drop-front height 175 mm 2 x SLF-B5-T7 1 x drawer height 125 mm with C-Lash	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 2 x SLF-B5-T7 1 x drawer height 125 mm 2 x drawers height 150 mm
Weight [kg]	163.00	176.00	191.00
Order ref.	**60023020.74V**	**60023021.74V**	**60023022.74V**
Final installation [WU]	8	8	8

Assembly	Left: 1 x heavy duty sliding platform with 8 battery charging slots and 2 x STIHL AR battery charging slots Right: 1 x drop-front height 175 mm	Left: 1 x heavy duty sliding platform with 8 battery charging slots and 2 x STIHL AR battery charging slots Right: 1 x drop-front height 175 mm 2 x SLF-B5-T7 1 x drawer height 125 mm with C-Lash	Left: 1 x heavy duty sliding platform with 8 battery charging slots and 2 x STIHL AR battery charging slots Right: 2 x SLF-B5-T7 1 x drawer height 125 mm 2 x drawers height 150 mm
Weight [kg]	169.00	182.00	197.00
Order ref.	**60023027.74V**	**60023028.74V**	**60023029.74V**
Final installation [WU]	0	8	8

bottTainer with 16 battery chargers and AC



- Lid made of slip-resistant aluminium chequer plate
- Two robust locks secure transported goods against theft
- With roller shutter on the left and right
- The rear of the bottTainer is equipped with a filter fan (with A/C version)
- 1 lashing rail with protective strip on the front
- Dimensions W x D x H 1900 x 700 x 1055 mm

Assembly	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 1 x drop-front height 175 mm	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 2 x SLF-B5-T7 1 x drop-front height 175 mm 1 x drawer height 125 mm with C-Lash
Weight [kg]	174.00	187.50
Order ref.	**60023023.74V**	**60023024.74V**
Final installation [WU]	8	8

Assembly	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 2 x SLF-B5-T7 1 x drawer height 125 mm 2 x drawers height 150 mm	Left: 1 x heavy duty sliding platform with 8 battery charging slots and 2 x STIHL AR battery charging slots Right: 1 x heavy duty sliding platform with 8 battery charging slots and 2 x STIHL AR battery charging slots
Weight [kg]	202.00	210.00
Order ref.	**60023025.74V**	**60023030.74V**
Final installation [WU]	8	8

16

bottTainer with 8 battery chargers without AC



- Lid made of slip-resistant aluminium chequer plate
- Two robust locks secure transported goods against theft
- With roller shutter on the left and right
- The rear of the bottTainer is equipped with a filter fan (with A/C version)
- 1 lashing rail with protective strip on the front
- Dimensions W x D x H 1900 x 700 x 1055 mm
- Image shows variant with eurobox

Assembly	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 1 x drop-front height 175 mm	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 1 x drop-front height 175 mm 2 x SLF-B5-T7 1 x drawer height 125 mm with C-Lash	Left: 1 x heavy duty sliding platform with 8 battery charging slots Right: 2 x SLF-B5-T7 1 x drawer height 125 mm 2 x drawers height 150 mm
Weight [kg]	158.50	172.00	186.50
Order ref.	**60024020.74V**	**60024021.74V**	**60024022.74V**
Final installation [WU]	8	8	8

bottTainer with 16 battery chargers without AC



- Lid made of slip-resistant aluminium chequer plate
- Two robust locks secure transported goods against theft
- With roller shutter on the left and right
- The rear of the bottTainer is equipped with a filter fan (with A/C version)
- 1 lashing rail with protective strip on the front
- Dimensions W x D x H 1900 x 700 x 1055 mm

Assembly	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 1 x drop-front height 175 mm	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 2 x SLF-B5-T7 1 x drop-front height 175 mm 1 x drawer height 125 mm with C-Lash
Weight [kg]	170.00	183.50
Order ref.	**60024023.74V**	**60024024.74V**
Final installation [WU]	8	8

16

bottTainer with 28 battery chargers



- Lid made of slip-resistant aluminium chequer plate
- Two robust locks secure transported goods against theft
- With roller shutter on the left and right
- The rear of the bottTainer is equipped with a filter fan (with A/C version)
- 1 lashing rail with protective strip on the front
- Dimensions W x D x H 1900 x 700 x 1055 mm
- Only in connection with connection cable CEE plug 50810052 or type J (T23) 50810049

Version	With A/C	Without A/C
Assembly	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 1 x heavy duty sliding platform with 12 battery charging slots and 1x eurobox	Left: 1 x heavy duty sliding platform with 16 battery charging slots Right: 1 x heavy duty sliding platform with 12 battery charging slots and 1x eurobox
Weight [kg]	220.00	217.00
Order ref.	**60023026.74V**	**60024026.74V**
Final installation [WU]	8	8

Mains power lead schuko or CEE-plug for external power supply



- Suitable for the following countries: Germany, Netherlands, Luxembourg, Spain, Portugal, Norway, Sweden, Finland, Austria, Belgium, France, Denmark and Switzerland
- Connection cable 10m H07BQ-F 3G2.5
- Cable colour: orange
- PRCD-S: 16A / 30mA
- CEE coupling: 16A 3p 6h IP44 TT

Version	Connection cable CEE plug	Connection cable for the following countries: Germany, Netherlands, Luxembourg, Spain, Portugal, Norway, Sweden, Finland, Austria, Belgium, France
Weight [kg]	1.75	
Order ref.	**50810052**	**50810053**
Final installation [WU]	0	

Version	Connection cable suitable for Denmark	Connection cable suitable for Switzerland	Connection cable suitable for Switzerland for bottTainer with 28 battery chargers
Weight [kg]	1.75		
Order ref.	**50810047**	**50810048**	**50810049**
Final installation [WU]	0		

Distribution box 230V



- With timer, RCD and switch-on current limiter
- Required for the installation of bott vario3 powered by STIHL
- Makes time-delayed charging of several STIHL batteries in the vehicle possible
- Fully pre-assembled and tested

Dimensions W x D x H [mm]	0 x 0 x 0
Weight [kg]	1.00
Order ref.	**51003012.90V**
Final installation [WU]	0


Support for STIHL AR holder



- Is required for fixing the STIHL AR battery, in connection with the holder
- Available in the widths W4 / W7 / W10
- For installation between the SLFs
- Safe storage and fixing of the STIHL AR battery in the bott vario3

Dimensions W x D x H [mm]	418 x 30 x 60		754 x 30 x 60		1090 x 30 x 60	
Weight [kg]	0.60		1.10		1.50	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72121004.51M**	**72121004.51V**	**72121005.51M**	**72121005.51V**	**72121006.51M**	**72121006.51V**
Final installation [WU]	0					

Support ConnectedBox



- For mounting the STIHL ConnectedBox in bott vario3
- For depth 2 and 3
- zinc-plated steel

Dimensions W x D x H [mm]	315 x 24 x 110	203 x 24 x 110
Weight [kg]	0.30	0.20
Order ref.	**72121010.51V**	**72121011.51V**
Final installation [WU]	0	

Holder for STIHL AR battery



- Is required for fixing the STIHL AR battery, in connection with the mount
- Safe storage and fixing of the STIHL AR battery in the bott vario3
- Can be positioned in the pitch
- With or without carrier system
- Painted steel RAL 7060 / felt

Dimensions W x D x H [mm]	96 x 162 x 24	
Weight [kg]	0.42	
Assembled/packed	Assembled	Packed
Order ref.	**72121009.19M**	**72121009.19V**
Final installation [WU]	0	

16


SLF support for STIHL AL



- Is used for mounting the STIHL AL battery charger on the bott vario3 SLF
- In depth 3 and depth 2 plus R
- Fixings included
- Secure storage of the STIHL battery
- Ergonomic removal of the STIHL battery through simple access
- painted steel

Dimensions W x D x H [mm]	364 x 332 x 165
Weight [kg]	9.18
Order ref.	**72121019.19V**
Final installation [WU]	1

SLF support for STIHL AR



- Is used for mounting the STIHL AR battery on the bott vario3 SLF
- In depth 3 and depth 2 plus R
- Incl. Anti-slip mat, protective strip on the SLF, two single lashing eyes and one lashing strap
- Secure storage of the STIHL AR battery
- Ergonomic removal of the STIHL AR battery through simple access
- painted steel

Dimensions W x D x H [mm]	340 x 145 x 23
Weight [kg]	1.40
Order ref.	**72121007.19V**
Final installation [WU]	0

Support AL powered by STIHL



- Available including STIHL AL chargers 301-4 in the widths W4 / W7 / W10
- Available in the widths W7 and W10 partly equipped with STIHL chargers
- Secure storage of the STIHL AP battery
- Ergonomic removal of the STIHL AP battery through simple access

Dimensions W x D x H [mm]	418 x 260 x 315		754 x 260 x 315			
Weight [kg]	6.86		7.80		13.38	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72121012.51M**	**72121012.51V**	**72121013.51M**	**72121013.51V**	**72121014.51M**	**72121014.51V**
Final installation [WU]	0					

Dimensions W x D x H [mm]	1090 x 260 x 315					
Weight [kg]	8.76		14.34		19.92	
Assembled/packed	Assembled	Packed	Assembled	Packed	Assembled	Packed
Order ref.	**72121015.51M**	**72121015.51V**	**72121016.51M**	**72121016.51V**	**72121017.51M**	**72121017.51V**
Final installation [WU]	0					

17 bottvario3
Festool Powertools



Festool SYS-PowerStation 205721 SYS-PST 1500 Li HP



- Contains:
- 1x RCD personal protection adapter (to protect an additional socket outlet
- 1x Charging cable 2 m
- Material: plastic anthracite

Dimensions W x D x H [mm]	396 x 296 x 187
Weight [kg]	19.90
Order ref.	**72526001**
Price [£]	
Final installation [WU]	0.0

Festool Battery vacuum cleaner CLEANTEC 576936 CTLC SYS I-Basic



- Contains:
- 1x Filter bag mounted
- 1x Crevice tool D 36 FD-150
- 1x Main filter
- 1x Upholstery nozzle D 36 PD
- 1x Remote control for suction CT-F I
- 1x Carrier strap SYS-CT
- 1x Suction tube smooth Ø 27x3mm AS/CT with angled rotary levelling on suction side
- Without battery
- Material: plastic light grey

Dimensions W x D x H [mm]	396 x 296 x 307
Weight [kg]	8.55
Order ref.	**72526002**
Price [£]	
Final installation [WU]	0.0

Festool Energy Set 575104 SYS 18V 4x4,0/TCL 6 DUO 577104



- Contains:
- 4x Battery pack BP 18 LI 4,0 HPC-ASI
- 1x Quick charger TCL 6 DUO
- Material: plastic light grey

Dimensions W x D x H [mm]	396 x 296 x 187
Weight [kg]	6.60
Order ref.	**72526003**
Price [£]	
Final installation [WU]	0.0

bott vario

In-vehicle equipment

Content

Basic interior 1

Contents

Interior side linings vario protect and protect plus 1.8

vario protect interior side linings with lashing rails 1.9

Y-code overview 1.10

Y-code description 1.11

Fixing kit for interior side linings 1.18

Adhesive cleaner Körabond HG 81 1.18

Mounting adhesive Körapur 140 1.19

Mounting set Primer 1.19

Fixing kit for lashing rail with protective strip 1.19

End caps for lashing rail with protective strip 1.20

bott connector 1.20

Mounting set for Wall mounting rail 1.20

Wall mounting rail 1.21

Wall mounting rail for In-vehicle equipment 1.22

Substructure profile for wall rail 1.22

Vehicle-specific wall connection brackets 1.23

Universal wall connection bracket and fixing kit 1.24

Aluminium edge protection angle for floor 1.25

Floor accessories 1.25

bott vario3 floor replacement part set 1.26

Hold-down cup 1.26

Sticker with lashing instructions 1.26

bott vario3 set of samples 1.27

Set of samples for side lining 1.27

Drilling templates 1.27

bott vario3 floor panels 1.28

Wheel arch cover 1.29

vario protect light interior side lining 1.30

Anodised aluminium 1.2 mm 1.30

Edge protection strip 1.31

Reinforcement profile protect plus 1.31

Aluminium perforated panels 1.32

Cable duct cover Y66 1.32

Profile for roof liner 1.33

bott vario | **Index**

bott vario3 floor in various versions 1.35

bott vario3 floor for double cab 1.35

bott vario3 floor with aluminium chequer plate 1.35

bott vario3 floor with customised adjustments 1.35

bott vario3 protect interior side lining with fixing kit 1.36

bott vario3 protect interior side lining without fixing kit 1.36

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.37

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.37

bott vario3 protect rail interior side lining with fixing kit 1.38

bott vario3 protect prorail interior side lining with fixing kit 1.38

vario protect rail interior side lining for vehicles with 2 sliding doors 1.38

vario protect prorail interior side lining for vehicles with 2 sliding doors 1.39

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.39

bott vario3 protect plus interior side lining with fixing kit 1.39

Individual panels vario protect plus without fixing kit 1.40

Individual panels vario protect plus without fixing kit 1.41

Individual panels vario protect plus without fixing kit 1.42

Individual panels vario protect plus without fixing kit 1.43

Individual panels vario protect plus without fixing kit 1.44

Individual panels vario protect plus without fixing kit 1.45

bott vario3 protect roof liner 1.46

Window grilles for the vehicle bulkhead 1.46

Window grille for sliding and rear doors and tailgates 1.46

bott vario3 floor in various versions 1.47

bott vario3 floor with customised adjustments 1.47

vario protect interior side lining with fixing kit 1.47

vario protect interior side lining without fixing kit 1.47

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.47

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.47

Individual panels vario protect plus without fixing kit 1.48

Individual panels vario protect plus without fixing kit 1.48

vario protect plus interior side lining with fixing kit 1.49

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.49

Fenstergitter für Schiebe-, Hecktüren und Heckklappen 1.49

bott vario3 floor in various versions 1.50

bott vario3 floor plastic version 1.50

bott vario3 floor with aluminium chequer plate	1.50
bott vario3 floor for double cab	1.51
bott vario3 floor with customised adjustments	1.51
bott vario3 protect interior side lining with fixing kit	1.52
bott vario3 protect interior side lining without fixing kit	1.53
vario protect interior side lining for vehicles with 2 sliding doors with fixing kit	1.54
vario protect interior side lining for vehicles with 2 sliding doors without fixing kit	1.54
bott vario3 protect rail interior side lining with fixing kit	1.54
bott vario3 protect prorail interior side lining with fixing kit	1.55
vario protect rail interior side lining for vehicles with 2 sliding doors	1.55
vario protect prorail interior side lining for vehicles with 2 sliding doors	1.55
vario protect plus interior side lining with fixing kit	1.56
vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit	1.56
Individual panels vario protect plus without fixing kit	1.57
Individual panels vario protect plus without fixing kit	1.58
Individual panels vario protect plus without fixing kit	1.59
Individual panels vario protect plus without fixing kit	1.60
Individual panels vario protect plus without fixing kit	1.61

Individual panels vario protect plus without fixing kit 1.62

Individual panels vario protect plus without fixing kit 1.63

bott vario3 protect roof liner 1.64

Window grilles for the vehicle bulkhead 1.64

Window grille for sliding and rear doors and tailgates 1.64

bott vario3 floor in various versions 1.66

bott vario3 floor for double cab 1.66

bott vario3 floor with aluminium chequer plate 1.67

bott vario3 floor with customised adjustments Ford 1.67

bott vario3 protect interior side lining with fixing kit 1.68

bott vario3 protect interior side lining without fixing kit 1.68

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.69

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.69

bott vario3 protect plus interior side lining with fixing kit 1.70

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.70

bott vario3 protect rail interior side lining with fixing kit 1.71

bott vario3 protect prorail interior side lining with fixing kit 1.71

bott vario3 protect rail interior side lining with 2 sliding doors 1.71

bott vario3 protect prorail interior side lining with fixing kit 1.71

Individual panels vario protect plus without fixing kit Ford 1.72

Individual panels vario protect plus without fixing kit Ford 1.73

Individual panels vario protect plus without fixing kit Ford 1.74

Individual panels vario protect plus without fixing kit Ford 1.75

Individual panels vario protect plus without fixing kit Ford 1.76

Individual panels vario protect plus without fixing kit Ford 1.77

bott vario3 protect roof liner 1.78

Window grille for sliding and rear doors and tailgates 1.78

GAZelle Next 1.79

bott vario3 floor with customised adjustments 1.79

bott vario3 protect interior side lining with fixing kit 1.79

bott vario3 protect Innenwandverkleidung ohne Befestigungsmaterial 1.79

Hyundai 1.79

bott vario3 floor with customised adjustments 1.79

bott vario3 protect interior side lining with fixing kit 1.79

bott vario3 protect interior side lining without fixing kit 1.79

bott vario3 floor in various versions 1.80

bott vario3 floor with customised adjustments 1.80

bott vario3 protect interior side lining with fixing kit 1.80

bott vario3 protect interior side lining without fixing kit 1.81

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.81

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.81

bott vario3 protect plus interior side lining with fixing kit 1.82

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.82

bott vario3 protect rail interior side lining with fixing kit 1.82

vario protect rail interior side lining for vehicles with 2 sliding doors with fixing kit 1.82

bott vario3 protect prorail interior side lining with fixing kit 1.83

vario protect prorail interior side lining for vehicles with 2 sliding doors with fixing kiten 1.83

Individual panels vario protect plus without fixing kit Iveco 1.85

Individual panels vario protect plus without fixing kit Iveco 1.86

Individual panels vario protect plus without fixing kit Iveco 1.87

Individual panels vario protect plus without fixing kit Iveco 1.88

Window grille for sliding and rear doors and tailgates 1.88

Individual panels vario protect plus without fixing kit Iveco 1.89

bott vario3 floor 1.89

bott vario3 floor plastic version	**1.89**
bott vario3 floor with customised adjustments	**1.90**
bott vario3 protect interior side lining with fixing kit	**1.90**
bott vario3 protect interior side lining without fixing kit	**1.90**
bott vario3 floor in various versions	**1.92**
bott vario3 floor in various versions Doublecap	**1.92**
bott vario3 floor with customised adjustments	**1.92**
bott vario3 protect interior side lining with fixing kit	**1.93**
bott vario3 protect interior side lining without fixing kit	**1.93**
bott vario3 protect interior side lining for Doublecap with fixing kit	**1.93**
bott vario3 protect interior side lining for Doublecap without fixing kit	**1.93**
vario protect interior side lining for vehicles with 2 sliding doors with fixing kit	**1.94**
vario protect interior side lining for vehicles with 2 sliding doors without fixing kit	**1.94**
bott vario3 protect plus interior side lining with fixing kit	**1.94**
bott vario3 protect plus interior side lining for Doublecap with fixing kit	**1.94**
vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit	**1.95**
bott vario3 protect rail interior side lining with fixing kit	**1.95**
bott vario3 protect prorail interior side lining with fixing kit	**1.95**

bott vario3 protect rail interior side lining for 2 sliding doors	1.95
bott vario3 protect prorail interior side lining for 2 sliding doors	1.96
bott vario3 protect roof liner	1.96
Window grille for sliding and rear doors and tailgates	1.96
Individual panels vario protect plus without fixing kit	1.97
Individual panels vario protect plus without fixing kit	1.98
Individual panels vario protect plus without fixing kit	1.98
Individual panels vario protect plus without fixing kit	1.99
Individual panels vario protect plus for Doublecape without fixing kit	1.100
Individual panels vario protect plus for Doublecape without fixing kit	1.100
Individual panels vario protect plus for Doublecape without fixing kit	1.101
Individual panels vario protect plus for Doublecape without fixing kit	1.101
Base plate for room divider	1.103
Opening slide for room divider / Frame and Makrolon pane for room divider	1.103
Offset for room divider	1.103
bott vario3 floor with customised adjustments	1.104
bott vario3 protect interior side lining with fixing kit	1.104
bott vario3 protect interior side lining without fixing kit	1.104

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.105

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.105

Individual panels vario protect plus without fixing kit 1.106

bott vario3 floor in various versions 1.107

bott vario3 floor in various versions Doublecap 1.107

bott vario3 floor plastic version 1.108

bott vario3 floor with aluminium chequer plate 1.108

bott vario3 floor with customised adjustments 1.108

bott vario3 protect interior side lining with fixing kit 1.109

bott vario3 protect interior side lining without fixing kit 1.110

bott vario3 protect interior side lining for Doublecap with fixing kit 1.111

bott vario3 protect interior side lining for Doublecap with fixing kit 1.111

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.112

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.112

bott vario3 protect plus interior side lining with fixing kit 1.113

bott vario3 protect plus interior side lining for Doublecap with fixing kit 1.113

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.114

bott vario3 protect rail interior side lining 1.115

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors 1.115

bott vario3 protect prorail interior side lining 1.116

bott vario3 protect prorail interior side lining with 2 sliding doors 1.116

Individual panels vario protect plus without fixing kit 1.117

Individual panels vario protect plus without fixing kit 1.118

Individual panels vario protect plus without fixing kit 1.119

Individual panels vario protect plus without fixing kit 1.120

Individual panels vario protect plus without fixing kit 1.121

Individual panels vario protect plus without fixing kit 1.122

Individual panels vario protect plus without fixing kit 1.123

Individual panels vario protect plus without fixing kit 1.124

Individual panels vario protect plus for Doublecape without fixing kit 1.125

Individual panels vario protect plus for Doublecape without fixing kit 1.126

bott vario3 protect roof liner 1.127

Window grilles for the vehicle bulkhead 1.127

Window grille for sliding and rear doors and tailgates 1.127

Base plate for room divider 1.130

Opening slide for room divider / Frame and Makrolon pane for room divider 1.130

Offset for room divider	1.130
bott vario3 floor in various versions	1.132
bott vario3 floor plastic version	1.132
bott vario3 floor for double cab	1.132
bott vario3 floor with customised adjustments	1.133
bott vario3 protect interior side lining with fixing kit	1.133
bott vario3 protect interior side lining without fixing kit	1.134
vario protect interior side lining for vehicles with 2 sliding doors with fixing kit	1.134
vario protect interior side lining for vehicles with 2 sliding doors without fixing kit	1.135
vario protect plus interior side lining with fixing kit	1.135
vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit	1.136
bott vario3 protect rail interior side lining	1.137
bott vario3 protect rail interior side lining for vehicles with 2 sliding doors	1.137
bott vario3 protect prorail interior side lining	1.137
bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors	1.137
bott vario3 protect plus interior side lining	1.138
bott vario3 protect roof liner	1.140
Individual panels vario protect-plus without fixing kit Nissan	1.140

Individual panels vario protect-plus without fixing kit Nissan 1.141

Individual panels vario protect-plus without fixing kit Nissan 1.142

Individual panels vario protect-plus without fixing kit Nissan 1.143

Individual panels vario protect-plus without fixing kit Nissan 1.144

Individual panels vario protect-plus without fixing kit Nissan 1.145

Individual panels vario protect-plus without fixing kit Nissan 1.146

Window grilles for the vehicle bulkhead 1.147

Window grille for sliding and rear doors and tailgates 1.147

bott vario3 floor in various versions 1.148

bott vario3 floor for double cab 1.148

bott vario3 floor with customised adjustments 1.149

bott vario3 protect interior side lining with fixing kit 1.150

bott vario3 protect interior side lining without fixing kit 1.151

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.152

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.152

bott vario3 protect plus interior side lining with fixing kit 1.153

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.154

Individual panels vario protect plus without fixing kit 1.155

Individual panels vario protect plus without fixing kit 1.156

Individual panels vario protect-plus without fixing kit Peugeot 1.157

Individual panels vario protect plus without fixing kit 1.158

Individual panels vario protect plus without fixing kit 1.159

Individual panels vario protect plus without fixing kit 1.160

Individual panels vario protect plus without fixing kit 1.161

Individual panels vario protect plus without fixing kit 1.162

Individual panels vario protect plus without fixing kit 1.163

Individual panels vario protect plus without fixing kit 1.164

Individual panels vario protect plus without fixing kit 1.165

Individual panels vario protect plus without fixing kit 1.166

bott vario3 protect rail interior side lining 1.167

bott vario3 protect rail interior side lining for vehicles with 2 sliding doors 1.167

bott vario3 protect prorail interior side lining 1.168

bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors 1.168

Window grilles for the vehicle bulkhead 1.169

bott vario3 protect roof liner 1.169

Window grille for sliding and rear doors and tailgates 1.170

bott vario3 floor in various versions	1.171
bott vario3 floor for double cab	1.171
bott vario3 floor with aluminium chequer plate	1.171
bott vario3 floor with customised adjustments Peugeot	1.171
bott vario3 protect interior side lining with fixing kit	1.172
bott vario3 protect interior side lining without fixing kit	1.172
vario protect interior side lining for vehicles with 2 sliding doors with fixing kit	1.173
vario protect interior side lining for vehicles with 2 sliding doors without fixing kit	1.173
bott vario3 protect plus interior side lining with fixing kit	1.174
vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit	1.174
Individual panels vario protect-plus without fixing kit Peugeot	1.175
Individual panels vario protect-plus without fixing kit Peugeot	1.176
Individual panels vario protect plus without fixing kit	1.177
Individual panels vario protect plus without fixing kit	1.178
Individual panels vario protect plus without fixing kit	1.179
Individual panels vario protect plus without fixing kit	1.180
bott vario3 protect rail interior side lining	1.181
bott vario3 protect prorail interior side lining	1.181

vario protect rail interior side lining for vehicles with 2 sliding doors 1.181

vario protect prorail interior side lining for vehicles with 2 sliding doors 1.181

bott vario3 protect roof liner 1.182

Window grilles for the vehicle bulkhead 1.182

Window grille for sliding and rear doors and tailgates 1.182

bott vario3 floor in various versions 1.183

bott vario3 floor plastic version 1.183

bott vario3 floor with customised adjustments Renault 1.184

bott vario3 floor with aluminium chequer plate 1.184

bott vario3 floor for double cab 1.184

bott vario3 protect interior side lining with fixing kit 1.185

bott vario3 protect interior side lining without fixing kit 1.185

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.186

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.186

bott vario3 protect plus interior side lining with fixing kit 1.187

vario protect plus side lining for vehicles with 2 sliding doors 1.187

Individual panels vario protect plus without fixing kit Renault 1.188

Individual panels vario protect plus without fixing kit 1.189

Individual panels vario protect plus without fixing kit Renault	1.190
Individual panels vario protect plus without fixing kit	1.191
Individual panels vario protect plus without fixing kit	1.192
Individual panels vario protect plus without fixing kit	1.193
Individual panels vario protect plus without fixing kit	1.194
Individual panels vario protect plus without fixing kit	1.195
bott vario3 protect rail interior side lining	1.196
bott vario3 protect rail interior side lining for vehicles with 2 sliding doors	1.196
bott vario3 protect prorail interior side lining	1.196
bott vario3 protect prorail interior side lining for vehicles with 2 sliding doors	1.196
bott vario3 protect roof liners for your Renault	1.197
Window grilles for the vehicle bulkhead for your Renault	1.197
Window grilles for sliding and rear doors and tailgates for your Renault	1.197
bott vario3 floor in various versions	1.199
bott vario3 floor for double cab	1.199
bott vario3 floor with customised adjustments	1.199
bott vario3 protect interior side lining with fixing kit	1.200
bott vario3 protect interior side lining without fixing kit	1.200

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.201

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.201

bott vario3 protect plus interior side lining 1.201

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.201

Individual panels vario protect plus without fixing kit 1.202

Individual panels vario protect plus without fixing kit 1.203

bott vario3 protect roof liner 1.204

Window grille for sliding and rear doors and tailgates 1.204

bott vario3 floor in various versions 1.205

bott vario3 floor in various versions Doublecap 1.205

bott vario3 floor plastic version 1.205

bott vario3 floor with aluminium chequer plate 1.205

bott vario3 floor with customised adjustments 1.206

bott vario3 protect interior side lining with fixing kit 1.206

bott vario3 protect interior side lining without fixing kit 1.207

bott vario3 protect interior side lining for Doublecap with fixing kit 1.207

bott vario3 protect interior side lining for Doublecap without fixing kit 1.207

vario protect interior side lining for vehicles with 2 sliding doors with fixing kit 1.208

vario protect interior side lining for vehicles with 2 sliding doors without fixing kit 1.208

bott vario3 protect plus interior side lining with fixing kit 1.209

bott vario3 protect plus interior side lining for Doublecap with fixing kit 1.209

vario protect plus interior side lining for vehicles with 2 sliding doors with fixing kit 1.210

Individual panels vario protect plus without fixing kit 1.211

Individual panels vario protect plus without fixing kit 1.212

Individual panels vario protect plus without fixing kit Volkswagen 1.213

Individual panels vario protect plus without fixing kit 1.214

Individual panels vario protect plus without fixing kit 1.215

Individual panels vario protect plus for Doublecape without fixing kit 1.216

Individual panels vario protect plus for Doublecape without fixing kit 1.216

Individual panels vario protect plus for Doublecape without fixing kit 1.216

bott vario3 protect rail interior side lining 1.217

bott vario3 protect prorail interior side lining 1.217

bott vario3 protect rail interior side lining for 2 sliding doors 1.217

bott vario3 protect prorail interior side lining for 2 sliding doors 1.217

bott vario3 protect roof liner 1.218

Window grilles for the vehicle bulkhead 1.218

Window grille for sliding and rear doors and tailgates 1.218

Protective grille for ABS vehicle bulkhead from “Motexion” 1.218

Base plate for room divider 1.220

Opening slide for room divider / Frame and Makrolon pane for room divider 1.220

Offset for room divider 1.220

Under floor modules and installation platforms 2

Contents
Contents

Citroën 2.4
Fiat 2.5
Ford 2.5
Isuzu 2.5
Mercedes-Benz 2.6
Mitsubishi 2.6
Nissan 2.6
Opel 2.7
Peugeot 2.7
Renault 2.7
Toyota 2.8
Volkswagen 2.8

Double empty housing for under floor drawer height 250 mm 2.10

Double empty housing for under floor drawer height 350 mm 2.10

Double housing with drawers height 250 mm 2.11

Under floor module faced with drawers 2.12

Base unit with drawers 2.13

Empty housing for under floor drawer height 250 mm 2.14

Empty housing for under floor drawer height 350 mm 2.14

Empty housing for under floor drawer height 400 mm 2.15

Empty housing for under floor drawer height 500 mm 2.15

Attachment set for empty housing width 478 mm 2.16

Attachment set for empty housing width 590 mm 2.16

Extension for empty housing 2.17

Extension for empty housing width 376 mm 2.17

Extension for empty housing width 478 mm 2.18

Extension for empty housing width 590 mm 2.18

Gusset plate set 2.19

Gusset plate 2.19

Drawer pan extension for 300 and 350 mm drawer 2.20

Cover cap for SLF-F 2.20

Drawers for under floor modules 2.21

Cabinet dimensions width 478 mm 2.24
Cabinet dimensions width 478 mm 2.24
Cabinet dimensions width 590 mm 2.25
Cabinet dimensions width 590 mm 2.25
Cabinet dimensions width 1038 mm 2.26

Cross and longitudinal dividers 2.27

Cross dividers 2.27
Dividers lengthwise high 2.27

Divider and cross divider kits 2.28

Kit with 6 dividers 2.28
Kit with 8 dividers 2.29
Kit with 12 dividers 2.30

Kit with 14 dividers 2.31
Kit with 17 dividers 2.32

Drawer pan extension 2.33

Base shelf infill 2.34

Underfloor storage with eurobox 2.35

Finger-trap protection for drawers 2.35

Anti-slip mats for drawers 2.36

12 V power supply for drawer 2.37

Shelf TopLash -C- For Underfloor Housing 2.37

Aluminium drop fronts 2.38

Height 75 mm 2.38
Height 125 mm 2.38
Height 175 mm 2.38

Lashing strap C-Lash with single lashing eye (raised) 2.39

Lashing strap C-Lash with single lashing eye (recessed) 2.39

C-Lash lashing strap intermediate-mounted 2.40

Side panel for under floor module 2.40

Set of panels for under floor modules 2.41

Under floor module support 2.41

Top cover 2.41

Cushion for under floor module 2.42

Fixing kit for cushion on the bulkhead 2.42

Load decks 250 mm for under floor modules (with fixing holes) 2.43

Citroen....2.43
Fiat....2.43
Ford....2.43
Isuzu....2.43
Mercedes-Benz....2.44
Nissan....2.44
Mitsubishi....2.44
Opel....2.45
Peugeot....2.45
Renault....2.45
Toyota....2.46

Load decks 250 mm for under floor modules (with fixing holes) 2.47

Volkswagen....2.47

Semi-circular lashing rails for load decks (without fixing kit / end cap) 2.48

Installation kit for semi-circular lashing rail 2.48

Load decks 250 mm for under floor modules (without fixing holes) 2.49

Height 250 mm....2.49
Citroën....2.49
Dacia....2.49
Fiat....2.49
Ford....2.49
Mercedes-Benz....2.49

Load decks 250 mm for under floor modules (without fixing holes) 2.50

Nissan....2.50
Opel....2.50
Peugeot....2.50
Renault....2.50

Load decks 250 mm for under floor modules (without fixing holes) 2.51

Height 250 mm....2.51
Toyota....2.51
Height 250 mm....2.51
Volkswagen....2.51

Load decks 350 mm for under floor modules (without fixing holes) 2.51

Height 250 mm....2.51
Citroën....2.51
Height 250 mm....2.52

Fiat 2.52

Load decks 350 mm for under floor modules (without fixing holes) 2.52

Dacia 2.52
Height 250 mm 2.52
Fiat 2.52
Height 250 mm 2.52
Ford 2.52

Load decks 350 mm for under floor modules (without fixing holes) 2.53

Height 250 mm 2.53
Mercedes-Benz 2.53
Height 250 mm 2.53
Mitsubishi 2.53
Height 250 mm 2.53
Nissan 2.53

Load decks 350 mm for under floor modules (without fixing holes) 2.54

Height 250 mm 2.54
Opel 2.54
Height 250 mm 2.54
Peugeot 2.54

Load decks 350 mm for under floor modules (without fixing holes) 2.55

Height 250 mm 2.55
Renault 2.55
Höhe 250 mm 2.55
Toyota 2.55
Height 250 mm 2.56
Volkswagen 2.56

Load deck for under floor modules 350 mm plastic panel (without fixing holes) 2.57

Height 250 mm 2.57
Pick-ups 2.57

Conversion kits height 250 for under floor modules 2.58

Height 250 mm 2.58
Citroën 2.58
Height 250 mm 2.58
Fiat 2.58
Height 250 mm 2.58
Ford 2.58
Height 250 mm 2.58
Isuzu 2.58
Height 250 mm 2.58
Mercedes-Benz 2.58

Conversion kits height 250 for under floor modules 2.59

Höhe 250 mm 2.59

Mercedes-Benz 2.59
Höhe 250 mm 2.59
Nissan 2.59
Height 250 mm 2.59
Mitsubishi 2.59
Height 250 mm 2.59
Opel 2.59
Height 250 mm 2.59
Peugeot 2.59

Conversion kits height 250 for under floor modules 2.60

Height 250 mm 2.60
Renault 2.60
Height 250 mm 2.60
Toyota 2.60
Height 250 mm 2.60
Volkswagen 2.60

varioCar base shelf infill with lashing rails 2.61

varioCar support rail set for 2 systainer^3 cases 2.62

Installation example for installation platforms 2.63

Installation platform for system components 2.64

Installation platform for heavy duty sliding platform 2.64

bott vario cargo shelf with full extension slide 2.65

Width 492 mm 2.65
Width 716 mm 2.65
Width 940 mm 2.65
Width 1164 mm 2.65

bott vario cargo shelf with stringers 2.66

Width 492 mm 2.66
Width 716 mm 2.66
Width 940 mm 2.66
Width 1164 mm 2.66

bott partition grille for loading floor 2.67

Width 492 mm 2.67

Spacer profile for stringers 2.67

Width 492 mm 2.67

3. System components

SLF F 3.2

SLF F FrontLash -oo- 3.5

SLF R 3.8

SLF protective strip 3.11

Protective strip for SLF R 3.12

SLF foot 3.14

SLF V/H 3.15

Base unit side panels SLF 3.16

SLF grip 3.17

SLF plus F FrontLash -oo- 3.18

SLF plus R 3.20

Protective strip for SLF plus R 3.23

SLF/2 panel 3.25

SLF/3 panel 3.28

SLF/4 panel 3.31

Panel support strut SLF 3.34

Panel support strut SLF	3.35
Support strut fixing brackets for SLF panel	3.36
SLF connector	3.36
SLF Dog-leg reinforcing bracket	3.37
SLF wheel arch reinforcing plate	3.38
SLF cover	3.39
SLF cover	3.42
Fixing bracket SLF cover	3.48
SLF C	3.49
Base unit side panels SLF-C	3.50
SLF C FrontLash -oo-	3.51
SLF C	3.52
bott vario V-Box with folding rule	3.53
bott vario V-Box with bott utility knife	3.53
bott vario3 V-Box with inspection lamp	3.54
SLF C cover	3.55
Spacer for SLF end-frame foot	3.56
Gusset plate-set	3.56

Gusset plate 3.57

Rear panel 3.58

Support strut SLF-C 3.60

Rear panel support 3.61

Rear panel-plus 3.62

SLF increase 3.63

L-Profile 3.64

SLF connector set for L-Profile set 3.65

L-Profile FrontLash -oo- 3.66

Stiffening bracket for L-Profile set 3.67

Drop-front S 3.68

Drop-front M 3.69

Drop-front L 3.70

LX-Profile 3.71

L-Profile set support leg 3.72

LX-Profile FrontLash -oo- 3.73

L-Profile set support leg adapter 3.74

Floor fixing bracket 3.74

L-Profile set 3.75

Adapter SLF-plus 3.76

L-Profile C 3.77

L-Profile C FrontLash -oo- 3.79

L-Profile set FrontLash -oo- 3.80

Rear panel support 3.82

End-frame top cap for L-Profile set 3.83

Shelf for L-Profile set 3.84

Shelf spacer 3.86

Closing panel 3.87

Hinged door 3.90

Clothes rail with hooks 3.91

Shelf for hinged door 3.92

Roller shutter compartment 3.94

Roller shutter shelf 3.96

Base unit drawer 3.97

Drawers width 3 depth 4-12 3.98

Drawer front extension 3.101

Divider kit with small parts storage boxes 3.102

Divider kit 3.104

Drawers width 4 depth 3-12 3.106

Drawer front extension 3.109

Divider kit with small parts storage boxes 3.110

Divider kit 3.112

Custom tool shape cut-outs made by hand 3.113

Drawer width 5 depth 3-12 3.114

Drawer front extension 3.117

Divider kit with small parts storage boxes 3.118

Divider kit 3.121

Custom tool shape cut-outs made by hand 3.123

Drawer width 7 depth 3-5 3.124

Drawer front extension 3.126

Divider kit with small parts storage boxes 3.127

Divider kit 3.129

Drawers width 8 depth 3-5 3.130

Drawer front extension 3.132

Divider kit with small parts storage boxes 3.132

Divider kit 3.134

Safe drawer with armoured lock 3.135

Drawers width 9 depth 3-9 3.136

Drawer front extension 3.139

Divider kit with small parts storage boxes 3.140

Divider kit 3.142

Custom tool shape cut-outs made by hand 3.143

Safe drawer with armoured lock 3.144

Drawers width 10 depth 3-5 3.145

Drawer front extension 3.147

Divider kit with small parts storage boxes 3.148

Divider kit 3.149

Custom tool shape cut-outs made by hand 3.150

Safe drawer with armoured lock 3.151

Drawer with Systainer³ XXL 237 and 337 3.152

Hinged drawer blocking mechanism 3.152

Drawer lock 3.153

Customising foam inserts by hand 3.153

Custom tool shape cut-outs made by hand for drawers 3.154

Storage shelf for drawers - normal and rotated 3.155

Writing surface insert for drawers 3.156

Anti-slip mat for drawers 3.157

Small parts storage boxes - pack of 10 3.160

Label clip for small parts storage boxes 3.161

Dividers for drawers 75 mm height 3.161

Dividers for drawers 125 mm height 3.162

Cross dividers for drawers 125 mm height 3.162

Cross dividers for drawers 75 mm height 3.163

Dividers for drawers 300 mm height 3.163

Cross dividers for drawers 68 mm height 3.164

Cartridge insert for drawers 3.164

Spray can insert for drawers 3.165

Nozzle insert for drawers 3.165

Drawer pan extension for 300 mm and 350 mm drawers 3.166

TopLash-Profile for drawers 3.169

Adapter for rotated drawers 3.170

Adapter for rotated drawers 3.171

varioSlide S with anti-slip mat 3.172

varioSlide L with anti-slip mat 3.173

Divider for varioSlide 3.174

Anti-slip mat for varioSlide - pack of 5 3.175

Guide rail set 3.176

Narrow storage drawer 3.176

varioCart 3.177

Shelf depth 1 3.178

Shelf 3.179

Shelf with dividers 3.180

Shelf FrontLash -oo- 3.182

Shelf FrontLash -oo- with dividers 3.183

Shelf TopLash -C- with lashing straps 3.185

Shelf FullLash -C-/-oo- with lashing straps 3.188

Shelf FullLash -C-/-oo- with lashing straps and mat variable 3.192

Anti-slip mat for shelves variable 3.193

Anti-slip mat for shelves 3.194

End-frame top cap for shelf 3.198

Dividers for shelves 3.198

Dividers for shelves 200 mm height 3.199

Dividers for drop-front/shelf/roller shutter 75 mm height 3.199

Variable shelf with divider 3.200

Divider for variable shelf 3.200

Storage shelf 3.201

Inclined fixings shelf with dividers 3.202

Divider for inclined fixings shelf 3.203

Inclined storage shelf with dividers 3.204

Divider for inclined storage shelf 3.205

Shelf tray 3.206

Shelf tray with dividers 3.207

Shelf tray FrontLash -oo- 3.210

Shelf tray FrontLash -oo- with dividers 3.211

Shelf tray TopLash -C- with lashing straps 3.214

Shelf tray FullLash -C-/-oo- with lashing straps 3.217

Anti-slip mat for shelf trays	3.220
Sump shelf with drip tray and load restraint kit -oo-	3.224
Adapter set for sump shelf	3.225
Load restraint kit -oo-	3.226
Corner shelf W3xD3 with anti-slip mat	3.228
Shelf profile TopLash -C-	3.228
Drop-front shelf S with narrow boxes	3.230
Drop-front shelf S with wide bottBoxes	3.234
Drop-front shelf S with anti-slip mat	3.238
Drop-front shelf M with anti-slip mat	3.242
Drop-front shelf L with anti-slip mat	3.247
Anti-slip mat for drop-front shelf - pack of 5	3.252
Storage shelf divider holder	3.256
Divider for storage shelf	3.257
Eurobox shelf	3.258
Eurobox shelf FrontLash -oo-	3.261
Eurobox support rail kit	3.264
Support for Eurobox	3.264

Rotating latch for support Eurobox 3.265

bottBox shelf with narrow boxes 3.266

bottBox shelf with wide bottBoxes 3.268

bottBox shelf 3.272

Case stringer kit 3.275

Case stringer central tie bar 3.276

Case stringer for L-Profile set 3.276

Adapter case stringers 3.277

Service case sliding shelf 3.278

Blanking panel inlay 3.279

Service case sliding shelf lock 3.279

Fixing kit 3.280

Worktop variable 3.281

Worktop 3.282

Swivel-out desk 3.284

Pull-out writing surface 3.285

Support bracket for worktop 3.286

Worktop upstand 3.287

Long item storage incl. brackets and end caps 3.288

Bracket for long item storage 3.289

Long item storage with end caps 3.289

Modular panel for tool storage 3.290

Retrieval system for long item storage 3.290

Tool storage with 2 holders 3.291

Bracket for tool storage 3.292

Plastic pipe 3.292

Modular panel for long item storage 3.293

Rear panel for Mobilbox 3.293

Floor attachment for glass frail 3.294

Floor attachment with boom for glass frail 3.294

Lashing rail holder for glass frail 3.295

Shelf bracket for glass frail 3.295

Case holder -4 for glass frail 3.296

Fixing bracket for glass frail 3.296

bottBox packing unit 4.2

bottBox 4.4

bottBox ESD 4.6

bottBox with window packing unit 4.7

bottBox with window 4.8

bottBox cross dividers 4.10

bottBox viewing window 4.10

bottBox hinged lid 4.11

bottBox labelling kit 4.11

bottBox label clip 4.12

bottBox label clip 4.13

Aluminium transport cases 4.14

Euroboxes 4.15

Eurobox lids 4.17

Systainer³ M empty case for individual assembly 4.18

Systainer³ M 187 with boxes 4.19

Systainer³ M 112 with universal inlay 4.20

First Aid Systainer³ M 112 4.20

Systainer³ M with compartment divider set 4.21

Systainer³ M with die-cut foam insert 4.22

Systainer³ M with spray can insert 4.23

Systainer³ M with cartridge storage insert 4.24

Systainer³ with insulated insert 4.25

Systainer³ M with suspension frame 4.26

Systainer³ L empty case for custom configuration 4.27

Systainer³ L 187 with boxes 4.28

Systainer³ L 137 with universal insert 4.29

Systainer³ L with compartment divider set 4.30

Systainer³ L with die-cut foam insert 4.31

Systainer³ L with tool insert 4.32

Systainer³ XXL empty case for custom configuration 4.33

Systainer³ XXL base shelf infill with securing strap 4.33

Labelling kit 4.34

Transport trolley with drawer 4.34

Systainer³ dolly 4.35

Inserts for Systainer³ M 4.35

Inserts for Systainer³ L 4.38

Systainer³ Organizer empty case for individual assembly 4.40

Systainer³ organizer with small parts storage boxes 4.41

Systainer³ Organizer with nozzle insert and small parts storage boxes 4.42

Nozzle insert for Systainer³ Organizer M 89/L 89 4.42

bott Systainer³ Organizer M 89 4.43

bott Systainer³ Organizer L 89 4.43

bott Systainer³ Organizer M89 lashing straps wtih fittings 4.44

bott Systainer³ Organizer M89 lashing straps wtih hooks 4.44

Systainer³ ToolBox 4.45

varioCase M empty 4.46

varioCase M empty 4.46

varioCase M with dividers and cross dividers 4.47

varioCase M with dividers and cross dividers 4.47

varioCase M 84 with assortments of boxes 4.48

varioCase M 84 with assortments of boxes 4.48

varioCase M 135 with assortments of boxes 4.49

varioCase M 84 with nozzle insert 4.49

varioCase L empty 4.50

varioCase L empty 4.50

varioCase L with dividers and cross dividers 4.51

varioCase L with dividers and cross dividers 4.52

varioCase L 84 with assortments of boxes 4.53

varioCase L 84 with assortments of boxes 4.53

varioCase L 135 with assortments of boxes 4.54

varioCase L 84 with nozzle insert 4.54

Load restraint 5

Load restraint pad with holder 5.2

Strap protection pad with holder 5.2

Load restraint mat with holder 5.3

Floor mat 5.3

Load-restraint bulkhead 5.4

Lashing rail with protective strip 5.4

Lashing rail surface mounted 5.5

Lashing rail half round with end cap 5.6

Lashing rail raised 25 mm 5.7

Lashing rail recessed 5.8

Lashing rail with protective strip and cam-buckle strap 5.9

Lashing rail with protective strip 5.10

Lashing rail SLF-C 5.10

Lashing rail SLF-C with ratchet strap 5.11

Lashing strap with automatic winder 5.11

Ratchet strap with fitting 5.12

Version with load capacity up to 400 daN 5.12

Cam-buckle strap with fitting 5.13

Fitting 5.13

Threaded fitting with star grip 5.14

Threaded fitting/slot nut 5.14

Aluminium lashing plate 5.15

bott connector 5.15

Recessed lashing eye 5.16

Recessed lashing eye 5.16

Traffic cone for locating lug incl. securing strap 5.17

Ratchet strap with hook ends 5.17

Ratchet strap with snap hook 5.18

Lashing strap with wide belt size and hook end 5.19

Lashing strap with wide belt size and snap hook 5.19

Ratchet strap 5.20

Cam-buckle strap 5.20

Cam-buckle strap with plastic hooks 5.21

bott vario strap set 5.21

Ratchet strap with flat hook ends 5.22

Cam-buckle strap with flat hook ends 5.22

Single lashing point -oo- raised 5.23

C-Lash strap with single lashing eye raised 5.24

C-Lash cam-buckle strap 5.24

C-Lash strap with single lashing eye recessed 5.25

C-Lash strap with single lashing eye recessed for intermediate construction 5.25

Load restrain blanket 5.26

Load restraint net 5.27

Load restraint net 5.27

Net hooks - pack of 7 5.28

perfo perforated panel for vehicle bulkhead 5.28

Lashing rail with protective strip for perfo perforated panel 5.30

Box shelf with bottBoxes 5.30

Box shelf with bottBoxes for vehicle bulkhead 5.31

End-frame storage tray with anti-slip mat for transverse installation 5.32

End-frame storage tray variable 5.32

Pallet stop 5.33

Edge protection/edge sliders for lashing straps 5.33

Round sling 2T 5.34

Long-item tube holder 5.34

Ladder holder 3-part 5.35

Shoring pole holder set 5.35

Adjustable shoring pole 5.36

Adjustable shoring pole plus 5.36

Shovel and tool holder for rear doors 5.37

Over-centre fastener 5.38

Over-centre fastener 60-80 mm 5.38

Holders 5.39

Plate compactor holder with strap 5.39

Lashing strap bag 5.40

Load restraint case for vehicles with lashing rails 5.40

Load restraint case for vehicles with lashing eyes and lashing rails 5.41

Tiltbox with lashing straps 5.41

Tool case clamp 5.42

Hydrant key holder

Lighting and power 6

Contents

Lashing rail with LED lighting 12 V 6.4

LED strip 12 V for bott lashing rail 6.4

LED strip 12 V, complete set for bott vario3 systems components 6.5

LED strip 12 V 6.5

12 V LED strip light with switch 6.6

Fixing clip for LED strip light 12 V with switch 6.6

LED bar luminaire 12V with motion detector 6.7

230 V LED strip light with switch 6.7

LED Interior light 12 V 6.8

Mounting bracket for LED lamps 6.8

LED flood light 12/24 V 6.9

LED Worklight 12V 6.9

LED rear strobe 12/24 V 6.10

HELLA LED rotating beacons 6.10

Rotating beacon 12/24 V 6.11

Warning light bar 12/24 V 6.11

Flashing Lights 6.12

Work light with magnetic base 12V / Work light with magnetic base 12/24 V LED 6.12

LED work lamp with charging station 6.13

EX LED work lamp with explosion protection and charging station 6.13

230 V socket strip 6.14

230 V socket strip with MCB / RCD protection 6.14

External power feed Calix 6.15

Outdoor feed Calix adapter cable 6.15

External feed CEE 6.16

Power socket 12/24 V 6.17

Power socket 12/24 V	6.17
Spiral cable 12 V with fuse	6.18
Surface-mounted power sockets	6.18
Battery DeepCycle AGM and battery tray	6.19
12 V power supply for drawer	6.19
vario cable kit 12 V	6.20
Push switch 12 V with relay	6.20
Cockpit universal switch	6.21
Sine wave inverter 350W / 12V	6.21
Sine wave inverter 12 V	6.22
Wechslerichter mit integrierten Ladegerät 12V	6.23
Battery to battery charger	6.24
7-stage charger	6.24
7-stage charger with convenient connection	6.25
Convenient connection for chargers	6.25
CCU 8-fold	6.26
Control panel CCU lage	6.26
Connection cable CCU 8-fold	6.27

CCU 4-fold	6.28
Control panel CCU lage	6.28
Connection cable CCU 4-fold	6.29
Bluetooth chip for smartphone control	6.29
Electrial connection material 230V	6.30
Gateway	6.30
Gateway cable kits	6.31
Fuse holder Vito	6.32
Fuse holders and fuses MIDI	6.33
Fuse holders and fuses MEGA	6.33
Voltage monitor	6.34
Switch 12 V	6.34
Cable ties	6.35

Accessories

7

Folding worktop 7.2

Fixing kit for hinged worktop 7.2

Vice pull-out 7.3

Pull-out worktop 7.4

Support leg with snap fastener 7.5

Modular panel SLF for pull-out worktop 7.6

Modular panel SLF-C for pull-out worktop 7.7

Folding heavy duty worktop 7.8

Support leg with snap fastener 7.8

Pull-out worktop for transverse installation 7.9

Knurled head securing bolt 7.9

Vices 7.10

Long item top tray TopLash -C- 7.12

Wall bracket for long item top tray 7.13

Divider for long item top tray 7.13

Anti-slip mat for long item top tray 7.14

Shelf depth 1	7.15
Anti-slip mat for shelf and tray	7.16
Anti-slip mat for drop-front	7.19
Anti-slip mat for self-adhesive roll	7.23
Anti-slip mat for drawers	7.24
Gas bottle holder with strap	7.26
Tray for propane glas bottle	7.27
Gas bottle cabinet with vent and pull-out	7.27
Refrigerent shelf	7.28
Floor vent	7.28
Air vent side wall and roof	7.29
Floor vent square	7.29
Air vent side wall and roof	7.30
Floor vent rectangular	7.30
Cover grille rectangular	7.31
Air vent side wall	7.31
Compact container	7.32
Safety label warning strip red and white	7.32

Front loading deposit safe 7.33

Safe 7.33

Storage hook 37 mm 7.34

Storage hook 87 mm 7.34

Double hook for clothes 7.35

Swivel hook 7.35

bott heavy duty hook 7.36

Folding table fitting 7.36

Clothes rail with hooks 7.37

Storage pockets 7.37

bott vario3 spray can holder, angled 7.38

File holder 7.38

Jerry can shelf 7.39

Storage box 7.39

perfo document holder 7.40

Cable winder SLF 7.40

CarOffice 7.41

Vertical holder 7.41

Chainsaw holder for flatbeds 7.42

bott vario CarOffice 7.42

bott vario VanOffice 7.43

Utility knife 7.43

Sulo waste bin with holder 7.44

perfo hose holder 7.44

Folding seat with cushion/fixing bracket 7.45

Spirit level holder 7.45

Grab handle 90° 7.46

Entry grab handle 7.47

ABC-powder extinguisher 7.48

OEM lamp bracket 7.48

Case holder for Systainer³, Organizer and varioCase 84 7.49

Storage pocket for Systainer³, Organizer and varioCase 84 7.50

Rear mounted case holder 7.50

Toolbox for flatbeds 7.51

bott vario3 storage bag 7.51

Wheel arch cladding 7.52

Aluminium folding stepladder 7.52

Safety glasses uvex/bott 7.53

Safety gloves uvex 7.53

Traffic cone collapsible 7.54

Traffic cone for locating lug incl. securing strap 7.54

Storage pocket set with 2 collapsible cones 7.55

Endframe storage tray 7.55

Shelf with anti-slip mat 7.56

Foldable container 7.56

Foldable container with storage pocket 7.57

Universal holder for safety helmets 7.57

Mobile workbench MW1000 7.58

Festool workbench holder for MW1000 7.58

Holder for Systainer³ dolly 7.59

Aluminium folding ramps 7.59

Holder for aluminium folding ramps 7.60

Folding sack truck 7.60

Holder for folding sack truck 7.61

Long item prism holder 7.61

Parts holder 7.62

Holders 7.62

perfo perforated panel for vehicle bulkhead 7.64

perfo perforated panel free-standing for vehicle bulkhead 7.65

Lashing rail with protective strip for perfo perforated panel 7.66

perfo lashing strap with plastic hooks 7.66

perfo can and cartridge holder 7.66

perfo can and cartridge holder angled 7.67

perfo rubbish bag holder 1 - 16 litres 7.67

perfo can and cartridge holder, angled 7.67

perfo paper roll holder, self-securing 7.67

perfo soap dispenser 7.68

perfo water dispenser set 7.68

perfo hand towel dispenser 7.68

Hand wash unit 12V 7.68

Hi-vis vest, one size 7.69

First aid kit 7.69

Warning triangle 7.70

Number plate holder 7.70

Surface primer Körabond HG 81 7.71

Touch-up pen 7.71

Felt strip black 7.72

Felt strip grey 7.72

Bulkhead fixing channel 7.73

Door strap conversion kit Ford Transit Custom -Y15 7.74

Door strap conversion kit 7.74

Window tinting film for rear and side window 7.75

Foot mats 7.76

bottTainer 8

bottTainer with hinged lid 8.2

bottTainer with hinged lid and intermediate floor 8.3

bottTainer divider for fixed floor 8.3

bottTainer with door and hinged lid 8.4

bottTainer set with drawers 8.5

bottTainer complete variants 8.6

bottTainer storage shelf with small parts storage box divider kit 8.7

bottTainer with door and intermediate shelf 8.8

bottTainer with hinged lid for pick-ups 8.9

bottTainer with roller shutter 8.10

bottTainer crane eyes 8.11

bottTainer forklift plinth 8.11

bottTainer with hinged lid 8.12

Spare parts 8.12

bott flatbed storage compartment 8.13

Headache rack for flatbeds 8.13

Load securing blanket for flatbeds 8.14

perfo 9

perfo panels with hook kit 9.2

perfo panels with hook kit 9.3

perfo louvred panels with 54 bottBoxes 9.4

perfo louvred panels with 51 bottBoxes 9.5

perfo louvred panels with 24 bottBoxes 9.5

perfo hook kit 11-piece 9.6

perfo hook kit 13-piece 9.6

perfo hook kit 15-piece 9.7

perfo hook kit 15-piece 9.7

perfo hook kit 20-piece 9.8

perfo hook kit 20-piece 9.8

perfo hook kit 21-piece 9.9

perfo hook kit 25-piece 9.9

perfo hook kit 25-piece 9.10

perfo hook kit 30-piece 9.10

perfo hook kit 32-piece 9.11

perfo hook kit 40-piece 9.11

perfo hook kit 60-piece 9.12

perfo hook kit 80-piece 9.12

perfo tool pegs 9.13

perfo hook 9.13

perfo double tool hook 9.14

perfo extended hook 9.14

perfo cable hook 9.14

perfo powertool holder holder 9.15

perfo U-holder 9.15

perfo clip strip 9.15

perfo spring clip 9.16

perfo double spring clip 9.16

perfo three-pronged holder 9.17

perfo combined holder 9.17

perfo magnet holder 9.17

perfo power tool holder 9.18

perfo magnetic holder 9.18

perfo pipe bracket 9.19

perfo velcro holder 9.19

perfo seven prong holder 9.19

perfo key holder 9.20

perfo saw holder 9.20

perfo screwdriver holder 9.20

perfo flexible spring clip 9.20

perfo spigot for louvred panels 9.21

perfo socket holder 9.21

perfo adapter for louvred panels 9.21

perfo tool block 9.21

Bench panel support bracket 9.22

perfo tablet holder 9.22

perfo support rail for bottBoxes 9.22

TiltBox 9.23

perfo storage shelf 9.23

perfo storage box 9.24

perfo lashing strap with plastic hooks 9.24

perfo storage shelf S 9.24

perfo adjustable bungee strap set 9.24

perfo catalogue holder DIN A3 9.25

perfo document pocket 9.25

perfo document holder DIN A4 9.25

perfo presentation rails 9.26

perfo transparent tilt bin 9.26

perfo wire basket	9.26
perfo transparent tilt bin with locking bar	9.27
perfo holder for tilt bins	9.27
perfo document holder	9.27
perfo rubbish bag holder 60 - 120 litres	9.28
perfo rubbish bag holder 60 - 120 litres	9.28
perfo rubbish bag holder 60 - 120 litres	9.28
perfo rubbish bag holder - support shelf	9.28
perfo sandpaper roll holder	9.29
perfo paper roll holder	9.29
perfo paper roll holder with tear-off edge	9.29
perfo adhesive tape dispenser	9.29
perfo paper roll holder, self-securing	9.30
perfo hose holder	9.30
perfo cable holder	9.30
perfo can and cartridge holder, angled	9.31
perfo can and cartridge holder	9.31
perfo can and cartridge holder, angled	9.31

perfo can and cartridge holder 9.31

Dispenser bottle with perfo holder 9.32

perfo clip-nut 9.32

perfo soap dispenser 9.32

perfo hand towel dispenser 9.33

Hand wash unit 12V 9.33

perfo water dispenser set 9.33

perfo holder for disposable gloves 9.33

Scrubs single towels 9.34

bott Care Station 9.34

with perfo louvred panels and bottBoxes 9.35

with perfo louvred panels and bottBoxes 9.35

with perfo louvred panels and bottBoxes 9.36

mobile with perfo louvred panels and bottBoxes 9.36

with perfo perforated panels and hook kit 9.37

with perfo perforated panels and hook kit 9.38

with perfo perforated panels and hook kit 9.38

mobile with perfo perforated panels and hook kit 9.39

with 6 perfo perforated panels 9.39

with 4 perfo perforated panels 9.40

Anti-slip mat for base shelf 9.40

perfo walls 9.41

perfo walls with perfo perforation and perfo louvred form 9.41

perfo recycling station 9.42

perfo spare parts 9.42

Roof rack systems 10

Contents

Basic roof racks 10.4

Rear loading roller - suitable for roof racks 10.4

Citroën 10.5

Basic roof racks 10.5

Citroën 10.6

Rear loading roller 10.6

Fiat 10.7

Basic roof racks 10.7
Rear loading roller 10.8

Ford 10.9

Basic roof racks 10.9
Rear loading roller 10.9

MAN 10.10

Basic roof racks 10.10

Rear loading roller 10.10

Maxus **10.11**

Basic roof racks 10.11
Rear loading roller 10.11

Mercedes-Benz **10.12**

Basic roof racks 10.12
Rear loading roller 10.12

Nissan **10.13**

Basic roof racks 10.13
Rear loading roller 10.13

Opel **10.14**

Basic roof racks 10.14

Opel **10.15**

Rear loading roller 10.15
Rear loading roller 10.15

Peugeot **10.16**

Basic roof racks 10.16
Rear loading roller 10.16

Renault **10.17**

Basic roof racks 10.17

Renault **10.18**

Rear loading roller 10.18

Toyota **10.18**

Basic roof racks 10.18
Rear loading roller 10.18

Volkswagen **10.19**

Basic roof racks 10.19
Rear loading roller 10.20

Load stops **10.20**

Aluminium Leiterhalterset + Erhöhung VW T6 Heckklappe **10.20**

Aluminium ladder holder kit 10.21

Ladder clamps 10.21

Aluminium storage tube for long items 10.21

Modular roof rack 10.23

Citroën 10.23

Modular roof rack 10.23

Fiat 10.24

Modular roof rack 10.24

Ford 10.25

Modular roof rack 10.25

Maxus 10.25

MAN 10.26

Modular roof rack 10.26

Mercedes-Benz 10.26

Modular roof rack 10.26

Nissan 10.27

Modular roof rack 10.27

Opel 10.28

Modular roof rack 10.28

Peugeot 10.29

Modular roof rack 10.29

Renault 10.29

Modular roof rack 10.29

Toyota 10.30

Modular roof rack 10.30

Volkswagen **10.31**

Modular roof rack 10.31

Aluminium Leiterhalterset + Erhöhung VW T6 Heckklappe **10.31**

Aluminium ladder holder kit **10.32**

Ladder clamps **10.32**

Aluminium storage tube for long items **10.32**

Rear ladder lifts for basic and modular roof rack systems **10.33**

Citroën **10.33**

Rear ladder lifts 10.33

Fiat **10.34**

Rear ladder lifts 10.34

Ford **10.35**

Rear ladder lifts 10.35

Hyundai **10.36**

Rear ladder lifts 10.36

MAN **10.36**

Rear ladder lifts 10.36

Maxus **10.36**

Rear ladder lifts 10.36

Mercedes-Benz **10.37**

Rear ladder lifts 10.37

Nissan **10.38**

Rear ladder lifts 10.38

Opel **10.39**

Rear ladder lifts 10.39

Peugeot **10.40**

Rear ladder lifts 10.40

Renault **10.41**

Rear ladder lifts 10.41

Toyota **10.42**

Rear ladder lifts 10.42

Volkswagen **10.42**

Rear ladder lifts 10.42

Rear door ladder **10.43**

Citroën **10.43**

Rear door ladder 10.43

Fiat **10.43**

Rear door ladder 10.43

Ford **10.44**

Rear door ladder 10.44

MAN **10.44**

Rear door ladder 10.44

Maxus **10.44**

Rear door ladder 10.44

Mercedes-Benz **10.45**

Rear door ladder 10.45

Nissan **10.45**

Rear door ladder 10.45

Opel **10.45**

Rear door ladder 10.45

Peugeot **10.46**

Rear door ladder 10.46

Renault **10.46**

Rear door ladder 10.46

Volkswagen **10.46**

Rear door ladder 10.46

Multi-Packs 11

Contents

Lashing straps **11.2**

Cable ties **11.3**

Lashing straps **11.4**

Lashing straps with snap hook **11.5**

Lashing straps with C-Lash and cam-buckle **11.6**

Accessories for lashing **11.7**

Lashing rails and end caps **11.8**

Zurrschienen und Endkappen **11.9**

vario protect PE5 **11.10**

Accessories for interior side lining **11.10**

Hold-down cup **11.11**

Accessories for floors **11.11**

Venting elements **11.12**

Protection profile SLF	**11.12**
Edge protection strip	**11.12**
Drop-fronts	**11.13**
Holder drop-fronts	**11.13**
Load restraint mat off the roll	**11.14**
Load restraint mat off the roll	**11.14**
Load restraint pad	**11.15**
Strap protection pad	**11.15**
bottBox M2X-M4X / L2X-L4X without window	**11.15**
bottBox Varianten M2X-M4X / L2X-L4X with window	**11.16**
bottBox Varianten M2X-M4X / L2X-L4X ohne Sichtfenster	**11.16**
bottBox Varianten M2X-M4X / L2X-L4X without window	**11.16**
bottBox Zubehör	**11.17**
Guide element bottBox	**11.17**
Assembly set for assembly from the single lashing point superstructure -OO- or Swivel hook	**11.17**
Small parts storage box	**11.18**
Labeling clip for drawer dividers - Hight 68 mm	**11.19**
Fixing kit	**11.20**

Fixing kit 11.21

Fixing kit 11.22

Fixing kit 11.23

Fixing kit 11.24

Fixing kit 11.25

Fixing kit 11.26

Fixing kit 11.27

Fixing kit 11.28

Modules 12

Contents

Mobil Box Heigth 400 mm 12.6

Mobil Box Heigth 700 mm 12.6

Floor mounting set mobil Box 12.6

Floor insert mobil Box 12.7

bott vario3 Silver Package 12.8

bott vario3 Green Package 12.9

bott vario3 Silver Package 12.10

bott vario3 Green Package 12.11

bott vario3 Silver Package 12.12

bott vario3 Green Package 12.13

bott vario3 Silver Package 12.14

bott vario3 Green Package 12.15

bott vario3 Silver Package 12.16

bott vario3 Green Package 12.17

bott vario3 Silver Package 12.18

bott vario3 Green Package 12.19

bott vario3 Silver Package 12.20

bott vario3 Green Package 12.21

bott vario3 Silver Package 12.22

bott vario3 Green Package 12.23

bott vario3 Silver Package 12.24

bott vario3 Green Package 12.25

bott vario3 Silver Package 12.26

bott vario3 Green Package 12.27

bott vario3 Silver Package 12.28

bott vario3 Green Package 12.29

bott vario3 Silver Package 12.30

bott vario3 Green Package 12.31

bott vario3 Silver Package 12.32

bott vario3 Green Package 12.33

bott vario3 Silver Package 12.34

bott vario3 Green Package 12.35

bott vario3 Silver Package 12.36

bott vario3 Green Package 12.37

bott vario3 Silver Package 12.38

bott vario3 Green Package 12.39

bott vario3 Silver Package 12.40

bott vario3 Green Package 12.41

bott vario3 Silver Package 12.42

bott vario3 Green Package 12.43

bott vario3 Silver Package 12.44

bott vario3 Green Package 12.45

bott vario3 Silver Package 12.46

bott vario3 Green Package 12.47

bott vario3 Silver Package 12.48

bott vario3 Green Package 12.49

bott vario3 Silver Package 12.50

bott vario3 Green Package 12.51

bott vario3 Silver Package 12.52

bott vario3 Green Package 12.53

bott vario3 Silver Package 12.54

bott vario3 Green Package 12.55

bott vario3 Silver Package 12.56

bott vario3 Green Package 12.57

bott vario3 Silver Package 12.58

bott vario3 Green Package 12.59

bott vario3 Silver Package 12.60

bott vario3 Green Package 12.61

bott vario3 Silver Package 12.62

bott vario3 Green Package 12.63

bott vario3 Silver Package 12.64

bott vario3 Green Package 12.65

bott vario3 Silver Package 12.66

bott vario3 Green Package 12.67

bott vario3 Silver Package 12.68

bott vario3 Green Package 12.69

bott vario3 Silver Package 12.70

bott vario3 Green Package 12.71

bott vario3 Silver Package 12.72

bott vario3 Green Package 12.73

bott vario3 Silver Package 12.74

bott vario3 Green Package 12.75

bott vario3 Silver Package 12.76

bott vario3 Green Package 12.77

bott vario3 Silver Package 12.78

bott vario3 Green Package 12.79

bott vario3 Silver Package 12.80

bott vario3 Green Package 12.81

bott vario3 Silver Package 12.82

bott vario3 Green Package 12.83

bott vario3 Silver Package 12.84

bott vario3 Green Package 12.85

bott vario3 Silver Package 12.86

bott vario3 Green Package 12.87

bott vario3 Silver Package 12.88

bott vario3 Green Package 12.89

bott vario3 Silver Package 12.90

bott vario3 Green Package 12.91

bott vario3 Silver Package 12.92

bott vario3 Green Package 12.93

bott vario3 Silver Package 12.94

bott vario3 Green Package 12.95

bott vario3 Silver Package 12.96

bott vario3 Green Package 12.97

bott vario3 Silver Package 12.98

bott vario3 Green Package 12.99

bott vario3 Silver Package 12.100

bott vario3 Green Package 12.101

bott vario3 Silver Package 12.102

bott vario3 Green Package 12.103

bott vario3 Silver Package 12.104

bott vario3 Green Package 12.105

bott vario3 Silver Package 12.106

bott vario3 Green Package 12.107

bott vario3 Silver Package 12.108

bott vario3 Green Package 12.109

bott vario3 Silver Package 12.110

bott vario3 Green Package 12.111

bott vario3 Silver Package 12.112

bott vario3 Green Package 12.113

bott vario3 Silver Package 12.114

bott vario3 Green Package 12.115

bott vario3 Silver Package 12.116

bott vario3 Green Package 12.117

bott vario3 Silver Package 12.118

bott vario3 Green Package 12.119

bott vario3 Silver Package 12.120

bott vario3 Green Package 12.121

bott vario3 Silver Package 12.122

bott vario3 Green Package 12.123

bott vario3 Silver Package 12.124

bott vario3 Green Package 12.125

bott vario3 Silver Package 12.126

bott vario3 Green Package 12.127

bott vario3 Silver Package 12.128

bott vario3 Green Package 12.129

bott vario3 Silver Package 12.130

bott vario3 Green Package 12.131

bott vario3 Silver Package 12.132

bott vario3 Green Package 12.133

bott vario3 Silver Package 12.134

bott vario3 Green Package 12.135

bott vario3 Silver Package 12.136

bott vario3 Green Package 12.137

bott vario3 Silver Package 12.138

bott vario3 Green Package	**12.139**
bott vario3 Silver Package	**12.140**
bott vario3 Green Package	**12.141**
bott vario3 Silver Package	**12.142**
bott vario3 Green Package	**12.143**
bott vario3 Silver Package	**12.144**
bott vario3 Green Package	**12.145**
bott vario3 Silver Package	**12.146**
bott vario3 Green Package	**12.147**
bott vario3 Silver Package	**12.148**
bott vario3 Green Package	**12.149**
bott vario3 Silver Package	**12.150**
bott vario3 Green Package	**12.151**
bott vario3 Silver Package	**12.152**
bott vario3 Green Package	**12.153**

Assembly trolleys 13

Contents

Assembly parts trolley	13.2
Fitters trolley	13.3
Optional drawer equipment drawer 2	13.4
Optional drawer equipment drawer 4	13.5
Drawer equipment for drawer 1 as replacement	13.5
Fein torque screwdriver set	13.6
Fein screwdriver - mid-mounted handle	13.6
Fein Torque screwdriver - angled head	13.6
Fein battery pack	13.7
bott bits for screwdrivers	13.7
Tool case for ventilation elements for roof, side and floor fans	13.8
Torque wrench HZ	13.9
Ratchet wrench SW13	13.9
Drilling template	13.9
Centre punch	13.9
Overview of saws	13.10

Spare parts bott vario3 14

Inhalt

bott vario3 floor 12 mm 14.2

bott vario3 floor -Spare parts package 14.2

bott vario3 floor-retaining ring 14.2

bott vario3 Edge fixing profile for roof lining 14.2

bott vario3 protect 14.3

bott vario3 protect advanced 14.3

bott vario3 Mounting plate for vario protect and protect plus 14.3

bott vario3 shelf profile TopLash -C- 14.4

bott vario3 aluminium edge protection 14.4

bott vario3 aluminium edge protection 14.4

bott vario3 Surface repair kit 14.5

bott vario3 Spare parts bottTainer 14.5

bott vario3 Tray rail set 14.5

bott vario3 Drawer rail set 14.5

bott vario3 Drop-front for long item top tray 14.6

bott vario3 Drawer rail set 14.6

bott vario3 end cap set for drawers 14.6

bott vario3 aluminium edge protection 14.6

bott vario3 Knurled head securing bolt for pull-out worktop 14.7

bott vario3 Folding worktop locking pin 14.7

bott vario3 Clamping lever for turntable 14.7

bott vario3 Clamping lever for support leg 14.7

bott vario3 Handle for sliding platform 14.7

bott vario3 Securing clip for LED tube ligth 12V 14.8

bott vario3 Anti-slip-mate for shelf variable 14.8

bott vario3 stiffening bracket 14.8

bott vario3 Spare key 14.8

varioSafe Linking set 14.8

T-Loc for Systainer^3 M+L / Systainer^3 Organizer M+L 14.9

Spare parts bott vario2 15

Inhalt

bott vario Heavy duty drawers width 425 mm 15.2

bott vario Heavy duty drawers width 525 mm 15.3

bott vario Heavy duty drawers width 775 mm 15.4

bott vario Heavy duty drawers width 1025 mm 15.5

bott vario Heavy duty drawers 15.6

bott vario side panel

Rails for drawers 15.7

Case shelf 15.7

Flap bottom 15.8

Holder for aluminium flap 15.8

Aluminium flap 15.9

bott vario cupboard door 15.10

Shelf divider 15.10

Drop-front shelf divider 15.10

bott vario drawer partition 15.11

bott vario drawer cross divider 15.11

varioSafe guide rail set 15.12

varioSafe 15.12

varioSort 15.12

Bearer bracket 15.13

Cover cap for edge protection 15.13

Edge protection 15.13

Mounting set 15.14

Kits - small parts storage boxes 15.14

The bott vario range of in-vehicle equipment is subject to constant development.
Therefore the technical manual can be amended or modified even after it has been printed.
Changes to design and form, deviations with respect to the colour shade and changes to the scope of delivery on the part of the manufacturer remain reserved during the period of delivery.
Illustrations and descriptions can also contain accessories and special equipment which are not included in the standard scope of delivery.
Deviations with respect to the colour can be printing-related.

No responsibility is taken for the correctness of the information.

www.bott.de

Bott GmbH & Co. KG, Bahnstraße 17, D-74405 Gaildorf/Germany, Phone: ++49 (0) 79 71 / 251-251, Fax: ++49 (0) 79 71 / 251-229

Subject to changes. 81098239_EN 11/2024