



Kompressoren
Compresseurs **2017**

6, Route d'Arlon
L-9180 Oberfeulen
Tél.: +352 81 93 30-1
Fax: +352 81 94 44
www.nordair.lu

MINI-PRESS



KM10253025



KM10253050



KM10315090

Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KM10253025	25	253	10	230/50	1,5 - 2	77	1400	77 x 35 x 69	38
KM10253050	50	253	10	230/50	1,5 - 2	77	1400	85 x 38 x 73	41
KM10253090	90	253	10	230/50	1,5 - 2	77	1400	108 x 40 x 80	56
KM10315090	90	315	10	230/50	2,2 - 3	77	1400	108 x 41 x 85	60

MEDIUM-PRESS



KM30541090



KM30541150

Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KM30541090	90	541	10	400/50	3 - 4	75	1400	100 x 41 x 85	66
KM30541150	150	541	10	400/50	3 - 4	75	1400	132 x 50 x 103	83

MAXI-PRESS



KM30798090

KM30798270



KS30798270



Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KM30798090	90	798	11	400/50	5,5 - 7,5	81	1400	100 x 45 x 107	116
KM30798270	270	798	11	400/50	5,5 - 7,5	81	1400	155 x 57 x 120	151
KS30798270	270	798	11	400/50	5,5 - 7,5	81	1400	155 x 57 x 120	148

VERTICAL-PRESS

KV30541150



KV30798270

Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KV30541150	150	541	10	400/50	3 - 4	74	1400	77 x 56 x 169	97
KV30798270	270	798	11	400/50	5,5 - 7,5	81	1400	90 x 63 x 195	156

MOTOR-PRESS

KMB0634034



Modell	Behälter (l)	l/min	bar	Motor	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Moteur	dB(A)	tr/min	Dimensions	kg
KMB0634034	17 + 17	684	10	9	81	1200	108 x 77 x 85	118

VERTIKAL-TANKS



Modell	Behälter (l)	bar	B x T x H	kg
Modèle	Cuve (l)	bar	Dimensions	kg
K55901831	100	11	37 x 37 x 120	29
K55901839	200	11	45 x 45 x 160	54
K55891410	270	11	50 x 50 x 169	54
K97254031	500	11	60 x 60 x 209	128
K97156756	1000	11	80 x 80 x 218	198
K55901847	2000	11	110 x 110 x 303	384
K55900551	270	16	50 x 50 x 169	93
K55901871	500	16	60 x 60 x 209	156

PREMIUM-PRESS



KMP10313050

KMP30386100



Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KMP10313050	50	313	10	230/50	2,2 - 3	82	920	1010 x 590 x 760	75
KMP30386100	100	386	10	400/50	2,2 - 3	82	1135	1040 x 440 x 870	87
KMP30705100	100	705	10	400/50	4 - 5,5	87 - 88	1085	1040 x 440 x 980	125

PREMIUM-PRESS

KSP30705270

KSP3070530015BAR



Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KSP30705270	270	705	10	400/50	4 - 5,5	87 - 88	1085	1500 x 490 x 1120	163
KSP3070530015BAR	300	705	15	400/50	4 - 5,5	87 - 88	1085	1600 x 490 x 1120	178

PREMIUM-PRESS



KVP30705270

Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
KVP30705270	270	705	10	400/50	4 - 5,5	87 - 88	1085	820 x 600 x 1840	163

PREMIUM-SILENT

ZTP705
ZTP922SD
ZTP1305SD



Modell	Behälter (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	U/min	B x T x H	kg
Modèle	Cuve (l)	l/min	bar	Volt/Hz	kW-hp	dB(A)	tr/min	Dimensions	kg
ZTP705	/	705	10	400/50	3 - 4	63	1085	770 x 565 x 1010	131
ZTP922SD	/	922	10	400/50	7,5 - 10	64	795	830 x 690 x 1150	180
ZTP1305SD	/	1305	10	400/50	11 - 15	64	1125	830 x 690 x 1150	187



6, Route d'Arlon
L-9180 Oberfeulen

Tél.: +352 81 93 30-1
Fax: +352 81 94 44

www.nordair.lu